




Spare parts for:

## Cooking equipment



Suitable for:

# DIHR



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# DIHR



Suitable for:

## Capacitors

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



DIHR 18043

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



DIHR 15081

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



DIHR 15081/A

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



DIHR 10702

## Clamps

**3449452 HOSE CLAMP 16-25**  
for hoses  $\varnothing$  16÷25 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



DIHR 11807

DIHR 2902050

**3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



DIHR 11806


## Contactors

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



DIHR 15086/B

**3050195 DIFFERENTIAL SWITCH MERLIN GERIN**  
TETRA  
model C60N - 4P - 32A - C - 30MA



DIHR 2000411



## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Boiling pan (MORICE)  
 for Boiling pan (THIRODE)  
 for Bratt pan (MORICE)  
 for Bratt pan (THIRODE)  
 for Fry top (LOTUS) - Series 60 - Series 65  
 Series 70  
 for Grill (THIRODE)  
 for Hot plate (EMMEPI) - Series 650 - Series 700  
 for Hot plate (GICO) - Series 110 - Series 700  
 Series 920  
 for Pasta cooker electric (BONNET)



DIHR 30102

DIHR 9107

## Feet

### 3313005 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm with fixed screw M12x25 mm



DIHR 15116

## Fittings

### 3349346 NICHEL-PL.HOSE-END FITTING $\varnothing$ 1/4" M $\varnothing$ 12



DIHR 12005

### 3349347 NICHEL-PL.HOSE-END FITTING $\varnothing$ 3/8" M $\varnothing$ 12



DIHR 10221311

### 3349337 NICHEL-PL.T-FITTING $\varnothing$ 1/4" F-1/4" F-1/4" F



DIHR 12008

### 3349330 NICHEL-PLATED FITTING $\varnothing$ 1/4" M-1/8" F



DIHR 12032



Suitable for:

DIHR



Suitable for:

## Heating elements

**3355327 HEATING ELEMENT 1000W 230V BOTTOM**  
length 180 mm - width 180 mm  
for Panini grill electric (SILANOS) DOPPIA  
DOPPIA RIGATA



DIHR 9717

**3355318 HEATING ELEMENT 1200W 240V BOTTOM**  
length 175 mm - width 240 mm  
for Panini grill electric (DIHR) XAL2 - XAR2



DIHR 9562

**3355803 HEATING ELEMENT 2000W 230V**  
length 230 mm - width 210 mm  
connection  $\varnothing$  12 mm  
for Salamander electric (DIHR) S2  
for Salamander electric (LOTUS) SL-600



DIHR 30103


DIHR 9153

**3755710 HEATING ELEMENT 2000W 230V**  
length 295 mm - width 220 mm  
fittings  $\varnothing$  12 mm  
for Salamander electric (DIHR) S1  
for Salamander electric (LOTUS) SA-400 - SA-600



DIHR 9113

**3355301 HEATING ELEMENT 800W 230V TOP**  
length 180 mm - width 185 mm  
for Panini grill electric (ARISTARCO) ORION1  
ORION2  
for Panini grill electric (DIHR) XAL - XAR - XBL  
XBR



DIHR 9008/A

DIHR 9716

**3355302 HEATING ELEMENT 900W 230V BOTTOM**  
length 180 mm - width 185 mm  
for Panini grill electric (ARISTARCO) ORION1  
ORION2  
for Panini grill electric (DIHR) XAL - XAR - XBL  
XBR



DIHR 9009/A

**3755370 MALE-FEMALE CERAMIC INSULATOR**



DIHR 8026

**3355349 QUARTZ HEATING ELEMENT 1000W 230V**  
length 390 mm - flange 130x11 mm  
for Toaster electric (DIHR) F120 - F60  
for Toaster electric (ELETTROBAR) 412  
for Toaster electric (SICOMEX)



DIHR 8070



Suitable for:

Suitable for:

## 3355344 QUARTZ HEATING ELEMENT 333W 75V

length 390 mm -  $\varnothing$  11 mm  
for Toaster electric (DIHR) F12 - F6



DIHR 8075

## 3755369 QUARTZ HEATING ELEMENT 500W 115V

external  $\varnothing$  10 mm - length 365 mm  
for Toaster electric (DIHR) F120 - F60



DIHR 8156

## 3755370 MALE-FEMALE CERAMIC INSULATOR



DIHR 8026

## 3355317 TOP HEATING ELEMENT 1000W 240V

length 175 mm - width 230 mm  
for Panini grill electric (DIHR) XAL2 - XAR2



DIHR 9561

## Interference suppression filters

### 3160479 INTERFERENCE SUPPRESSION FILTER 0,47 $\mu$ F



DIHR 15149

## Ironmongery (screws,nuts,washers)

### 3060069 S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588



DIHR 11702

DIHR 11708

### 3528075 S/STEEL OPEN WASHER $\varnothing$ 8 mm UNI 1751



DIHR 11609





Suitable for:

# DIHR



Suitable for:

**1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588**



DIHR 11706


## Knobs

**3241402 BLACK KNOB  $\varnothing$  70 mm**  
D shaft hole 6x4.6 mm  
for thermostat. selector switch. timer.  
program switch. energy regulator



DIHR 9104

**3241163 BLACK KNOB  $\varnothing$  44 mm**  
square hole 6x6 mm  
for Panini grill (DIHR) SALAMANDRA S1  
SALAMANDRA S2



DIHR 8029

**3241863 BLACK KNOB  $\varnothing$  70 mm**  
D shaft hole 6x4.6 mm



DIHR

**3241864 BLACK KNOB  $\varnothing$  70 mm MIN-MAX**  
D shaft hole 6x4.6 mm



DIHR

**3241860 BLACK KNOB  $\varnothing$  70 mm 0-1-0-1**  
D shaft hole 6x4.6 mm



DIHR

**3241861 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3**  
D shaft hole 6x4.6 mm



DIHR

**3241862 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm



DIHR

**3241855 BLACK KNOB  $\varnothing$  70 mm 30-110°C**  
D shaft hole 6x4.6 mm



DIHR



# DIHR



Suitable for:

**3241853 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
D shaft hole 6x4.6 mm



DIHR

Suitable for:

**3241854 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
D shaft hole 6x4.6 mm



DIHR

## Lamps

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



DIHR 10711/B

**3221192 LAMP SUPPORT**



DIHR 15827

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



DIHR 15826

**3221151 WHITE INDICATOR LIGHT 250V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  11 mm - 120°C  
for (LOTUS) - Series 600 - Series 650 - Series 700  
Series 900  
for Salamander electric (DIHR) S1 - S2



DIHR 9108

## Microswitches

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels  
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14  
H17 - H22  
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35  
MJ45E



DIHR 10704

**3240123 MICROSWITCH 16A 250V**



DIHR 60539



Suitable for:

Suitable for:

3240181 PROTECTED MAGNET 62x18x10 mm



DIHR 80232

**OR and ORM gaskets**

3186143 GASKET OR 04093 EPDM



DIHR 13023

3186013 O-RING GASKET 06187 EPDM ø 58 mm



DIHR 13005

3186014 O-RING GASKET 06225 EPDM ø 67 mm



DIHR 13015

DIHR 13020

1186411 O-RING 02031 EPDM



DIHR 13002

3243266 O-RING 02081 EPDM



DIHR 13025

1186472 O-RING 04075 EPDM



DIHR 60377

DIHR 60532

3186197 O-RING 04150 EPDM



DIHR 13022

**Pilot burners and accessories**

3020082 OLIVE FOR 12 mm ø PIPE



DIHR 10200182





## Pliers for sandwiches und toasts


- 3317051 GRILL PLIER**  
length 100 mm  
height 180 mm  
for Toaster



DIHR 8008


## Relays

- 3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts




DIHR 15620

- 3351008 RELAY 62.83 16A 230V 50/60Hz**  
3 switching contacts



DIHR 16047

- 3351039 SOCKET WITH TERMINALS 95.75 10A 250V**



DIHR 3006079

## Rotary switches

- 3057216 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 230V - max 150°C  
D-shaped pin 6x4.6 mm  
for Panini grill electric (FB FABBA) - Series E  
Series S



DIHR 9564



Suitable for:

# DIHR



Suitable for:

## Solenoid valves

**3120013 SOLENOID VALVE 263 220/240V  $\varnothing$  10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet  $\varnothing$  10 mm



DIHR 15099

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



DIHR 10703

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



DIHR 15098

**3120009 SOLENOID VALVE 351 220/240V  $\varnothing$  14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



DIHR 30001000

**3120010 SOLENOID VALVE 352 220/240V  $\varnothing$  14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  14 mm



DIHR 30001001

## Springs

**3250002 RIGHTHAND SPRING  $\varnothing$  20x42 mm**  
for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



DIHR 9019

**3250007 SPRING  $\varnothing$  21x100 mm**  
for ELECTRIC PLATE new series



DIHR 9563

## Switches

**3319920 BLACK TWO-POLE SWITCH 16A 250V**



DIHR 15812

**3319646 GREEN/ORANGE CAM**



DIHR 15824

DIHR 15824/A



# DIHR



Suitable for:

**3319090 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator lamp and switch cover  
max temperature 120°C  
mounting hole 22x30 mm



DIHR 15048

Suitable for:

**3319091 GREEN CHANGE OVER SWITCH 250V 16A**  
with indicator lamp and button protection cap  
max temperature 120°C  
mounting hole 22x30 mm



DIHR 15050

**1319082 SINGLE-POLE PUSH BUTTON 16A 250V**



DIHR 15813

## Telethermometers

**3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C**  
plastic case  
capillary 1500 mm  
bulb  $\varnothing$  6x26 mm



DIHR 10500005

## Terminal blocks

**3247016 3-POLE TERMINAL BLOCK FV273 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



DIHR 500550

**3247011 6-POLE TERMINAL BLOCK FV122 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



DIHR 500551



Suitable for:

DIHR



Suitable for:

## Thermostats

### 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



DIHR 9010

## Timers

### 3446105 TIMER 15 MINUTES C20

manually set mechanical timer  
manually set cycle 15 minutes  
2 poles with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



DIHR 8152

### 3446137 TIMER 15 MINUTES M2

mechanical movement with balance wheel  
manually set mechanical timer  
manually set cycle 15 minutes  
bipolar with contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for all models  
for Toaster (SIRMAN)



DIHR 8030

## Tool holder shafts

### 9742006 TOOL SHAFT FEATHER

dimensions 6x6x25 mm



DIHR 2001045