




Spare parts for:

Cooking equipment



Suitable for:

EGO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

EGO



Suitable for:

Electric hot plates

3311049 ELECTRIC HOT PLATE 5000W 400V
dimensions 400x400 mm
terminal block electric connections
for electric cooking top



EGO 1144460001

3311106 ELECTRIC HOT PLATE ø 140 mm 1200W 230V
faston electric connections
complete with energy adjuster
for Pot stove electric (AMBASSADE) CE841VRT



EGO 1074431004

3311165 ELECTRIC HOT PLATE ø 140 mm 1200W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



EGO 1054111004

3311168 ELECTRIC HOT PLATE ø 140 mm 1200W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EGO 1074631004

EGO 1084631040

3311090 ELECTRIC HOT PLATE ø 145 mm 1000W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1214453194

3311092 ELECTRIC HOT PLATE ø 145 mm 1500W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-740 - CE-741



EGO 1214463196

EGO 1214474040

EGO 1514474030

3311161 ELECTRIC HOT PLATE ø 145 mm 1500W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1214356232

EGO 1214356234

3311093 ELECTRIC HOT PLATE ø 145 mm 1500W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720



EGO 1214463197



EGO



Suitable for:

3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1218453022

EGO 1218453196

Suitable for:

3311095 ELECTRIC HOT PLATE ø 180 mm 1500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top




EGO 1218453021

EGO 1218453025

3311169 ELECTRIC HOT PLATE ø 180 mm 1700W 230V

faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EGO 1078631004

EGO 1088631040

3311166 ELECTRIC HOT PLATE ø 180 mm 1800W 230V

faston electric connections
for glass-ceramic cooking top
for glass-ceramic cooking top



EGO 1058111004

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1218463194

EGO 1218474040

3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1218463198

EGO 1218474050

3311108 ELECTRIC HOT PLATE ø 210 mm 2100W 230V

faston electric connections
complete with energy adjuster
for Pot stove electric (AMBASSADE) CE841VRT



EGO 1071431004

EGO 6025176295

3311170 ELECTRIC HOT PLATE ø 210 mm 2100W 230V

faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EGO 1071631004

EGO 1081631040

3311107 ELECTRIC HOT PLATE ø 210 mm 2200W 230V

faston electric connections
complete with energy adjuster
for Pot stove electric (AMBASSADE) CE841VRT



EGO 1051211404

EGO 6025171022

3311167 ELECTRIC HOT PLATE ø 210 mm 2300W 230V

faston electric connections
for glass-ceramic cooking top
for glass-ceramic cooking top



EGO 1051111004



Suitable for:

EGO



3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1222453199

3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1222453021

EGO 1222453025

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (BONNET) B-B7.PE800
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720



EGO 1222463012

EGO 1222463018

EGO 1222474030

EGO 1222474040

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (MORICE) RE40010003
for Kitchen electric (FAGOR) CE-741 - CE7-20
CE7-40



EGO 1222463011

EGO 1222463019

3311088 ELECTRIC HOT PLATE ø 230 mm 2100W 230V

faston electric connections
complete with energy regulation
for Pot stove (ZANUSSI) - Series N700
Series PR700



EGO 1071261004

3311087 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top
for Kitchen electric (TECNOX) CV74TPS



EGO 1053211004

3311160 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top
for Hot plate (SILKO) CSIECV74E



EGO 1073631004

3311102 ELECTRIC HOT PLATE ø 300 mm 2500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1230453195



EGO



Suitable for:

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V

terminal block electric connections
with STAINLESS steel edge
for Pot stove (MBM) - Series DOMINA900



EGO 1230454194

Suitable for:

3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1230454195

3311175 ELECTRIC HOT PLATE ø 400 mm 5000W 400V

2 screw electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1240670231

3311176 ELECTRIC HOT PLATE ø 400 mm 5000W 400V

4 terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EGO 1240870001

EGO 1240870007

3311070 ELECTRIC HOT PLATE 2500W 230V

dimensions 300x300 mm
tilting plate
electric screw couplings
for electric cooking top



EGO 1133370242

EGO 1133370247

EGO 1133460302

3311171 ELECTRIC HOT PLATE 2500W 230V

dimensions 300x300 mm
plug electric connections
for electric cooking top



EGO 1133310002

EGO 1133310009

3311071 ELECTRIC HOT PLATE 2500W 400V

dimensions 300x300 mm
tilting plate
electric screw couplings
for electric cooking top



EGO 1133460301

EGO 1133460349

3311076 ELECTRIC HOT PLATE 2500W 400V

dimensions 300x300 mm
plug electric connections
for electric cooking top



EGO 1133310001

EGO 1133310008



Suitable for:

EGO



3311053 ELECTRIC HOT PLATE 2600W 230V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



EGO 1122454232

EGO 1122454233

EGO 1122454237

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



EGO 1122454238

3311062 ELECTRIC HOT PLATE 3000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Kitchen electric (FAGOR) CE-941
 for Oven under cooktop electric (FAGOR) CE-920
 CE-940



EGO 1133454236

EGO 1133454247

3311063 ELECTRIC HOT PLATE 3000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Kitchen electric (FAGOR) CE-941
 for Oven under cooktop electric (FAGOR) CE-920
 CE-940



EGO 1133454248

3311174 ELECTRIC HOT PLATE 3000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 for electric cooking top



EGO 1133350507

EGO 1133470195

3311105 ELECTRIC HOT PLATE 3500W 230V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for pyroceramic cooking range CE841VRT
 for Pot stove electric (AMBASSADE) CE841VRT



EGO 1077828003

3110001 ELECTRIC HOT PLATE 4000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 for electric cooking top



EGO 1133460194

3311064 ELECTRIC HOT PLATE 4000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Kitchen electric (FAGOR) CE-941
 for Oven under cooktop electric (FAGOR) CE-920
 CE-940



EGO 1133454246



Suitable for:

Suitable for:

3311074 ELECTRIC HOT PLATE 4000W 230V
 dimensions 300x300 mm
 tilting plate
 terminal block electric connections
 for electric cooking top



EGO 1133460308

EGO 1133460342

EGO 133460342

3311048 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 for electric cooking top



EGO 1133460195

3311065 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Kitchen electric (FAGOR) CE-941
 for Oven under cooktop electric (FAGOR) CE-920
 CE-940



EGO 1133454249


3311075 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 tilting plate
 terminal block electric connections
 for electric cooking top



EGO 1133460307

EGO 1133460341


3311103 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for glass-ceramic cooking top
 WITH PAN DETECTOR



EGO 1077848006

EGO 1083848060

3311151 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for glass-ceramic cooktop
 WITHOUT PAN DETECTOR




EGO 1077823006

EGO 1083816060

EGO 1083818060

3311152 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for glass-ceramic cooktop
 WITH PAN DETECTOR



EGO 1077843006

EGO 1083846060

3311104 ELECTRIC HOT PLATE 5000W 380/400V
 dimensions 600x300 mm
 terminal block electric connections
 for electric cooking top



EGO 1163471111

EGO 11634711105



Suitable for:

EGO



Suitable for:

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M
 for Grill electric (BERTO'S) E6PL60B - E6PL60M
 E9PL40M - E9PL80M - PLE40BE - PLE40ME
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M
 for Salamander electric (BERTO'S) SA/E48 - SA/E60
 SA/E60-E - SA/E68M - SA/E68M-E



EGO 5017071000

EGO 5057071010

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



EGO 5017011000

EGO 5017021000

EGO 5037011000

EGO 5037021000

EGO 5057011000

EGO 5057021000

3350031 ENERGY ADJUSTER

contact capacity 400V 7A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)



EGO 5017031000

EGO 5017051000

EGO 5037051000

EGO 5057031010

EGO 5057051010

3350035 ENERGY ADJUSTER

contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm



EGO 5027021580

EGO 5055021100

EGO 5067021591

3350069 ENERGY ADJUSTER

contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 for Grill (AMBASSADE)



EGO 5057071150

3350078 ENERGY ADJUSTER

complete with cables length 800 mm
 contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 for Pot stove electric (AMBASSADE) CE841VRT



EGO 5055021171

Suitable for:

Suitable for:

2111902 ENERGY REGULATOR
 contacts 240V 13A
 temperature max 125°C
 D-shaft \varnothing 6x4.6 mm
 for Pot stove electric (MBM) EVC26 - EVC46



EGO 5055071100

EGO 5067079601

Equipment and accessories

3235031 ADAPTER FOR FILTER HOSE



EGO 7872349661-00

3235030 ADAPTER FOR GENERATING HOSE



EGO 7872349652-00

3235029 AIR INLET FILTER



EGO 7839290006-00

3235027 AIR INLET HOSE \varnothing 60x3000 mm



EGO 7870000052-00

3235023 CONTROL WITH HANDLE AND INDICATOR
 dimensions 120x120 mm - depth 100 mm
 mounting hole 93x93 mm



EGO 7890576000-00

3235024 DIGITAL FLEX TOUCH CONTROL
 dimensions 160x120 mm - depth 60 mm
 mounting hole 148x108 mm



EGO 7890576001-00

3235028 HOSE CLAMP 60-80 mm



EGO 7870000051-00

3235019 INDUCTION TOP 3500W 230V 50/60Hz
 flat snap-in ATICS version
 dimensions 384x384xh138 mm
 glass size 320x320 mm
 mounting hole 332x332 mm
 cooking area \varnothing 220 mm
 min \varnothing for pan 120 mm



EGO 7890976000-00



Suitable for:

EGO



Suitable for:

3235021 INDUCTION TOP 3500W 230V 50/60Hz

WOK version
dimensions 384x384xh138 mm
glass size ø 296 mm
mounting hole 332x332 mm
cooking area ø 300 mm
min ø for pan 120 mm



EGO 7890976001-00

3235012 INDUCTION TOP 5000W 400V 3AC 50/60 HZ

flat type COMFORT
size 405x545xh115 mm
cooking area ø 270 mm
min ø for pan 120 mm



EGO 7890076006-00

**3235015 WOK PAN ø 360 mm - 5,2 L
for cooking range "WOK"**



EGO 7872205040-00

3235014 WOK S/STEEL BASE FOR PLATE RANGE



EGO 7872379020-00

3235026 INDUCTION TOP 5000W 400V 3AC 50/60 HZ

WOK COMFORT version
BIG TOUCH keyboard control
with ON/OFF push-button
dimensions 405x545xh115 mm
cooking area ø 300 mm
min ø for pan 120 mm



EGO 7890076009-00

**3235015 WOK PAN ø 360 mm - 5,2 L
for cooking range "WOK"**



EGO 7872205040-00



Suitable for:

EGO



3235010 INDUCTION TOP 5000W 400V 3AC 50/60HZ

type WOK
size 405x545xh115 mm
cooking area \varnothing 300 mm
min \varnothing for pan 120 mm



EGO 7890076008-00

Suitable for:

3235015 WOK PAN \varnothing 360 mm - 5,2 L
for cooking range "WOK"



EGO 7872205040-00

3235025 INDUCTION TOP 5000W 400V 3AC 50/60HZ

flat version
BIG TOUCH keyboard control
with ON/OFF push-button
dimensions 405x545xh115 mm
cooking area \varnothing 270 mm
min. \varnothing for pan 120 mm



EGO 7890076007-00

3235015 WOK PAN \varnothing 360 mm - 5,2 L
for cooking range "WOK"



EGO 7872205040-00

3235014 WOK S/STEEL BASE FOR PLATE RANGE



EGO 7872379020-00

3235020 INDUCTION TOP 5000W 400V 50/60Hz

flat snap-in ATICS version
dimensions 384x384xh138 mm
glass size 320x320 mm
mounting hole 332x332 mm
cooking area \varnothing 220 mm
min \varnothing for pan 120 mm



EGO 7890976002-00

3235022 INDUCTION TOP 5000W 400V 50/60Hz

WOK version
dimensions 384x384xh138 mm
glass size \varnothing 296 mm
mounting hole 332x332 mm
cooking area \varnothing 300 mm
min \varnothing for pan 120 mm



EGO 7890976003-00



Suitable for:

3235015 WOK PAN \varnothing 360 mm - 5,2 L
for cooking range "WOK"



EGO 7872205040-00

EGO



Suitable for:

3235014 WOK S/STEEL BASE FOR PLATE RANGE



EGO 7872379020-00

Gaskets and seals

3786273 HEATING ELEMENT GASKET \varnothing 192x160x3 mm



EGO 624074

Heating elements

3755126 FLAT HEATING ELEMENT 300W 230V
length 458 mm - width 17 mm
with cables



EGO 3104581115

3755127 FLAT HEATING ELEMENT 300W 230V
length 432 mm - width 17 mm
with cables



EGO 3104325012

3755121 FLAT HEATING ELEMENT 550W 230V
length 540 mm - width 22 mm
with cables



EGO 3205402002

3755122 FLAT HEATING ELEMENT 600W 400V
length 540 mm - width 22 mm
with cables



EGO 3205402134

3755125 FLAT HEATING ELEMENT 700W 230V
length 600 mm - width 22 mm
with cables



EGO 3206002114

3755124 FLAT HEATING ELEMENT 700W 400V
length 600 mm - width 22 mm
with cables



EGO 3206002007

EGO 3206002113



Suitable for:

3755299 HEATING ELEMENT BRACKET



EGO 2724039000

EGO



Suitable for:

3355066 HEATING ELEMENT 1000W 220V

length 295 mm - width 90 mm
connection \varnothing 14 mm
for Bain-marie electric (MARENO) BME-40M - BME-60M
BME-80M



EGO 2040259000

3755001 HEATING ELEMENT 1000W 230V
length 520 mm - width 135 mm
for Oven under cooktop electric (MODULAR)
Series 900



EGO 2410096200

3755132 HEATING ELEMENT 1000W 230V
length 395 mm - width 200 mm
2 flanges 30x16 mm
for Bain-marie electric (BLANCO)



EGO 2023487010

3755554 HEATING ELEMENT 1000W 230V
length 260 mm - width 30 mm
fittings \varnothing 10 mm - with nut and gasket
for Bain-marie electric (JUNO-RÖDER-SENKING)



EGO 2422164020

3355243 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 195 mm
complete with cables
for Panini grill electric (ELETTOBAR) G33 - G39
433 - 434 - 436 - 437 - 438



EGO 2410083630

EGO 2413875023

3455142 HEATING ELEMENT 1100W 220V
length 330 mm - width 65 mm
height 75 mm
for Fry top electric (AMBASSADE) CME410G
CME410SKS - CME410SR



EGO 2413545023

3355888 HEATING ELEMENT 1100W 240V
length 375 mm - width 95 mm.
fittings \varnothing 10 mm
for Hot cupboard electric (SILKO)
Series SNACK650



EGO 2410001310



Suitable for:

EGO



3455368 HEATING ELEMENT 1260W 230V
 external \varnothing 190 mm - overall height 415 mm
 flange 100x22 mm
 for Oven under cooktop electric (MODULAR)
 70/110CFGE - 70/70CFGE - 90/120CFE
 90/120CFGE - 90/160CFGE - 90/80CFE - 90/80CFGE
 90/80CFVE



EGO 2410085900

3355076 HEATING ELEMENT 1300W 220V
 length 425 mm - width 80 mm
 height 70 mm
 for Fry top electric (MARENO) FTE-702 - FTE-703



EGO 2434583023

3355202 HEATING ELEMENT 1300W 240V
 length 370 mm - width 95 mm
 connection \varnothing 10 mm
 for Bain-marie electric (GICO)



EGO 2422866024

EGO 8720290B

3755446 HEATING ELEMENT 1350W 400V
 length 215 mm - width 225 mm
 total length 90 mm
 for Kitchen electric (AMBACH) EKE/70



EGO 2410079730

3355207 HEATING ELEMENT 1370W 240V
 length 430 mm - width 95 mm
 height 65 mm
 nut and washer on demand
 for second series
 for Fry top electric (GICO)



EGO 2410002030

3355654 HEATING ELEMENT 1500W 230V
 length 530 mm - width 45 mm
 height 110 mm
 for Bratt pan electric (AMBACH) EKB/90
 Series 700 - Series 900



EGO 2410094500

3755133 HEATING ELEMENT 1500W 230V
 length 395 mm - width 200 mm
 2 flanges 30x15 mm
 for Bain-marie electric (BLANCO)



EGO 2023487000

3755721 HEATING ELEMENT 1500W 230V
 length 390 mm - width 37 mm
 fittings \varnothing 10 mm
 for Bain-marie electric (JUNO-RÖDER-SENKING)



EGO 2422165020



Suitable for:

3355127 HEATING ELEMENT 1600W 220V
 external \varnothing 190 mm - total height 70 mm
 flange 70x22 mm
 for Bain-marie electric (ART SERF) BCA1618
 for Hot cupboard electric (ALPENINOX)
 for Hot cupboard electric (ZANUSSI)
 for Kitchen gas (AMBASSADE) CG741
 for Oven under cooktop electric (ALPENINOX)
 for Oven under cooktop electric (ZANUSSI)
 for Oven under cooktop gas (AMBASSADE) CG1051
 CG731 - CG831



EGO 2413870022

Suitable for:

3755447 HEATING ELEMENT 1650W 400V
 length 245 mm - width 255 mm
 total height 94 mm
 for Kitchen electric (AMBACH) EKE/70



EGO 2410079830

3755431 HEATING ELEMENT 1700W 400V
 length 305 mm - width 215 mm
 total height 85 mm
 for Solid top range electric (AMBACH) EPE/40



EGO 2410062620

3355653 HEATING ELEMENT 1800W 230V
 external \varnothing 178 mm - overall height 50 mm
 flange 70x22 mm
 for Hot cupboard electric (AMBACH)
 Series ECOLINE



EGO 2410075010

3755300 HEATING ELEMENT 1800W 230V
 external \varnothing 203 mm - total height 70 mm
 flange 56x24 mm
 for Food-service trolley (BLANCO) - Series SHV



EGO 2028907000

3455209 HEATING ELEMENT 1950W 230V
 length 455 mm - width 107 mm
 fittings \varnothing 12 mm
 for Grill electric (MORICE)
 for Lava rock grill electric (MORICE)



EGO 2434105023

3355847 HEATING ELEMENT 2000W 220V
 length 230 mm - width 280 mm
 flange 107x33 mm
 for Salamander electric (TECNOINOX) SE40



EGO 2410052410

3755226 HEATING ELEMENT 2000W 230V
 length 455 mm - width 260 mm
 height 20 mm - fittings \varnothing 10 mm
 for Bain-marie electric (ROKA)



EGO 2023661000



Suitable for:

EGO



3755227 HEATING ELEMENT 2000W 230V

length 490 mm - width 30 mm
fittings M14x1.5 mm



EGO 2422156000

Suitable for:

3755555 HEATING ELEMENT 2000W 230V

length 460 mm - width 30 mm
fittings \varnothing 10 mm
for Bain-marie electric (JUNO-RÖDER-SENKING)



EGO 2422166000

EGO 2422166020

3755432 HEATING ELEMENT 2000W 400V

length 335 mm - width 232 mm
total height 85 mm
for Solid top range electric (AMBACH) EPE/40



EGO 2410082520

3755584 HEATING ELEMENT 2300W 230V

external \varnothing 193 mm - total height 73 mm
flange 70x22 mm



EGO 2021291010

EGO 2021291101

3755302 HEATING ELEMENT 2400W 230V

external \varnothing 193 mm - total length 60 mm
flange 70x22 mm



EGO 2023077000

3355055 HEATING ELEMENT 2500W 220V


external \varnothing 190 mm - overall height 93 mm
flange 70x22 mm
for Oven under cooktop electric (ZANUSSI)



EGO 2413881023

3355214 HEATING ELEMENT 2500W 220V

length 530 mm - width 615 mm
flange 70x22 mm
for Kitchen electric (MBM) E4F



EGO 2410025310

3755583 HEATING ELEMENT 2500W 230V

external \varnothing 193 mm - total height 60 mm
flange 47x16 mm



EGO 2017983000



Suitable for:

EGO



3755723 HEATING ELEMENT 2600W 230V
external \varnothing 203 mm - total height 65 mm
flange 70x22 mm
for Oven under cooktop electric
(JUNO-RÖDER-SENKING)
for Oven under cooktop electric (ZANUSSI)



EGO 2020219050

3755364 HEATING ELEMENT 275W 230V
length 395 mm - width 33 mm
flange 40x24 mm
for Dish warmer (BLANCO) - Series RHE



EGO 2029888000

3755483 HEATING ELEMENT 2750W 240V
length 565 mm - width 622 mm
flange 160x22 mm
for Oven under cooktop electric (SILKO) CCG9146
CCG9146/1 - CCG91662 - CCG91662/1 - CCG91663
CCG91663/1



EGO 2430002810

3755563 HEATING ELEMENT 2900W 230V
length 265 mm - width 60 mm
height 245 mm - flange 67x31 mm
for Fryer electric (ZANUSSI) MF/E1S12 - RF/E1S12
RF/E2D12



EGO 2040629000

3755587 HEATING ELEMENT 2900W 230V
length 305 mm - width 60 mm
height 200 mm - flange 65x30 mm
for Fryer electric (ZANUSSI) MF/E1S12 - MF/E2D12
RF/E1S12 - RF/E2D12



EGO 2040453000

3755459 HEATING ELEMENT 300W 230V
immersed length 220 mm - connection \varnothing 1"
with thermostat probe receptacle \varnothing 4 mm
for Boiling pan electric (AMBACH)



EGO 2081132210

3455140 HEATING ELEMENT 3100W 220V
length 380 mm - width 255 mm
flange 127x22 mm
for Oven under cooktop gas (AMBASSADE) CG1051
CG1052 - CG641



EGO 12434034024

3355209 HEATING ELEMENT 3200W 240V
length 675 mm - width 120 mm
for Bratt pan electric (GICO)



EGO 3380000171



Suitable for:

EGO



3755185 HEATING ELEMENT 3200W 240V
 length 570 mm - width 520 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM) EF07
 Series OMNIA



EGO 2410094800

3755366 HEATING ELEMENT 350W 230V
 length 425 mm - width 300 mm
 with cables
 for Food-service trolley (BLANCO) - Series TTW



EGO 2029666000

3755103 HEATING ELEMENT 3800W 230V
 immersed length 250 mm
 flange external \varnothing 72 mm
 with O-ring
 for Pasta cooker electric (MODULAR) - Series 700
 Series 900



EGO 2430081560

3755656 HEATING ELEMENT 3900W 230V
 length 510 mm - width 545 mm
 flange 160x20 mm
 for Oven under cooktop electric (MBM) EF07



EGO 2430094700

3755363 HEATING ELEMENT 400W 230V
 length 560 mm - width 33 mm
 for Dish warmer (BLANCO) - Series RHE



EGO 2028910000

3455139 HEATING ELEMENT 4050W 230V
 length 360 mm - width 440 mm
 flange 127x22 mm
 for Kitchen gas (AMBASSADE) CG741
 for Oven under cooktop gas (AMBASSADE) CG1051
 CG731 - CG831



EGO 12434226023

3455097 HEATING ELEMENT 4500W 220/380V
 immersion depth 390 mm
 flange external \varnothing 63 mm
 with O-ring



EGO 2463345000

3755434 HEATING ELEMENT 4500W 230V
 immersed length 395 mm
 flange external \varnothing 63 mm
 with thermostat probe receptacle
 with O-ring
 with cables



EGO 2430066060



Suitable for:

EGO



3755540 HEATING ELEMENT 480W 230V
length 440 mm - width 185 mm
for Bain-marie electric (ZANUSSI)



EGO

3755219 HEATING ELEMENT 500W 230V
immersed length 295 mm
fitting \varnothing 3/4" - complete with cables
for Boiling pan electric (KÜPPERSBUSCH)



EGO 2080461000

3455210 HEATING ELEMENT 550W 400 V
length 540 mm - width 20 mm
with cables



EGO 3205402001

3355266 HEATING ELEMENT 650W 230V
length 610 mm - width 22 mm
complete with cables
for Fry top electric (ANGELO PO) 61ARE - 61RE



EGO 3206002432

Suitable for:

3355732 HEATING ELEMENT 4800W 400V
internal \varnothing 180 mm - total height 55 mm
flange 70x22 mm



EGO 2026863010

3755367 HEATING ELEMENT 550W 230V
length 430 mm - width 470 mm
complete with cables
for Dish warmer (BLANCO) TTW



EGO 2029667000

3755436 HEATING ELEMENT 6000W 230V
immersed length 395 mm
flange external \varnothing 63 mm
with thermostat probe receptacle
with O-ring
with cables



EGO 2430066030

3455452 HEATING ELEMENT 700W 230V
length 430 mm - width 200 mm
for Food-service trolley (BLANCO) SGE3 ECOLINE
SWE2 - SWE3AA ECOLINE



EGO 2029861000



Suitable for:

EGO




3755131 HEATING ELEMENT 700W 230V
length 395 mm - width 200 mm
for Bain-marie electric (BLANCO) - Series SAG
Series SAW - Series SGE - Series SWE



EGO 2030194000

3355406 HEATING ELEMENT 750W 230V TOP
length 170 mm - width 145 mm
complete with cables
for Panini grill electric (ELETTOBAR) G33 - G39
433 - 434 - 436 - 437 - 438



EGO 2410083620

3755485 HEATING ELEMENT 7500W 230V
immersed length 475 mm - connection \varnothing 1 1/2"
with bulb sheath



EGO 2430018040

3355159 HEATING ELEMENT 800W 220V
length 395 mm - width 60 mm
fittings \varnothing 1/4"
for Bain-marie electric (ANGELO PO) 050BME
051BME
for Food-service trolley electric (ANGELO PO) CNX
CX - 2271/E - 2272/E - 2273/E
for Self service counter electric (ANGELO PO)
S.S.C.



EGO 2413871022

3355204 HEATING ELEMENT 800W 240V
length 475 mm - width 70 mm
for Bratt pan electric (GICO)



EGO 3340000491

3755511 HEATING ELEMENT 8000W 230V
immersed length 395 mm
flange external \varnothing 63 mm
with thermostat probe receptacle
with O-ring
with cables
for Boiling pan electric (AMBACH) - Series KKE
KSKE/100 - KSKE/50



EGO 2430066010

3455123 HEATING ELEMENT 850W 220V
length 645 mm



EGO 2434548023

3455124 HEATING ELEMENT 850W 230V
length 645 mm



EGO 2433580022



EGO



Suitable for:

3355150 HEATING ELEMENT 900W 220V
length 430 mm - width 120 mm
flange 100x20 mm
for Oven under cooktop (ANGELO PO) 52E - 62GE



EGO 2410021630

Suitable for:

3455084 HEATING ELEMENT 900W 230V
length 415 mm - width 40 mm
fittings \varnothing 12 mm
for Bain-marie electric (SOLYMAC)



EGO 0087203311

EGO 87203311

3755365 HEATING ELEMENT 900W 230V
length 665 mm - width 602 mm
flange 70x15 mm
for Dish warmer (BLANCO) - Series SHE



EGO 2029739000

3355507 HEATING ELEMENT 900W 240V
length 490 mm - width 50 mm
fittings \varnothing 1/4"
for Dish warmer electric (ZANUSSI) CMS - CS3



EGO 2410060810

3755361 PLATE HEATING ELEMENT 1800W 230V
with adjustment thermostat



EGO 2806013200

3786273 HEATING ELEMENT GASKET \varnothing 192x160x3 mm



EGO 624074

3755362 PLATE HEATING ELEMENT 1800W 230V
with adjusting thermostat
with safety thermostat



EGO 2806013300

3786273 HEATING ELEMENT GASKET \varnothing 192x160x3 mm



EGO 624074

3755855 RADIANT HEATING ELEMENT 1500W 230V
length 265 mm - width 165 mm
for Salamander electric (GIORIK) SH505R - SH510P
SH510R - SH520G - SH560P



EGO 1057401340

EGO 1057401344



Suitable for:

EGO



Suitable for:

Knobs

3444129 BLACK KNOB \varnothing 50 mm
D shaft hole 6x4.6 mm
with symbol
for thermostats and timers



EGO 524413

EGO 8335612010

3241565 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for EGO energy regulator



EGO 0000524162

3241567 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for thermostat EGO



EGO 0000524830

3241829 BLACK KNOB \varnothing 50 mm 0-1-0-1
D-shaped hole 6x4.6 mm



EGO 524056

3241309 BLACK KNOB \varnothing 50 mm 0-1-2-3
D shaft hole 6x4.6 mm



EGO 0000524058

EGO 524058

3241320 BLACK KNOB \varnothing 50 mm 0-1-2-3
D shaft hole 6x4.6 mm



EGO 0000524051

EGO 524051

3241564 BLACK KNOB \varnothing 50 mm 0-1-2-3
D shaft hole 6x4.6 mm
for EGO energy regulator



EGO 0000524054

3241566 BLACK KNOB \varnothing 50 mm 0-1-2-3
D shaft hole 6x4.6 mm
for EGO energy regulator



EGO 0000524010

3241552 BLACK KNOB \varnothing 50 mm 0-1-2-3-4
D shaft hole 6x4.6 mm




EGO 0000524059

EGO 524059

Suitable for:

3241827 BLACK KNOB \varnothing 50 mm 100-180°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 524813

Suitable for:

3241870 RING NUT \varnothing 52 mm
chrome plated metal
for EGO thermostate knob



EGO 6762000020
EGO 6762108

EGO 6762105

EGO 6762105000

3241741 BLACK KNOB \varnothing 50 mm 100-350°C
D shaft hole 6x4.6 mm
for EGO thermostat



EGO 0000524810

EGO 524810

3241870 RING NUT \varnothing 52 mm
chrome plated metal
for EGO thermostate knob



EGO 6762000020
EGO 6762108

EGO 6762105

EGO 6762105000

3241636 BLACK KNOB \varnothing 50 mm 30°-110°C
D shaft hole 6x4.6 mm
for EGO thermostat



EGO

3241319 BLACK KNOB \varnothing 50 mm 30°-85°C
D shaft hole 6x4.6 mm



EGO 0000524837

EGO 524803

3241721 BLACK KNOB \varnothing 50 mm 30°-90°C
D shaft hole 6x4.6 mm



EGO 524804

3444126 BLACK KNOB \varnothing 50 mm 30-110°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 524407

EGO 8335623010

3444125 BLACK KNOB \varnothing 50 mm 30-90°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 0000524401

EGO 524401

EGO 8335601010

3241165 BLACK KNOB \varnothing 50 mm 50°-300°C
D shaft hole 6x4.6 mm
for Panini grill (SILANOS) ROLLY



EGO



Suitable for:

3444128 BLACK KNOB \varnothing 50 mm 50-300°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 524403

EGO 8335604010

Suitable for:

3444441 BLACK KNOB \varnothing 50 mm 50-300°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 0000524807

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 0000524834

EGO 524834

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C
D shaft hole 6x4.6 mm
for EGO thermostat



EGO 524806

3445000 BLACK KNOB \varnothing 50 mm 90-200°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 524848

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



EGO 0000607007

EGO 607007

3241318 PIN EXTENSION 28 mm
D-shaped hole \varnothing 6x4,6 mm



EGO 4772028000

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



EGO 0000617079

EGO 617079

3057307 CONNECTION BRACKET
small model
for connection with thermostats



EGO 617078

3057014 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



EGO 4922015500

EGO 4941015300

EGO 4941015700

3057015 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm



EGO 4922015000

3057018 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm
back connection for thermostat
for Bain-marie (ALPENINOX)
for Bratt pan (ALPENINOX)
for Bratt pan (BARON) - Series 900
for Fry top (ALPENINOX)
for Fryer (ZANUSSI) - Series N700 - Series PR700
for Oven under cooktop (ALPENINOX)



EGO 4921015711

3057019 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Boiling pan (ALPENINOX)
for Bratt pan (ZANUSSI) - Series R700 - Series 700
for Fry top (ALPENINOX)
for Fryer (STAR 10)
for Fryer (ZANUSSI) - Series R700 - Series 700
for Kitchen (ALPENINOX)
for Solid top range (ALPENINOX)



EGO 4922015700

3057026 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm
for Bain-marie (EMMEPI) - Series 650
for Bain-marie electric (OLIS) 72/02CBE
72/02TCBE
for Bratt pan electric (OLIS) 74/02KBEBI
for Bratt pan gas (OLIS) 74/02KBGMB
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Fryer electric (OLIS) 72/02FRE - 74/02FRE
92/02FRE - 92/04FRE
for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
for Kitchen gas (OLIS) 76/02CGGE
for Oven under cooktop (GICO) - Series 500
Series 700



EGO 4921015501

EGO 4921015600

3057027 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
rear hole for thermostat
for Fryer (MORICE)
for Fryer electric (GIGA) SKF2E - Series 600
Series 700 - Series 800 - Series 900
for Grill (MORICE)
for Hot plate (MORICE)
for Kitchen (OM GAS) - Series MERCURY
Series SCORPION
for Kitchen (THIRODE) - Series 700 - Series 900
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EGO 4921015300




Suitable for:

EGO



3057032 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 for Fryer (ANGELO PO)




EGO 4331832000

3057037 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 with double shaft
 for Fryer (ANGELO PO) - Series JUNIOR
 Series SENIOR



EGO 4921915731

3057082 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°
 D-shaft 6x4.6 mm
 for Fryer (BARON) - Series 700 - Series 900
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer (GIORIK) - Series 700 - Series 900
 for Fryer (OFFCAR) - Series 700 - Series 900
 for Pasta cooker (BARON) - Series 700 - Series 900
 for Pasta cooker (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900
 for Pasta cooker (GIORIK) - Series 700
 Series 900



EGO 4941015705

3057095 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm




EGO 4931015020

3057121 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft 6x4.6 mm
 for Fry top (FAGOR) - Series 900
 for Fryer (FAGOR) - Series 900



EGO 4203400009

3057139 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




EGO 4204400003



Suitable for:

3057140 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 25A 400V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Fry top (ZANUSSI) - Series HD900 - Series N900
for Grill (ZANUSSI) - Series N700 - Series N900



EGO 4341832030

Suitable for:

3057177 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Bain-marie (EMMEPI) - Series 700 - Series 750 Series 900
for Bain-marie (OLIS) - Series 700 - Series 900
for Fry top (ALPENINOX)
for Fry top (EMMEPI) - Series 700 - Series 750 Series 900
for Fry top (OLIS) - Series 700
for Fry top (ZANUSSI) - Series N700 - Series PR700
for Fryer (ALPENINOX)
for Fryer (OLIS) - Series 700 - Series 900
for Grill (ZANUSSI) - Series 700
for Kitchen electric (ZANUSSI) - Series 900
for Oven under cooktop (ALPENINOX)



EGO 4941015500

EGO 4941015701

3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Fryer electric (GIORIK) FRE33 - FRE63 - FT33 FT63
for Self service counter (ZANUSSI)
for Warm table (ZANUSSI)



EGO 4942915707

3057186 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Bratt pan (MBM) - Series MAGISTRA



EGO 4922015705

3057196 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Bratt pan (JEMI) - Series 900



EGO 4623966541

3057216 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm
for Panini grill electric (FB FABBA) - Series E Series S



EGO 4941015702

EGO 4942915704



Suitable for:

EGO



3057255 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 for Bratt pan (CAPIC)
 for Fryer gas (CAPIC) AB20 - A20 - CA10 - C10
 2045 - 3085
 for Grill (CAPIC)




EGO 4921015610

3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



EGO 4334232000

3057013 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Bain-marie (ZANUSSI) - Series H900
 for Boiling pan (ZANUSSI) - Series H900
 Series R701 - Series 700
 for Bratt pan (MARENO) - Series 700
 for Bratt pan (ZANUSSI) - Series H900
 for Fry top (MARENO) - Series 700
 for Fryer (ZANUSSI) - Series H900
 for Pasta cooker (ZANUSSI) - Series H900
 Series R701 - Series 700




EGO 4342032700

3057017 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Boiling pan (ZANUSSI) - Series HD900
 for Bratt pan (ZANUSSI) - Series HD700
 Series R700
 for Fryer (ZANUSSI) - Series HD900
 for Potato heater (ZANUSSI) - Series HD700
 Series N700 - Series PR700




EGO 4922015723

3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Bain-marie (ZANUSSI) - Series N700
 Series PR700
 for Rotisserie electric (MCM) 1EE - 2EE - 3EE
 4EE - 6EE - 8EE
 for Toaster electric (DOSILET) TT0001 - TT4000



EGO 4942015500

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Pot stove gas (OLIS) 96/04CGFL



EGO 4942015000



Suitable for:

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm



EGO 4332032000

EGO 4342032000

Suitable for:

3057305 SELECTOR SWITCH 0-1-2-3 POSITIONS
 contact capacity 18A 240V - max 150°C
 D-shaped pin 6x4.6 mm
 for Boiling pan electric (GIGA) CPEI - KPIGN27E
 KPI10E - KPI15E - KPI15EA - OPPI10E - OPPI15E
 OPPI15EA
 for Boiling pan electric (WHIRLPOOL) AGB372
 AGB375 - AGB377 - AGB382 - AGB396 - AGB399
 AGB401 - AGB511



EGO 4927215746

EGO 4927215802

EGO 4944015702

3057003 SELECTOR SWITCH 0-1-2-3-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Boiling pan electric (ZANUSSI) - Series H900



EGO 4925915770

3057004 SELECTOR SWITCH 0-1-2-3-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 for Boiling pan electric (ZANUSSI) - Series 700
 for Pasta cooker electric (ZANUSSI) CCP/E700
 HCP/E400 - HCP/E800 - MCP/E700 - M70EPC
 RCP/E700



EGO 4925915769

3057257 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Oven under cooktop (CAPIC)




EGO 4324832120

3057078 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max temperature 150°
 D-shaped pin \varnothing 6x4.6 mm
 for Fryer electric (AMBACH) - Series EY
 Series FE



EGO 4941915707

3057083 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Oven under cooktop (MBM)



EGO 4923815000

EGO 4923815050

3057151 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max temperature 150°
 D spindle \varnothing 6x4.6 mm
 for Toaster electric (BERTO'S) 12T - 4TO - 6T
 for Toaster electric (ELETTROBAR) 404 - 406 - 412
 for Toaster electric (SILANOS) FA3



EGO 4914915705



Suitable for:

EGO



2101527 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



EGO 4924015000


3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
for Pot stove gas (ZANUSSI) JUN90002 - JUN90012
JUN90022 - JUN90042 - JUN90069 - JUN92012
JUN92032



EGO 4324232000

EGO 4324432000

3057030 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Kitchen (ANGELO PO) - Series ALPHA
Series DELTA - Series SENIOR




EGO 4921015300+

EGO 4944215700+

EGO 4964215715

EGO 4964215715+

3057060 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Oven under cooktop (JEMI) - Series 550
Series 600 - Series 700 - Series 900



EGO 4204400026

3057064 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Boiling pan electric (ZANUSSI) KPI/E15
for Pasta cooker (ZANUSSI) - Series HD900



EGO 4624866803

3057087 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



EGO 4924215000

3057090 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Boiling pan electric (MARENO) P9D-10E
P9D-15E - P9DA-10E - P9DA-15E - P9DASB-10E
P9DSB-10E



EGO 4942915705

3057098 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Pasta cooker (MODULAR) - Series 600
Series 700 - Series 900
for Pasta cooker electric (DESCO) CPE2 - CPE2-7



EGO 4944015702



3057159 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Pasta cooker electric (OFFCAR) - Series 700
 Series 900
 for Salamander electric (GIORIK) SR512



EGO 4944915703

3057164 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 140°C
 D-shaft \varnothing 6x4.6 mm
 for Oven under cooktop electric (ZANUSSI)
 Series N700 - Series N900



EGO 4148423000

3057165 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Bain-marie electric (ROLLER GRILL) BMS
 for Grill (ROLLER GRILL) XL
 for Rotisserie electric (ROLLER GRILL) RBE12
 RBE4 - RBE8
 for Salamander electric (ROLLER GRILL) SEM60
 for Toaster electric (ROLLER GRILL) BAR100
 BAR106 - BAR200 - BAR206 - RST127 - RST128
 RST227



EGO 4924215001

3057170 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6
 per models 7-8-10 litres
 for Fryer electric (DOSILET)




EGO 4924015500

3057180 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Kitchen electric (MARENO) - Series 700
 Series 900
 for Pasta cooker electric (BERTO'S) CPE40 - E9CP40



EGO 4934615701

3057254 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Bain-marie electric (MORICE) - Series 900
 for Fryer electric (MORICE) - Series 900
 for Oven under cooktop electric (CAPIC)
 for Pasta cooker electric (MORICE) - Series 900




EGO 4932015000

3057308 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Hot plate electric (CHARVET)



EGO 4324032000

3057336 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Boiling pan electric (MODULAR) - Series 700
 Series 900




EGO 4334232800



Suitable for:

3057006 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Kitchen electric (ZANUSSI) - Series H900



EGO 4325232020

EGO




Suitable for:

3057028 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V-25A 400V - max 150°C
D-shaped pin ø 6x4.6 mm



EGO 4325232000

3057031 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V-25A 400V - max 150°C
D-shaft ø 6x4.6 mm
for Pasta cooker electric (ANGELO PO)
Series JUNIOR - Series SENIOR - Series SUMMIT
for Pot stove electric (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA - Series SENIOR
Series SUMMIT



EGO 4325432000

3057093 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm



EGO 4924215520

3057096 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Salamander electric (FRANKE) FR1/1E2



EGO 4925215530

3057187 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
for Kitchen electric (ANGELO PO)



EGO 4925215723


3057069 SELECTOR SWITCH 0-5 POSITIONS
contact capacity 25A 480V - max 150°C
D-shaft ø 6x4.6 mm
for Boiling pan (ANGELO PO) - Series DELTA
Series OMEGA
for Pasta cooker (ANGELO PO) - Series DELTA
Series OMEGA



EGO 4335232000

EGO 4335232020

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)




EGO 4327232000



Suitable for:

3057076 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (ZANUSSI) - Series N700
 Series PR700 - Series R701 - XC/E1 - XC/E2
 XCF/E2 - XCV/E3



EGO 4627266813

3057092 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Kitchen electric (KÜPPERSBUSCH) - Series FEH



EGO 4927215520

EGO 4927215747

3057024 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750
 for Kitchen electric (GICO) - Series 700
 for Kitchen electric (GIGA) - Series 600
 Series 700 - Series 800 - Series 900
 for Kitchen electric (OFFCAR) - Series 700
 Series 900
 for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
 for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
 74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
 94/04CE - 94/04TCE



EGO 4927215000

EGO 4927215020

EGO 4927215746

EGO



Suitable for:

3057089 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Boiling pan (ZANUSSI)
 for Pasta cooker (ZANUSSI) - Series N700
 Series PR700




EGO 4207000025

3057205 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (FAGOR) CE7-20 - CE7-40
 CE7-41 - CE9-41
 for Pot stove electric (FAGOR) CE9-20 - CE9-40



EGO 4627266500

3057045 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm



EGO 4927215500



Suitable for:

EGO



3057079 SELECTOR SWITCH 0-9 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (WHIRLPOOL) AGB496 - AGB497
for Kitchen gas (WHIRLPOOL) AGB493 - AGB495
AGB582
for Oven under cooktop electric (GIGA)
Series 600 - Series 700 - Series 900



EGO 420000015

5030542 SELECTOR SWITCH 2 POSITIONS


contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



EGO 420290000

3057256 SELECTOR SWITCH 4 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
for Oven under cooktop (COMETTO)
for Oven under cooktop electric (AMBASSADE) CE1051
CE1052 - CE641 - CE741 - CE841
for Oven under cooktop gas (AMBASSADE) CG1051
CG1052 - CG641 - CG731 - CG831



EGO 492381560

3057281 SELECTOR SWITCH 4 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Pasta cooker (ANGELO PO) - Series ALPHA
Series GAMMA - Series OMEGA



EGO 420400023

3057306 SELECTOR SWITCH 4 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Oven under cooktop electric (THIRODE)
Series 1000 - Series 700 - Series 900



EGO 432483206

3057270 SELECTOR SWITCH 5 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



EGO 420510000

5034977 SWITCH 0-3 POSITIONS


contacts 16A 250V - max 150°C
D-Shaft 6x4.6 mm
for Boiling pan (MARENO) - Series 700 - Series 900
Series 900 PROTAGONISTA NUOVA
for Pasta cooker (MARENO) - Series 700
Series 900 - Series 900 PROTAGONISTA NUOVA



EGO 420440025

2111991 SWITCH 0-9 POSITIONS

contacts 16A 250V - max 150°C
D-Shaft 6x4.6 mm
for Oven under cooktop (LOTUS) - Series 60
Series 65



EGO 4929815733



Suitable for:

EGO



Suitable for:

Terminal blocks

3247010 2-POLES CERAMIC TERMINAL BLOCK
dimensions 32x46x15 mm



EGO 3805021000

Thermostats

3444149 ADAPTER FOR SELECTOR SWITCH



EGO 0004695500

3444617 BULB CONNECTION \varnothing 9.5 mm 3/8" HOLE
stuffing gland \varnothing 1/4"



EGO 6700700100

3444616 BULB CONNECTION M12 HOLE \varnothing 6 mm
stuffing gland M9x1



EGO 6706100100

3786474 EPDM GASKET



EGO 0006706103

EGO 6706103

3444122 MILLED GLAND FOR THERMOSTAT BULB 10x1



EGO 2702130001

EGO 616085

3444121 MILLED GLAND FOR THERMOSTAT 9x1



EGO 0000270611

EGO 615121

3444124 PROTECTION CAP
for security thermostat



EGO 0000525020

EGO 525020

3241870 RING NUT \varnothing 52 mm
chrome plated metal
for EGO thermostate knob



EGO 6762000020

EGO 6762108

EGO 6762105

EGO 6762105000



Suitable for:

EGO



2111707 SINGLE PHASE THERMOSTAT 175°C
with automatic reset
capillary length 600 mm - 16A 250V
bulb \varnothing 7,5x30 mm



EGO 5514139800

Suitable for:

3744011 SINGLE-PHASE THERMOSTAT 10-280°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1600 mm
bulb \varnothing 4x226 mm



EGO 5519054201

3444784 SINGLE-PHASE THERMOSTAT 100-175°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb \varnothing 6x130 mm



EGO 5519034800

3444938 SINGLE-PHASE THERMOSTAT 100-175°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x100 mm
for Fryer (AMBASSADE)



EGO 5513032370

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C
D shaft hole 6x4.6 mm
for EGO thermostat



EGO 524806

3744008 SINGLE-PHASE THERMOSTAT 100-180°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x130 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Bain-marie (BONNET) - Series GRANDE CARTE
for Fryer (BONNET) - Series GRANDE CARTE
for Fryer (CAPIC) R10
for Fryer gas (CAPIC) AB20 - A20 - CA10 - CTI
CTIB - C10 - 2045 - 3085



EGO 5519032203

3444482 SINGLE-PHASE THERMOSTAT 100-185°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1800 mm
bulb \varnothing 4x230 mm - with adapter nipple bland M9x1
for Fryer electric (AMBACH) EY/40M - FE/40M



EGO 5519035802

3444666 SINGLE-PHASE THERMOSTAT 100-185°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2400 mm - 16A 230V
 bulb \varnothing 6x90 mm - with adapter nipple bland M9x1
 with complete tank joint M12x1



EGO 5513639030

EGO 9755136156

3444111 SINGLE-PHASE THERMOSTAT 100-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm - with adapter nipple bland M9x1
 for Fryer (MARENO)



EGO 5519032805

3444233 SINGLE-PHASE THERMOSTAT 100-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1750 mm - 16A 250V
 bulb \varnothing 6x133 mm - with adapter nipple bland M9x1
 for Fryer (GIGA) - Series 700 - Series 900



EGO 5519035800

3444652 SINGLE-PHASE THERMOSTAT 100-190°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm
 bulb \varnothing 4x235 mm
 for Fryer (OLIS) - Series 700



EGO 5519032807

3744096 SINGLE-PHASE THERMOSTAT 100-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x74 mm
 for Bratt pan (EMMEPI) - Series 750 - Series 900
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900



EGO 5519052802

5038072 SINGLE-PHASE THERMOSTAT 100-350°C
 complete with auxiliary switch
 D-Shaft 6x4.6 mm
 covered capillary length 870 mm - 16A 400V
 bulb \varnothing 3x144 mm
 for Bratt pan (MARENO)
 Series 900 PROTAGONISTA NUOVA



EGO 5519662010

3443073 SINGLE-PHASE THERMOSTAT 100-680°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 16A 230V
 bulb \varnothing 4x230 mm
 for Oven under cooktop electric (AMBASSADE)
 CE841VTR



EGO 5534683070

3444260 SINGLE-PHASE THERMOSTAT 105-185°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 threaded bulb \varnothing 1/2"x91 mm
 for Fryer (ANGELO PO) - Series JUNIOR



EGO P098161705

EGO 5519032816

EGO 5519932801



Suitable for:

EGO



3444358 SINGLE-PHASE THERMOSTAT 105-185°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x135 mm - with adapter nipple bland M10x1
 for Fryer (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA



EGO P098311705

EGO 5519032831+...

EGO 5519932802

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm - with adapter nipple bland M10x1
 for Fryer (MBM) - Series MAGIS MAGISTRA



EGO 5102918250

EGO 5519032831

EGO 5519039815

3444478 SINGLE-PHASE THERMOSTAT 120-400°C
 complete with knob and indexed ring nut
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Panini grill electric (UNOX) XP010P - XP010PR
 XP010PT - XP020 - XP020P - XP020PR - XP020PT
 XP020R - XP020T




EGO 5519082806

3444771 SINGLE-PHASE THERMOSTAT 125°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 3.1x120 mm



EGO 5532522831

3744061 SINGLE-PHASE THERMOSTAT 125°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x150 mm



EGO 5513322020

3444352 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x129 mm
 for Bain-marie (BERTO'S) BM55E - BM70E



EGO 5510522802

EGO 5510522830

EGO 5519522020

3444736 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 capillary length 850 mm - 16A 230V
 bulb \varnothing 6x130 mm



EGO 5513522090

2101415 SINGLE-PHASE THERMOSTAT 130-190°C
 D-shaped pin 6x4.6 mm
 capillary length 1250 mm - 16A 250V
 bulb \varnothing 6x120 mm



EGO 5517039010



Suitable for:

2111771 SINGLE-PHASE THERMOSTAT 130-190°C

D-shaped pin 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb ø 6x117 mm



EGO 5518032020

Suitable for:

3444494 SINGLE-PHASE THERMOSTAT 130-400°C

complete with switch
D-shaped pin ø 6x4.6 mm
covered capillary length 800 mm
bulb ø 4x165 mm



EGO 5513672020

EGO 6404010010

3444782 SINGLE-PHASE THERMOSTAT 132°C

with manual reset
capillary length 850 mm - 16A 230V
bulb ø 3.1x250 mm - with adapter nipple bland M9x1



EGO 5513522020

EGO 5513522400

3444899 SINGLE-PHASE THERMOSTAT 135°C

manual reset
capillary length 1500 mm
bulb ø 6x80 mm
for Bain-marie (BONNET)
for Boiling pan (BONNET)



EGO 5513524070

3444545 SINGLE-PHASE THERMOSTAT 140°C

with automatic reset
covered capillary length 900 mm - 16A 230V
bulb ø 4x158 mm
for Boiling pan (AMBACH) - Series KSK



EGO 5519322801

3444564 SINGLE-PHASE THERMOSTAT 140°C

with manual reset
capillary length 870 mm - 16A 250V
bulb ø 3.1x226 mm
for Boiling pan (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series MAGISTRA



EGO 5510522808

EGO 5519522030

3444763 SINGLE-PHASE THERMOSTAT 140°C

manual reset
covered capillary 1550 mm - 16A 230V
bulb ø 6x77 mm - 16A 230V



EGO 5513529170

3444772 SINGLE-PHASE THERMOSTAT 140°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x130 mm



EGO 5510522803

EGO 5519522010



Suitable for:

EGO



3444929 SINGLE-PHASE THERMOSTAT 140°C

with manual reset
capillary length 900 mm
bulb ø 6x90 mm
for Bain-marie (THIRODE)
for Boiling pan (THIRODE)
for Fryer electric (THIRODE) FR18 - FR25



EGO 5513122110

3444665 SINGLE-PHASE THERMOSTAT 140-195°C

complete with switch
D-shaped pin ø 6x4.6 mm
covered capillary length 880 mm - 16A 250V
bulb ø 6x77 mm - with adapter nipple bland M9x1



EGO 5513632030

3444319 SINGLE-PHASE THERMOSTAT 150°C

covered capillary length 900 mm - 16A 250V
bulb ø 6x70 mm
for Bain-marie electric (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series OMEGA



EGO 5519122803

3444350 SINGLE-PHASE THERMOSTAT 150°C

with automatic reset
covered capillary length 1000 mm - 0.5A 12V
bulb ø 6x86 mm
for Boiling pan (AMBACH) - Series 900



EGO 5510129827

EGO 5519129010

3444485 SINGLE-PHASE THERMOSTAT 150°C

with manual reset
capillary length 900 mm
bulb ø 3x220 mm
for Boiling pan (AMBACH) - Series KE - Series KS



EGO 5510522819

EGO 5519522080

3444979 SINGLE-PHASE THERMOSTAT 150°C

with manual reset
capillary length 1000 mm - 15A 250V
bulb ø 6x175 mm
for Bain-marie (BONNET) - Series SYMPHONIE



EGO 5131915220

3744004 SINGLE-PHASE THERMOSTAT 150-200°C

D-shaped pin ø 6x4.6 mm
capillary length 2000 mm
bulb ø 6x135 mm



EGO 5519039201

3444476 SINGLE-PHASE THERMOSTAT 170°C

2 contacts
covered capillary length 560 mm - 16A 250V
bulb ø 3x160 mm
for Hot cupboard electric (ZANUSSI)
for Warm table electric (ZANUSSI)



EGO 5511539801



Suitable for:

Suitable for:

3444670 SINGLE-PHASE THERMOSTAT 190°C
 with manual reset
 capillary length 350 mm - 16A 250V
 bulb \varnothing 3.1x178 mm - with adapter nipple bland M9x1

3444137 SINGLE-PHASE THERMOSTAT 20-120°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 button bulb \varnothing 14x9 mm
 for Bain-marie (ANGELO PO) - Series SENIOR
 Series SUMMIT



EGO 5513531010

EGO P058691705

EGO 5510922800

EGO 5519022030

3444316 SINGLE-PHASE THERMOSTAT 200°C
 with manual reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x70 mm
 for Bain-marie gas (ANGELO PO) - Series ALPHA
 Series DELTA

3444649 SINGLE-PHASE THERMOSTAT 200°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm
 for Fryer (OLIS) - Series 900



EGO 5532532817

EGO 5510542808

EGO 5519532010

3444554 SINGLE-PHASE THERMOSTAT 210°C
 covered capillary length 1250 mm
 bulb \varnothing 6x47 mm
 for Boiling pan (ZANUSSI) - Series N900

3444908 SINGLE-PHASE THERMOSTAT 210°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
 for Fryer (THIRODE)



EGO 5534143802

EGO 5513532020

3444026 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm
 for Bratt pan (ZANUSSI)

3444064 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 790 mm - 16A 250V
 bulb \varnothing 3x178 mm
 for Fryer (OM GAS)



EGO 5510542831

EGO 5519542200

EGO 5510549811

EGO 5519549040



Suitable for:

EGO



3444080 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 2020 mm - 16A 250V
 bulb \varnothing 6x133 mm
 for Boiling pan (ZANUSSI)
 for Bratt pan (ZANUSSI)
 for Fryer (ZANUSSI)



EGO 5510549829

EGO 5519549020

3444107 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x142 mm - with adapter nipple bland M9x1
 for Boiling pan (MARENO)
 for Boiling pan (MBM)
 for Boiling pan (OLIS)
 for Fryer (GIORIK)
 for Fryer (MARENO)
 for Fryer (MBM)
 for Fryer (OLIS)



EGO 5510542814

EGO 5510542830

EGO 5519542010

3444629 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 2000 mm
 bulb \varnothing 6x87 mm
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920



EGO 5510549800

EGO 5519549030

3444657 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 complete with bulb and plate fastening clips
 capillary length 1130 mm - 16A 250V
 bulb \varnothing 3x158 mm - with stuffing gland fitting M9x1
 for Fryer (FRI FRI) - Series ECO



EGO 5610549590

3444903 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 6x80 mm - with stuffing gland fitting M9x1
 for Fryer (MORICE)



EGO 5513542200

3444915 SINGLE-PHASE THERMOSTAT 220°C
 with automatic reset
 capillary length 1500 mm
 bulb \varnothing 6x80 mm - with adapter nipple bland
 for Fryer gas (CAPIC) AB20 - A20 - CA10 - CTI
 CTIB - C10 - 2045 - 3085



EGO 5533544020

3444922 SINGLE-PHASE THERMOSTAT 225°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 6x90 mm
 for Fryer (CAPIC)



EGO 5513542140

3444071 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x77 mm
 for Fryer (FOEMM)
 for Fryer (OLIS)



EGO 5510542805

EGO 5519542130



Suitable for:

EGO



3444138 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 850 mm - 16A 250V
button bulb \varnothing 14x10 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



EGO 5510542815
EGO 5519542190

EGO 5510542828

EGO 5519542050

3444199 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
complete with wiring
covered capillary length 850 mm - 16A 230V
bulb \varnothing 4x120 mm - with adapter nipple bland M9x1
for Boiling pan (GICO) - Series 700 - Series 900
Series 920
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Pasta cooker (GICO) - Series 500 - Series 700
Series 900 - Series 920



EGO 5510542807

EGO 5519542140

3444238 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 850 mm - 15A 250V
button bulb \varnothing 14x26 mm
for Fryer (GI GA) - Series 600 - Series 700
Series 900



EGO 5510542850

EGO 5519542030

3444389 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary 600 mm - 16A 250V
bulb \varnothing 6x83 mm
for Fryer electric (ELFRAMO) EB12 - EB12+12 - EB18
EB6 - EB6+6



EGO 5514549804

3444483 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 900 mm - 0.5A 12V
bulb \varnothing 6x87 mm
for Fryer (AMBACH) - Series FG - Series GF
Series GY



EGO 5532542836

3444497 SINGLE-PHASE THERMOSTAT 230°C
with automatic reset
capillary 850 mm - 16A 250V
bulb \varnothing 6x78 mm - with adapter nipple bland M9x1
for Fryer (MARENO)



EGO 5532542833



Suitable for:

EGO



3444690 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 complete with wiring
 covered capillary length 1480 mm
 bulb \varnothing 4x125 mm
 for Fryer gas (ELFRAMO) GW20
 for Fryer gas (KOMEL) KGW20
 for Fryer gas (REPAGAS) FG125 - FG157 - FG159
 FG307 - FG309



EGO 5519549050

3444696 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 with knob and nut
 capillary length 850 mm
 bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
 for Fryer (JEMI) - Series 600 - Series 700
 Series 900



EGO 5513542270

3444789 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 1050 mm
 bulb \varnothing 6x96 mm - with adapter nipple bland M9x1
 with complete tank joint M12x1



EGO 5513549030

3444970 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 1800 mm
 bulb \varnothing 6x75 mm - with adapter nipple bland M9x1
 with complete tank joint M12x1



EGO 5533545040

3744002 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 1500 mm
 bulb \varnothing 6x77 mm - with adapter nipple bland
 for Bratt pan (COMETTO)
 for Fryer (COMETTO)



EGO 5610543500

3744097 SINGLE-PHASE THERMOSTAT 230°C
 complete with cut-off thermocouple
 with manual reset
 capillary length 750 mm
 bulb \varnothing 6x77 mm
 for Fryer (EMMEPI) - Series 900



EGO 5610542560

EGO 5610549500

3444637 SINGLE-PHASE THERMOSTAT 234°C
 with manual reset
 capillary length 870 mm
 bulb \varnothing 11x18 mm - bulb connection M14x1
 for Fryer (MODULAR) - Series 700 - Series 900



EGO 5519542170

3444367 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x133 mm
 for Fryer electric (LOTUS) FEM-2/6 - FEM-6
 FQ-4EM - FQ-6EM - FQ-61EM - FQ-62EM
 F2/25-98ET - F25-94ET



EGO 5510542842

EGO 5519542090



EGO



Suitable for:


3444624 SINGLE-PHASE THERMOSTAT 235°C
with manual reset
covered capillary length 870 mm
bulb \varnothing 6x133 mm
for Fryer (BARON) - Series 600



EGO 5519542080

Suitable for:

3444558 SINGLE-PHASE THERMOSTAT 238°C
with automatic reset
covered capillary length 1250 mm
bulb \varnothing 6x74 mm
for Boiling pan (ZANUSSI) - Series HD900



EGO 5510143800

EGO 5519143010

3444239 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with stuffing gland M10x1
complete with wiring 330mm for thermocouple
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fryer (OFFCAR) - Series 700 - Series 900
for Fryer gas (GIORIK) - Series FRG



EGO 5610542560

3444377 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 6x80 mm - with adapter nipple bland M10x1
for Fryer electric (GIORIK) - Series FT - FTR3
FTR5 - FTR6




EGO 5514549826

3444765 SINGLE-PHASE THERMOSTAT 240°C
covered capillary length 550 mm - 16A 230V
bulb \varnothing 4x90 mm
for Fryer electric (ROLLER GRILL) RF12 - RF14
RF25 - RF3 - RF5 - RF8



EGO 5511549080

3744065 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
double bulb
covered capillary length 2000 mm
bulb \varnothing 6x135 mm
for Fryer (WHIRLPOOL) - Series 900
for Fryer (ZANUSSI) - Series HD900



EGO 5510549801

EGO 5519549010

3444124 PROTECTION CAP
for security thermostat



EGO 0000525020

EGO 525020



Suitable for:

EGO



3444259 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 850 mm - 16A 250V
 bulb \varnothing 3x200 mm - with stiffing gland fitting M9x1
 for Fryer (FAGOR) - Series 900
 for Fryer gas (FAGOR) FG-710 - FG-720



EGO 5513542250

EGO 5513542280

3444372 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 6x133 mm
 for Fryer (GIGA) - Series 600 - Series 700
 Series 800
 for Fryer electric (GIGA) SKF2E
 for Fryer electric (WHIRLPOOL) AGB433 - AGB435
 AGB437 - AGB439 - AGB441 - AGB443 - AGB447
 AGB514 - AGB515 - AGB516 - AGB521 - AGB522
 AGB523 - AGB524 - AGB525
 for Fryer gas (WHIRLPOOL) AGB513



EGO 5510543802

EGO 5510545800

EGO 5519543010

3444646 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 capillary length 870 mm
 button bulb \varnothing 14x10 mm
 for Fryer electric (FAGOR) FE-710 - FE-920
 for Fryer gas (FAGOR) FG-710 - FG-940



EGO 5513542110

3444732 SINGLE-PHASE THERMOSTAT 246°C
 with manual reset
 capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
 for Fryer (MKN)



EGO 5513542100

3444344 SINGLE-PHASE THERMOSTAT 25-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1600 mm - 29A 250V
 bulb \varnothing 4x103 mm
 for Bratt pan (AMBACH) - Series 700 - Series 900



EGO 5513059280

3444475 SINGLE-PHASE THERMOSTAT 250°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 3.1x174 mm



EGO 5514542040

3444634 SINGLE-PHASE THERMOSTAT 250°C
 with manual reset
 capillary length 530 mm
 bulb \varnothing 6x55 mm
 for FRYER 7-8-10 L
 for Fryer (DOSILET)



EGO 5610549610

3444684 SINGLE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x90 mm
 for Fryer (ZANUSSI) - Series N700 - Series N900



EGO 5532542858



Suitable for:

3744112 SINGLE-PHASE THERMOSTAT 27-106°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1750 mm - 16A 250V
 bulb \varnothing 6x113 mm
 for Food-service trolley (BLANCO) BLT1020EB - SAG2
 SAG3



EGO 5518025020

Suitable for:

3444320 SINGLE-PHASE THERMOSTAT 285°C
 with manual reset
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 4x115 mm
 for Fryer (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series JUNIOR - Series OMEGA - Series SENIOR
 Series SUMMIT



EGO 5532554800

3444656 SINGLE-PHASE THERMOSTAT 285°C
 with manual reset
 covered capillary length 730 mm
 bulb \varnothing 4x112 mm
 for Fryer electric (FRI FRI) FRITA+6 - FRITA+8



EGO 5513559010

3444645 SINGLE-PHASE THERMOSTAT 290°C
 with automatic reset
 capillary length 2025 mm
 bulb \varnothing 6x57 mm
 for Boiling pan (FAGOR) - Series MG-BM
 for Fryer (MOVILFRIT)
 for Fryer electric (FAGOR) FE-18 - FE-25 - FE-4
 FE-6 - FE-8



EGO 5511549050

3444422 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 830 mm - 16A 250V
 bulb \varnothing 6x113 mm




EGO 5513222010

3444470 SINGLE-PHASE THERMOSTAT 30-110°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm - 16A 400V
 bulb \varnothing 6x113 mm



EGO 5513622080

3444473 SINGLE-PHASE THERMOSTAT 30-110°C
 with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm - 16A 400V
 bulb \varnothing 4x125 mm



EGO 5510621010

EGO 5513622100

3444489 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x125 mm



EGO 5519022809

EGO 5519224801



Suitable for:

EGO



Suitable for:

3444510 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 850 mm - 16A 250V
 bulb \varnothing 6x138 mm - with adapter nipple bland M9x1



EGO 5510022010
EGO 5519022819

EGO 5510022910

EGO 5519022804

3444664 SINGLE-PHASE THERMOSTAT 30-110°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1470 mm - 16A 250V
 bulb \varnothing 6x113 mm - with adapter nipple bland M9x1
 with complete tank joint M12x1



EGO 5513624060

3444672 SINGLE-PHASE THERMOSTAT 30-110°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2400 mm - 16A 230V
 bulb \varnothing 6x110 mm - with adapter nipple bland M9x1



EGO 5513629050

EGO 9755136157

3444698 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm
 bulb \varnothing 6x113 mm - with adapter nipple bland M9x1
 for Oven under cooktop (AMBASSADE) 1051
 for Pasta cooker (JEMI) - Series 700 - Series 900



EGO 5513022010

EGO 5513022370

3444746 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 16A 230V
 bulb \varnothing 3.1x197 mm



EGO 5513224060

EGO 5513229030

3744010 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1800 mm
 bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
 for Bain-marie (THIRODE) - Series 700 - Series 900
 for Boiling pan (THIRODE) - Series 700
 Series 900



EGO 5519025201

3444421 SINGLE-PHASE THERMOSTAT 30-115°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1750 mm - 16A 250V
 bulb \varnothing 4x120 mm



EGO 5513025040

3444313 SINGLE-PHASE THERMOSTAT 30-120°C
 with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 890 mm - 16A 250V
 bulb \varnothing 6x115 mm
 for Bain-marie (ANGELO PO) - Series ALPHA
 Series BIFRONT - Series DELTA - Series GAMMA
 Series OMEGA



EGO 5141918050

EGO 5513622160

EGO 9755136234



Suitable for:

3444980 SINGLE-PHASE THERMOSTAT 30-120°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x100 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Boiling pan (CAPIC)



EGO 5513022310

3444742 SINGLE-PHASE THERMOSTAT 30-130°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 16A 230V
bulb \varnothing 6x80 mm



EGO 5514022120

3444913 SINGLE-PHASE THERMOSTAT 30-85°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x100 mm - with stuffing gland fitting M9x1
for Oven under cooktop (THIRODE) - Series 700
Series 900



EGO 5513012060

3444019 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm
for Bain-marie (ZANUSSI)



EGO 5519012800


EGO



Suitable for:

3444743 SINGLE-PHASE THERMOSTAT 30-125°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2200 mm - 16A 230V
bulb \varnothing 3.1x160 mm



EGO 5513229050

3744094 SINGLE-PHASE THERMOSTAT 30-150°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1600 mm
bulb \varnothing 3x145 mm
for Boiling pan (GIGA) - Series 700 - Series 900



EGO 5519029806

3444018 SINGLE-PHASE THERMOSTAT 30-90°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb \varnothing 6x175 mm
for Bain-marie electric (ZANUSSI) - Series HD900
Series N700 - Series N900 - Series PR700
Series R701
for Hot cupboard electric (ZANUSSI)



EGO 5519619030

EGO 5519719800

3444346 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1



EGO 5519012801



Suitable for:

3444669 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2450 mm - 16A 250V
 bulb \varnothing 6x100 mm - with stuffing gland fitting M9x1



EGO 5513219440


EGO 9755132397

EGO



Suitable for:

3444674 SINGLE-PHASE THERMOSTAT 30-90°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2400 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple bland M9x1



EGO 5513619210

EGO 9755136155

3744045 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x130 mm
 for Bain-marie (GICO) - Series 110 - Series 39
 Series 500 - Series 64 - Series 700 - Series 900
 Series 920
 for Hot cupboard (GICO) - Series 370 - Series 96
 for Potato heater (GICO) - Series 64 - Series 700
 for Self service counter (GICO) - Series 39



EGO 5519012805

3744069 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 16A 250V
 bulb \varnothing 6x130 mm
 for Hot cupboard (OLIS) - Series 700



EGO 5519019822

3444056 SINGLE-PHASE THERMOSTAT 30-93°C
 complete with auxiliary selector switch
 D shaft \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 button bulb \varnothing 31 mm
 for Bain-marie (ANGELO PO) - Series GAMMA
 Series JUNIOR
 for Hot cupboard (ANGELO PO)
 for Self service counter (ANGELO PO)



EGO 5141918030

EGO 5141918500

EGO 5513612150

1444012 SINGLE-PHASE THERMOSTAT 30-95°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 850 mm - 16A 250V
 bulb \varnothing 6x140 mm - adapter nipple bland M9x1



EGO 5510212100

EGO 5519212020

3444687 SINGLE-PHASE THERMOSTAT 300°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x74 mm
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Oven under cooktop (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



EGO 5510552806

EGO 5519552020

3444681 SINGLE-PHASE THERMOSTAT 318°C
 capillary length 800 mm
 bulb \varnothing 4x110 mm - with adapter nipple band M9x1
 with complete tank joint M12x1



EGO 5511569020

2101404 SINGLE-PHASE THERMOSTAT 32-110°C
 D-shaft \varnothing 6x4.6 mm
 capillary 870 mm - 16A 240V
 bulb \varnothing 6x100 mm - adapter nipple bland M9x1



EGO 5518022010



3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm



EGO 5510562830

EGO 5519562020

3444655 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 complete with bulb spring clips
 covered capillary length 1800 mm - 16A 250V
 bulb \varnothing 4x100 mm
 for Fryer (FRI FRI) - Series FFS



EGO 5610555500

3444600 SINGLE-PHASE THERMOSTAT 325°C
 capillary length 900 mm
 bulb \varnothing 3x185 mm
 for Fry top gas (MARENO) FTG-40B - FTG-40BLC
 FTG-60B - FTG-60BLC - FTG-60BR - FTG-80B
 FTG-80BR



EGO 5532562828

3444673 SINGLE-PHASE THERMOSTAT 330°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3.1x140 mm



EGO 5513562060

3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 for Rotisserie (CB)



EGO 5510562816

EGO 5510562903

EGO 5532562816

3444731 SINGLE-PHASE THERMOSTAT 34-114°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 230V
 button bulb \varnothing 31 mm



EGO 5513022450

3444689 SINGLE-PHASE THERMOSTAT 340°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 3x160 mm
 for Fry top gas (REPAGAS) FT71 - FT72 - FT92



EGO 5513562170



Suitable for:

EGO



3444474 SINGLE-PHASE THERMOSTAT 35-128°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 880 mm
bulb \varnothing 3.1x174 mm



EGO 5514022100

Suitable for:

3444658 SINGLE-PHASE THERMOSTAT 35-188°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 500 mm - 16A 250V
bulb \varnothing 3x155 mm
for Fryer (FRI FRI) - Series ECO



EGO 5513039380

3444523 SINGLE-PHASE THERMOSTAT 35-85°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm
bulb \varnothing 6x115 mm
for Food-service trolley (BLANCO) - Series SGE



EGO 5514024020

EGO 5518019130

3444686 SINGLE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 900 mm
bulb \varnothing 6x80 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EGO 5519562090

3444209 SINGLE-PHASE THERMOSTAT 355°C

with manual reset
covered capillary length 880 mm - 16A 250V
bulb \varnothing 4x124 mm
for Boiling pan (GIGA) - Series 900
for Bratt pan (GIGA) - Series 900
for Fry top (GIGA) - Series 900



EGO 5510572800

EGO 5519572010

3444278 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 890 mm - 16A 230V
bulb \varnothing 3x200 mm
for Bratt pan (MBM) - Series DOMINA
Series MAGISTRA - Series OMNIA



EGO 5510572803

EGO 5519572020

3444310 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x75 mm
for Bratt pan (BARON) - Series 700 - Series 900
for Fry top (BARON) - Series 700 - Series 900



EGO 5532562819

3444312 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary 1500 mm - 3 contacts 16A 250V
bulb \varnothing 4x110 mm
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series JUNIOR - Series OMEGA - Series SENIOR
Series SUMMIT
for Oven under cooktop (SILKO)



EGO 513495030

EGO 5532574800

EGO 5532562835

EGO 5532574801

EGO 5532572801

EGO 5534955030



Suitable for:

3444831 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
capillary length 900 mm
bulb \varnothing 3x145 mm



EGO 5513562900

Suitable for:

3444256 SINGLE-PHASE THERMOSTAT 420°C

with manual reset
covered capillary length 1100 mm - 16A 250V
bulb \varnothing 4x230 mm
for Bratt pan (FAGOR) - Series 700 - Series 900
for Bratt pan (JEMI) - Series 900
for Fry top (FAGOR) - Series 900
for Fry top electric (FAGOR) FTE-705 - FTE-710
FTE-905 - FTE-910



EGO 5513583010

3444391 SINGLE-PHASE THERMOSTAT 45-170°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm
bulb \varnothing 3x220 mm
for Hot cupboard (ZANUSSI)
for Warm table (ZANUSSI)



EGO 5519032850

3444627 SINGLE-PHASE THERMOSTAT 45-255°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x74 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900
for Rotisserie (CB)



EGO 5519252807

3444074 SINGLE-PHASE THERMOSTAT 45-265°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb \varnothing 3x220 mm
for Oven under cooktop (FOEMM)



EGO 5103998400

3444774 SINGLE-PHASE THERMOSTAT 45-295°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x95 mm



EGO 5519052840

EGO 5519052843

3444524 SINGLE-PHASE THERMOSTAT 50-116°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1750 mm
bulb \varnothing 6x110 mm
for Food-service trolley (BLANCO) - Series SGE
Series SWE



EGO 5518025010

3444569 SINGLE-PHASE THERMOSTAT 50-120°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 3000 mm
bulb \varnothing 6x85 mm



EGO 5513026050



Suitable for:

EGO



3444659 SINGLE-PHASE THERMOSTAT 50-175°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 680 mm
bulb \varnothing 4x155 mm
for Fryer electric (FRI FRI) D4



EGO 5513039070

Suitable for:

3444388 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin \varnothing 6x4.6 mm
capillary 600 mm - 16A 250V
bulb \varnothing 6x75 mm
for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8
E9F18-8M



EGO 5519039822

3444642 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 850 mm
bulb \varnothing 3x180 mm
for Fryer (CF CENEDESE)



EGO 5519032840

3444766 SINGLE-PHASE THERMOSTAT 50-190°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 400 mm - 16A 230V
bulb \varnothing 6x120 mm



EGO 5518031010

3444663 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2300 mm
bulb \varnothing 4x160 mm
for Fryer electric (FRANKE) FFS95
for Fryer electric (FRI FRI) FFS95



EGO 5513039110

3444699 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x75 mm - with stuffing gland M9x1
for Fryer (JEMI) - Series 1000 - Series 1300
Series 600 - Series 700 - Series 750 - Series 900



EGO 5513032430

EGO 5513032550

3444633 SINGLE-PHASE THERMOSTAT 50-205°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x77 mm
for fryer 7-8-10 L
for Fryer (REPAGAS)



EGO 5513042310

EGO 5613042001

3444258 SINGLE-PHASE THERMOSTAT 50-215°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 850 mm - 16A 250V
bulb \varnothing 3x200 mm - with adapter nipple band M9x1
for Fryer (FAGOR) - Series 700 - Series 900




EGO 5513042290



Suitable for:

3444647 SINGLE-PHASE THERMOSTAT 50-215°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2300 mm
 bulb \varnothing 6x78 mm
 for Fryer electric (FAGOR) FE-18 - FE-25 - FE-4
 FE-6



EGO 5513039120

Suitable for:

3444414 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1430 mm - 16A 230V
 bulb \varnothing 3x160 mm - with adapter nipple band M9x1



EGO 5513244010

3444628 SINGLE-PHASE THERMOSTAT 50-250°C
 complete with knob and nut
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 800 mm
 bulb \varnothing 3x180 mm
 for Panini grill electric (SAMMIC) GLD - GRD - GRL
 GRS



EGO 5517042060

3444747 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1150 mm - 16A 230V
 bulb \varnothing 3.1x197 mm



EGO 5513043010

3444973 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm
 bulb \varnothing 3.1x205 mm



EGO 5513043060

3444477 SINGLE-PHASE THERMOSTAT 50-260°C
 with auxiliary switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1270 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Bratt pan (ZANUSSI) - Series HD900
 Series N700 - Series N900 - Series PR700



EGO 5510659800

EGO 5519659010

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



EGO 5519059805

EGO 5519059808

EGO 5519259811

3444176 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Bratt pan (ZANUSSI) - Series H900



EGO 5519059803



Suitable for:

EGO



3444289 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 16A 250V
 bulb \varnothing 3x210 mm - with adapter nipple band M9x1



EGO 5519052832

EGO 5519256800

3744099 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 800 mm
 bulb \varnothing 3x230 mm
 for Oven under cooktop (MBM) - Series MINIMA



EGO 5519052846

3444648 SINGLE-PHASE THERMOSTAT 50-295°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm
 bulb \varnothing 3x220 mm
 for Bratt pan (OLIS) - Series 900



EGO 5513069150

EGO 5519053807

3444543 SINGLE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 840 mm - 16A 250V
 bulb \varnothing 3x185 mm



EGO 5517052100


3444145 SINGLE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1600 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for oven
 for Crêpe pan (FIMAR) CRP4 - CRP42
 for Crêpe pan electric (FIMAR) CRP - CRP2



EGO 5519064010

EGO 5519064800

3444062 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Fry top (MBM)
 for Oven under cooktop (MBM)



EGO TT52011060

EGO 5519962809

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



EGO 5519062800

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb \varnothing 3x160 mm
 for Crêpe pan (KRAMPOUZ) RK400
 for Crêpe pan electric (KRAMPOUZ) CEBIA4A0
 for Hot plate electric (REPAGAS) E60 - E64 - E80
 E84



EGO 5513062040

EGO 5513069500



Suitable for:

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Bain-marie (GICO) 110 - Series 700
 Series 900 - Series 920
 for Bratt pan (GICO) - Series 700 - Series 900
 Series 920
 for Bratt pan (LOTUS) - Series 700
 for Bratt pan (MBM)
 for Fry top (LOTUS) - Series 600 - Series 650
 for Oven under cooktop (MBM)



EGO 5519062802

EGO 5519062806

Suitable for:

3444550 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 3x225 mm



EGO 5519062845

EGO 5534062802

3444635 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm
 double bulb \varnothing 3x120 mm
 for Oven under cooktop (LOTUS) - Series 600
 Series 650



EGO 5519069831

3444668 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 3100 mm - 16A 230V
 bulb \varnothing 3.1x160 mm



EGO 5513669010

EGO 5513669050

EGO 9755136154

3444675 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 3150 mm - 16A 250V
 bulb \varnothing 3.1x160 mm



EGO 5513069450

EGO 5513069540

EGO 9755130784

3444697 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 2300 mm
 bulb \varnothing 3x160 mm
 for Oven under cooktop (JEMI) - Series 550
 Series 600 - Series 700 - Series 750 - Series 900



EGO 5513069020



Suitable for:

EGO



3444257 SINGLE-PHASE THERMOSTAT 50-324°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 850 mm - 16A 250V
 bulb \varnothing 3x160 mm
 for Bratt pan (FAGOR) - Series 700 - Series 900
 for Fry top electric (FAGOR) FTE-710 - FTE-910
 for Kitchen electric (FAGOR) CE-740 - CE-741
 CE-941
 for Kitchen gas (FAGOR) CGE-741
 for Oven under cooktop electric (FAGOR) CE-940



EGO 5513063160

EGO 5518062170

3444525 SINGLE-PHASE THERMOSTAT 50-95°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1470 mm
 bulb \varnothing 6x113 mm
 for Food-service trolley (BLANCO) - Series SAG
 Series SAW - Series STW



EGO 5514014040

EGO 5514014060

3444526 SINGLE-PHASE THERMOSTAT 50-95°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1450 mm
 bulb \varnothing 6x110 mm
 for Food-service trolley (BLANCO) - Series TTWF



EGO 5518014020

3444754 SINGLE-PHASE THERMOSTAT 50-98°C
 D-shaped pin 6x4.6 mm
 covered capillary length 2400 mm - 16A 230V
 bulb \varnothing 3x335 mm - with stuffing gland M9x1



EGO 5510219080

EGO 5519219030

EGO 9755192017

3444885 SINGLE-PHASE THERMOSTAT 53-180°C
 with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 16A 400V
 bulb \varnothing 6x140 mm



EGO 5510633800

EGO 5519639020

3444467 SINGLE-PHASE THERMOSTAT 55-180°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Boiling pan (MARENO) - Series 700
 Series 900 PROTAGONISTA
 for Fryer (MARENO) - Series 700 - Series 900



EGO 5510632800

EGO 5519632020

3444893 SINGLE-PHASE THERMOSTAT 55-195°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm
 bulb \varnothing 4x90 mm
 for Fryer gas (ELFRAMO) GSdT12 - GSdT20 - GST12
 GST20 - GWdT12 - GWdT20 - GWM35T - GWT12
 GWT20



EGO 5519034060

EGO 5519034809

3444701 SINGLE-PHASE THERMOSTAT 55-250°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 3.1x226 mm - with stuffing gland M9x1



EGO 5510243010

EGO 5519243010



Suitable for:

Suitable for:

3444643 SINGLE-PHASE THERMOSTAT 60-150°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 3x219 mm
for Boiling pan (SILKO) - Series 900
for Pasta cooker (SILKO) - Series 900



EGO 5519022813

3444387 SINGLE-PHASE THERMOSTAT 60-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary 3000 mm - 16A 250V
bulb \varnothing 6x130 mm
with adapter nipple band M9x1
for Fryer electric (MARENO) FQE-41 - FQE-61



EGO 5510936801

EGO 5519036800

EGO 5519036801

3444397 SINGLE-PHASE THERMOSTAT 60-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb \varnothing 6x135 mm
for Fryer (MARENO)



EGO 5510033800

EGO 5519033010

3444070 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x80 mm
for Fryer (FOEMM)



EGO 5519232801

EGO 5519234800

3744068 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x80 mm - with adapter nipple band M9x1
with complete tank joint M12x1
for Fryer (MORICE)



EGO 5510032020

EGO 5519032827

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C

D shaft hole 6x4.6 mm
for EGO thermostat



EGO 524806

3241870 RING NUT \varnothing 52 mm
chrome plated metal
for EGO thermostate knob



EGO 6762000020

EGO 6762105

EGO 6762105000

EGO 6762108



Suitable for:

EGO




3444359 SINGLE-PHASE THERMOSTAT 60-320°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary 1400 mm - 4 contacts 16A 250V
 bulb \varnothing 4x123 mm
 for Bratt pan (ANGELO PO) - Series ALPHA
 Series DELTA



EGO 5534064805+COMM.

EGO 5534964800

5015518 SINGLE-PHASE THERMOSTAT 62-189°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 700 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Boiling pan (MARENO) - Series 700
 Series 900 PROTAGONISTA
 for Fryer (MARENO) - Series 700 - Series 900



EGO 5519632030

3444586 SINGLE-PHASE THERMOSTAT 75-450°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x228 mm




EGO 5519082805

3444539 SINGLE-PHASE THERMOSTAT 80°C
 covered capillary length 1500 mm
 bulb \varnothing 6x90 mm
 for Food-service trolley (RIEBER) - Series STW
 Series ZUB



EGO 5513114020

2101246 SINGLE-PHASE THERMOSTAT 82°-96°C
 D-shaft \varnothing 6x4.6 mm
 capillary 870 mm
 bulbo \varnothing 6x147 mm - adapter nipple bland M9x1



EGO 5513212370

3444423 SINGLE-PHASE THERMOSTAT 85-170°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x231 mm - with adapter nipple band M9x1
 for Fryer (OLIS) - Series 900



EGO 5519032808

3444623 SINGLE-PHASE THERMOSTAT 85-170°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 for Fryer (BARON) - Series 600



EGO 5519032070

EGO 5519032838

3444900 SINGLE-PHASE THERMOSTAT 85-175°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x130 mm - with adapter nipple band
 for Fryer electric (MORICE) FT4040



EGO 5510035201

EGO 5519035201



Suitable for:

3444380 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 for Fryer (LOTUS) - Series 600 - Series 650
 Series 700 - Series 900
 for Fryer electric (ANGELO PO) 0M0FR1E - 1M0FR2E
 for Fryer electric (MARENO) FQE-4 - FQE-6
 FQE-6+6



EGO 5519032813

Suitable for:

3444384 SINGLE-PHASE THERMOSTAT 90-180°C
 D shaft \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 4x95 mm
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB6
 for Fryer electric (FRI FRI) FRITA+6 - FRITA+8
 FT10 - FT4 - FT4+4 - FT6 - FT8



EGO 5519039805

3444438 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 0.5A 12V
 bulb \varnothing 4x230 mm
 for Bratt pan (ZANUSSI) - Series HD900
 for Fryer (ZANUSSI) - Series PR700



EGO 5510039802

EGO 5519039010

3444000 SINGLE-PHASE THERMOSTAT 90-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary 900 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 complete with screw and joint
 for Fryer gas (GIGA) - Series SKF



EGO 5519032810

EGO 5519032814

EGO 5519032825

3444031 SINGLE-PHASE THERMOSTAT 90-185°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2500 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Fryer (ZANUSSI) - Series HD900 - Series N700
 Series N900 - Series PR700



EGO 5510639800

EGO 5519639800

3444032 SINGLE-PHASE THERMOSTAT 90-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Bratt pan (ZANUSSI) - Series H900
 for Fryer (ZANUSSI) - Series R700



EGO 5510039807

EGO 5519039800

3444492 SINGLE-PHASE THERMOSTAT 90-185°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 2410 mm - 16A 230V
 bulb \varnothing 6x130 mm



EGO 5510639010

EGO 5513639010

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer electric (GIORIK) - Series FT - FTR3
 FTR5 - FTR6
 for Fryer electric (MBM) EF45 - EF90
 for Fryer electric (ZANUSSI) QFE300 - QFE600



EGO 5102918253

EGO 5102918320

EGO 5513039300



Suitable for:

EGO




Suitable for:

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x90 mm - with stuff.gland coupling M9x1
 with complete tank sealing coupling M12x1



EGO 5513034120

3444178 THERMOSTAT MODIFICATION KIT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 complete with auxiliary commutator
 complete with substitution manual
 covered capillary length 900 mm - 16A 250V
 threaded bulb \varnothing 1/2" x 91 mm
 complete with screenprinted plates
 for Fryer (ANGELO PO) - Series JUNIOR
 Series SENIOR



EGO 420290000

2111537 THERMOSTAT SINGLE-PHASE 130°-190°C
 D-shaft \varnothing 6x4.6 mm
 capillary 870 mm
 bulb \varnothing 6x117 mm - adapter nipple bland M9x1
 with connection for tank M12x1



EGO 5513032260

2101663 THERMOSTAT THREE PHASE 118-190°C
 D-shaft \varnothing 6x4.6 mm
 covered capillary length 880 mm
 bulb \varnothing 6x135 mm
 for Fryer electric (VALENTINE) CANTINE - PENSION1
 PENSION2 - ZENITH83 - ZENITH94



EGO 5534232030

2102671 THERMOSTAT TRIPHASE 360°C
 with manual reset
 capillary length 1780 mm - 16A 400V
 bulb \varnothing 4x128 mm



EGO 5534175010

3444347 THERMOSTAT TR2 0-195°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x120 mm
 for Fryer electric (SICOMEX) LT3 - LT8



EGO 5510022828

2000134 THERMOSTAT 3-PHASE 50-300°C
 D-shaft \varnothing 6x4.6 mm
 covered capillary length 800 mm
 bulb \varnothing 6x77 mm



EGO 5534052110

3444078 THREE-PHASE THERMOSTAT 100-175°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (ALPENINOX) - Series 700 - Series 900



EGO 5534039837



Suitable for:

3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (BARON)
 for Fryer (BERTO'S)
 for Fryer (OLIS) - Series 700 - Series 900
 for Fryer electric (FRI FRI) D6 - D8
 for Fryer electric (THIRODE) FR10




EGO 5534035010
EGO 5534039804

EGO 5534035201

EGO 5534039800

Suitable for:

3444702 THREE-PHASE THERMOSTAT 100-180°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 720 mm - 16A 230V
 bulb \varnothing 3.1x305 mm



EGO 5534639010

3444234 THREE-PHASE THERMOSTAT 100-195°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x134 mm
 for Fryer (MODULAR) - Series 600 - Series 700
 Series 900
 for Fryer electric (KÜPPERSBUSCH) LEF124 - LEF224
 NEF144 - NEF176 - NEF224 - NEF244 - SEF124
 SEF144 - SEF224



EGO 5534034801

3444311 THREE-PHASE THERMOSTAT 100-260°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 6x70 mm
 for Fry top (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series OMEGA - Series SENIOR - Series SUMMIT



EGO 5534959801

3444040 THREE-PHASE THERMOSTAT 100-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1150 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Bratt pan electric (GIGA) SKBR40E
 for Fry top (ZANUSSI) - Series H900



EGO 5534052804
EGO 5534059814

EGO 5534059804

EGO 5534059806

3444146 THREE-PHASE THERMOSTAT 100-300°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1250 mm - 10A 400V
 bulb \varnothing 6x78 mm
 for Fry top (ANGELO PO) - Series JUNIOR



EGO PO38064130
EGO 5534959800

EGO 4941015300+

EGO 5534059806+



Suitable for:

3444638 THREE-PHASE THERMOSTAT 100-330°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 380V
 bulb \varnothing 6x75 mm
 for Bratt pan (SOGET)
 for Fry top (SOGET)
 for Oven under cooktop (MODULAR) - Series 600
 Series 700 - Series 900
 for Oven under cooktop (SOGET)



EGO 5534062803

EGO



Suitable for:


3444562 THREE-PHASE THERMOSTAT 100-350°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Bratt pan (CHARVET) 800ESBC/L33



EGO 5534069010

EGO 5534069030

3744062 THREE-PHASE THERMOSTAT 100-350°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1470 mm - 16A 400V
 bulb \varnothing 6x75 mm
 for Bain-marie (MORICE)
 for Boiling pan (MORICE)
 for Fry top (MORICE)
 for Grill (BONNET) - Series 400 - Series 600
 for Oven under cooktop (MORICE)



EGO 5534064010

3744110 THREE-PHASE THERMOSTAT 100-350°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 10A 400V
 bulb \varnothing 6x80 mm



EGO 5534065010

3444490 THREE-PHASE THERMOSTAT 100-470°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm
 bulb \varnothing 4x165 mm



EGO 5540083010

3444028 THREE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2800 mm - 10A 400V
 bulb \varnothing 4x235 mm
 for Bratt pan (ZANUSSI) - Series R700
 Series R701
 for Fryer (ZANUSSI) - Series R700 - Series R701
 for Fryer electric (FRI FRI) D6



EGO 5534039080

EGO 5534039807

3444086 THREE-PHASE THERMOSTAT 108-192°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x200 mm
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB6
 EB8



EGO 5534032800

3444443 THREE-PHASE THERMOSTAT 115-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1150 mm - 10A 400V
 bulb \varnothing 3x144 mm
 for Fry top (ZANUSSI) - Series N700 - Series PR700



EGO 5534059812



Suitable for:

3444479 THREE-PHASE THERMOSTAT 120°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x100 mm
 for Pasta cooker electric (DESCO) CPE1 - CPE2
 CPE2-7 - CPE7



EGO 5532522802

EGO 5532522861

EGO



Suitable for:

2101244 THREE-PHASE THERMOSTAT 130°-190°C
 D-shaft \varnothing 6x4.6 mm
 capillary 880 mm - 10A 400V
 bulb \varnothing 6x220 mm



EGO 5534032300

3444769 THREE-PHASE THERMOSTAT 132°C
 with automatic reset
 capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm - with adapter nipple band M9x1
 for Pasta cooker (MARENO)
 Series 900 PROTAGONISTA NUOVA



EGO 5532522843

3444315 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1000 mm - 10A 400V
 bulb a bottone \varnothing 14x20 mm
 for Boiling pan (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT



EGO 5532529812

3444618 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 890 mm - 20A 380V
 bulb \varnothing 3x225 mm
 for Bain-marie electric (MBM) EC66 - EC922V
 EC922VT
 for Boiling pan electric (MBM) E100I - E100IT9
 E100I9 - E150IA - E150IT9 - E150I9 - E50I7
 for Pasta cooker electric (MBM) EC45 - EC49
 EC49T - EC902V



EGO 5532522814

3444644 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x89 mm
 for Pasta cooker (OFFCAR) - Series 700
 Series 900



EGO 5532522825

3444734 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1470 mm - 16A 230V
 bulb \varnothing 6x175 mm - with adapter nipple band M9x1



EGO 5531524030

3444221 THREE-PHASE THERMOSTAT 140°C
 with manual reset
 covered capillary length 1000 mm - 10A 400V
 bulb \varnothing 6x175 mm
 for Fryer (MBM) - Series CLASSICA



EGO 5531532060



Suitable for:

3444925 THREE-PHASE THERMOSTAT 140°C

with automatic reset
capillary length 900 mm
bulb ø 6x80 mm



EGO 5534122070

EGO



Suitable for:

3444567 THREE-PHASE THERMOSTAT 145°C

with manual reset
capillary length 1750 mm - 16A 230V
bulb ø 3.1x180 mm - with adapter nipple band M9x1



EGO 5532525060

3444142 THREE-PHASE THERMOSTAT 150°C

with manual reset
capillary 1500 mm - 10A 400V
bulb ø 6x90 mm - stuffing gland fitting M9x
for Boiling pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series JUNIOR
Series SENIOR - Series SUMMIT
for Pasta cooker (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series JUNIOR
Series SENIOR - Series SUMMIT



EGO 5532524030

3444471 THREE-PHASE THERMOSTAT 150°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 3x230 mm
for Pasta cooker electric (AMBACH) - Series CPE70



EGO 5532522827

3444626 THREE-PHASE THERMOSTAT 150°C

with manual reset
covered capillary length 800 mm - 20A 380V
bulb ø 6x90 mm
for Boiling pan electric (ANGELO PO) 2A1PI3E
291PI3E
for Boiling pan electric (BARON) - Series 700
Series 900
for Pasta cooker electric (ANGELO PO) MCF20E
MCF40E



EGO 5532522837

3744121 THREE-PHASE THERMOSTAT 154°C

with manual reset
covered capillary length 870 mm - 20A 400V
bulb ø 6x100 mm
for Food-service trolley electric (ALTO-SHAAM)
500-TH/III - 750-TH/III - 767-SK/III
for Hot cupboard (ALTO-SHAAM) 1000-TH/III
1200-TH/III



EGO 5533522040

3744046 THREE-PHASE THERMOSTAT 156°C

with manual reset
covered capillary length 1500 mm
bulb ø 6x90 mm
for Pasta cooker (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



EGO 5532524802

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x80 mm
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EGO 5532522811

Suitable for:

3444775 THREE-PHASE THERMOSTAT 159°C
 with manual reset
 capillary length 1100 mm - 16A 230V
 bulb \varnothing 3.1x185 mm
 for Boiling pan (EMMEPI) - Series 700 - Series 750
 Series 900



EGO 5532529810

Suitable for:

3444024 THREE-PHASE THERMOSTAT 160°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x175 mm
 for Boiling pan (ZANUSSI) - Series H900
 for Pasta cooker (ZANUSSI) - Series H900



EGO 5531532050

3444424 THREE-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 900 mm - 20A 380V
 bulb 6x90 mm
 for Boiling pan electric (OLIS) - Series 700
 for Boiling pan gas (OLIS) - Series 700



EGO 5532532805

3444442 THREE-PHASE THERMOSTAT 170°C
 with manual reset
 covered capillary 880 mm
 bulb \varnothing 6x88 mm
 for Boiling pan (ZANUSSI) - Series HD900
 Series N900



EGO 5532532824

3444556 THREE-PHASE THERMOSTAT 170°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x87 mm
 for Pasta cooker (ZANUSSI) - Series N700
 Series PR700



EGO 5532532820

3444079 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 1790 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (ZANUSSI)



EGO 5532549060

3444939 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x110 mm
 for Fryer (AMBASSADE)



EGO 5533542040

3444959 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 1000 mm
 bulb \varnothing 6x90 mm
 for Fryer electric (THIRODE) FR10



EGO 5532542010



Suitable for:

2111694 THREE-PHASE THERMOSTAT 225°C

with manual reset
capillary 830 mm
bulbo ø 6x270 mm



EGO 5531542100

EGO



Suitable for:

3444323 THREE-PHASE THERMOSTAT 225°C

with manual reset
covered capillary length 950 mm - 20A 380V
bulb ø 6x155 mm
for Pasta cooker (ZANUSSI) - Series HD900



EGO 5531549050

3444375 THREE-PHASE THERMOSTAT 225°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x90 mm - with adapter nipple band M10x1
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fryer (GIORIK) - Series FT
for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7
for Fryer electric (MBM) EF45 - EF46 - EF47
EF472 - EF49 - EF66 - EF77 - EF90 - EF99



EGO 5532542835

2102268 THREE-PHASE THERMOSTAT 230°C

with manual reset
capillary length 870 mm - 10A 400V
bulb ø 6x110 mm



EGO 5533542090

2111236 THREE-PHASE THERMOSTAT 230°C

with automatic reset
covered capillary length 2420 mm - 10A 400V
bulb ø 6x117 mm - with stuffing gland M9x1
for Fry top electric (MKN)



EGO 5533544010

EGO 5533549040

3444090 THREE-PHASE THERMOSTAT 230°C

with manual reset
capillary length 900 mm - 10A 400V
bulb ø 6x240 mm - with adapter nipple band M9x1
with complete tank joint M12x1
for Boiling pan (MARENO)
for Boiling pan (SILKO)
for Fryer (MARENO)
for Fryer (SILKO)



EGO 5531542050

3444307 THREE-PHASE THERMOSTAT 230°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x100 mm - with adapter nipple band M10x1
for Fryer electric (BARON) - Series 900



EGO 5513542230

EGO 5532542857

3444342 THREE-PHASE THERMOSTAT 230°C

with automatic reset
covered capillary length 1200 mm - 10A 400V
bulb ø 6x75 mm - with adapter nipple band M9x1
for Fryer electric (MARENO) FQE-41 - FQE-61



EGO 5532543803



Suitable for:

3444390 THREE-PHASE THERMOSTAT 230°C
with manual reset
capillary 900 mm - 10A 400V
bulb ø 6x230 mm
for Fryer electric (ELFRAMO) EB12 - EB18 - EB6



EGO 5531542140

EGO



Suitable for:

3444466 THREE-PHASE THERMOSTAT 230°C
covered capillary length 900 mm - 10A 400V
bulb ø 4x115 mm
for Boiling pan electric (MARENO)
Series 900 PROTAGONISTA
for Fryer (MARENO) - Series 700 - Series 900



EGO 5532542848

3444472 THREE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 1700 mm - 20A 380V
bulb ø 6x220 mm
for Fryer (KÜPPERSBUSCH) - Series NEF - Series SEF



EGO 5531545020

3444625 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb ø 6x90 mm
for Fryer (BARON) - Series 600



EGO 5532542070

EGO 5532542850

3444631 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 1700 mm - 20A 400V
bulb ø 6x80 mm
for Fryer (BERTO'S) - Series 600 - Series 700
Series 900



EGO 5532544805

EGO 5532549130

EGO 5532549812

3744113 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 600 mm - 10A 400V
bulb ø 4x122 mm
for Fryer (MARENO) - Series 900 PROTAGONISTA NUOVA



EGO 5532542370

3444204 THREE-PHASE THERMOSTAT 235°C
with manual reset
covered capillary length 1700 mm - 10A 400V
bulb ø 4x120 mm - with adapter nipple band M9x1
for Fryer electric (AMBACH) - Series EY
Series FE



EGO 5532544800

EGO 5532545802

3444035 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 2600 mm - 10A 400V
bulb ø 6x240 mm
for Fryer (ZANUSSI) - Series R700 - Series R701



EGO 5531546020



Suitable for:

EGO



3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 1600 mm - 10A 400V
 bulb \varnothing 6x85 mm
 for Fryer (ANGELO PO) - Series JUNIOR
 Series SENIOR - Series SUMMIT



EGO 5532542807

EGO 5532549816

EGO 5532549827

3444506 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x150 mm
 for Boiling pan (THERMA)
 for Fryer (THERMA)



EGO 5532542230

3444737 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 1430 mm - 16A 230V
 bulb \varnothing 6x177 mm - with adapter nipple band M9x1



EGO 5531544050

3444738 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 2600 mm - 16A 230V
 bulb \varnothing 6x177 mm - with adapter nipple band M9x1




EGO 5531549010

3444972 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 2300 mm
 bulb \varnothing 6x88 mm



EGO 5532549050

3443075 THREE-PHASE THERMOSTAT 245°C
 covered capillary length 900 mm
 bulb \varnothing 6x80 mm
 with adapter nipple band M9x1
 for Bratt pan electric (CHARVET) - Series DBRE
 for Bratt pan gas (CHARVET) - Series DBRG



EGO 5532542803

3444036 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x160 mm
 for Bratt pan (ZANUSSI) - Series H900
 for Fryer (ZANUSSI) AFR/G410 - Series HD700
 Series H900 - Series R701



EGO 5531549020

3444368 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Fryer (LOTUS) - Series 600 - Series 650
 Series 700 - Series 900



EGO 5532542823

EGO 5532542842



Suitable for:

3444436 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 2700 mm - 20A 400V
 bulb \varnothing 6x90 mm
 for Fryer (WHIRLPOOL)
 for Fryer (ZANUSSI) - Series HD900 - Series N700
 Series N900 - Series PR700
 for Hot plate (WHIRLPOOL)



EGO 5532549811

EGO



Suitable for:

3444439 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x80 mm
 for Bain-marie (ZANUSSI) - Series N900
 for Fryer (WHIRLPOOL) - Series 900
 for Fryer (ZANUSSI) - Series HD900 - Series N900



EGO 5532549814

3444653 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1750 mm - 20A 380V
 bulb \varnothing 4x120 mm
 for fryer 900
 for Fryer (OLIS) - Series 900
 for Fryer electric (OLIS) 921FRE



EGO 5532545800

3444437 THREE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 2500 mm - 20A 380V
 bulb \varnothing 6x240 mm
 for Bratt pan (WHIRLPOOL) - Series 700
 for Bratt pan (ZANUSSI) - Series H700
 for Fryer (WHIRLPOOL) - Series 700
 for Fryer (ZANUSSI) - Series H700



EGO 5531549040

3444444 THREE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x90 mm
 for Fryer (ZANUSSI) - Series N700 - Series N900



EGO 5532542859

3444739 THREE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 1470 mm - 10A 400V
 bulb \varnothing 6x100 mm - adapter nipple bland M9x1



EGO 5533544040

3444706 THREE-PHASE THERMOSTAT 255°C
 with manual reset
 covered capillary length 730 mm - 10A 400V
 bulb \varnothing 3.1x307 mm



EGO 5532559010

3444317 THREE-PHASE THERMOSTAT 270°C
 with manual reset
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x70 mm
 for Boiling pan (WHIRLPOOL) - Series H900
 for Fryer (ANGELO PO) - Series ALPHA
 Series DELTA



EGO 5532559809

EGO 5532559814




Suitable for:

EGO



3444557 THREE-PHASE THERMOSTAT 270°C
 with manual reset
 covered capillary length 870 mm - 20A 400V
 bulb \varnothing 6x78 mm
 for Fry top (ZANUSSI) - Series N700 - Series PR700



EGO 5532552814

3444776 THREE-PHASE THERMOSTAT 280°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x125 mm



EGO 5532552808

3444575 THREE-PHASE THERMOSTAT 285°C
 with manual reset
 covered capillary 940 mm - 20A 380V
 bulb \varnothing 6x157 mm
 for Boiling pan (WHIRLPOOL) - Series H900
 for Boiling pan (ZANUSSI) - Series HD900
 Series H900



EGO 5531559020

3444351 THREE-PHASE THERMOSTAT 295°C
 with manual reset
 covered capillary 1800 mm - 10A 400V
 bulb \varnothing 4x125 mm - 10A 400V
 for TECNOINOX OVEN
 for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



EGO 5532555800

3744064 THREE-PHASE THERMOSTAT 30°-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm
 bulb \varnothing 6x130 mm



EGO 5534012030

EGO 5534012160

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



EGO 5534022010

EGO 6301010010

EGO 5534023815

EGO 6301058080

EGO 5534024801

EGO 6341010010

3444088 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x130 mm
 with adapter nipple band M9x1
 for Bain-marie (ZANUSSI)



EGO 5534022802

3444190 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Bain-marie (MARENO)
 for Bain-marie (SILKO)



EGO 5534226040

EGO 6301058080



3444711 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 10A 400V
bulb \varnothing 6x130 mm
for Bain-marie



EGO 5534024805

Suitable for:

3444546 THREE-PHASE THERMOSTAT 30-120°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
button bulb \varnothing 11x28 mm M14
for Boiling pan (AMBACH)



EGO 5534022829

3444468 THREE-PHASE THERMOSTAT 30-85°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm
bulb \varnothing 6x138 mm - with adapter nipple band M9x1



EGO 5534014150

3444067 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Hot cupboard (ANGELO PO)
for Hot cupboard (MARENO)
for Hot cupboard (ZANUSSI)



EGO 5534012801

EGO 5534019805

EGO 6301018190

3444364 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple band M10x1
for Bain-marie (DESCO)
for Bain-marie electric (LOTUS) BM-10EMX - BM-4EMX
BM-6EMX - BM-62ET - BM-8EMX - BS-4EMX
for Bain-marie electric (MARENO) B7-4E - B7-8E
B9-4E - B9-8E



EGO 5534012806

EGO 5534012859

EGO 5534212030

3444812 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x129 mm
for Bain-marie (DESCO) BME72
for Bain-marie (MBM) - Series DOMINA
Series MAGIS MAGISTRA



EGO 5534012800

3444703 THREE-PHASE THERMOSTAT 315°C

with manual reset
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x80 mm - with adapter nipple band M9x1



EGO 5532564010

3444707 THREE-PHASE THERMOSTAT 320°C

with manual reset
covered capillary length 1450 mm - 10A 400V
bulb \varnothing 6x176 mm - with adapter nipple band M9x1



EGO 5531554020



Suitable for:

EGO



3444592 THREE-PHASE THERMOSTAT 340°C
 with manual reset
 capillary length 1190 mm
 bulb \varnothing 4x128 mm
 for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
 RF8DSP - RF8SP



EGO 5532563010

3444025 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x160 mm
 for Boiling pan (ZANUSSI) - Series HD900
 Series H900
 for Bratt pan (ZANUSSI) - Series HD900 - H900
 for Fry top (ZANUSSI) - Series HD700



EGO 5531566010

EGO 5531569010

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1120 mm - 10A 400V
 bulb \varnothing 3x190 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E



EGO 5532562808
EGO 5564945010

EGO 5532569813

EGO 5532574040

3444356 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 1300 mm - 10A 400V
 bulb \varnothing 4x120 mm
 for Bratt pan (ANGELO PO) - Series ALPHA
 Series DELTA
 for Fry top (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series OMEGA
 Series SENIOR
 for Oven under cooktop (ANGELO PO) - Series ALPHA
 Series DELTA - Series SENIOR



EGO 5532569814

EGO 5532579800

3444370 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 3000 mm - 10A 400V
 bulb \varnothing 6x90 mm
 for Bratt pan (EMMEPI) - Series 750 - Series 900
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fry top (GIGA) - Series SKT - Series 700
 Series 800 - Series 900
 for Oven under cooktop (EMMEPI) - Series 700
 for Oven under cooktop (GIGA) - Series 900



EGO 5532566806

3444445 THREE-PHASE THERMOSTAT 350°C
 covered capillary length 900 mm - 16A 380V
 bulb \varnothing 3x190 mm
 for Bratt pan (ZANUSSI) - Series N900
 for Oven under cooktop (ZANUSSI) - Series N900



EGO 5534162800



Suitable for:

3444632 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 3000 mm - 20A 300V
 bulb ø 6x90 mm
 for Bratt pan (BERTO'S) - Series 900
 for Fry top (BERTO'S) - Series 600 - Series 700
 Series 900
 for Kitchen (BERTO'S) - Series 700 - Series 900



EGO 5532566808

EGO



Suitable for:

3444704 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 1500 mm - 10A 400V
 bulb ø 6x80 mm



EGO 5532564040

2000135 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1710 mm - 10A 400V
 bulb ø 4x120 mm



EGO 5532579010

3444306 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb ø 4x120 mm
 for Bratt pan (BARON) - Series 700 - Series 900
 for Bratt pan (ZANUSSI) - Series N700
 Series PR700
 for Fry top (BARON) - Series 600 - Series 700
 Series 900
 for Fry top (ZANUSSI) - Series HD900 - Series N900
 for Kitchen (BARON) - Series 700 - Series 900
 for Pot stove (ZANUSSI) - Series PR700



EGO 5532562806

3444382 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb ø 6x80 mm
 differential temperature $\pm 15^\circ\text{C}$
 lead connector 6.35x0.8 mm
 for Boiling pan (MARENO)
 Series 900 PROTAGONISTA NUOVA
 for Bratt pan (MARENO)
 Series 900 PROTAGONISTA NUOVA
 for Fry top (MARENO)
 Series 900 PROTAGONISTA NUOVA
 for Oven under cooktop (MARENO)
 Series 900 PROTAGONISTA NUOVA



EGO 5532562822

3444484 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 1300 mm
 bulb ø 4x120 mm
 for Bratt pan (AMBACH) - Series BP - Series KB



EGO 5532563800

EGO 5532563804



Suitable for:

EGO



3444493 THREE-PHASE THERMOSTAT 360°C
 with automatic reset
 capillary length 1500 mm - 16A 230V
 bulb \varnothing 4x120 mm
 for Fry top (MODULAR) - Series 600 - Series 700



EGO 5532562802

EGO 5532574010

3444574 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1200 mm - 20A 400V
 bulb \varnothing 6x79 mm
 for Boiling pan (ZANUSSI) - Series HD900
 for Fry top (ZANUSSI) - Series N700 - Series PR700
 for Kitchen (ZANUSSI) - Series N700



EGO 5532573801

3444832 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 1500 mm
 bulb \varnothing 4x170 mm



EGO 5532574020

3444904 THREE-PHASE THERMOSTAT 370°C
 with manual reset
 covered capillary length 1500 mm
 bulb \varnothing 6x77 mm
 for Bratt pan (BONNET) - Series GRANDE CARTE



EGO 5532574050

3444713 THREE-PHASE THERMOSTAT 40-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 380V
 bulb \varnothing 3x219 mm



EGO 5534062801

EGO 6303010010

3444363 THREE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm
 for Bratt pan (LOTUS) - Series 600 - Series 650
 Series 700
 for Bratt pan electric (MBM) EBRA - EBRAVI9T
 EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T
 for Fry top (LOTUS) - Series 600 - Series 650
 Series 700
 for Oven under cooktop (LOTUS) - Series 700
 Series 900



EGO 5532582802

EGO 5532582804

EGO 5532582807

3444620 THREE-PHASE THERMOSTAT 45-120°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 380V
 bulb \varnothing 6x140 mm
 for Pasta cooker electric (GIORIK) - Series 700
 Series 900



EGO 5534222807

3444357 THREE-PHASE THERMOSTAT 50-150°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 6x120 mm
 for Bain-marie electric (ANGELO PO) - Series ALPHA
 Series DELTA



EGO 5534923801



Suitable for:

3444630 THREE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Fry top (GICO) - Series 110 - Series 500
Series 700 - Series 900 - Series 920
for Oven under cooktop (GICO) - Series 110
Series 900 - Series 920



EGO 5534052831

3444148 THREE-PHASE THERMOSTAT 50-300°C

complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 10A 400V
bulb \varnothing 6x78 mm
for Oven under cooktop (ANGELO PO)



EGO 5534052010

3444349 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 860 mm - 10A 400V
bulb \varnothing 4x240 mm
for Fry top (AMBACH) - Series ECOLINE



EGO 5534062826

3444469 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 3x226 mm



EGO 5534052150

EGO



Suitable for:

3444894 THREE-PHASE THERMOSTAT 50-275°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 380V
bulb \varnothing 3x220 mm
for Fry top electric (OLIS) - Series 700
Series 900
for Oven under cooktop electric (OLIS)
Series 700 - Series 900



EGO 5534052809

3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm
for Fry top (TECNOINOX) - Series 700
for Fry top (ZANUSSI) - Series HD900 - Series N900
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA
for Oven under cooktop (TECNOINOX) - Series 700
for Oven under cooktop (ZANUSSI) - Series HD900
Series N700 - Series N900



EGO 5534052807
EGO 5534059802

EGO 5534052817

EGO 5534059801

3444435 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 16A 380V
bulb \varnothing 2.5x330 mm
for Fry top (ZANUSSI) - Series H900



EGO 5534059824

3444504 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm - 10A 400V
bulb \varnothing 4x128 mm
for Hot plate (PALUX)



EGO 5534052020



Suitable for:

EGO



3444505 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1440 mm - 10A 400V
bulb \varnothing 4X292 mm
for Hot plate (THERMA)



EGO 5534054060

Suitable for:

3444561 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1740 mm - 16A 230V
bulb \varnothing 6x80 mm



EGO 5534055020

3444619 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 3x219 mm
for Fry top (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series MINIMA



EGO 5534052812

3444694 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm
for Fry top electric (REPAGAS) E-35 - E-65 - E-95



EGO 5534052010

3444749 THREE-PHASE THERMOSTAT 50-300°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 230V
bulb \varnothing 6x80 mm



EGO 5540654010

3444168 THREE-PHASE THERMOSTAT 50-310°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x220 mm
for Fry top (MBM) - Series CLASSICA



EGO 5540062030

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm
for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1
RG/E2



EGO 5534052819

EGO 5534062807

3444103 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 3x220 mm
for Fry top electric (OLIS) 40SEFT - Series 700
78FTE - 78FTE12R
for Oven under cooktop electric (OLIS) 741CE
749CGVFE - 94CGE - 941CEE - 961CEEE



EGO 5534062800




Suitable for:

EGO



3444147 THREE-PHASE THERMOSTAT 50-320°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1400 mm - 10A 400V
 bulb \varnothing 3x220 mm
 for Oven under cooktop (ANGELO PO) - Series GAMMA
 Series JUNIOR



EGO 4923815792

EGO 5534063816

EGO 5534963817

3444790 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 800 mm - 10A 400V
 bulb \varnothing 4x120 mm
 for Fry top (OFFCAR) - Series 700 - Series 900
 for Oven under cooktop (OFFCAR) - Series 700
 Series 900



EGO 5534062819

3444778 THREE-PHASE THERMOSTAT 55-240°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x95 mm



EGO 5534042805

3444033 THREE-PHASE THERMOSTAT 60-165°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 8x115 mm
 with adapter nipple bland M14x1
 for Fryer (ZANUSSI)



EGO 5534039811

3444748 THREE-PHASE THERMOSTAT 60-180°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 16A 230V
 bulb \varnothing 6x133 mm - with adapter nipple bland M9x1



EGO 5534635010

3444559 THREE-PHASE THERMOSTAT 60-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 16A 250V
 bulb \varnothing 4x229 mm
 for Fryer (ZANUSSI) - Series N700



EGO 5534033801

3444102 THREE-PHASE THERMOSTAT 60-200°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Fryer (EGD)



EGO 5534032030

EGO 5534032210

3444503 THREE-PHASE THERMOSTAT 60-200°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
 for Fryer (FRI FRI)



EGO 5534032160



Suitable for:

3444044 THREE-PHASE THERMOSTAT 60-260°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x130 mm
for Bratt pan (ZANUSSI)



EGO 5534059805

3444425 THREE-PHASE THERMOSTAT 65-125°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x70 mm
for Pasta cooker electric (OLIS) - Series 1100
Series 900



EGO 5534022813

3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x135 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 800 - Series 900
for Fryer electric (GIGA) SKF2E
for Fryer electric (WHIRLPOOL) AGB515 - AGB516
AGB521 - AGB523 - AGB597 - AGB598



EGO 5534034050

EGO 5534034845

EGO 5534035010

3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



EGO 5534032814

EGO 5534032858

EGO 5534032863

EGO 6301918220

EGO 6302018190

EGO 6302918220

EGO



Suitable for:

3444038 THREE-PHASE THERMOSTAT 60-320°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x130 mm
for Oven under cooktop (ZANUSSI) - Series H900
for Pot stove (ZANUSSI) - Series H900
Series R701



EGO 5534069804

3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
RF8DSP - RF8SP



EGO 5534032060

3444779 THREE-PHASE THERMOSTAT 75-295°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x92 mm



EGO 5534052811

3444420 THREE-PHASE THERMOSTAT 90-185°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1600 mm - 16A 250V
bulb \varnothing 3x240 mm



EGO 5534034210



Suitable for:

3744007 THREE-PHASE THERMOSTAT 90-195°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400v
bulb \varnothing 6x135 mm



EGO 5534032090

3744098 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm
bulb \varnothing 6x130 mm - with adapter nipple bland M10x1



EGO 5534035130

3744055 THREE-PHASE THERMOSTAT 95-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb \varnothing 6x120 mm
for Fryer (PALUX)



EGO 5534034010

EGO 5534034805

3444570 THREE-PHASE THERMOSTAT 95-230°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1250 mm
bulb \varnothing 4x128 mm
for frytop N700
for Fry top (ZANUSSI) - Series N700
for Grill (ZANUSSI) - Series N900



EGO 5534043800

EGO



Suitable for:

3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer (ZANUSSI)



EGO 5534032813

EGO 5534035080

EGO 5534035800

3444745 THREE-PHASE THERMOSTAT 95-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2420 mm - 16A 230V
bulb \varnothing 6x133 mm - with adapter nipple bland M9x1



EGO 5534039020

3444491 THREE-PHASE THERMOSTAT 95-220°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb \varnothing 6x120 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



EGO 5534044020

3444621 WASHER FOR CAPILALRY THERMOSTAT



EGO 6706101