




Spare parts for:

**Cooking equipment**



Suitable for:

**ELECTROLUX**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11181304





Suitable for:

# ELECTROLUX



Suitable for:

## Actuators

**3321009 LINEAR ACTUATOR 301 mm 230V 50Hz**  
for Fryer electric (ZANUSSI) AFR/E411  
for Fryer gas (ZANUSSI) AFR/G411



ELECTROLUX 002115

## Air regulators

**3020239 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  22 mm  
height 42 mm



ELECTROLUX 051389

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 052116

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm  
for Pot stove (ZANUSSI) - Series 700



ELECTROLUX 053448

**3025057 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  21 mm  
height 31 mm  
for old series  
for Kitchen (ZANUSSI)  
for Pot stove (ZANUSSI)



ELECTROLUX 026217

**3352013 AERATION REGULATOR**  
internal  $\varnothing$  20 mm - external  $\varnothing$  22 mm  
height 42 mm



ELECTROLUX 052207

**3352018 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 42 mm  
for Kitchen gas (ZANUSSI) PCG1600NL - PCG1610  
PCG1610D - PCG1610F - PCG800NL - PCG810  
PCG810D - PCG810F - ZPC/G1210 - ZPC/G1610  
ZPC/G810



ELECTROLUX 025009

ELECTROLUX 052062



Suitable for:

Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ELECTROLUX 057251

## Axial motors

**3240519 AXIAL FAN EBM 119x119x38 mm**  
ball bearing  
230V 50Hz 19W 2650rpm  
4656N



ELECTROLUX

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ELECTROLUX 0C1478  
ELECTROLUX 0E2261  
ELECTROLUX 058855

ELECTROLUX 0C4106  
ELECTROLUX 002656

ELECTROLUX 0C4423  
ELECTROLUX 002690

**3240502 AXIAL FAN SUNON 80x80x25 mm**  
ball bearings  
230V 50/60Hz 14W 2450rpm  
SF23080AT-2082HBL.GN



ELECTROLUX 006125

**3240515 AXIAL VENTILATOR EBM 80x80x38 mm**  
ball bearings  
230V 50Hz 12W 2800rpm  
8556N



ELECTROLUX 083528

## Bearings

**3061018 BEARING  $\varnothing$  22 mm**  
internal  $\varnothing$  6 mm - height 13 mm  
for LIFTING CART



ELECTROLUX 0PE735

ELECTROLUX 032309

**9063043 BEARING 6003 2RS**  
external  $\varnothing$  35 mm-internal  $\varnothing$  17 mm-thickness 10 mm



ELECTROLUX 0U0282



# ELECTROLUX



Suitable for:

**3063113 BEARING 6004 2RS**  
outside  $\varnothing$  42 mm - insied  $\varnothing$  20 mm - thickness 12 mm



ELECTROLUX 089921

Suitable for:

**9063007 BEARING 6005 2RS**  
external  $\varnothing$  47 mm-internal  $\varnothing$  25 mm-thickness 12 mm  
for OEM KNEADER F201/1-VE201/2  
for FIMAR KNEADER IM25-IM38  
for FIMAR PLANETARY IP10-IP20  
for SIRMAN BONE BAND SAW S03100



ELECTROLUX 0KQ350

**1063005 BEARING 6201 2RS**  
external  $\varnothing$  32 mm-internal  $\varnothing$  12 mm-thickness 10 mm



ELECTROLUX 0D5346

ELECTROLUX 072019

**3063005 BEARING 6202 2RS NSK**  
external  $\varnothing$  35 mm -internal  $\varnothing$  15 mm-thickness 11 mm



ELECTROLUX 0D0035

ELECTROLUX 072751

**1063911 BEARING 6202 2Z**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



ELECTROLUX 056820

**3063017 BEARING 6203 2RS NSK**  
external  $\varnothing$  40 mm -internal  $\varnothing$  17 mm-thickness 12 mm



ELECTROLUX 0D0821

ELECTROLUX 0KJ007

ELECTROLUX 089918

**3063121 BEARING 6203 2RS SKF**  
 $\varnothing$  ext. 40 mm -  $\varnothing$  int. 17 mm - thickness 12 mm



ELECTROLUX 0D0821

ELECTROLUX 0KJ007

ELECTROLUX 089918

**1063901 BEARING 6204 2RS NSK**  
external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm-thickness 14 mm



ELECTROLUX 0C0673

ELECTROLUX 0KQ395

ELECTROLUX 045726

ELECTROLUX 065048

**3063122 BEARING 6204 2RS SKF**  
 $\varnothing$  ext. 47 mm -  $\varnothing$  int. 20 mm - thickness 14 mm



ELECTROLUX 0C0673

ELECTROLUX 0KQ395

ELECTROLUX 045726

ELECTROLUX 065048

**9063003 BEARING 6303 DDU**



ELECTROLUX 0KI590



Suitable for:

**9063004 BEARING 6304 2RS**  
ø ext. 52 mm - ø int. 21 mm - h 15 mm



ELECTROLUX 0KQ393

Suitable for:

**3063030 ROLLER PAIR FOR DOOR**  
bearing ø 22 mm - plate size 85x65 mm  
for TABLE - CUPBOARD



ELECTROLUX 031074

ELECTROLUX 031087

**3063025 SLIDING DOOR ROLLER RH-LH**  
ø bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



ELECTROLUX 033886

**3063026 SLIDING DOOR ROLLER RH-LH**  
ø bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



ELECTROLUX 033885

**3522023 THRUST BEARING 51102**  
external ø 28 mm - internal ø 15 mm - thickn.9 mm



ELECTROLUX 056821

## Burners, flame spreaders and accessories

**3025003 BURNER ø 102 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 052120

ELECTROLUX 058183

**3025302 BURNER ø 120 mm**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ELECTROLUX 004279

**3025005 BURNER ø 122 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 052118

ELECTROLUX 058184

**3025024 BURNER ø 180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 052376





Suitable for:

# ELECTROLUX



**3025027** **BURNER ø 200 mm**  
for floor SOLID TOP RANGE



ELECTROLUX 0HB190

ELECTROLUX 026641

Suitable for:

**3025001** **BURNER ø 83 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 052119

ELECTROLUX 058182

**3025133** **BURNER BODY ø 100 mm 10KW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0126

**3025148** **BURNER BODY ø 60 mm 6Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0127

**3025364** **BURNER BOWL ø 78 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004977

**3025295** **BURNER CAP ø 120 mm**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ELECTROLUX 004280

**3025055** **AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900




ELECTROLUX 052116

**3025302** **BURNER ø 120 mm**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ELECTROLUX 004279

**3025278** **BURNER DISC**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ELECTROLUX 054536



# ELECTROLUX



Suitable for:

**3025303 BURNER CAP  $\varnothing$  120 mm**  
for Pot stove gas (ZANUSSI) RTV/G720



ELECTROLUX 054193

**3025278 BURNER DISC**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ELECTROLUX 054536

**3025045 BURNER CAP  $\varnothing$  80 mm**  
for old series  
for Pot stove gas (ZANUSSI) - Series 700



ELECTROLUX 0A2094

**3025278 BURNER DISC**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ELECTROLUX 054536

**3025238 BURNER HEAD  $\varnothing$  103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002462

Suitable for:

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 052116

**3025044 VENTURI  $\varnothing$  35 mm FOR BURNER CAP 80 mm**  
for old series  
for Pot stove gas (ZANUSSI) - Series 700




ELECTROLUX 0A2092

**3025233 BURNER HEAD  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 054092

**3025241 BURNER HEAD  $\varnothing$  123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002463

ELECTROLUX 059212



# ELECTROLUX



Suitable for:

**3025231 BURNER HEAD  $\varnothing$  70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 054091

Suitable for:

**3025235 BURNER HEAD  $\varnothing$  84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002461

**3025011 BURNER RING  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 056748


**3025008 BURNER RING  $\varnothing$  70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 054095

ELECTROLUX 056747

**3025179 BURNER RING  $\varnothing$  90 mm**  
for Pot stove gas (LOTUS) - Series 650



ELECTROLUX

**3025025 DISC  $\varnothing$  80 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 052374

**3025012 FLAME SPREADER  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 002443

ELECTROLUX 054098

ELECTROLUX 055562

ELECTROLUX 058560

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm  
for Pot stove (ZANUSSI) - Series 700



ELECTROLUX 053448

**3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.**



ELECTROLUX 054094

**3025233 BURNER HEAD  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 054092





# ELECTROLUX



Suitable for:

**3025011 BURNER RING ø 100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 056748

Suitable for:

**3025245 SPARKING PLUG SUPPORT PLATE**



ELECTROLUX 058331

**3025134 FLAME SPREADER ø 100 mm 10KW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0128

**3186317 O-RING 02131 RED SILICONE**  
for pod punch



ELECTROLUX 0C0188

**3025135 VENTURI SUPPORT 6-10Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0124

**3025004 FLAME SPREADER ø 102 mm**  
for Pot stove gas (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 025864

ELECTROLUX 052123

ELECTROLUX 058186

**3025133 BURNER BODY ø 100 mm 10KW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0126

**3025132 VENTURI F/FLAME SPREADER 100 mm 10kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0133

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 052116



Suitable for:

**3025003 BURNER ø 102 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 052120


ELECTROLUX 058183

**3025803 JET HOLDER FITTING**  
jet hole ø M10x1 mm




ELECTROLUX 002187

**3025363 FLAME SPREADER ø 120 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004975

**3025362 FLAME SPREADER ASSY. ø 120 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004974

**3025006 FLAME SPREADER ø 122 mm**  
for Pot stove gas (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 002441

ELECTROLUX 052121

ELECTROLUX 058187

ELECTROLUX 059253

# ELECTROLUX



Suitable for:

**3025238 BURNER HEAD ø 103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002462

**3025240 VENTURI F/FLAME SPREADER ø 103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002459

**3025364 BURNER BOWL ø 78 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004977

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 052116



Suitable for:

**3025005 BURNER  $\varnothing$  122 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 052118

ELECTROLUX 058184

**3025803 JET HOLDER FITTING**  
jet hole  $\varnothing$  M10x1 mm



ELECTROLUX 002187

**3025243 VENTURI F/FLAME SPREADER 123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002460

**3025026 FLAME SPREADER  $\varnothing$  180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 052377

**3025025 DISC  $\varnothing$  80 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000




ELECTROLUX 052374

# ELECTROLUX



Suitable for:

**3025241 BURNER HEAD  $\varnothing$  123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002463

ELECTROLUX 059212

**3025244 SPACER FOR FLAME SPREADER 123 mm**  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002197

**3025024 BURNER  $\varnothing$  180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 052376

**3025234 FLAME SPREADER TILE 180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 052500




# ELECTROLUX



Suitable for:

**3025028 FLAME SPREADER ø 200 mm**  
for floor SOLID TOP RANGE old series



ELECTROLUX 026643

Suitable for:

**3025027 BURNER ø 200 mm**  
for floor SOLID TOP RANGE



ELECTROLUX 0HB190

ELECTROLUX 026641

**3025163 FLAME SPREADER ø 60 mm**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0129

**3025148 BURNER BODY ø 60 mm 6Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0127

**3186317 O-RING 02131 RED SILICONE**  
for pod punch



ELECTROLUX 0C0188

**3025136 VENTURI F/FLAME SPREADER 60 mm 6kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0125

**3025135 VENTURI SUPPORT 6-10Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0124

**3025232 FLAME SPREADER ø 70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 002442

ELECTROLUX 054097

ELECTROLUX 058559

ELECTROLUX 055563

**3025056 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 43 mm  
for Pot stove (ZANUSSI) - Series 700



ELECTROLUX 053448



Suitable for:

**3186026 BURNER GASKET FOR COOKING TOP**



ELECTROLUX 054093

**3025008 BURNER RING ø 70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 054095

ELECTROLUX 056747

**3025021 FLAME SPREADER ø 80 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 020985

**3025002 FLAME SPREADER ø 83 mm**  
for Pot stove gas (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 002439

ELECTROLUX 052122

ELECTROLUX 058185

ELECTROLUX 059203

ELECTROLUX 059241

**3025001 BURNER ø 83 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ELECTROLUX 052119

ELECTROLUX 058182

# ELECTROLUX



Suitable for:

**3025231 BURNER HEAD ø 70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ELECTROLUX 054091

**3025245 SPARKING PLUG SUPPORT PLATE**



ELECTROLUX 058331

**3025176 FLAME SPREADER ø 80 mm**  
for Kitchen gas (WHIRLPOOL) AGB579 - AGB580  
AGB581 - AGB583 - AGB584  
for Pot stove gas (GIGA) - Series 650



ELECTROLUX 055108

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 052116

**3025235 BURNER HEAD ø 84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002461





Suitable for:

**3025803 JET HOLDER FITTING**  
jet hole  $\varnothing$  M10x1 mm




ELECTROLUX 002187

**3025361 FLAME SPREADER  $\varnothing$  90 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G




ELECTROLUX 004973

**3025360 VENTURI ASSY.  $\varnothing$  90 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004972

**3025362 FLAME SPREADER ASSY.  $\varnothing$  120 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004974

**3025803 JET HOLDER FITTING**  
jet hole  $\varnothing$  M10x1 mm



ELECTROLUX 002187

# ELECTROLUX



Suitable for:

**3025237 VENTURI F/FLAME SPREADER 84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002458

**3025364 BURNER BOWL  $\varnothing$  78 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004977

**3025234 FLAME SPREADER TILE 180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 052500

**3025244 SPACER FOR FLAME SPREADER 123 mm**  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002197



Suitable for:

**3025245 SPARKING PLUG SUPPORT PLATE**



ELECTROLUX 058331


Suitable for:

**3025044 VENTURI  $\varnothing$  35 mm FOR BURNER CAP 80 mm**  
for old series  
for Pot stove gas (ZANUSSI) - Series 700



ELECTROLUX 0A2092

**3025360 VENTURI ASSY.  $\varnothing$  90 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004972

**3025240 VENTURI F/FLAME SPREADER  $\varnothing$  103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002459

**3025132 VENTURI F/FLAME SPREADER 100 mm 10kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0133

**3025243 VENTURI F/FLAME SPREADER 123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002460

**3025136 VENTURI F/FLAME SPREADER 60 mm 6kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0125

**3025237 VENTURI F/FLAME SPREADER 84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 002458

**3025135 VENTURI SUPPORT 6-10Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0124



Suitable for:

# ELECTROLUX



Suitable for:

## Cables for piezo igniters

**3001027 IGNITION CABLE 500 mm**  
with faston terminal  $\varnothing$  2 mm for ignition  
with faston terminal  $\varnothing$  2 mm for plug  
for Pot stove gas (MBM) - Series MINIMA  
Series OMNIA



ELECTROLUX 0C0298

**3001028 SIT CABLE 500 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for sparking plug



ELECTROLUX 059578

**3001002 SIT IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



ELECTROLUX 054273

**3001016 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



ELECTROLUX 002544  
ELECTROLUX 059146

ELECTROLUX 006514  
ELECTROLUX 059842

ELECTROLUX 058494

**3001019 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



ELECTROLUX 005559

**3001018 SIT IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



ELECTROLUX 004943

## Capacitors

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 00U403

ELECTROLUX 056148

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 037269

ELECTROLUX 047541

ELECTROLUX 047883



# ELECTROLUX



Suitable for:

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0A2914

ELECTROLUX 0C1187

ELECTROLUX 0H6812

Suitable for:

**3068002 CAPACITOR  $\mu$ F 2.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 0E0174

**3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0H1044

ELECTROLUX 047744

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 0K9108

ELECTROLUX 037268

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 049260

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 049126

## Cast iron hot plates

**3312039 COOKING GRID 540x340 mm**  
for Lava rock grill (ZANUSSI) - Series N700  
Series PR700 - Series R701



ELECTROLUX 0C6879

ELECTROLUX 0C9059

ELECTROLUX 053693

**3312068 COOKING GRID 640x175 mm**  
for Grill electric (ZANUSSI) KGR/E1 - KGR/E2  
for Grill gas (ZANUSSI) KGR/G1 - KGR/G2



ELECTROLUX 0C0424

**3312069 COOKING GRID 670x370 mm**  
for Lava rock grill gas (ZANUSSI) HG/G400  
HG/G800 - ZG/G400 - ZG/G800



ELECTROLUX 002389

**3312005 DISK FOR COOKING PLATE  $\varnothing$  225 mm**  
for Solid top range (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ELECTROLUX 026953



Suitable for:

**3312048 RIBBED PLATE 330x300x15 mm**  
for Pot stove (ZANUSSI) - Series PR700



ELECTROLUX 002815

Suitable for:

**3312059 RIBBED PLATE 330x320x8.5 mm**  
made of cast iron - for burner  $\varnothing$  70 mm  
for Pot stove (ZANUSSI) - Series M700



ELECTROLUX 055556

**3312065 RIBBED PLATE 350x400x30 mm**  
for Pot stove (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 002011

**3312060 RIBBED PLATE 695x395x55 mm**  
made of cast iron - for burners  $\varnothing$  84-103 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 059274

**3312063 SMOOTH PLATE 350x350x30 mm**  
for Pot stove (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 002009

**3312064 SMOOTH PLATE 350x400x30 mm**  
for Pot stove (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 002010

**3312055 SMOOTH PLATE 395x345x30 mm**  
made of cast iron - for burner  $\varnothing$  84 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 054653

**3312057 SMOOTH PLATE 695x395x55 mm**  
made of cast iron - for burners  $\varnothing$  84-103 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 026440

## Castors, rollers and accessories

**3346122 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
threaded pin M12 - height 30 mm



ELECTROLUX 031751



## Castors, rollers and accessories

**3346152 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
pin for tube 40x40 mm



ELECTROLUX 0S0129

**3346157 SQUARE PIPE FLARER 36x36 mm**



ELECTROLUX 033655

**3346164 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
pin for square tube 20x20 mm



ELECTROLUX 0S0128

**3346166 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
pin for tube  $\varnothing$  22 mm



ELECTROLUX 0S0127

**3346120 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
threaded pin M12 - height 30 mm



ELECTROLUX 031752

**3346123 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
pin for tube  $\varnothing$  21.7÷24.5 mm



ELECTROLUX 0S0124

**3346155 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
pin for tube 40x40 mm



ELECTROLUX 0S0126

**3346157 SQUARE PIPE FLARER 36x36 mm**



ELECTROLUX 033655

**3346165 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
pin for square tube 20x20 mm



ELECTROLUX 0S0125

ELECTROLUX 032031

**3346091 PLATE FIXED WHEEL**  
dimensions  $\varnothing$  160x40 mm  
fixing plate 140x115 mm  
distance between mounting holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



ELECTROLUX 032148



Suitable for:

# ELECTROLUX



**3346090 PLATE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  160x40 mm  
fixing plate 140x110 mm  
distance between mounting holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



ELECTROLUX 032146

**3346125 PLATE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
fixing plate 90x70 mm  
distance between mounting holes 65-50 mm



ELECTROLUX 0S0123

**3346119 PLATE SWIVELLING WHEEL WITHOUT BRAKE**  
dimension  $\varnothing$  125x30 mm  
fixing plate 90x70 mm  
distance between mounting holes 65-50 mm



ELECTROLUX 0S0122

**3346157 SQUARE PIPE FLARER 36x36 mm**



ELECTROLUX 033655

## Circlips

**3063027 SEEGER RING**  
external  $\varnothing$  27.5 mm - internal  $\varnothing$  23 mm  
thickness 1 mm



ELECTROLUX 0KQ499

## Clamps

**3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS**  
for hoses  $\varnothing$  9.8÷10.4 mm



ELECTROLUX 0E5993

ELECTROLUX 0L0815

**3449462 HOSE CLAMP 12-20**  
for hoses  $\varnothing$  12÷20 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 049888

Suitable for:

**3449452 HOSE CLAMP 16-25**  
for hoses  $\varnothing$  16÷25 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 048126

Suitable for:

**3449466 HOSE CLAMP 16-27**  
for hoses  $\varnothing$  16÷27 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7



ELECTROLUX 0E5120

ELECTROLUX 0E900

**3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 047578

**3449455 HOSE CLAMP 40-60**  
for pipes  $\varnothing$  40÷60 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 0L0193

**3449456 HOSE CLAMP 50-70**  
for hoses  $\varnothing$  50÷70 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 0E1358

ELECTROLUX 0K8983

ELECTROLUX 046855

**3449457 HOSE CLAMP 60-80**  
for pipes  $\varnothing$  60÷80 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 046853

**3449476 HOSE CLAMP 70-90**  
for hoses  $\varnothing$  70÷90 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7



ELECTROLUX 0E1354

**3449461 HOSE CLAMP 8-12**  
for hoses  $\varnothing$  8÷12 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



ELECTROLUX 046946

ELECTROLUX 048224



Suitable for:

# ELECTROLUX



Suitable for:

## Column faucets

**3359682 COLUMN FAUCET 84319**  
 oil bath spindles  
 spout  $\varnothing$  20x240 mm  
 connection  $\varnothing$  1/2" M  
 overall height 555 mm  
 rod length 435 mm



ELECTROLUX 206158

ELECTROLUX 216036

**3359140 COLUMN TAP**  
 swivel column  
 swivel spout 250 mm  
 fitting  $\varnothing$  3/4" M  
 height 425 mm  
 overall height 700 mm  
 25l/min at 4 bar



ELECTROLUX 927130

## Contact thermostats

**3443048 CONTACT THERMOSTAT 210°C**  
 with manual reset  
 for Fryer (ZANUSSI) - Series HD700 - Series PR700



ELECTROLUX 003329


## Contactors

**3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw**  
 coil 230V 50/60Hz  
 4 normally open contacts  
 no auxiliary contact  
 for Kitchen electric (AMBASSADE) CFE705RT  
 CFE714RT



ELECTROLUX 004159


**3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10**  
 10A 400V 4Kw  
 coil 220/240V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 for Boiling pan (ZANUSSI)  
 for Bratt pan (ZANUSSI)  
 for Fryer (ZANUSSI)  
 for Pasta cooker (ZANUSSI)



ELECTROLUX 082986

ELECTROLUX 088477

**3446561 CONTACTOR LOVATO BF0910A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ELECTROLUX 003027

ELECTROLUX 004206

**3446552 CONTACTOR LOVATO BG0610A**  
 coil 6A 230V 50/60Hz 2.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact




ELECTROLUX 086215



Suitable for:

**3446557 CONTACTOR LOVATO BG0901A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally closed auxiliary contact



ELECTROLUX 086169

Suitable for:

**3446556 CONTACTOR LOVATO BG0910A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally open auxiliary contact



ELECTROLUX 048519

ELECTROLUX 075796

## Cooking baskets and accessories

**3055125 BLACK KNOB  $\varnothing$  28x86 mm M8x1**  
plastic replacement for PASTA COOKER baskets



ELECTROLUX 057728

**3055318 HANDGRIP PROTECTION**



ELECTROLUX 002272

**3055319 SPINDLE FOR KNOB**



ELECTROLUX 053705

**3055145 FALSE BOTTOM 500x290x120 mm**  
for round baskets



ELECTROLUX 056922

**3055318 HANDGRIP PROTECTION**



ELECTROLUX 002272

**3055124 PASTA COOKER BASKET  $\varnothing$  135x180 mm**  
made of stainless steel  
for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 056918

**3055123 PASTA COOKER BASKET  $\varnothing$  170x180 mm**  
made of stainless steel  
for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 056917





Suitable for:

Suitable for:

**3055144 PASTA COOKER BASKET 1/3 150x275x180 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series HD700



ELECTROLUX 056919

**3055337 PASTA COOKER BASKET 140x140x205 mm LEFT**  
 made of STAINLESS STEEL  
 for Pasta cooker electric (ZANUSSI) SCPE350  
 for Pasta cooker gas (ZANUSSI) SCPG350



ELECTROLUX 005806

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



ELECTROLUX 057728

**3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT**  
 made of STAINLESS STEEL  
 for Pasta cooker electric (ZANUSSI) SCPE350  
 for Pasta cooker gas (ZANUSSI) SCPG350



ELECTROLUX 005807

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



ELECTROLUX 057728

**3055332 PASTA COOKER BASKET 175x115x130 mm**  
 made of stainless steel  
 for Pasta cooker electric (ZANUSSI) MCP/E1SH  
 MCP/E2SH - MCP/E2SHB



ELECTROLUX 006886

**3055331 PASTA COOKER BASKET 230x180x270 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series N900 - Series PR700



ELECTROLUX 004875

**3055122 PASTA COOKER BASKET 275x150x210 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 0C1340

ELECTROLUX 056915

**3055121 PASTA COOKER BASKET 275x230x210 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 0C1339

ELECTROLUX 056916



# ELECTROLUX



Suitable for:

**3055120 PASTA COOKER BASKET 275x480x215 mm**  
made of stainless steel  
for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 0C1341

ELECTROLUX 056920

Suitable for:

**3055336 PASTA COOKER BASKET 285x160x215 mm**  
stainless steel  
for Pasta cooker gas (ZANUSSI) JCP/G800 - PCP/G800



ELECTROLUX 0G2326

**3055339 PASTA COOKER BASKET 290x145x205 mm**  
made of stainless steel  
for Pasta cooker electric (ZANUSSI) SCPE350  
for Pasta cooker gas (ZANUSSI) SCPG350



ELECTROLUX 0C6290(1PZ)

ELECTROLUX 005808

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
plastic replacement for PASTA COOKER baskets



ELECTROLUX 057728

**3055349 PASTA COOKER BASKET 360x115x270 mm**  
made of stainless steel  
for Pasta cooker (ZANUSSI) - Series N700 - N900  
Series PR700



ELECTROLUX 004873

**3055265 PASTA COOKER BASKET 360x230x270 mm**  
for Pasta cooker (ZANUSSI) - Series H700  
Series N700 - Series N900 - Series PR700  
Series R700



ELECTROLUX 004874

**3055319 SPINDLE FOR KNOB**



ELECTROLUX 053705

## Detergents

**3092248 DETERGENT ECOLAB KIT 1 L - 4 PCS**  
detergent for grills and hot plates  
it can be used hot



ELECTROLUX 0S1195



Suitable for:

# ELECTROLUX



Suitable for:

## Door glasses for oven and accessories

**3519009 COMPLETE CHAMBER GLASS**  
 complete with glass and gasket  
 for Bain-marie (ZANUSSI)  
 for Boiling pan (ZANUSSI)  
 for Bratt pan (ZANUSSI)  
 for Fryer (ZANUSSI)  
 for Pasta cooker (ZANUSSI)  
 for Solid top range (ZANUSSI)



ELECTROLUX 005340

ELECTROLUX 057400

**3519001 FRAME 35x35 mm**



ELECTROLUX 057382

**3519009 COMPLETE CHAMBER GLASS**  
 complete with glass and gasket  
 for Bain-marie (ZANUSSI)  
 for Boiling pan (ZANUSSI)  
 for Bratt pan (ZANUSSI)  
 for Fryer (ZANUSSI)  
 for Pasta cooker (ZANUSSI)  
 for Solid top range (ZANUSSI)



ELECTROLUX 005340

ELECTROLUX 057400

**3519002 GASKET GLASS FRAME**



ELECTROLUX 057402

**3519002 GASKET GLASS FRAME**



ELECTROLUX 057402

## Drain assembly

**3316010 BRASS DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
external  $\varnothing$  67 mm - internal  $\varnothing$  40 mm  
connection  $\varnothing$  47 mm



ELECTROLUX 0S1310

**3316011 BRASS DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  80 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



ELECTROLUX 0S1317

ELECTROLUX 069317

ELECTROLUX 069654

**3316126 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  36 mm  
for Self service counter (ZANUSSI)



ELECTROLUX 032244

**3316125 DRAIN ASSEMBLY NUT 1"**  
for Self service counter (ZANUSSI)



ELECTROLUX 032245

**3316124 DRAIN PIPE  $\varnothing$  25 mm**  
length 500 mm  
for Self service counter (ZANUSSI)



ELECTROLUX 032238

**3186343 O-RING 02106 EPDM**



ELECTROLUX 033462

**3448225 OVERFLOW PIPE  $\varnothing$  30x110 mm**  
made of stainless steel  
for Bain-marie (ZANUSSI)  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ELECTROLUX 032246



Suitable for:

# ELECTROLUX



**3316133 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  38 mm  
for Bain-marie (ZANUSSI) - Series H900  
Series P1000



ELECTROLUX 050288

Suitable for:  
**3786007 DRAIN ASSEMBLY GASKET  $\varnothing$  46x39x2 mm**



ELECTROLUX 050295

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**  
for Bain-marie (ZANUSSI) - Series H900



ELECTROLUX 050287

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**  
for Bain-marie (ZANUSSI) - Series H900



ELECTROLUX 050287

**3316125 DRAIN ASSEMBLY NUT 1"**  
for Self service counter (ZANUSSI)



ELECTROLUX 032245

**3316124 DRAIN PIPE  $\varnothing$  25 mm**  
length 500 mm  
for Self service counter (ZANUSSI)



ELECTROLUX 032238

**3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  70 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



ELECTROLUX 0S1319

**3316012 ST.STEEL/PLASTIC DRAIN ASSEMBLY  $\varnothing$  1 1/2"**  
external  $\varnothing$  70 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  47 mm



ELECTROLUX 0S1318

**3186606 O-RING 0144 EPDM**



ELECTROLUX 047192





Suitable for:

# ELECTROLUX



Suitable for:

## Drain hoses

**3450032 DRAIN PIPE  $\varnothing$  38x2000 mm**  
muffs internal  $\varnothing$  31 and 40 mm  
max temperature 90°C



ELECTROLUX 049748

## Drain plugs

**3448229 OVERFLOW PIPE  $\varnothing$  20x140 mm**  
made of chrome plated brass  
fitting  $\varnothing$  30 mm  
for Bain-marie (ZANUSSI) - Series H900  
Series P1000



ELECTROLUX 050301

**3186143 GASKET OR 04093 EPDM**



ELECTROLUX 050292

ELECTROLUX 086551

**3448236 OVERFLOW PIPE  $\varnothing$  20x85 mm**  
made of stainless steel  
for Bain-marie (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 0A5181

**1186238 O-RING 04081 EPDM**



ELECTROLUX 0A5182

**3448225 OVERFLOW PIPE  $\varnothing$  30x110 mm**  
made of stainless steel  
for Bain-marie (ZANUSSI)  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ELECTROLUX 032246



Suitable for:

# ELECTROLUX



Suitable for:

## Drain taps and accessories

**3526671 BALL VALVE  $\varnothing$  1/2" FF**  
 for Bain-marie (ZANUSSI)  
 for Bratt pan (ZANUSSI)  
 for Food-service trolley (BLANCO) SAG2 - SAG3  
 SG3 ECO-LINE  
 for Pasta cooker (EMMEPI) - Series 700  
 for Pasta cooker (ZANUSSI)



ELECTROLUX 002033

**3526178 BALLCOCK VALVE 1" MF**  
 for Fryer (ZANUSSI) - Series HD900 - Series N700  
 Series N900 - Series PR700



ELECTROLUX 0A5439

**3359132 BLACK HANDLE**  
 square hole 8x8 mm  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series N900



ELECTROLUX 056887

**3359136 BRACKET FOR ROD**



ELECTROLUX 003378

**3525017 CAP FOR BALLCOCK VALVE**  
 for Bain-marie (ZANUSSI) - Series PR700  
 for Bratt pan (ZANUSSI) - Series HD700  
 Series N700 - Series PR700  
 for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0A2563

**3356048 DRAIN BALL TAP 3/4" MF**  
 for Fryer gas (ZANUSSI) MF/G1S07 - MF/G2D07  
 RF/G1S07 - RF/G2D07



ELECTROLUX 005948

**3356016 DRAIN NIPPLE  $\varnothing$  2"x80 mm**  
 in brass



ELECTROLUX 0A2393

**3356004 DRAIN TAP  $\varnothing$  1" F**  
 TAPERED SEAL - fixed connection  $\varnothing$  1" F  
 with gasket  
 for BOILING PAN



ELECTROLUX 0S0109



Suitable for:

**3356089 DRAIN TAP  $\varnothing$  1" F**  
for Fryer (ZANUSSI) - Series HD900 - Series N900



ELECTROLUX 006688

Suitable for:

**3356066 DRAIN TAP LEVER**  
for Fryer (ZANUSSI) - Series HD900



ELECTROLUX 006689

**3359135 DRAIN TAP  $\varnothing$  1" FF**  
for Fryer (ZANUSSI) - Series HD700  
for Pasta cooker (ZANUSSI) - Series HD700  
Series HD900 - Series H700 - Series H900  
Series PR700 - Series R700



ELECTROLUX 056885

**3359132 BLACK HANDLE**  
square hole 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 056887

**3359136 BRACKET FOR ROD**



ELECTROLUX 003378

**3356017 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series H700  
Series H900 - Series R700



ELECTROLUX 056884

**3356090 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900 - Series PR700



ELECTROLUX 005090

ELECTROLUX 004728

**3359134 ROD FOR DRAIN TAP 160 mm**  
for Pasta cooker (ZANUSSI) - Series HD900  
Series PR700



ELECTROLUX 003829

**3359185 EXTENSION FOR TAP**  
for Pasta cooker (ZANUSSI) - Series H700  
Series R700




ELECTROLUX 056985



Suitable for:

**3356154 DRAIN TAP  $\varnothing$  1"1/2F**  
with fixed connection  $\varnothing$  1"1/2F  
for Boiling pan (JUNO-RÖDER-SENKING)  
for Boiling pan (ZANUSSI)



ELECTROLUX 0H6424

Suitable for:

**3356156 DRAIN TAP  $\varnothing$  1"1/2F**  
flanged connection with screw fastening  $\varnothing$  1"1/2F  
for Boiling pan (JUNO-RÖDER-SENKING)  
for Boiling pan (KÜPPERSBUSCH)  
for Boiling pan (MKN)  
for Boiling pan (ZANUSSI)



ELECTROLUX 0H6412

**3356007 DRAIN TAP  $\varnothing$  1"1/2F TECNO**  
TAPERED SEAL - swivel nut  $\varnothing$  1"1/2F  
with gasket  
for BOILING PAN




ELECTROLUX 0S0107

ELECTROLUX 0S0110

ELECTROLUX 002520

**3356153 DRAIN TAP  $\varnothing$  1"1/4F**  
with fixed connection  $\varnothing$  1"1/4F  
for Boiling pan (JUNO-RÖDER-SENKING)  
for Boiling pan (ZANUSSI)



ELECTROLUX 0H6421

**3356005 DRAIN TAP  $\varnothing$  1"1/4F TECNO**  
TAPERED SEAL - fixed connection  $\varnothing$  1"1/4F  
with gasket  
for BOILING PAN



ELECTROLUX 0S0136

**3356073 DRAIN TAP  $\varnothing$  2" F TECNO**  
GASKET SEAL - with swivel nut  $\varnothing$  2" F  
with safety lock  
for BOILING PAN



ELECTROLUX 0C4850

**3356100 DRAIN TAP  $\varnothing$  2" F TECNO**  
GASKET SEAL - with swivel nut  $\varnothing$  2" F  
for Boiling pan  
for Bratt pan (CHARVET) 1000GMA200BM/C



ELECTROLUX 0S0135

ELECTROLUX 0S0285

ELECTROLUX 008027

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ELECTROLUX 004986

ELECTROLUX 020279

**3186241 VITON O-RING 06212**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
TECNO NEW MODEL



ELECTROLUX 0S0286



# ELECTROLUX



Suitable for:

**3356051 DRAIN TAP  $\varnothing$  3/4" F**  
for Fryer (ZANUSSI) - Series QUICK



ELECTROLUX 003433

ELECTROLUX 055085

Suitable for:

**3356054 DRAIN TAP  $\varnothing$  3/4" F**  
top lever fitting  
for Bain-marie (ZANUSSI) - Series Q500  
for Fryer (ZANUSSI) - Series Q500



ELECTROLUX 058113

**3356088 DRAIN TAP  $\varnothing$  3/4" FF**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 005917

ELECTROLUX 005919

**3359132 BLACK HANDLE**  
square hole 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 056887

**3356090 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900 - Series PR700



ELECTROLUX 0C5090

ELECTROLUX 004728

**3526185 EXTENSION FOR VALVE 200 mm**  
square pin 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0563

**3359137 DRAIN TAP DN20  $\varnothing$  3/4" FF**  
for Fryer (ZANUSSI) - Series HD900 - Series H700  
Series PR700



ELECTROLUX 056114

**3356067 DRAIN TAP LEVER 200 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series HD900



ELECTROLUX 003377

**3359136 BRACKET FOR ROD**



ELECTROLUX 003378



Suitable for:

# ELECTROLUX



**3356017 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series H700  
Series H900 - Series R700



ELECTROLUX 056884

**3356090 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900 - Series PR700



ELECTROLUX 0C5090

ELECTROLUX 004728

**3356053 DRAIN TAP HANDLE**  
for Bain-marie (EMMEPI) - Series 650  
for Bain-marie (ZANUSSI) - Series Q500  
for Fryer (EMMEPI) - Series 650  
for Fryer (ZANUSSI) - Series Q500  
for Pasta cooker (EMMEPI) - Series 650



ELECTROLUX 058111

**3356066 DRAIN TAP LEVER**  
for Fryer (ZANUSSI) - Series HD900



ELECTROLUX 006689

**3356067 DRAIN TAP LEVER 200 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series HD900



ELECTROLUX 003377

**3356022 DRAIN TAP M 60x2 mm**  
TAPERED SEAL  
thread external  $\varnothing$  60 mm  
thread pitch 2 mm  
internal hole  $\varnothing$  40 mm  
for BOILING PAN



ELECTROLUX 0S0112

ELECTROLUX 017215

**3356024 DRAIN TAP M 78x3 mm**  
TAPERED SEAL  
thread external  $\varnothing$  78 mm  
thread pitch 3 mm  
internal hole  $\varnothing$  59.5 mm  
for BOILING PAN



ELECTROLUX 0S0138

ELECTROLUX 053159

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ELECTROLUX 004986

ELECTROLUX 020279





Suitable for:

**3356064 DRAIN TAP 1/2"MF**  
for Fryer (ZANUSSI) - Series PR700 - Series 700



ELECTROLUX 058610

Suitable for:

**3356023 DRAIN TAP 68x3 mm**  
TAPERED SEAL  
thread external  $\varnothing$  68 mm  
thread pitch 3 mm  
internal hole  $\varnothing$  50 mm  
for BOILING PAN



ELECTROLUX 052907

**3525019 EXTENSION FOR BALLCOCK VALVE**  
for Bain-marie (ZANUSSI) - Series PR700  
for Boiling pan (ZANUSSI) - Series HD900  
for Bratt pan (ZANUSSI) - Series HD700  
Series N700 - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0A2135

**3359185 EXTENSION FOR TAP**  
for Pasta cooker (ZANUSSI) - Series H700  
Series R700



ELECTROLUX 056985

**3526185 EXTENSION FOR VALVE 200 mm**  
square pin 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0563

**3526632 GAS/WATER BALLCOCK VALVE  $\varnothing$  3/4"FF**  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium throttle



ELECTROLUX 0K7222

**3356167 LEVER FOR DRAIN TAP**  
for Bain-marie (EMMEPI) - Series 650  
for Bain-marie (ZANUSSI) - Series Q500  
for Fryer (EMMEPI) - Series 650  
for Fryer (ZANUSSI) - Series Q500  
for Pasta cooker (EMMEPI) - Series 650



ELECTROLUX 0PR659

**3359134 ROD FOR DRAIN TAP 160 mm**  
for Pasta cooker (ZANUSSI) - Series HD900  
Series PR700



ELECTROLUX 003829



Suitable for:

# ELECTROLUX



**3525001 WATER BALLCOCK VALVE 3/8"FF**  
 for Bain-marie (ZANUSSI) - Series PR700  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Bratt pan (ZANUSSI) - Series N700  
 Series PR700 - Series R700  
 for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0C9656

ELECTROLUX 005902

ELECTROLUX 056843

**3525017 CAP FOR BALLCOCK VALVE**  
 for Bain-marie (ZANUSSI) - Series PR700  
 for Bratt pan (ZANUSSI) - Series HD700  
 Series N700 - Series PR700  
 for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0A2563

**3525019 EXTENSION FOR BALLCOCK VALVE**  
 for Bain-marie (ZANUSSI) - Series PR700  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Bratt pan (ZANUSSI) - Series HD700  
 Series N700 - Series PR700  
 for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0A2135

## Drawers

**3480001 OIL COLLECTION DRAWER 168x117x115 mm**  
 for Fry top (ZANUSSI) - Series N700



ELECTROLUX 0C2721

## Drip trays for kitchens and ovens

**3015002 BURNER DRIP TRAY ø 102 mm**  
 external dimensions 345x360 mm  
 internal hole ø 125 mm  
 for Pot stove gas (ZANUSSI) - Series H900  
 Series P1000



ELECTROLUX 052103

**3015003 BURNER DRIP TRAY ø 123 mm**  
 external dimensions 345x360 mm  
 internal hole ø 145 mm  
 for Pot stove gas (ZANUSSI) - Series H900  
 Series P1000



ELECTROLUX 052104



Suitable for:

Suitable for:

**3015001 BURNER DRIP TRAY  $\varnothing$  83 mm**  
 external dimensions 345x360 mm  
 internal hole  $\varnothing$  105 mm  
 for Pot stove gas (ZANUSSI) - Series H900  
 Series P1000



ELECTROLUX 052102

## Electric hot plates

**3311092 ELECTRIC HOT PLATE  $\varnothing$  145 mm 1500W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-740 - CE-741



ELECTROLUX 053406

ELECTROLUX 058104

**3311096 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



ELECTROLUX 004914

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Hot plate electric (BONNET) B-B7.PE800  
 for Kitchen electric (FAGOR) CE-741 - CE7-40  
 for Pot stove electric (FAGOR) CE-720



ELECTROLUX 053407

ELECTROLUX 053606

**3311101 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 400V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Hot plate electric (MORICE) RE40010003  
 for Kitchen electric (FAGOR) CE-741 - CE7-20  
 CE7-40



ELECTROLUX 003931

**3311088 ELECTRIC HOT PLATE  $\varnothing$  230 mm 2100W 230V**  
 faston electric connections  
 complete with energy regulation  
 for Pot stove (ZANUSSI) - Series N700  
 Series PR700



ELECTROLUX 005008

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
 dimensions 220x220 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



ELECTROLUX 0A2198

ELECTROLUX 0A2199

ELECTROLUX 006220



Suitable for:

# ELECTROLUX



**3311062 ELECTRIC HOT PLATE 3000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



ELECTROLUX 0A2020  
ELECTROLUX 052198

ELECTROLUX 0K6680

ELECTROLUX 052196

**3311063 ELECTRIC HOT PLATE 3000W 400V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



ELECTROLUX 0K4756

ELECTROLUX 052197

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



ELECTROLUX 052199

ELECTROLUX 052201

**3311048 ELECTRIC HOT PLATE 4000W 400V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 for electric cooking top



ELECTROLUX

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



ELECTROLUX 052200

**3311121 HOT ELECTRIC PLATE PAIR KIT ø 200 mm**  
 complete with brackets for installation  
 attacchi elettrici a faston  
 complete with energy regulation  
 for INFRARED PLATE  
 1800W 230V



ELECTROLUX 0D6264



## Electrical cables

- 3050025 SPIRAL CABLE 750 mm**  
 3 wires  $\varnothing$  1.5 mm  
 overall length 800 mm  
 for Food-service trolley



ELECTROLUX 0A3010

## Electrical gas valves and accessories

- 3526270 VALVE 820 NOVA EXTENSION**  
 D shaft  $\varnothing$  10x8 mm  
 for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH  
 KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH  
 KBR/G3F - KBR/G3FH  
 for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40  
 PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ELECTROLUX 004667

- 3526137 BUTTON FOR ELETROSIT VALVE**



ELECTROLUX 053820

ELECTROLUX 053992

- 3526098 COIL 220V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020

- 3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

- 3526085 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 pilot connection and LATERAL thermocouple



ELECTROLUX

- 3526086 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 pilot connection and LOWER thermocouple



ELECTROLUX 0A2035



Suitable for:

# ELECTROLUX



**3526087 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 24V 50Hz  
 pilot connection and LOWER thermocouple



ELECTROLUX 054437

**3526090 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 long buttons  
 pilot connection and LATERAL thermocouple  
 for Bratt pan gas (BONNET)  
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM  
 94KBG  
 for Fryer gas (BONNET)



ELECTROLUX 057543

**3526093 EXTENSION ELETROSIT BUTTON**  
 for switching on/off buttons



ELECTROLUX 051281

ELECTROLUX 055805

**3526066 HONEYWELL VALVE V4400C  $\varnothing$  3/4"FF 220V**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection ASA pitch  
 maximum gas inlet pressure 60 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz



ELECTROLUX 057340

**3526136 SPRING FOR PUSH-BUTTON**



ELECTROLUX 053819

**3440200 TWIN LEAD THERMOPILE 580 mm**



ELECTROLUX 002607





Suitable for:

**3526096 VALVE MICROSWITCH**  
 maximum load 0.2 A  
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

Suitable for:

**3526079 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series OMEGA  
 for Fryer gas (CAPIC)



ELECTROLUX 0A2440

ELECTROLUX 055446

ELECTROLUX 056514

**3526179 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 5÷50 mbar  
 ambient temperature 0÷70°C  
 without slow start  
 power supply 220V 50Hz  
 for Boiling pan gas (ZANUSSI) - Series N700  
 Series N900  
 for Fryer (WHIRLPOOL) AFR/G410  
 for Fryer gas (ZANUSSI) - Series HD900  
 Series N900  
 for Pasta cooker gas (ZANUSSI) - Series N900



ELECTROLUX 002903

**40C2408 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple connection M9x1  
 gas max. inlet pressure 60 mbar  
 outlet pressure range setting  
 5÷50 mbar  
 room temperature 0÷70°C  
 power supply 24V 50Hz  
 for Bratt pan gas (ZANUSSI) CRN15G - CRN20G  
 for Pasta cooker gas (ZANUSSI) CR40G - CR42G



ELECTROLUX 0C2408

**3526300 VALVE 820 NOVA mV ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 outlet 5÷50 mbar  
 room temperature 0÷70°C  
 double wire thermopile power supply  
 (TPTH - TH terminal)  
 thermostat connection (TPTH - TH terminal)  
 suitable to replace the ITT valve  
 UB67 model  
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12  
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T  
 GWT12 - GWT20 - GW209T



ELECTROLUX 002606

**3526269 VALVE 820 NOVA EXTENSION**  
 D shaft ø 10x8 mm  
 for Bratt pan gas (WHIRLPOOL) ABR/G810-221560  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805  
 ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816  
 ABR/G820 - ABR/G825 - OBR/G800UK  
 for Fryer gas (WHIRLPOOL) XFR/G351



ELECTROLUX 002790



# ELECTROLUX



Suitable for:

Suitable for:

**3526361 VALVE 822 NOVA  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz  
 for Bratt pan gas (ZANUSSI) - Series HD900

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 059473

ELECTROLUX 052833

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052834

**3526141 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet gas pressure setting range 3÷50 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002340

ELECTROLUX 005877

ELECTROLUX 002452

**3020083 NUT & OLIVE  $\varnothing$  4 mm**

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052833

ELECTROLUX 052834

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
 for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817



# ELECTROLUX



Suitable for:

**3526268 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 3÷50 mbar  
 power supply 24V 60Hz  
 for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
 CR42G



ELECTROLUX 005526

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

**3526140 VALVE 836 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 maximum gas inlet pressure 60 mbar  
 max.gas outlet pressure adjustment range 7÷50 mbar  
 outlet gas pressure setting range min.2÷45 mbar  
 room temperature 0÷60°C  
 power supply 230V 30A rectified  
 for Bratt pan gas (ZANUSSI) BR70G - BR70GZ  
 for Pasta cooker gas (ZANUSSI) - Series CPD



ELECTROLUX 002714

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

Suitable for:

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052834

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052834



Suitable for:

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

# ELECTROLUX



Suitable for:

## Electronic boxes


**3091020 CONTROL BOX SM191.1**  
model BRAHMA - 230V 50/60Hz 7VA  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 0A5167

## Electronic printed-circuit boards

**3390382 CONTROL ELECTRONIC BOARD 183x50 mm**  
cable length 600 mm  
for Hot plate (ZANUSSI) DZ/CCE - EZ/LUSA  
for Hot plate electric (ZANUSSI) DZ/LCE



ELECTROLUX 0C1897

**3399137 CONTROL PLATE 265x85 mm**  
for Hot plate electric (ZANUSSI) DZ/LCE



ELECTROLUX 0C2330

**3319297 PUSH-BUTTON EXTENSION**  
external  $\varnothing$  7 mm  
for circuit boards



ELECTROLUX 002670



Suitable for:

**3390086 DISPLAY CIRCUIT BOARD 185x50 mm**  
 cable length 500 mm  
 for Fry top (ZANUSSI) - Series DR - Series ER  
 for Panini grill (ZANUSSI) - Series DH  
 Series DPG - Series EH - Series EPG  
 for Pot stove (ZANUSSI) - Series DI - Series EI



ELECTROLUX 087481

Suitable for:


**3390303 MOTHERBOARD**  
 for Fryer (ZANUSSI) - Series HD900 - Series N900



ELECTROLUX 006624

## Electronic thermostats and controllers

**3445375 THERMOSTAT ELIWELL IDPlus 902**  
 230V 50/60Hz  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



ELECTROLUX 0S0295

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm



ELECTROLUX 087832

ELECTROLUX 092176

**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583



Suitable for:

Suitable for:

**3445073 THERMOSTAT EVK411 TCJ**  
 power supply 12Vca/dc 1.5VA  
 thermostat setting range 0+60°C  
 ON-OFF control with one actuation point only  
 1 changeover relay output 16A  
 alarm buzzer  
 access to configuration parameters through password - TTL serial port  
 room temperature 0+60°C  
 thermocouple TCJ type probe (not included)  
 connections by screw terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29mm



ELECTROLUX 004109

ELECTROLUX 053540

**3445109 PROBE TCJ EC-SND-2312 3000 mm**  
 2 wires - temperature range -50+350°C  
 error limits  $\pm 0.75\%$  below 0°C  
 30 seconds response time  
 bulb  $\varnothing$  6x100 mm  
 vetrotex cable



ELECTROLUX 004116

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ELECTROLUX 0A2269

ELECTROLUX 004120

ELECTROLUX 082378

**3445019 THERMOSTAT IC912 PT100**  
 power supply 24V  
 thermostat setting range -150+650°C  
 control with 1 actuation point  
 1 changeover relay output 8(3)A 250V  
 serial port for data exchange  
 room temperature -5÷55°C  
 PT100 probe (not included)  
 connections by screw terminal block  
 front dimensions 74x32x59 mm  
 mounting hole 71x29mm  
 for Fryer (ZANUSSI) - Series HD900  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ELECTROLUX 0C3421

ELECTROLUX 006154

ELECTROLUX 054796

**3445145 THERMOSTAT PROBE 1400 mm**  
 2-wire probe  
 bulb  $\varnothing$  4x40 mm  
 for Fryer (ZANUSSI) - Series HD900  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ELECTROLUX 006155





Suitable for:

**3445399 THERMOSTAT ID PLUS 902 NTC 12Vac-dc**  
 ON-OFF control with 1 point of intervention  
 1 relay output 8A for compressor  
 1 probe NTC/PTC/PT1000 selection.(not included)  
 1 digital inlet/adjustable temperature  
 TTL inlet for connection to copy card  
 front dimension 74x32x depth 59 mm  
 mounting hole 71x29 mm



ELECTROLUX 082484

Suitable for:

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm



ELECTROLUX 087832

ELECTROLUX 092176


**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583

**3446209 TIMER EWTS950 LX 12Vac**  
 1 exchange relay outlet 8(3)A 250V  
 room temperature 0÷55°C  
 power supply 12Vca/dc  
 connections by screwed terminal block  
 size 74x32x60 mm  
 mounting hole 71x29 mm  
 for Bratt pan electric (ZANUSSI) BR80E - BR80EZ  
 for Bratt pan gas (ZANUSSI) BR80G - BR80GZ  
 for Pasta cooker gas (ZANUSSI) CRN/15G - CRN/15GA  
 CRN/15G2 - CRN/30G - CRN/30GA - CRN/30G2



ELECTROLUX 0C1281

ELECTROLUX 003814



Suitable for:

# ELECTROLUX



Suitable for:

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Boiling pan (MORICE)  
 for Boiling pan (THIRODE)  
 for Bratt pan (MORICE)  
 for Bratt pan (THIRODE)  
 for Fry top (LOTUS) - Series 60 - Series 65  
 Series 70  
 for Grill (THIRODE)  
 for Hot plate (EMMEPI) - Series 650 - Series 700  
 for Hot plate (GICO) - Series 110 - Series 700  
 Series 920  
 for Pasta cooker electric (BONNET)



ELECTROLUX 0A2482  
ELECTROLUX 005270

ELECTROLUX 0C1605  
ELECTROLUX 026861

ELECTROLUX 0K8611  
ELECTROLUX 055016

### 3350035 ENERGY ADJUSTER

contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm



ELECTROLUX 0C6530

## Equipment and accessories

### 3235015 WOK PAN ø 360 mm - 5,2 L

for cooking range "WOK"



ELECTROLUX 653595

### 4927230 1/2 M ST. STEEL CHAMBER SERIES PR700 SET

0.65Kw 230V 50/60Hz  
 dimensions 532x282xh60 mm



ELECTROLUX 927230

## Fans for hoods

### 3526202 SPEED REGULATOR 2500W

power supply 230V 50Hz  
 rated power 2500W  
 operating direct current 12A  
 max current 18A  
 sizes 105x82x170 mm  
 Technical note:  
 It starts and changes its speed gradually  
 in order to avoid harmful  
 motor hammers



ELECTROLUX 032986



Suitable for:

# ELECTROLUX



Suitable for:

## Feet

**3313036 ADJUSTABLE S/STEEL FOOT  $\varnothing$  1" x h 115 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 115÷205 mm



ELECTROLUX 032550

**3313045 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with square flange 74x74x2.5 mm  
adjustable height 135÷235 mm



ELECTROLUX 048579

**3313003 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with rectangular flange 100x90 mm



ELECTROLUX 057536

**3313001 STAINLESS STEEL FOOT  $\varnothing$  2" HEIGHT 125 mm**  
for Bain-marie (ZANUSSI) - Series R701  
for Fry top (ZANUSSI) - Series H900  
for Oven under cooktop (ZANUSSI) - Series H900



ELECTROLUX 053792

## Filters

**3160265 DRAIN FILTER  $\varnothing$  50 mm**  
for Pasta cooker (ZANUSSI) - Series H900  
Series N900 - Series PR700 - Series R700



ELECTROLUX 004836

**3160234 SPRING FOR FILTER**  
for Pasta cooker (ZANUSSI) - Series H900  
Series N900 - Series PR700 - Series R700



ELECTROLUX 054905

**3160500 PAN FILTER S/STEEL**  
for Boiling pan (ZANUSSI) - Series HD900  
Series H900 - Series N700 - Series N900  
Series R700



ELECTROLUX 027114

**3160234 SPRING FOR FILTER**  
for Pasta cooker (ZANUSSI) - Series H900  
Series N900 - Series PR700 - Series R700



ELECTROLUX 054905

**3160007 WATER FILTER 3/4"FF**



ELECTROLUX 0C4113

ELECTROLUX 068121



Suitable for:

# ELECTROLUX



Suitable for:

## Fittings

**1349104 FITTING  $\varnothing$  1/2"M-1/2"M**



ELECTROLUX 0K9022

**1349115 FITTING  $\varnothing$  1/2"M-3/4"M**



ELECTROLUX 0E5431

**3349590 FITTING WITH RING NUT**



ELECTROLUX 049652

**3349588 LEVEL PIPE FITTING  $\varnothing$  3/8"**



ELECTROLUX 002188

**3186340 OR GASKET 03037 EPDM**



ELECTROLUX 002923

ELECTROLUX 069550

**3349346 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4"M  $\varnothing$  12**



ELECTROLUX 0C1626

**3349319 NICHEL-PLATED FITTING  $\varnothing$  1/4"M-1/4"M**



ELECTROLUX 006350

**3349357 NICHEL-PLATED FITTING  $\varnothing$  3/4"M-3/4"M**



ELECTROLUX 0W3306

## Fryer baskets and accessories

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ELECTROLUX 058158

**3055181 FRYER BASKET 105x330x125 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series H700



ELECTROLUX 054948



# ELECTROLUX



Suitable for:

**3055180 FRYER BASKET 135x260x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series H700



ELECTROLUX 053206

Suitable for:

**3055206 FRYER BASKET 160x335x120 mm**  
made of chrome-plated iron  
for new series  
for Fryer (ZANUSSI) - Series H900



ELECTROLUX 059327

**3055207 FRYER BASKET 185x270x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series HD700



ELECTROLUX 058157

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ELECTROLUX 058158

**3055208 FRYER BASKET 250x305x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series QUICK



ELECTROLUX 055093

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ELECTROLUX 058158

**3055298 FRYER BASKET 260x270x120 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series R700



ELECTROLUX 052683

**3055315 FRYER BASKET 260x270x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series N700 - Series PR700



ELECTROLUX 004499

**3055333 FRYER BASKET 265x210x110 mm**  
made of chrome-plated iron  
for Fryer gas (ZANUSSI) SFRG350 - SFRG700



ELECTROLUX 005704

**3055076 FRYER BASKET 290x280x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series 900



ELECTROLUX 0A2603



# ELECTROLUX



Suitable for:

**3055741 FRYER BASKET 300x160x140 mm**  
for Fryer (ZANUSSI)



ELECTROLUX 0K1640

Suitable for:

**3055314 FRYER BASKET 325x225x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series N900



ELECTROLUX 005933

**3055335 FRYER BASKET 325x225x90 mm**  
made of chrome-plated iron  
for Fryer gas (ZANUSSI) MF/G1S07 - RF/G1S07  
RF/G2D07



ELECTROLUX 004492

**3055317 FRYER BASKET 330x140x140 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series HD900 - Series N900



ELECTROLUX 006133

**3055316 FRYER BASKET 330x285x140 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series N700 - Series N900



ELECTROLUX 006539

**3055205 FRYER BASKET 335x335x120 mm**  
made of chrome-plated iron  
for new series  
for Fryer (ZANUSSI) - Series H900



ELECTROLUX 059307

**3055196 FRYER BASKET 340x160x160 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series H900



ELECTROLUX 052290

## Fuses

**3049003 DELAY FUSE 5x20 - 10 PCS**  
250V 100mA



ELECTROLUX 086338

**3049012 DELAY FUSE 5x20 - 10 PCS**  
250V 800mA



ELECTROLUX 0C2301





# ELECTROLUX



Suitable for:

**3049038 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 160mA



ELECTROLUX 002820

Suitable for:

**3049040 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 250mA



ELECTROLUX 002920

**3049041 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 315mA



ELECTROLUX 0W3499

ELECTROLUX 005032

ELECTROLUX 4005032

**3049042 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 400mA



ELECTROLUX 002750

**3049044 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 630mA



ELECTROLUX 058871

**3049049 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 2A



ELECTROLUX 0A8438

**3049052 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 4A



ELECTROLUX 057783

## Gas burners

**3023202 AIR ADJUSTER ø 40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 054039



Suitable for:

# ELECTROLUX



Suitable for:

## Gas burners

**3023224 BURNER  $\varnothing$  40x250 mm**  
overall length 300 mm  
made of stainless steel  
for Bain-marie gas (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 059799

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

**3023189 BURNER  $\varnothing$  40x380 mm**  
overall length 430 mm  
made of stainless steel  
for Fryer gas (ZANUSSI) - Series HD700  
Series PR700



ELECTROLUX 003326

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

**3023193 BURNER  $\varnothing$  40x480 mm**  
overall length 535 mm  
made of stainless steel  
for Oven under cooktop gas (ZANUSSI)  
Series PR700  
for Solid top range gas (ZANUSSI) - Series PR700



ELECTROLUX 004258

**3023215 BURNER  $\varnothing$  40x480 mm**  
overall length 530 mm  
made of stainless steel  
for Oven under cooktop gas (ZANUSSI)  
Series HD700 - Series R701  
for Solid top range gas (ZANUSSI) - Series HD700  
Series R701



ELECTROLUX 054117

**3023214 BURNER  $\varnothing$  40x600 mm**  
overall length 650 mm  
made of stainless steel  
for Bain-marie gas (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 059809



Suitable for:

**3023149 BURNER  $\varnothing$  40x620 mm**  
overall length 735 mm  
made of stainless steel  
for Oven under cooktop gas (WHIRLPOOL)  
Series 700 - Series 900  
for Oven under cooktop gas (ZANUSSI)  
Series HD900 - Series N700 - Series N900  
for Solid top range gas (ZANUSSI) - Series N900



ELECTROLUX 059221

**3023188 BURNER  $\varnothing$  50x330 mm**  
STAINLESS Steel made  
overall length 400 mm  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900



ELECTROLUX 004847

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

**3023190 BURNER  $\varnothing$  50x330 mm**  
overall length 440 mm  
made of STAINLESS STEEL  
for Boiling pan gas (ZANUSSI) - Series N900



ELECTROLUX 0C0743

Suitable for:

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 054039

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 054039



Suitable for:

# ELECTROLUX



**3023196 BURNER  $\varnothing$  50x345 mm**  
overall length 400 mm  
made of STAINLESS STEEL  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 004726

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

**3023204 BURNER  $\varnothing$  50x390 mm**  
overall length 445 mm  
made of stainless steel  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 005929

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

Suitable for:

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 054039

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 054039



# ELECTROLUX



Suitable for:

**3023203 BURNER  $\varnothing$  50x410 mm**  
overall length 475 mm  
made of stainless steel  
for Fryer gas (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 006127

**3023213 BURNER  $\varnothing$  50x500 mm**  
overall length 560 mm  
made of stainless steel  
for Oven under cooktop gas (ZANUSSI)  
Series HD700 - Series N700 - Series PR700



ELECTROLUX 002513

**3023198 BURNER LH 585x220 mm**  
made of stainless steel  
for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
CR42G



ELECTROLUX 003780

**3023046 BURNER 400x175 mm**  
made of stainless steel  
for Lava rock grill gas (ZANUSSI) - Series R701



ELECTROLUX 052855

Suitable for:

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ELECTROLUX 054039

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250

**3023206 BURNER 365x80 mm**  
overall length 465 mm  
for Fry top gas (ZANUSSI) - Series HD700  
Series R701



ELECTROLUX 053380

ELECTROLUX 058696



Suitable for:

# ELECTROLUX



**3023106 BURNER 435x200 mm**  
made of stainless steel  
for Lava rock grill gas (ZANUSSI) - Series N700  
Series PR700 - Series R701



ELECTROLUX 056655

**3020239 AERATION REGULATOR**  
internal ø 17 mm - external ø 22 mm  
height 42 mm



ELECTROLUX 051389

**3023210 BURNER 530x195 mm**  
made of stainless steel  
for Fry top gas (ZANUSSI) - Series N700  
Series PR700



ELECTROLUX 004591

**3023212 BURNER 545x240 mm**  
made of STAINLESS steel  
for Pasta cooker gas (ZANUSSI) MCP/G700 - MCP/G701  
MCP/G710 - MCP/G711



ELECTROLUX 059523

**3023223 BURNER 550x670 mm**  
made of stainless steel  
for Bratt pan gas (ZANUSSI) ABR/G810 - BR/G800  
Series HD900



ELECTROLUX 0A5166

**3023334 BURNER 550x830 mm**  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805  
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816  
HBR/G800 - HBR/G805 - HBR/G810 - HBR/G811  
HBR/G815 - HBR/G816



ELECTROLUX 059624

**3023200 BURNER 585x220 mm RH**  
made of stainless steel  
for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
CR42G



ELECTROLUX 003779

**3023160 BURNER 600x220 mm**  
made of stainless steel  
for Lava rock grill gas (ZANUSSI) - Series HD900



ELECTROLUX 002358





# ELECTROLUX



Suitable for:

**3023219 BURNER 645x190 mm**  
made of stainless steel  
for Fry top gas (ZANUSSI) - Series HD900



ELECTROLUX 0A5124

Suitable for:

**3023191 BURNER 685x190 mm**  
made of stainless steel  
for Fry top gas (ZANUSSI) - Series HD900  
Series N900  
for Hot plate gas (ZANUSSI) - Series N900



ELECTROLUX 006650

**3023042 BURNER 690x395 mm**  
for Oven under cooktop gas (ZANUSSI) - Series H900



ELECTROLUX 052717

**3352018 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 42 mm  
for Kitchen gas (ZANUSSI) PCG1600NL - PCG1610  
PCG1610D - PCG1610F - PCG800NL - PCG810  
PCG810D - PCG810F - ZPC/G1210 - ZPC/G1610  
ZPC/G810



ELECTROLUX 025009

ELECTROLUX 052062

**3023209 BURNER 720x290 mm**  
made of stainless steel  
for Grill gas (ZANUSSI) - Series N900



ELECTROLUX 0C0490

**3023183 BURNER 735x505 mm**  
made of stainless steel  
for Boiling pan gas (ZANUSSI) - Series HD900



ELECTROLUX 059506

**3023182 FIREPROOF 505x200 mm**  
for Oven under cooktop gas (ZANUSSI) - Series H700  
Series PR700 - Series R701  
for Solid top range gas (ZANUSSI) - Series H700  
Series PR700 - Series R701



ELECTROLUX 054119

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ELECTROLUX 059250



Suitable for:

Suitable for:

**3023195 VERTICAL BURNER 265x50 mm**  
 made of stainless steel  
 for Fryer gas (ZANUSSI) - Series HD700  
 Series HD900 - Series PR700



ELECTROLUX 059297

## Gas control boxes

**3054034 PRESSURE GAUGE ø 60 mm**  
 coupling ø 1/8" M  
 range 0-1 bar  
 for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059515

## Gas hoses

**3449228 COPPER TUBE 1x4 mm - 25 mt**



ELECTROLUX 0C1547

**3449628 COPPER TUBE 1x4 mm - 5 mt**



ELECTROLUX 0C1547

**3449228 COPPER TUBE 1x4 mm - 25 mt**



ELECTROLUX 0C1547

**3449070 PILOT PIPE ø 4 mm**  
 for cooktop HC/G410-HC/G810



ELECTROLUX 005561

**3449078 PILOT PIPE ø 4 mm**  
 for cooktop N700-N900



ELECTROLUX 0C0152



Suitable for:

Suitable for:

**40C0151 PILOT PIPING  $\varnothing$  4 mm**  
 for COOKING RANGE series N700-N900  
 for SOLID TOP RANGE series N700-N900



ELECTROLUX 0C0151

## Gas taps and accessories

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



ELECTROLUX 056597

**3348062 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 35 mm  
 for model PEL 23



ELECTROLUX 059853

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 20S




ELECTROLUX 059854

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S



ELECTROLUX 002185

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22



ELECTROLUX 052125

**3348014 GAS COCK 20/S**  
 without pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple fitting M8x1  
 D-shaped pin  $\varnothing$  8x6.5mm



ELECTROLUX 0A2163

ELECTROLUX 054109

ELECTROLUX 054628

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 20S



ELECTROLUX 059854

ELECTROLUX 054629



Suitable for:

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
ø head 15 mm - ø end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ELECTROLUX 056595

**3348044 PIPE OLIVE ø 10 mm**  
for model PEL 20 - 21



ELECTROLUX 060325

**3348075 GAS COCK 20/S**  
without pilot flame  
fittings M16x1.5 mm  
D-shaped long pin ø 8.5x6 mm  
thermocouple connection M8x1  
for Kitchen (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004237

**3250097 SPRING FOR TAP MICROSWITCH ø 10x14 mm**  
for SOLID TOP RANGE series PR700




ELECTROLUX 004243

# ELECTROLUX



Suitable for:

**3348043 PIPE FITTING ø 10 mm**  
for model PEL 20-21



ELECTROLUX 0A2125

**3240282 MICROSWITCH 0.5A 250V**  
for Pot stove (ZANUSSI) - Series PR700  
for Pot stove gas (WHIRLPOOL) CC2TG003 - CC4TG007  
CC4VG007 - CC6VG010  
for Solid top range (ZANUSSI) - Series PR700  
for Solid top range gas (WHIRLPOOL) CTPF210



ELECTROLUX 004241

**3348077 WASHER FOR TAP KNOB**  
for Kitchen (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004242



# ELECTROLUX



Suitable for:

**3348074 GAS COCK 21/S**  
 with pilot flame  
 with clamp flange  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple connection 8x1  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Fry top (ZANUSSI) - Series N700  
 for Grill (ZANUSSI) - Series N700  
 for Kitchen (ZANUSSI) - Series N700 - Series N900  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series N900  
 for Solid top range (ZANUSSI) - Series N900



ELECTROLUX 0C0205

**3348016 GAS COCK 21/SV**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple connection M9x1 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



ELECTROLUX 004961

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22



ELECTROLUX 052125

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



ELECTROLUX 052127

Suitable for:

**3348079 GAS COCK 21/S**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5 mm  
 thermocouple connection M8x1  
 D-shaped long pin  $\varnothing$  8x6.5 mm  
 for Fry top (ZANUSSI) - Series PR700  
 for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004282

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S



ELECTROLUX 002185

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



ELECTROLUX 056595

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



ELECTROLUX 020992



Suitable for:

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 20-21



ELECTROLUX 0A2125

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3348076 GAS COCK 21/SV**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple connection M8x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 0A2169

ELECTROLUX 059367

ELECTROLUX 059460

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22



ELECTROLUX 052125

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



ELECTROLUX 052127

# ELECTROLUX



Suitable for:

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



ELECTROLUX 060325

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



ELECTROLUX 002185

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ELECTROLUX 056595

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22




ELECTROLUX 020992





Suitable for:

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 20-21



ELECTROLUX 0A2125

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3348002 GAS COCK 22/0**  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm  
for Boiling pan (THIRODE)  
for Bratt pan gas (THIRODE) SA30 - SA41  
for Grill (FAGOR) - Series 900



ELECTROLUX 0S0595

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22



ELECTROLUX 052125

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
for PEL tap model 22-24



ELECTROLUX 056594

# ELECTROLUX



Suitable for:

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



ELECTROLUX 060325

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 26 mm  
for model PEL 22



ELECTROLUX 056597

**3348023 HORIZONTAL FLANGE**  
for model PEL 22



ELECTROLUX 0S0053

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



ELECTROLUX 027478

ELECTROLUX 050682

ELECTROLUX 054979



Suitable for:

**3348036 OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



ELECTROLUX 052127

**3348031 PIPE FITTING ø 10 mm**  
for model PEL 22



ELECTROLUX 052124

**3348038 PIPE OLIVE ø 10 mm**  
for model PEL 22



ELECTROLUX 052128

**3348005 GAS COCK 22/0**  
with pilot flame  
with horizontal flange  
fittings ø M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin ø 10x8 mm



ELECTROLUX 0A2001

**3348029 FITTING FOR PIPE ø 4 mm**  
for model PEL 21-22



ELECTROLUX 052125

# ELECTROLUX



Suitable for:

**3348037 PILOT OLIVE FOR PIPE ø 6 mm**  
for model PEL 21-22



ELECTROLUX 020992

**3348032 PIPE FITTING ø 12 mm**  
for model PEL 22



ELECTROLUX 050670

**3020078 TUBING NUT FOR 6 mm ø PIPE**



ELECTROLUX 003859

**3348017 CAP WITH PIN ø 10x8 mm**  
pin length 26 mm  
for model PEL 22



ELECTROLUX 056597

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
ø head 15.5 mm - ø end 14 mm - length 44 mm  
for PEL tap model 22-24



ELECTROLUX 056594



# ELECTROLUX



Suitable for:

**3020082 OLIVE FOR 12 mm ø PIPE**



ELECTROLUX 027478

ELECTROLUX 050682

**3348037 PILOT OLIVE FOR PIPE ø 6 mm**  
for model PEL 21-22



ELECTROLUX 020992

**3348032 PIPE FITTING ø 12 mm**  
for model PEL 22



ELECTROLUX 050670

**3020078 TUBING NUT FOR 6 mm ø PIPE**



ELECTROLUX 003859

**3348003 GAS COCK 22/V**  
with pilot flame  
with vertical flange  
fittings ø M20x1.5mm  
thermocouple connection M9x1  
D-shaped pin ø 10x8 mm




ELECTROLUX 0C0489

ELECTROLUX 052146

ELECTROLUX 052432

Suitable for:

**3348036 OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



ELECTROLUX 052127

**3348031 PIPE FITTING ø 10 mm**  
for model PEL 22



ELECTROLUX 052124

**3348038 PIPE OLIVE ø 10 mm**  
for model PEL 22



ELECTROLUX 052128

**3348017 CAP WITH PIN ø 10x8 mm**  
pin length 26 mm  
for model PEL 22



ELECTROLUX 056597



Suitable for:

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
ø head 15.5 mm - ø end 14 mm - length 44 mm  
for PEL tap model 22-24



ELECTROLUX 056594

**3020078 TUBING NUT FOR 6 mm ø PIPE**




ELECTROLUX 003859

**3348004 GAS COCK 22/V**  
with pilot flame  
with vertical flange  
fittings ø M20x1.5mm  
D-shaped pin ø 10x8 mm  
for Pot stove (ZANUSSI) - Series H900



ELECTROLUX 052145

**3348029 FITTING FOR PIPE ø 4 mm**  
for model PEL 21-22



ELECTROLUX 052125

**3348036 OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



ELECTROLUX 052127

# ELECTROLUX



Suitable for:

**3020082 OLIVE FOR 12 mm ø PIPE**



ELECTROLUX 027478

ELECTROLUX 050682

ELECTROLUX 054979

**3348017 CAP WITH PIN ø 10x8 mm**  
pin length 26 mm  
for model PEL 22



ELECTROLUX 056597

**3020082 OLIVE FOR 12 mm ø PIPE**



ELECTROLUX 027478

ELECTROLUX 050682

ELECTROLUX 054979

**3348037 PILOT OLIVE FOR PIPE ø 6 mm**  
for model PEL 21-22



ELECTROLUX 020992



Suitable for:

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 22



ELECTROLUX 052124

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 22



ELECTROLUX 052128

**3348012 GAS COCK 23/0**  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm



ELECTROLUX 0A2146

**3348063 GAS COCK 2911/1**  
pipe fitting  $\varnothing$  8 mm  
flange outlet  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Bain-marie gas (TECNOINOX) BM35G - BM70G  
for Fry top gas (TECNOINOX) FTL35G - FTL70G  
FTR35G - FTR70G  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004956

# ELECTROLUX



Suitable for:

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
for model PEL 22



ELECTROLUX 050670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859




Suitable for:

**3348015 GAS TAP 20/N**  
 without pilot flame  
 fittings  $\varnothing$  M16x1.5 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



ELECTROLUX 054166

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
 for model PEL 20-21



ELECTROLUX 0A2125

**3348011 GAS TAP 23/0**  
 with pilot flame  
 with horizontal flange  
 inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm  
 for Bain-marie (CHARVET)  
 for Boiling pan (CHARVET)  
 for Boiling pan (THIRODE)  
 for Bratt pan gas (THIRODE) SA65 - SA85  
 for Fryer (CHARVET)



ELECTROLUX 054811

ELECTROLUX 059505

**3348023 HORIZONTAL FLANGE**  
 for model PEL 22



ELECTROLUX 050053

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



ELECTROLUX 020992

Suitable for:

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 20S



ELECTROLUX 059854

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 20 - 21



ELECTROLUX 060325

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



ELECTROLUX 052127

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 for model PEL 22



ELECTROLUX 052124






# ELECTROLUX



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
for model PEL 20-21



ELECTROLUX 0A2125


Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
for model PEL 22



ELECTROLUX 050670

**3348034** PIPE FITTING  $\varnothing$  16 mm  
for model PEL 23



ELECTROLUX 054816

**3348035** PIPE FITTING  $\varnothing$  20 mm  
for model PEL 23



ELECTROLUX 054814

**3348038** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 22



ELECTROLUX 052128

**3348044** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 20 - 21



ELECTROLUX 060325

**3348041** PIPE OLIVE  $\varnothing$  16 mm  
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

**3348042** PIPE OLIVE  $\varnothing$  20 mm  
for model PEL 23



ELECTROLUX 054815

**3348077** WASHER FOR TAP KNOB  
for Kitchen (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004242



Suitable for:

# ELECTROLUX



Suitable for:

## Gas valves and accessories

**3186171 CONTROL PANEL PROTECTION GASKET**  
replacement for SIT VR8 valve



ELECTROLUX 052730

**3241435 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ELECTROLUX 0C8571

ELECTROLUX 004491

**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ELECTROLUX 003391

**3526134 EUROSIT VALVE FOR FRY TOP 40÷280°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Fry top gas (ZANUSSI) - Series N700  
Series PR700  
for Oven under cooktop gas (ZANUSSI)  
Series HD700 - Series HD900



ELECTROLUX 058772

**3526133 EUROSIT VALVE FOR FRY TOP 60÷300°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Fry top gas (GIGA) - Series 650  
for Fry top gas (TECNOINOX) FTC70G  
for Fry top gas (WHIRLPOOL) AGB455 - AGB457  
AGB459 - AGB461 - AGB463 - AGB465 - AGB467  
AGB470  
for Fry top gas (ZANUSSI) MRV/G1CL  
for Kitchen (ZANUSSI) ACF/G810



ELECTROLUX 058772

**3526131 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm  
for Fryer gas (ELFRAMO) GBD10 - GB10



ELECTROLUX 003334

ELECTROLUX 004947



Suitable for:

Suitable for:

**3526139 EUROSIT VALVE FOR OVEN 80÷320°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
capillary length 1000 mm  
bulb  $\varnothing$  4x72 mm  
for Oven under cooktop gas (ANGELO PO)  
Series ALPHA - Series DELTA

**3526127 FLANGE FOR KNOB EXTENSION**



ELECTROLUX 0C6235

ELECTROLUX 058773

**3526125 KNOB EXTENSION 47 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm

**3523035 KNOB FOR MINISIT VALVE**  
for Fry top gas (FAGOR) FTG-705 - FTG-710  
FTG-905 - FTG-910



ELECTROLUX 002130

ELECTROLUX 029648

ELECTROLUX 054268

**3523053 MERTIK GAS VALVE 100÷340°C**  
model GV31T-C1A7GK0-001  
inlet-outlet  $\varnothing$  3/8" FF  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
complete with ignition lead 1250 mm  
capillary length 720 mm  
bulb  $\varnothing$  4x65 mm  
D shaft 8x6.5 mm  
for Fry top gas (ZANUSSI) - Series N900  
for Oven under cooktop gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0209

ELECTROLUX 0C5247



Suitable for:

Suitable for:

**3523055 MERTIK GAS VALVE 100÷340°C**  
 model GV30T-C3A7A2K6E0/1  
 inlet-outlet  $\varnothing$  3/8"FF  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition lead 880 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x65 mm  
 D shaft 8x6.5 mm  
 for Fry top gas (ZANUSSI) - Series N900

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ELECTROLUX 0C5246

ELECTROLUX 006692

ELECTROLUX 006465

**3523065 PLUG FOR MERTIK GAS VALVE**



ELECTROLUX 0C0625

**3523056 MERTIK GAS VALVE 100÷340°C**  
 model GV30T-C3A7A2K6E0  
 inlet-outlet  $\varnothing$  3/8"FF  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition lead 900 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x65 mm  
 D shaft 8x6.5 mm  
 for Fry top gas (ZANUSSI) BR/G1FL - BR/G1FR  
 BR/G2FL - BR/G2FR

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ELECTROLUX 0C5245

ELECTROLUX 006460

ELECTROLUX 006465

**3523054 MERTIK GAS VALVE 110÷190°C**  
 model GV31T-C5AXE2K0E0  
 inlet-outlet  $\varnothing$  3/8"FF  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition lead 840 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x165 mm  
 D shaft 8x6.5 mm  
 for Fryer gas (ZANUSSI) - Series N700  
 Series N900

**3523057 MERTIK GAS VALVE 30÷110°C**  
 model GV31T-C2AKA2K0E0  
 inlet-outlet  $\varnothing$  3/8"FF  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition lead 900 mm  
 capillary length 730 mm  
 bulb  $\varnothing$  6x78 mm  
 for Bain-marie gas (ZANUSSI) - Series N900



ELECTROLUX 0C0624

ELECTROLUX 0C5248

ELECTROLUX 006574

ELECTROLUX 0C0444

ELECTROLUX 0C5249



Suitable for:

## 3523040 MINISIT SENSING ELEMENT 100÷340°C

capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
for Fry top gas  
for Oven under cooktop gas



ELECTROLUX 056592

Suitable for:

## 3523048 MINISIT SENSING ELEMENT 100÷340°C

stainless steel capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Oven under cooktop gas (OM GAS)  
for Oven under cooktop gas (WHIRLPOOL)  
for Oven under cooktop gas (ZANUSSI)



ELECTROLUX 056593

## 3523051 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
for Fryer gas



ELECTROLUX 056590

## 3523039 MINISIT SENSING ELEMENT 30÷100°C

capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
for Bain-marie gas  
for Pasta cooker gas



ELECTROLUX 056646

## 3523042 MINISIT SENSING ELEMENT 50÷190°C

capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm  
for Fryer gas



ELECTROLUX 056591

## 3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Bain-marie gas



ELECTROLUX

## 3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
without cover, knob and flanges  
for Hot cupboard gas (ZANUSSI) - Series H900



ELECTROLUX 052431

ELECTROLUX 053210

## 3523033 MINISIT VALVE FOR FRYER 110÷190°C

inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Fryer gas (MARENO) FQC-40 - FQC-60



ELECTROLUX



Suitable for:

# ELECTROLUX



**3523049 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fryer gas (EMMEPI)



ELECTROLUX

Suitable for:

**3523933 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 with screw for gas outlet pressure regulation  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 without cover, knob and flanges  
 for Fryer gas (MARENO) FQG-40 - FQG-60



ELECTROLUX 052952

ELECTROLUX 056689

**3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 supplied without lid knob and flanges  
 for Fryer gas (ZANUSSI) - Series R701



ELECTROLUX 052685  
ELECTROLUX 059698

ELECTROLUX 058496

ELECTROLUX 059570

**3523023 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fryer gas



ELECTROLUX

**3523024 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 with an elbow flange  $\varnothing$  1/2"F  
 for Fryer gas



ELECTROLUX

**3523923 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 without cover, knob and flanges  
 for Fryer gas (ZANUSSI) - Series R701



ELECTROLUX 026824

ELECTROLUX 053368





# ELECTROLUX



Suitable for:

**3523020 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fry top gas  
 for Oven under cooktop gas



ELECTROLUX

Suitable for:

**3523032 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 stainless steel capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Oven under cooktop gas



ELECTROLUX

**3523920 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 without cover, knob and flanges  
 for Fry top gas  
 for Oven under cooktop gas



ELECTROLUX 052068

ELECTROLUX 056833

**3523932 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 stainless steel capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 without cover, knob and flanges  
 for Oven under cooktop gas (ZANUSSI)  
 Series P1000



ELECTROLUX 053193

ELECTROLUX 053289

**3523065 PLUG FOR MERTIK GAS VALVE**



ELECTROLUX 0C0625

**3523005 VALVE B3/C  $\varnothing$  3/8"MM**



ELECTROLUX 026489

ELECTROLUX 057989

**3182005 MAGNETIC UNIT SIT**

$\varnothing$  head 19 mm -  $\varnothing$  end 14,5 mm - length 47 mm  
 for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ELECTROLUX 056588



Suitable for:

# ELECTROLUX



**3523004 VALVE B3C  $\varnothing$  3/8" M 1/4" F**  
 with pilot outlet  
 inlet  $\varnothing$  3/8" M - outlet  $\varnothing$  1/4" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷80°C  
 90° inlet and outlet for valves



ELECTROLUX 025846

Suitable for:

**3182005 MAGNETIC UNIT SIT**  
 $\varnothing$  head 19 mm -  $\varnothing$  end 14,5 mm - length 47 mm  
 for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ELECTROLUX 056588

**3523010 VALVE D3  $\varnothing$  1/2" FF**  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷80°C  
 with thread under the button for ring nut



ELECTROLUX 050106

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

**3523011 VALVE D3  $\varnothing$  3/4" FF**  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷80°C  
 with thread under the button for ring nut



ELECTROLUX 026888

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

## Gaskets and seals

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
 for drain tap  $\varnothing$  2" old model



ELECTROLUX 004986

ELECTROLUX 020279

**3186341 ASBESTOS FREE FLAT GASKET  $\varnothing$  9x6x1 mm**  
 for Pot stove (ZANUSSI) - Series HD700  
 Series H700



ELECTROLUX 054100



# ELECTROLUX



Suitable for:

**4054807 ASBESTOS FREE FLAT GASKET 37x27x2 mm**



ELECTROLUX 054807

Suitable for:

**3186026 BURNER GASKET FOR COOKING TOP**



ELECTROLUX 054093

**3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.**



ELECTROLUX 054094

**3786007 DRAIN ASSEMBLY GASKET ø 46x39x2 mm**



ELECTROLUX 050295

**3186479 FIBERGLASS GASKET**

profile dimensions 12x12 mm  
max temperature 600°C  
COLOUR WHITE  
SOLD PER METRE  
for Bratt pan (ZANUSSI) - Series HD700  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Solid top range (ZANUSSI)



ELECTROLUX 058404

**3786401 FLAT GASKET ø 33x24x2 mm**

for Bain-marie electric (ZANUSSI) DCBE21  
HMS/E400 - HMS/E800  
for Bain-marie gas (ZANUSSI) HMS/G400 - HMS/G800  
PMG600 - PMG600D



ELECTROLUX 050296

**3786576 FLAT RUBBER GASKET ø 30x22x2 mm**



ELECTROLUX 005921

**3186342 GASKET FOR OVEN**  
soft - external ø 13,5 mm



ELECTROLUX 053816

**3186667 GASKET FOR TAP PROTECTION**  
for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 003209

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ELECTROLUX 057534



Suitable for:

**3186187 HEATING ELEMENT GASKET**  
external dimensions 68x13 mm



ELECTROLUX 0H6665

ELECTROLUX 0K1831


Suitable for:

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ELECTROLUX 006465

**3186665 TEFLON FLAT GASKET  $\varnothing$  35x21x2 mm**



ELECTROLUX 002448

## Gaskets for oven door

**3186107 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 15x5.2 mm  
COLOUR BLACK  
SOLD PER METRE  
for Oven under cooktop (ZANUSSI) - Series HD700  
Series H700 - Series PR700 - Series R701  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 054111

ELECTROLUX 054112

## Gastronorm pans

**3018001 DRIP TRAY U-PAN GN 1/1 530x325xH20 mm**  
NON-STICK



ELECTROLUX 0S0870

**3018002 DRIP TRAY U-PAN GN 1/1 530x325xH40 mm**  
NON-STICK



ELECTROLUX 0S0871

**3018003 DRIP TRAY U-PAN GN 1/1 530x325xH60 mm**  
NON-STICK



ELECTROLUX 0S0872



Suitable for:

# ELECTROLUX



Suitable for:

## Glues

### 9065001 GREY SEALER NOVASIL 310 ml

Max temperature +265°C  
HIGH SEALING ABILITY  
ideal for GLASCERAMIC TOP



ELECTROLUX 0K3948

### 3180052 RED HIGH TEMPERATURE SEALER 280 ml

operating temperature -65+260°C with peaks 320°C  
for OVEN GASKETS



ELECTROLUX 059611

## Greases

### 3180006 GREASE NONTROP/PLBDR 1000 g

high quality grease  
for water tap lubrication  
physiologically harmless, unscented, tasteless



ELECTROLUX 0S0004

### 3180002 GREASE STABURAGS N32 60 g

high quality grease for high temperatures  
to lubricate gas taps



ELECTROLUX 0S0001

ELECTROLUX 0S0002

ELECTROLUX 0S0183

ELECTROLUX 0S0245

## Grids for kitchen

### 3185224 FLUE GRID 345x55 mm

for Pot stove (ZANUSSI) - Series HD700



ELECTROLUX 002445

### 3185085 FLUE GRID 395x70 mm

for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 002438

ELECTROLUX 006580

### 3185058 FLUE GRID 400x75 mm

for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 006029

ELECTROLUX 059246

### 3185064 GRILL 320X530 mm

for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004976



Suitable for:

**3185066 PAN SUPPORT GRID 345x285 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700 - Series PR700 - Series R701



ELECTROLUX 002436  
ELECTROLUX 058558

ELECTROLUX 004245

ELECTROLUX 055064

Suitable for:

**3185087 PAN SUPPORT GRID 380x370 mm**  
for Pot stove (ZANUSSI) - Series N900



ELECTROLUX 0C0132

**3185057 PAN SUPPORT GRID 390x350 mm**  
for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 002437

**3185001 PAN SUPPORT GRID 400x345 mm**  
for Pot stove (ZANUSSI) - Series H900  
Series P1000



ELECTROLUX 058179

**3185080 PAN SUPPORT GRID 595x340 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700



ELECTROLUX 002446

**3185099 S/STEEL PAN SUPPORT GRID 370x395 mm**  
for Pot stove (ZANUSSI) - Series N900



ELECTROLUX 0C0130

## Grids for refrigerator-oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



ELECTROLUX 057468

**3185055 CHROME PLATED GRID GN 2/1 530x650 mm**  
for Oven under cooktop (WHIRLPOOL) CC4FE007  
CC4FG007 - CC6FG010 - CTPF007  
for Solid top range gas (WHIRLPOOL) CTPF207  
CTPF210



ELECTROLUX 025020

ELECTROLUX 081883

## Guides

**3053223 DOOR SLIDEWAY**  
for Hot cupboard (ZANUSSI)



ELECTROLUX 032928

**3391036 DOOR SLIDEWAY**  
for TABLE-CUPBOARD



ELECTROLUX 031060





Suitable for:

Suitable for:

**3063031 DOOR SLIDEWAY 45x20 mm**  
distance between holes 25 mm - h 14 mm  
for Self service counter (ZANUSSI)



ELECTROLUX 031902

## Handles

**3242112 DOOR LOCK MAGNET**  
distance between magnetic part holes 37 mm  
distance between holes of strike plate 31 mm  
for Fryer (ZANUSSI) - Series PR700  
for Oven under cooktop (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004266

**3242115 DOOR LOCK MAGNET  $\varnothing$  33 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series HD900  
Series H700 - Series N900  
for Pasta cooker (ZANUSSI) - Series HD700  
Series HD900 - Series H700



ELECTROLUX 059902

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm




ELECTROLUX 057414

**3242336 OVEN DOOR HANDLE  $\varnothing$  29x90 mm M10**



ELECTROLUX 004107

**3242343 HAND GUARD WASHER**



ELECTROLUX 004195

**3242579 RH-LH CATCH WITHOUT LOCK 570 CR**  
straight handgrip  
length 230x23 mm  
mounting distance 110 mm



ELECTROLUX 032156



Suitable for:

# ELECTROLUX



Suitable for:

## Heating elements

**3355826 CERAMIC HEATING ELEMENT 400W 230V**  
length 245 mm - width 60 mm  
for Potato heater electric (ZANUSSI) QME300I  
QME600I



ELECTROLUX 058144

**3310016 CERAMIC HEATING ELEMENT 500W 230V**  
length 245 mm - width 60 mm



ELECTROLUX

**3355829 CERAMIC HEATING ELEMENT 650W 230V**  
length 245 mm - width 60 mm  
for Potato heater electric (ZANUSSI) SCCE350



ELECTROLUX 004898

**3355339 HEAT.ELEM.F/TANK 1450W 220V**  
length 510 mm - width 55 mm  
flange 60x27 mm  
for Pasta cooker electric (ZANUSSI)



ELECTROLUX 056906

**3355044 HEATING ELEMENT 1000W 220V**  
length 410 mm - width 45 mm  
height 90 mm  
for Boiling pan electric (ZANUSSI) - Series H900



ELECTROLUX 051855

**3355720 HEATING ELEMENT 1000W 220V**  
immersed length 225 mm - width 60 mm  
flange 80x28 mm - with receptacle hole



ELECTROLUX 0H6199

**3755570 HEATING ELEMENT 1000W 220V**  
length 600 mm - width 55 mm  
height 80 mm  
for Fry top electric (ZANUSSI) HRS/E401 - HRS/E411  
HRS/E801 - HRS/E811



ELECTROLUX 052919

ELECTROLUX 052920

**3355850 HEATING ELEMENT 1000W 230V**  
length 220 mm - width 95 mm  
flange 107x33 mm  
for Salamander electric (TECNOINOX) SE80



ELECTROLUX 003014



Suitable for:

**3755205 HEATING ELEMENT 1000W 230V**  
length 250 mm - height 285 mm  
for Pasta cooker electric (ZANUSSI) PCP/E1S  
PCP/E2D



ELECTROLUX 0A5492

Suitable for:

**3755595 HEATING ELEMENT 1050W 230V**  
length 425 mm - width 40 mm  
height 95 mm  
for Boiling pan electric (ZANUSSI) - Series HD900



ELECTROLUX 059680

**3755539 HEATING ELEMENT 10750W 230V**  
immersed length 540 mm  
eternal flange  $\varnothing$  63 mm  
complete with O-RING gasket  
for Boiling pan electric (ZANUSSI) - Series N900  
WPI/E15



ELECTROLUX 0C0715

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

**3355036 HEATING ELEMENT 1100W 220V**  
length 365 mm - width 230 mm  
upon request nut and washer  
for Bain-marie electric (ZANUSSI)  
for Hot cupboard electric (ZANUSSI)



ELECTROLUX 050233

**3755287 HEATING ELEMENT 1100W 380V**  
length 540 mm - height 62 mm  
with cables  
for Fry top electric (JUNO-RÖDER-SENKING)  
for Fry top electric (ZANUSSI)



ELECTROLUX 0H6155

**3755314 HEATING ELEMENT 1160W 400V**  
length 295 mm - width 245 mm  
total height 103 mm  
for BAINMARIE ELECTRIC HLE249/259  
for Fry top electric (THERMA)



ELECTROLUX 0K4815

**3755263 HEATING ELEMENT 1250W 230V**  
length 475 mm - width 55 mm  
height 60 mm  
for Fry top electric (ZANUSSI) - Series PR700



ELECTROLUX 004649



Suitable for:

# ELECTROLUX



**3755522 HEATING ELEMENT 1250W 230V**  
 length 470 mm - width 55 mm  
 height 40 mm  
 for Fry top electric (ZANUSSI) - Series H700  
 Series R701



ELECTROLUX 053393

**3755596 HEATING ELEMENT 1250W 230V**  
 length 480 mm - width 45 mm  
 height 95 mm  
 for Boiling pan electric (ZANUSSI) - Series HD900



ELECTROLUX 059679

**3755267 HEATING ELEMENT 1250W 240V**  
 length 480 mm - width 50 mm  
 height 60 mm  
 for Fry top electric (ZANUSSI) - Series HD700  
 Series R701



ELECTROLUX 053614

**3355337 HEATING ELEMENT 1300W 220V**  
 length 535 mm - width 80 mm  
 height 105 mm  
 complete with cables  
 for Bratt pan electric (ZANUSSI) - Series HD900  
 Series H900



ELECTROLUX 051355

ELECTROLUX 051356

ELECTROLUX 051358

**3355824 HEATING ELEMENT 1300W 230V**  
 length 330 mm - width 200 mm  
 2 flanges 40x18 mm  
 for Bain-marie electric (TECNOINOX) BM35E - BM70E  
 for Bain-marie electric (ZANUSSI) BM35E6U - SME350  
 SME700



ELECTROLUX 004910

**3355836 HEATING ELEMENT 1300W 230V**  
 length 475 mm - width 80 mm  
 height 50 mm  
 for Fry top electric (TECNOINOX) FTC35E - FTC70E  
 FTL35E - FTL70E - FTR35E - FTR70E  
 for Fry top electric (ZANUSSI) SRE350 - SRE360  
 SRE370 - SRE700 - SRE710 - SRE720



ELECTROLUX 004918

**3755313 HEATING ELEMENT 1335W 400V**  
 length 327 mm - width 270 mm  
 total length 97 mm  
 for BAINMARIE ELECTRIC HLE249/259  
 for Fry top electric (THERMA)



ELECTROLUX 0K4814

**3755508 HEATING ELEMENT 1350W 230V**  
 length 395 mm - width 60 mm  
 height 35 mm - fittings ø 1/4"  
 for Grill electric (TECNOINOX) GR35E  
 for Grill electric (ZANUSSI) GR35E6U - SGE350



ELECTROLUX 004907



# ELECTROLUX



Suitable for:

**3355042 HEATING ELEMENT 1500W 220/380V**  
flange with threaded connection  $\varnothing$  2"  
complete with gasket  
upon request nut  
for Self service counter electric (ZANUSSI)



ELECTROLUX 026044

Suitable for:

**3355038 HEATING ELEMENT 1500W 220V**  
length 395 mm - width 205 mm  
for Bain-marie electric (ZANUSSI) - Series N700  
Series PR700 - Series R700 - Series R701



ELECTROLUX 050933

ELECTROLUX 050934

**3355061 HEATING ELEMENT 1500W 220V**  
length 385 mm - width 205 mm  
flange 245x20 mm  
for Bain-marie electric (ZANUSSI)  
for Hot cupboard electric (ZANUSSI)



ELECTROLUX 053174

ELECTROLUX 053577

**3355338 HEATING ELEMENT 1500W 220V**  
length 535 mm - width 80 mm  
height 105 mm  
complete with cables  
for Bratt pan electric (ZANUSSI) - Series H900



ELECTROLUX 051356

**3455279 HEATING ELEMENT 1500W 220V**  
length 370 mm - width 75 mm  
height 75 mm  
for Bratt pan electric (ZANUSSI) CBR/E700  
MBR/E700 - MBR/E700UK - MBR/E706 - MBR/E710D  
MBR/E716 - M70EBP - RBR/E700UK - RBR/E706  
RBR/E716 - XBR/E706 - XBR/E710 - XBR/E710D  
XBR/E716 - 7BRE60X - 7BRE60XN



ELECTROLUX 002559

**3755601 HEATING ELEMENT 1500W 220V**  
length 380 mm - width 25 mm  
height 260 mm - flange 33x40 mm  
for Fryer electric (ZANUSSI) - Series H700



ELECTROLUX 054951

ELECTROLUX 058612

**3755133 HEATING ELEMENT 1500W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x15 mm  
for Bain-marie electric (BLANCO)



ELECTROLUX 0G2290

**3755202 HEATING ELEMENT 1500W 230V**  
length 530 mm - width 140 mm  
flange 162x18 mm  
for Oven under cooktop electric (ZANUSSI)  
Series N700 - Series N900



ELECTROLUX 0C0310



Suitable for:

# ELECTROLUX



**3755516 HEATING ELEMENT 1500W 230V**  
length 370 mm - width 80 mm  
height 75 mm  
for Bratt pan electric (ZANUSSI) - Series HD700



ELECTROLUX 058345

**3755569 HEATING ELEMENT 1500W 230V**  
length 330 mm - width 25 mm  
height 220 mm -flange 33x31 mm  
for Fryer electric (ZANUSSI) MF/E1D05 - RF/E1D05



ELECTROLUX 004752

**3755588 HEATING ELEMENT 1500W 230V**  
length 480 mm - width 90 mm  
height 60 mm  
for Fry top electric (ZANUSSI) RR/E1CL - RR/E2CL



ELECTROLUX 004671

**3455280 HEATING ELEMENT 1500W 400V**  
length 535 mm width 150 mm  
flange 163x18 mm  
for Oven under cooktop electric (ZANUSSI)  
Series N700 - Series N900



ELECTROLUX 0C0269

ELECTROLUX 0C2813

**3755312 HEATING ELEMENT 1505W 400V**  
length 350 mm - width 305 mm  
total length 83 mm  
for Fry top electric (THERMA)  
for Fry top electric (ZANUSSI)



ELECTROLUX 0K4813

**3755268 HEATING ELEMENT 1550W 220V**  
length 530 mm - width 50 mm  
flange 60x28 mm  
for Pasta cooker electric (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 059066

**3355127 HEATING ELEMENT 1600W 220V**  
external ø 190 mm - total height 70 mm  
flange 70x22 mm  
for Bain-marie electric (ART SERF) BCA1618  
for Hot cupboard electric (ALPENINOX)  
for Hot cupboard electric (ZANUSSI)  
for Kitchen gas (AMBASSADE) CG741  
for Oven under cooktop electric (ALPENINOX)  
for Oven under cooktop electric (ZANUSSI)  
for Oven under cooktop gas (AMBASSADE) CG1051  
CG731 - CG831



ELECTROLUX 0A2017

ELECTROLUX 037611

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ELECTROLUX 057534





# ELECTROLUX



Suitable for:

**3755599 HEATING ELEMENT 1600W 230V**  
length 365 mm - width 75 mm  
total height 195 mm  
for Pasta cooker electric (ZANUSSI) SCPE350



ELECTROLUX 005816

Suitable for:

**3755269 HEATING ELEMENT 1650W 230V**  
length 540 mm - width 150 mm  
fittings  $\varnothing$  10 mm  
for Oven under cooktop electric (ZANUSSI)  
Series HD700 - Series PR700 - Series R701



ELECTROLUX 054147

**3755562 HEATING ELEMENT 1650W 230V**  
length 550 mm - width 60 mm  
flange 60x30 mm  
for Pasta cooker electric (ZANUSSI) KCP/E2  
MCP/E1SH - MCP/E2SH



ELECTROLUX 006853

**3755556 HEATING ELEMENT 1750W 220V**  
external  $\varnothing$  200 mm - total height 70 mm  
flange 70x22 mm  
for Dish warmer electric (MOBILE CONTAINING)  
SHU-MS/A - SHU-MS/B - SHU-MS/D - THNU-MS210  
THNU-MS240 - THNU-MS280 - THNU-MS310



ELECTROLUX 0H6212

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ELECTROLUX 057534

**3755178 HEATING ELEMENT 1800W 230V**  
length 550 mm - width 95 mm  
for Bratt pan electric (ZANUSSI)



ELECTROLUX 0H6707

**3755589 HEATING ELEMENT 1800W 230V**  
length 620 mm - width 90 mm  
flange 60x30 mm  
for Grill electric (ZANUSSI) HG/E400 - HG/E800  
ZG/E400 - ZG/E800



ELECTROLUX 002403



Suitable for:

# ELECTROLUX



**3755013 HEATING ELEMENT 1900W 220V**  
length 245 mm - width 225 mm  
for Salamander electric (ZANUSSI) SL/E851  
SL/E901



ELECTROLUX 056783

**3355048 HEATING ELEMENT 2000W 220V**  
length 570 mm - width 90 mm  
height 50 mm  
for Fry top electric (ZANUSSI) - Series R700



ELECTROLUX 026944

**3355847 HEATING ELEMENT 2000W 220V**  
length 230 mm - width 280 mm  
flange 107x33 mm  
for Salamander electric (TECNOINOX) SE40



ELECTROLUX 003016

**3355849 HEATING ELEMENT 2000W 220V**  
length 230 mm - width 230 mm  
flange 107x33 mm  
for Salamander electric (TECNOINOX) SE60



ELECTROLUX 003012

**3755598 HEATING ELEMENT 2000W 220V**  
length 595 mm - width 90 mm  
height 50 mm  
for Fry top electric (ZANUSSI) HRS/G802 - HRS/G812



ELECTROLUX 055998

**3355285 HEATING ELEMENT 2000W 230V**  
length 255 mm - width 45 mm  
height 200 mm - fittings  $\varnothing$  13 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E  
for Fryer electric (ZANUSSI) SFRE350 - SFRE700



ELECTROLUX 004926

**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



ELECTROLUX 0K4812

**3355848 HEATING ELEMENT 2000W 230V**  
length 230 mm - width 255 mm  
flange 70x22 mm  
for Salamander electric (TECNOINOX) SEF1 - SEF2  
SEL1 - SEL2



ELECTROLUX 0C7090



Suitable for:

Suitable for:

**3355080 HEATING ELEMENT 2200W 220V**  
 length 565 mm - width 90 mm  
 height 97 mm  
 for Bratt pan electric (ZANUSSI) - Series HD900  
 for Fry top electric (ZANUSSI) - Series HD900



ELECTROLUX 059401

**40C5383 HEATING ELEMENT 24000W 400V SET**  
 immersed length 570 mm  
 flange external 72 mm  
 with bulb sheath  
 complete with O-Ring  
 for boiler  
 for Kitchen electric (ZANUSSI) CL121



ELECTROLUX 0C5383

ELECTROLUX 007101

**3186014 O-RING GASKET 06225 EPDM ø 67 mm**



ELECTROLUX 0E5037

ELECTROLUX 007029

ELECTROLUX 047156

ELECTROLUX 049909

**3355055 HEATING ELEMENT 2500W 220V**  
 external ø 190 mm - overall height 93 mm  
 flange 70x22 mm  
 for Oven under cooktop electric (ZANUSSI)



ELECTROLUX 054317

ELECTROLUX 054843

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ELECTROLUX 057534

**3355889 HEATING ELEMENT 2500W 230V**  
 external ø 190 mm - total height 70 mm  
 flange 70x22 mm  
 for Kitchen electric (MBM) E4F6  
 for Oven under cooktop electric (GIGA)  
 Series COUNTER700 - Series KAPPA900  
 Series SNACK650



ELECTROLUX 004934

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ELECTROLUX 057534



Suitable for:

# ELECTROLUX



Suitable for:

**3755288 HEATING ELEMENT 2500W 230V**  
 length 285 mm - width 70 mm  
 height 40 mm - fittings  $\varnothing$  12 mm  
 for Fryer electric (JUNO-RÖDER-SENKING)  
 for Fryer electric (ZANUSSI)



ELECTROLUX 0K0569

**3755482 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  193 mm - total height 75 mm  
 flange 70x22 mm  
 for Oven under cooktop electric (SILKO)



ELECTROLUX 005217

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ELECTROLUX 057534

**3755571 HEATING ELEMENT 2500W 230V**  
 length 540 mm - width 80 mm  
 flange 70x22 mm  
 for Bratt pan electric (ZANUSSI) KBR/E2C - KBR/E2F  
 KBR/E3C - KBR/E3F



ELECTROLUX 0C0686

ELECTROLUX 270686

**3355057 HEATING ELEMENT 2500W 240V**  
 external  $\varnothing$  200 mm - total height 64 mm  
 flange 100x22 mm  
 for Warm table electric (ZANUSSI)



ELECTROLUX 031064

ELECTROLUX 031483

ELECTROLUX 031485

**3455348 HEATING ELEMENT 2500W 400V**  
 length 620 mm - width 87 mm  
 flange 60x30 mm  
 for Grill electric (ZANUSSI) KGR/E1 - KGR/E2  
 QGR/E1 - QGR/E2



ELECTROLUX 0C0495

**3755566 HEATING ELEMENT 2500W 400V**  
 length 540 mm - width 80 mm  
 flange 70x22 mm  
 for Bratt pan electric (ZANUSSI) KBR/E2C - KBR/E2F  
 KBR/E3C - KBR/E3F - WBR/E2F



ELECTROLUX 0C0685



Suitable for:

Suitable for:

- 3755591 HEATING ELEMENT 2500W 400V**  
length 570 mm - width 90 mm  
height 90 mm  
for Fry top electric (ZANUSSI) HR/E413W - HR/E433W  
HR/E813 - HR/E833W



ELECTROLUX 006681

- 3755723 HEATING ELEMENT 2600W 230V**  
external  $\varnothing$  203 mm - total height 65 mm  
flange 70x22 mm  
for Oven under cooktop electric  
(JUNO-RÖDER-SENKING)  
for Oven under cooktop electric (ZANUSSI)



ELECTROLUX 0H6157

- 3755563 HEATING ELEMENT 2900W 230V**  
length 265 mm - width 60 mm  
height 245 mm - flange 67x31 mm  
for Fryer electric (ZANUSSI) MF/E1S12 - RF/E1S12  
RF/E2D12



ELECTROLUX 0A5565

- 3755592 HEATING ELEMENT 2900W 230V**  
length 285 mm - width 80 mm  
height 250 mm - flange 85x30 mm  
for Fryer electric (ZANUSSI) MFR/E2S40 - RFR/E2S40



ELECTROLUX 004767

- 3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ELECTROLUX 057534

- 3755587 HEATING ELEMENT 2900W 230V**  
length 305 mm - width 60 mm  
height 200 mm - flange 65x30 mm  
for Fryer electric (ZANUSSI) MF/E1S12 - MF/E2D12  
RF/E1S12 - RF/E2D12



ELECTROLUX 005964

- 3355817 HEATING ELEMENT 3000W 220V**  
length 358 mm - width 230 mm  
flange 70x22 mm  
for Salamander electric (ZANUSSI) SALE08 - SL/E802  
SLE802UK



ELECTROLUX 052836



Suitable for:

# ELECTROLUX



**3755204 HEATING ELEMENT 3000W 230V**  
 length 490 mm - width 130 mm  
 total height 60 mm  
 for Grill electric (ZANUSSI) - Series HD700  
 Series R701



ELECTROLUX 053451

ELECTROLUX 053613

**3755517 HEATING ELEMENT 3000W 230V**  
 length 320 mm - width 50 mm  
 height 260 mm - flange 68x40 mm  
 for Fryer electric (ZANUSSI) - Series H700



ELECTROLUX 054962

ELECTROLUX 058615

**3755602 HEATING ELEMENT 3000W 230V**  
 length 125 mm - width 525 mm  
 height 50 mm - flange 70x22 mm  
 for Bratt pan electric (ZANUSSI) RBR/E2FM  
 RBR/E2IM



ELECTROLUX 004469

**3755172 HEATING ELEMENT 3500W 230V**  
 length 240 mm - width 380 mm  
 2 flanges 70x22 mm



ELECTROLUX 0H6213

**3455301 HEATING ELEMENT 4000W 220V**  
 length 410 mm - width 90 mm  
 height 330 mm - couplings  $\varnothing$  12 mm  
 for Fryer electric (ZANUSSI) - Series H900



ELECTROLUX 052326

**3355033 HEATING ELEMENT 4200W 220/380V**  
 for tank and boiler  
 immersed length 335 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with o-ring  
 upon request nut and washer  
 for Boiling pan electric (KÜPPERSBUSCH) FEK040  
 NEK040 - PEK048



ELECTROLUX 046622

ELECTROLUX 046623

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456





# ELECTROLUX



Suitable for:

Suitable for:

**3755211 HEATING ELEMENT 4500W 230V**  
 immersed length 320 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Boiling pan electric (KÜPPERSBUSCH) FES040  
 NES040 - PES048

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ELECTROLUX 046627

ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

**3755540 HEATING ELEMENT 480W 230V**  
 length 440 mm - width 185 mm  
 for Bain-marie electric (ZANUSSI)

**3355125 HEATING ELEMENT 550W 220V**  
 length 430 mm - width 45 mm  
 flange 60x40 mm  
 for Bain-marie electric (ZANUSSI)



ELECTROLUX 031288

ELECTROLUX 0A2197

**3355510 HEATING ELEMENT 5500W 230V**  
 length 325 mm - width 100 mm  
 height 275 mm - flange 60x30 mm  
 for Fryer electric (ZANUSSI) - Series HD900

**3755593 HEATING ELEMENT 5500W 400V**  
 length 310 mm - width 80 mm  
 height 250 mm - flange 60x30 mm  
 for Fryer electric (ZANUSSI) HFR/E431 - HFR/E831  
 ZFR/E421 - ZFR/E83



ELECTROLUX 059563

ELECTROLUX 006571

**3355046 HEATING ELEMENT 6000W 220/380V**  
 immersed length 490 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Boiling pan electric (ZANUSSI) - Series HD900  
 Series H900  
 for Pasta cooker electric (ZANUSSI) - Series H900  
 Series 900

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ELECTROLUX 051632

ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456



Suitable for:

# ELECTROLUX



**3355034 HEATING ELEMENT 700W 220V**  
 length 320 mm - width 140 mm  
 flange 175x20 mm  
 for Bain-marie electric (ZANUSSI)  
 for Self service counter electric (ZANUSSI)



ELECTROLUX 050232

**3755290 HEATING ELEMENT 750W 230V**  
 length 470 mm - width 28 mm  
 flange 44x20 mm



ELECTROLUX 0H6183

**3755594 HEATING ELEMENT 750W 230V**  
 length 315 mm - width 45 mm  
 height 100 mm  
 for Boiling pan electric (ZANUSSI) - Series HD900



ELECTROLUX 059681

**3755203 HEATING ELEMENT 7500W 220V**  
 immersed length 560 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Boiling pan electric (ZANUSSI) - Series HD900  
 for Pasta cooker electric (ZANUSSI) CR20EI - CR20V



ELECTROLUX 059665

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

**3755549 HEATING ELEMENT 765W 230V**  
 length 330 mm - width 150 mm  
 for Bain-marie electric (ZANUSSI) DB/A21 - DB/A22  
 DB/A31 - DB/A32 - DB/G21 - DB/G22 - DB/G31  
 DB/G32



ELECTROLUX 032759

**3355039 HEATING ELEMENT 800W 220V**  
 overall length 545 mm  
 winged part length 400 mm  
 for Food-service trolley electric (ZANUSSI)



ELECTROLUX 026710



# ELECTROLUX



Suitable for:

**3355126 HEATING ELEMENT 800W 220V**  
length 655 mm - width 45 mm  
flange 60x40 mm  
for Bain-marie electric (ALPENINOX) - Series 900  
for Bain-marie electric (ZANUSSI) - Series 900



ELECTROLUX 0A2137

Suitable for:

**3355506 HEATING ELEMENT 810W 240V**  
length 260 mm - width 60 mm  
fitting  $\varnothing$  1/4"  
for Bain-marie electric (ZANUSSI) DL14/C - DL21/C  
SM08C - SM15C - SM15CP - SM21C



ELECTROLUX 032072

**3755021 HEATING ELEMENT 875W 240V TOP**  
length 190 mm - width 310 mm  
for Panini grill (SIRMAN) CORT - ELIO



ELECTROLUX 0S1277

**3355507 HEATING ELEMENT 900W 240V**  
length 490 mm - width 50 mm  
fittings  $\varnothing$  1/4"  
for Dish warmer electric (ZANUSSI) CMS - CS3



ELECTROLUX 031383

**3355508 HEATING ELEMENT 950W 220V**  
length 550 mm - width 70 mm  
flange 90x25 mm  
for Oven under cooktop electric (ZANUSSI)  
Series HD900



ELECTROLUX 059237

**3755564 RADIANT HEATING ELEMENT 2700W 230V**  
length 410 mm - width 170 mm  
for Fryer electric (ZANUSSI) - Series N700  
Series PR700



ELECTROLUX 004755

**3755266 RADIANT HEATING ELEMENT 5000W 230V**  
length 415 mm - width 280 mm  
for Bratt pan electric (ZANUSSI) - Series N700  
Series PR700  
for Fryer electric (ZANUSSI) - Series N900



ELECTROLUX 005942

**3755575 RADIANT HEATING ELEMENT 9000W 400V**  
length 435 mm - width 340 mm  
for Fryer electric (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 006158



Suitable for:

# ELECTROLUX



**3355336 SILICONE HEATING ELEMENT 1000W 240V**  
 length 400 mm - width 290 mm  
 complete with thermostat 150°C automatic reset  
 for Bain-marie electric (MACFRIN)  
 for Bain-marie electric (ZANUSSI)



ELECTROLUX 032094

**3355332 SILICONE HEATING ELEMENT 500W 240V**  
 length 290 mm - width 175 mm  
 complete with thermostat 150° automatic reset  
 for Bain-marie electric (ZANUSSI) DL07/C - DL14/C  
 DL21/C - MDBM21 - MDBM22 - MDBM31 - MDBM33



ELECTROLUX 032086

## Hinges, catches and accessories

**3053225 DOOR HINGE**  
 for Pasta cooker electric (ZANUSSI) CR40E - CR40V  
 CR42E - CR42V  
 for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
 CR42G



ELECTROLUX 005980

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118  
 height 23 mm  
 for Kitchen electric (FAGOR) CE-741 - CE9-41  
 for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
 CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
 CG9-82  
 for Oven under cooktop  
 for Oven under cooktop electric (FAGOR) HE9-10  
 HE9-20  
 for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
 HG9-20



ELECTROLUX 053096

ELECTROLUX 059227

**3053276 HINGE BLOCK**  
 for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059865

**3053277 HINGE BLOCK**  
 for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059864

**3391059 HINGE BUSHING RIGHT-LEFT**  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Bratt pan electric (ZANUSSI) ABR/E800  
 ABR/E810  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ELECTROLUX 0A5151

**3225009 LEVER FOR LID**  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Bratt pan electric (ZANUSSI) ABR/E800  
 ABR/E810  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ELECTROLUX 0A5148



Suitable for:

**3053221 HINGE COVER**  
distance between holes 95 mm - size 122x20 mm



ELECTROLUX 052725

Suitable for:

**3053226 HINGE LOCK**  
for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051266

**3053278 HINGE LOCK**  
for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059863

**3053227 HINGE RETAINER**  
for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051267

**3053224 HINGE SUPPORT**  
for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 002107

ELECTROLUX 051260

**3053229 HINGE SUPPORT**  
for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 002106

**3053280 HINGE SUPPORT**  
for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 002944

**3391058 HINGE SUPPORT**  
for Bratt pan (ZANUSSI) - Series HD900  
for Bratt pan electric (ZANUSSI) ABR/E800  
ABR/E810  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ELECTROLUX 0A5147



Suitable for:

## 3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



ELECTROLUX 0A2004

Suitable for:

## 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ELECTROLUX 053096

ELECTROLUX 059227

## 3225009 LEVER FOR LID

for Bratt pan (ZANUSSI) - Series HD900  
for Bratt pan electric (ZANUSSI) ABR/E800  
ABR/E810  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ELECTROLUX 0A5148

## 3053111 LH SPRING Ø 4 FOR HINGE RADIUS 320/395

replacement spring Ø 4 mm  
for radius 320-395 hinges



ELECTROLUX 008010

## 3053555 LID SHAFT Ø 20x334 mm

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051278

## 3053226 HINGE LOCK

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051266

## 3053227 HINGE RETAINER

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051267

## 3053224 HINGE SUPPORT

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 002107

ELECTROLUX 051260





Suitable for:

### 3053229 HINGE SUPPORT

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 002106

### 3053228 SUPPORT SCREW

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051393

### 3053110 RH SPRING $\varnothing$ 4 FOR HINGE RADIUS 320/395

replacement spring  $\varnothing$  4 mm  
for radius 320-395 hinges



ELECTROLUX 008010

### 3053008 RIGHT-LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 156 mm  
for Oven under cooktop (BONNET) 31082A42/NG90  
for Oven under cooktop (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 0C0203

ELECTROLUX 050766

ELECTROLUX 059227

# ELECTROLUX



Suitable for:

### 3250026 LID SPRING $\varnothing$ 40x300 mm

for BRATT PAN series HD900  
for BOILING PAN H900/HD900  
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ELECTROLUX 051268

### 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ELECTROLUX 053096

ELECTROLUX 059227



Suitable for:

### 3053221 HINGE COVER

distance between holes 95 mm - size 122x20 mm



ELECTROLUX 052725

# ELECTROLUX



Suitable for:

### 3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm  
height 160 mm  
for Oven under cooktop



ELECTROLUX 0A2005

### 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm  
height 23 mm

for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82

for Oven under cooktop

for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20

for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ELECTROLUX 053096

ELECTROLUX 059227

### 3053279 SHAFT $\varnothing$ 16x437 mm

for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059862

### 3053276 HINGE BLOCK

for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059865

### 3053277 HINGE BLOCK

for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059864

### 3053278 HINGE LOCK

for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059863

### 3053280 HINGE SUPPORT

for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 002944

### 3528016 SCREW M6



ELECTROLUX 059859



Suitable for:

**3528014 SLOTTED SCREW M6x15 mm**



ELECTROLUX 059860

**3053228 SUPPORT SCREW**

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051393

## Hood filters

**3160023 HOOD FILTER 250x400x20 mm**

5 coats in STAINLESS steel:  
3 crossed internal coats (2 smooth, 1 rolled)  
2 containing coats with widely meshed net



ELECTROLUX 0S0052

**3160019 HOOD FILTER 400x500x20 mm**

5 coats in STAINLESS steel:  
3 crossed internal coats (2 smooth, 1 rolled)  
2 containing coats with widely meshed net



ELECTROLUX 0S0049

**3160203 HOOD LABYRINTH FILTER 500x400x25 mm**

in AISI 304 stainless steel



ELECTROLUX 032269

## Hose reels

**3359553 WASHING UNIT MINIREEL**

stainless steel case aisi 304  
with automatic retractor  
EPDM hose  $\varnothing$  13 mm  
pull-out hose length 160 cm  
complete with shower ECO/F  
for fixing to any equipment



ELECTROLUX 0T1747

ELECTROLUX 006696

**3359610 BLACK SHOWER CASE ECO  $\varnothing$  1/2" M**

with coupling 3/8" M x 1/2" M



ELECTROLUX 003175



Suitable for:

# ELECTROLUX



Suitable for:

## Hydraulic plumbing

**3450152 REINFORCED RUBBER HOSE  $\varnothing$  12/20 mm**  
internal  $\varnothing$  12 mm - external  $\varnothing$  20 mm  
SOLD PER METER  
for Pasta cooker (ZANUSSI)



ELECTROLUX 055445

## Injectors

**3500150 GAS JET  $\varnothing$  0.70 mm**



ELECTROLUX 050679

**3500151 GAS JET  $\varnothing$  0.85 mm**



ELECTROLUX 025983

**3500152 GAS JET  $\varnothing$  0.95 mm**



ELECTROLUX 026717

**3500153 GAS JET  $\varnothing$  1.00 mm**



ELECTROLUX 026212

ELECTROLUX 050501

**3500154 GAS JET  $\varnothing$  1.10 mm**



ELECTROLUX 025865

**3500155 GAS JET  $\varnothing$  1.15 mm**



ELECTROLUX 026785

**3500156 GAS JET  $\varnothing$  1.25 mm**



ELECTROLUX 026788

**3500157 GAS JET  $\varnothing$  1.30 mm**



ELECTROLUX 026718



# ELECTROLUX



Suitable for:

**3500158 GAS JET  $\varnothing$  1.35 mm**



ELECTROLUX 025866

Suitable for:

**3500159 GAS JET  $\varnothing$  1.40 mm**



ELECTROLUX 026786

**3500160 GAS JET  $\varnothing$  1.45 mm**



ELECTROLUX 045676

**3500161 GAS JET  $\varnothing$  1.50 mm**



ELECTROLUX 025954

**3500162 GAS JET  $\varnothing$  1.55 mm**



ELECTROLUX 050515

**3500163 GAS JET  $\varnothing$  1.60 mm**



ELECTROLUX 026000

ELECTROLUX 026622

ELECTROLUX 026954

**3500165 GAS JET  $\varnothing$  1.80 mm**



ELECTROLUX 025867

ELECTROLUX 051872

**3500166 GAS JET  $\varnothing$  1.90 mm**



ELECTROLUX 025953

**3500167 GAS JET  $\varnothing$  2.00 mm**



ELECTROLUX 026720

**3500168 GAS JET  $\varnothing$  2.10 mm**



ELECTROLUX 026787

**3500169 GAS JET  $\varnothing$  2.20 mm**



ELECTROLUX 026214

**3500170 GAS JET  $\varnothing$  2.40 mm**



ELECTROLUX 050807



# ELECTROLUX



Suitable for:

Suitable for:

**3500171 GAS JET  $\varnothing$  2.50 mm**

**3500021 GAS JET M10x1  $\varnothing$  0.95 mm**



ELECTROLUX 051072

ELECTROLUX 0A2088

**3500022 GAS JET M10x1  $\varnothing$  1.00 mm**

**3500023 GAS JET M10x1  $\varnothing$  1.10 mm**



ELECTROLUX 059342

ELECTROLUX 0A2076

**3500025 GAS JET M10x1  $\varnothing$  1.20 mm**

**3500026 GAS JET M10x1  $\varnothing$  1.25 mm**



ELECTROLUX 0A2650

ELECTROLUX 0A2101

**3500027 GAS JET M10x1  $\varnothing$  1.30 mm**

**3500028 GAS JET M10x1  $\varnothing$  1.45 mm**



ELECTROLUX 002393

ELECTROLUX 0A2082

ELECTROLUX 0A2091

**3500029 GAS JET M10x1  $\varnothing$  1.50 mm**

**3500030 GAS JET M10x1  $\varnothing$  1.60 mm**



ELECTROLUX 0A2103

ELECTROLUX 0A2089

**3500083 GAS JET M10x1  $\varnothing$  1.70 mm**

**3500031 GAS JET M10x1  $\varnothing$  1.90 mm**



ELECTROLUX 054083

ELECTROLUX 0A2077

ELECTROLUX 056793





# ELECTROLUX



Suitable for:

Suitable for:

**3500082 GAS JET M10x1  $\varnothing$  1.90 mm**

**3500032 GAS JET M10x1  $\varnothing$  2.00 mm**



ELECTROLUX 054033

ELECTROLUX 0A2102

**3500081 GAS JET M10x1  $\varnothing$  2.10 mm**

**3500033 GAS JET M10x1  $\varnothing$  2.20 mm**



ELECTROLUX 056147

ELECTROLUX 0A2083

ELECTROLUX 0C0143

**3500034 GAS JET M10x1  $\varnothing$  2.30 mm**

**3500035 GAS JET M10x1  $\varnothing$  2.50 mm**



ELECTROLUX 0A2081

ELECTROLUX 0A2104

ELECTROLUX 0A2302

ELECTROLUX 059382

**3500084 GAS JET M10x1  $\varnothing$  3.30 mm**

**3500085 GAS JET M10x1  $\varnothing$  3.40 mm**



ELECTROLUX 055388

ELECTROLUX 054128

**3500062 GAS JET M7x1  $\varnothing$  0.85 mm**

**3500066 GAS JET M7x1  $\varnothing$  1.35 mm**



ELECTROLUX 055112

ELECTROLUX 055113

**3500051 GAS JET M9x1  $\varnothing$  1.90 mm**

**3500274 GAS NOZZLE  $\varnothing$  0.80 mm**



ELECTROLUX 058375

ELECTROLUX 050675



# ELECTROLUX



Suitable for:

**3500019 GAS NOZZLE M10x1  $\varnothing$  1.45 mm**



ELECTROLUX 056470

Suitable for:

**3500346 GAS NOZZLE  $\varnothing$  M10x1  $\varnothing$  2,45 mm**



ELECTROLUX 00267

**3500281 GAS NOZZLE  $\varnothing$  0.90 mm**



ELECTROLUX 051121

**3500302 GAS NOZZLE  $\varnothing$  1,20 mm**



ELECTROLUX 026213

**3500070 GAS NOZZLE M10x1  $\varnothing$  1.70 mm**



ELECTROLUX 059336

**3500338 GAS NOZZLE M10x1  $\varnothing$  1,35 mm**

for Boiling pan gas (WHIRLPOOL) AGB371 - AGB373  
AGB374 - AGB376 - AGB378 - AGB379 - AGB395  
AGB397 - AGB398 - AGB400 - AGB402 - AGB403  
for Bratt pan gas (WHIRLPOOL) AGB504 - AGB506



ELECTROLUX 004732

**3500284 GAS NOZZLE M10x1  $\varnothing$  2,25 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



ELECTROLUX 0A2475

## Interference suppression filters

**3160099 INTERFERENCE SUPPRESSION FILTER 0,47 $\mu$ F**



ELECTROLUX 046217

**3160233 THREE-PHASE FILTER RFI 250V**  
for Fryer (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Pot stove (ZANUSSI) - Series PR700



ELECTROLUX 049303



Suitable for:

Suitable for:

**1160049 TRAP FILTER 250V 50/60Hz 16A**



ELECTROLUX 059078

## Ironmongery (screws,nuts,washers)

**1349504 NUT FOR TAP  $\varnothing$  1/2"**



ELECTROLUX 003035

**3528016 SCREW M6**



ELECTROLUX 059859

**3528014 SLOTTED SCREW M6x15 mm**



ELECTROLUX 059860

**1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588**



ELECTROLUX 0K4516

## Knobs

**3241247 BLACK KNOB**  
round hole  $\varnothing$  6 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E



ELECTROLUX 004906

**3241429 BLACK KNOB  $\varnothing$  30 mm SILK-SCREEN PRINTED**



ELECTROLUX 003704

**3241189 BLACK KNOB  $\varnothing$  32 mm**  
for Oven under cooktop gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0190

**3241190 BLACK KNOB RING NUT 110-270°C**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0194



Suitable for:

# ELECTROLUX



**3241243 BLACK KNOB ø 39 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for Salamander (TECNOINOX) SE - SEF - SEL



ELECTROLUX 003029

**3241209 BLACK KNOB ø 41 mm**  
D shaft hole 6x4.6 mm  
for Hot cupboard (ZANUSSI)  
for Self service counter (WHIRLPOOL) DL121/C  
DL14/C  
for Self service counter (ZANUSSI) DL21/CP



ELECTROLUX 033050

**3241107 BLACK KNOB ø 50 mm**  
square hole 7x7 mm  
for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 025260

ELECTROLUX 054254

**3241117 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Solid top range (ZANUSSI) - Series 701




ELECTROLUX 052604

**3241118 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Solid top range gas (ZANUSSI) - Series 701



ELECTROLUX 054105

**3241433 BLACK KNOB ø 50 mm 1-2-3-4-5-6-7-8**  
D shaft hole 8x6 mm  
for Pot stove gas (ZANUSSI) RCF/G720 - RCF/G730



ELECTROLUX 054126

**3241866 BLACK KNOB ø 54 mm 0-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (WHIRLPOOL) ABR/E800 - ABR/E810  
ABR/G810  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 0A5143

**3241817 BLACK KNOB ø 55 mm**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) - Series N700  
Series N900  
for Fryer (ZANUSSI) - Series N700 - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900  
for Pot stove (ZANUSSI) - Series N700



ELECTROLUX 0A5621



# ELECTROLUX



Suitable for:

**3241881 BLACK KNOB ø 55 mm**  
 D shaft hole 8x6 mm  
 for Pasta cooker (ZANUSSI) OC/G1 - OC/G2 - OCP/G1S  
 OCP/G2D - OR/G1CL - OR/G1FL - OR/G1FR  
 OR/G2FL - WS/G2 - WSF/G2



ELECTROLUX 0C1007

Suitable for:

**40C1233 BLACK KNOB ø 55 mm**  
 D-shaped hole 8x6.5 mm  
 for Bain-marie (ZANUSSI) - Series N900  
 for Bratt pan (ZANUSSI) - Series N700  
 for Fry top (ZANUSSI) - Series N900  
 for Fryer (ZANUSSI) - Series N700 - Series N900  
 for Pot stove (ZANUSSI) - Series N700  
 Series N900  
 for Solid top range (ZANUSSI) - Series N700  
 Series N900



ELECTROLUX 0C1233

**3241043 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED**  
 D shaft hole 8x6.5 mm  
 for Pot stove gas (ALPENINOX) - Series 700  
 for Pot stove gas (ZANUSSI) - Series 700



ELECTROLUX 0A2126

**3241044 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Boiling pan gas (ALPENINOX)  
 for Boiling pan gas (ZANUSSI)  
 for Fry top gas (ALPENINOX)  
 for Fry top gas (ZANUSSI)  
 for Pot stove gas (ALPENINOX)  
 for Pot stove gas (ZANUSSI)  
 for Solid top range gas (ALPENINOX)  
 for Solid top range gas (ZANUSSI)



ELECTROLUX 0A2260

**3241443 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED**  
 D shaft hole 6x4.6 mm  
 for Pot stove (ZANUSSI) HCF/GE810 - ZCF/GE810



ELECTROLUX 059850

**3241267 BLACK KNOB ø 55 mm 1-2-3-4-5-6-7**  
 D shaft hole 6x4.6 mm  
 for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 059469

**3241413 BLACK KNOB ø 55 mm 100-280°C**  
 D shaft hole 8x6 mm  
 for Fry top (ZANUSSI) MR/G1070 - MR/G1071  
 MR/G720 - MR/G721



ELECTROLUX 058776

**3241430 BLACK KNOB ø 55 mm 105-185°C**  
 D shaft hole 6x4.6 mm  
 for Fryer (ZANUSSI) FR/E2D08 - MF/E1S08 - RF/E1S08



ELECTROLUX 004783



# ELECTROLUX



Suitable for:

**3241408 BLACK KNOB ø 55 mm 110-350°C**  
D shaft hole 6x4.6 mm  
for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 059236

Suitable for:

**3241417 BLACK KNOB ø 55 mm 120-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 059468

**3241440 BLACK KNOB ø 55 mm 120-330°C**  
D shaft hole 8x6 mm  
for Oven under cooktop gas (ZANUSSI) HCF/G1210  
HCF/G1610 - HCF/G810 - ZCF/G1210 - ZCF/G1610  
ZCF/G810



ELECTROLUX 059220

**3241869 BLACK KNOB ø 55 mm 120-330°C**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD900  
for Solid top range gas (ZANUSSI) - Series HD900



ELECTROLUX 0A9065

**3241066 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Bain-marie gas (ZANUSSI)  
for Fry top gas (ZANUSSI)  
for Hot cupboard gas (ZANUSSI)  
for Pot stove gas (ZANUSSI)  
for Solid top range gas (ZANUSSI)



ELECTROLUX 052138

**3241260 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Bain-marie gas (TECNOINOX) BM35G - BM70G  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004957

**3241064 BLACK KNOB ø 60 mm 0-1-0-1**  
D shaft hole 6x4.6 mm  
for Boiling pan electric (ZANUSSI)  
for Fryer electric (ZANUSSI)



ELECTROLUX 050341

**3241137 BLACK KNOB ø 60 mm 0-1-2-3-4**  
D shaft hole 6x4.6 mm  
for Pot stove electric (ZANUSSI) - Series H900



ELECTROLUX 052183





# ELECTROLUX



Suitable for:

**3241414 BLACK KNOB ø 60 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Pot stove electric (ZANUSSI) SCE350 - SCE700



ELECTROLUX 004913

Suitable for:

**3241062 BLACK KNOB ø 60 mm 1-2-3-4-5**  
D shaft hole 6x4.6 mm  
for Boiling pan electric (ZANUSSI)



ELECTROLUX 051552

**3241067 BLACK KNOB ø 60 mm 1-2-3-4-5-6-7-8**  
D shaft hole 6x4.6 mm  
for Bain-marie electric (ZANUSSI)  
for Bratt pan electric (ZANUSSI)  
for Fry top electric (ZANUSSI)  
for Fryer electric (ZANUSSI)  
for Hot cupboard electric (ZANUSSI)  
for Oven under cooktop electric (ZANUSSI)



ELECTROLUX 026915

**3241244 BLACK KNOB ø 60 mm 1-2-3-4-5-6-7-8**  
D shaft hole 6x4.6 mm  
for Pot stove (TECNOINOX) PCC35E - PCC70E  
for Potato heater (TECNOINOX) SP35E



ELECTROLUX 004897

**3241246 BLACK KNOB ø 60 mm 100-190°C**  
D shaft hole 6x4.6 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E



ELECTROLUX 004924

**3241248 BLACK KNOB ø 60 mm 100-300°C**  
D shaft hole 6x4.6 mm  
for Fry top electric (TECNOINOX) FTC35E - FTC70E  
FTL35E - FTL70E - FTR35E - FTR70E



ELECTROLUX 004916

**3241245 BLACK KNOB ø 60 mm 30-90°C**  
D shaft hole 6x4.6 mm  
for Bain-marie electric (TECNOINOX) BM35E - BM70E



ELECTROLUX 004909

**3241421 BLACK KNOB ø 60 mm 90-250°C**  
hole for mertik gas valve knob  
for Pot stove gas (ZANUSSI) MMV/G1C - MMV/G2C  
RMV/G1C - RMV/G2C



ELECTROLUX 0A5586

ELECTROLUX 006464



Suitable for:

**3241262 BLACK KNOB ø 68 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 059265

Suitable for:

**3241419 BLACK KNOB ø 70 mm HOT WATER**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD900  
for Solid top range (ZANUSSI) - Series HD900



ELECTROLUX 0G2258

ELECTROLUX 059538

**3241438 BLACK KNOB ø 70 mm HOT WATER**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 059516

**3241140 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Bratt pan (ZANUSSI) - Series HD900  
for Fryer (ZANUSSI) - Series PR700



ELECTROLUX 059304

**3241268 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Bain-marie (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 004483

**3241313 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD700  
for Fry top (ZANUSSI) - Series HD700  
for Solid top range (ZANUSSI) - Series HD700



ELECTROLUX 058597

**3241314 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 059206

**3241315 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Pasta cooker (ZANUSSI) - Series HD900



ELECTROLUX 002308

ELECTROLUX 059378

**3241410 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for Kitchen gas (ZANUSSI) MCF/GE1050 - MCF/GE700  
RCF/GE1051



ELECTROLUX 058541

**3241416 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD700  
Series HD900



ELECTROLUX 0A5002



# ELECTROLUX



Suitable for:

## 3241418 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 8x6 mm  
for Pot stove (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004329

Suitable for:

## 3241420 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 8x6 mm  
for Pot stove (ZANUSSI) - Series HD700



ELECTROLUX 0A2958

## 3241622 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 10x8 mm  
for Boiling pan gas (ZANUSSI) - Series 700  
for Pasta cooker gas (ZANUSSI) - Series 700  
for Pot stove gas (ZANUSSI) - Series 700  
for Solid top range gas (ZANUSSI) - Series 700



ELECTROLUX 0A2986

## 3241815 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 10x8 mm  
for Bratt pan (WHIRLPOOL) ABR/G810  
for Bratt pan (ZANUSSI) BR/G810  
for Bratt pan gas (ZANUSSI) BR/G800 - M40GBP90  
for Fryer (ZANUSSI) AFR/G410 - AFR/G410D  
AFR/G810 - AFR/G810D - AFR/G810NL - AFR/410NL  
AFR/412 - CFR/G351 - CFR/G741 - M20GFR90  
M40GFR90 - OFR/G810 - S20GFR90 - XFR/G351  
for Fryer gas (WHIRLPOOL) XFR/G351



ELECTROLUX 0A5188

## 3241818 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 8x6 mm  
for Oven under cooktop (WHIRLPOOL) CC4FG007  
CC6FG010  
for Pot stove (ZANUSSI) - Series PR700  
for Pot stove gas (WHIRLPOOL) CC2TG003 - CC4TG007  
CC4VG007 - CC6VG010  
for Solid top range gas (WHIRLPOOL) CTPF207  
CTPF210



ELECTROLUX 004291

## 3241820 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 8x6 mm  
for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 004304

## 3241868 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED

D shaft hole 10x8 mm  
for Bain-marie (ZANUSSI) - Series PR700  
for Boiling pan (ZANUSSI) - Series PR700  
for Bratt pan (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0A5421

## 3525019 EXTENSION FOR BALLCOCK VALVE

for Bain-marie (ZANUSSI) - Series PR700  
for Boiling pan (ZANUSSI) - Series HD900  
for Bratt pan (ZANUSSI) - Series HD700  
Series N700 - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 0A2135



# ELECTROLUX



Suitable for:

**3241879 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Lava rock grill gas (ZANUSSI) HG/G400  
 HG/G800  
 for Pot stove (ZANUSSI) HCP/G400 - HCP/G800  
 HPN/G1805 - HPN/G1806 - HT/G800 - HTF/G1210  
 HTF/G810



ELECTROLUX 059386

Suitable for:

**3241880 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Bratt pan gas (ZANUSSI) HBR/G800 - HBR/G805  
 HBR/G810  
 for Pot stove (ZANUSSI) HFR/G410 - HFR/G411  
 HFR/G412 - HFR/G430 - HFR/G810




ELECTROLUX 059348

**3241400 BLACK KNOB ø 70 mm UNIVERSAL**  
 D shaft hole 10x8 mm



ELECTROLUX 059062

**3241448 BLACK KNOB ø 70 mm 0-1-0-1**  
 D shaft hole 6x4.6 mm  
 for Grill electric (ZANUSSI) HG/E400 - HG/E800  
 ZG/E400 - ZG/E800



ELECTROLUX 059333

**3241316 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6**  
 D shaft hole 6x4.6 mm  
 for Pot stove electric (ZANUSSI) - Series HD700  
 Series HD900



ELECTROLUX 059230

**3241269 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8**  
 D shaft hole 6x4.6 mm  
 for Boiling pan (ZANUSSI) - Series PR700  
 for Pasta cooker (ZANUSSI) - Series PR700



ELECTROLUX 059779

**3241270 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8**  
 D shaft hole 6x4.6 mm  
 for Pasta cooker (ZANUSSI) - Series HD900  
 for Pot stove (ZANUSSI) - Series HD900



ELECTROLUX 059554

**3241428 BLACK KNOB ø 70 mm 100-280°C**  
 D shaft hole 8x6 mm  
 for Fry top gas (ZANUSSI) HR/G420 - HR/G820  
 HR/G821 - ZR/G420 - ZR/G820



ELECTROLUX 059422



# ELECTROLUX



Suitable for:

**3241506 BLACK KNOB ø 70 mm 105-185°C**  
D shaft hole 6x4.6 mm  
for Fryer (ZANUSSI) - Series N900 - Series PR700



ELECTROLUX 059303

Suitable for:

**3241832 BLACK KNOB ø 70 mm 105-185°C**  
D shaft hole 8x6 mm  
for Fryer (WHIRLPOOL) - Series 700  
for Fryer (ZANUSSI) - Series 700



ELECTROLUX 058591

**3241411 BLACK KNOB ø 70 mm 120-280°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) MBK/E2FM - RBK/E2FM  
for Bratt pan electric (ZANUSSI) RBR/E2FM  
RBR/E2IM



ELECTROLUX 059403

**3241816 BLACK KNOB ø 70 mm 120-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (WHIRLPOOL) M40GBP90  
for Bratt pan (ZANUSSI) M40EBP90  
for Bratt pan gas (ZANUSSI) M40GBP90



ELECTROLUX 0A5279

**3241317 BLACK KNOB ø 70 mm 140-300°C**  
D shaft hole 8x6.5 mm  
for Oven under cooktop (ZANUSSI) - Series 700



ELECTROLUX 058537

**3241441 BLACK KNOB ø 70 mm 140-300°C**  
D shaft hole 8x6 mm  
for Pot stove (ZANUSSI) - Series HD700  
for Solid top range (ZANUSSI) - Series HD700




ELECTROLUX 0A2965

**3241415 BLACK KNOB ø 70 mm 140-320°C**  
D shaft hole 6x4.6 mm  
for Pot stove (ZANUSSI) MCF/M2 - MCF/M3 - RCF/M2  
RCF/M3



ELECTROLUX 004330

**3241446 BLACK KNOB ø 70 mm 140-320°C**  
D shaft hole 6x4.6 mm  
for Kitchen gas (ZANUSSI) MCF/GE1050 - MCF/GE700  
RCF/GE1051



ELECTROLUX 058542





# ELECTROLUX



Suitable for:

**3241477 BLACK KNOB ø 70 mm 150-290°C**  
D shaft hole 8x6 mm  
for Pot stove gas (ZANUSSI) MCF/G2 - RCF/G2



ELECTROLUX 004336

Suitable for:

**3241819 BLACK KNOB ø 70 mm 150-290°C**  
D shaft hole 8x6 mm  
for Oven under cooktop (WHIRLPOOL) CCF6G010  
CC4FG007 - CTPF007  
for Oven under cooktop (ZANUSSI) - Series PR700  
for Pot stove (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700  
for Solid top range gas (WHIRLPOOL) CTPF207  
CTPF210



ELECTROLUX 004299

**3241447 BLACK KNOB ø 70 mm 150-310°C**  
D shaft hole 6x4.6 mm  
for Fry top electric (ZANUSSI) RR/E1FL - RR/E1FR  
RR/E2FL - RR/E2FM



ELECTROLUX 004710

**3241412 BLACK KNOB ø 70 mm 180-300°C**  
D shaft hole 8x6 mm  
for Fry top (ZANUSSI) HR/G403 - HR/G803 - HR/G814



ELECTROLUX 059413

**3241106 BLACK KNOB ø 70 mm 30-90°C**  
D shaft hole 8x6.5 mm  
for Bain-marie gas (ZANUSSI) - Series HD900



ELECTROLUX 059801

**3241444 BLACK KNOB POINER**  
for Pot stove (ZANUSSI)



ELECTROLUX 059207

**3241190 BLACK KNOB RING NUT 110-270°C**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0194

**3241425 BLACK KNOB RING NUT 110-270°C**  
for Bratt pan (ZANUSSI) - Series N700  
for Fry top (ZANUSSI) - Series N900



ELECTROLUX 0C0597

**3241442 BLACK KNOB RING NUT 120-190°C**  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0623

**3241422 BLACK KNOB RING NUT 30-90°C**  
for Bain-marie gas (ZANUSSI) PBV/G2



ELECTROLUX 0C0503





Suitable for:

**3241193 BLACK KNOB 46x51 mm**  
old type  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0189

**3241425 BLACK KNOB RING NUT 110-270°C**  
for Bratt pan (ZANUSSI) - Series N700  
for Fry top (ZANUSSI) - Series N900



ELECTROLUX 0C0597

**3241422 BLACK KNOB RING NUT 30-90°C**  
for Bain-marie gas (ZANUSSI) PBV/G2



ELECTROLUX 0C0503

**3241197 BLACK KNOB 46x51 mm**  
D-shaped hole 8x6.5 mm  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0191

**3241195 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Lava rock grill (ZANUSSI) - Series N700  
for Pasta cooker (ZANUSSI) - Series N900  
for Pot stove (ZANUSSI) - Series N700  
for Solid top range (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0193

Suitable for:

**3241190 BLACK KNOB RING NUT 110-270°C**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0194

**3241442 BLACK KNOB RING NUT 120-190°C**  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0623

**3241801 FASTENING RING - 10 PCS**



ELECTROLUX 0C6288

ELECTROLUX 069567

**3241196 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Grill electric (ZANUSSI) - Series N900  
for Grill gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0192



Suitable for:

# ELECTROLUX



**3241266 BLACK KNOB 46x51 mm**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0257

**3241445 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**  
for Boiling pan (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0711

**3241479 KNOB RING NUT  $\varnothing$  84 mm 0-1-2-3**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ELECTROLUX 0C0560

**3241507 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0304

**3241469 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ELECTROLUX 0C0318

ELECTROLUX 0C03187

Suitable for:  
**3241439 KNOB RING NUT  $\varnothing$  84 mm SCREEN-PRINTED**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0259

**3241449 KNOB RING NUT  $\varnothing$  84 mm 0-1-0-1**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0518

**3241468 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0307

**3241424 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Boiling pan (ZANUSSI) - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700



ELECTROLUX 0C0317

ELECTROLUX 0C3017

**3241478 KNOB RING NUT  $\varnothing$  84 mm 100-300°C**  
for Oven under cooktop (ZANUSSI) PCF/M2 - PCF/M3



ELECTROLUX 0C0258



# ELECTROLUX



Suitable for:

**3241436** **KNOB RING NUT  $\varnothing$  84 mm 105-185°C**  
for Fryer (ZANUSSI) - Series N700



ELECTROLUX 0C0615

Suitable for:

**3241426** **KNOB RING NUT  $\varnothing$  84 mm 120-280°C**  
for Fry top (ZANUSSI) PR/E1FL - PR/E1FR - PR/E2FL



ELECTROLUX 0C0466

**3241427** **KNOB RING NUT  $\varnothing$  84 mm 30-90°C**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0515

**3241437** **BLACK KNOB 46x51 mm**  
D shaft hole 10x8 mm  
for Bratt pan (ZANUSSI) - Series N700  
Series N900  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Grill (ZANUSSI) - Series N700 - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0465

**3241196** **KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**  
for Grill electric (ZANUSSI) - Series N900  
for Grill gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0192

**3241708** **BLACK KNOB 46x51 mm**  
new type  
D shaft hole 8x6.5 mm  
for Bratt pan (ZANUSSI) - Series N700  
Series N900  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Fryer (ZANUSSI) - Series N700 - Series N900



ELECTROLUX 0C5251

**40C5254** **BLUE KNOB  $\varnothing$  60 mm 110-190°C**  
D-shaped hole 8x6.5 mm  
for Fryer (ZANUSSI)



ELECTROLUX 0C5254



Suitable for:

**3241801 FASTENING RING - 10 PCS**



ELECTROLUX 0C6288

ELECTROLUX 069567

Suitable for:

**3241055 FIXING CLIP**  
for knob with  $\varnothing$  8 mm hole



ELECTROLUX 025245

**3241119 GASKET FOR KNOB**  
for Solid top range gas (ZANUSSI) - Series 701



ELECTROLUX 054108

**3241069 GREY KNOB  $\varnothing$  55 mm 0-120°C**  
D-shaped hole 6x4.6 mm  
for Food-service trolley electric (ZANUSSI)  
for Warm table electric (ZANUSSI)



ELECTROLUX 0C3022

ELECTROLUX 003844

ELECTROLUX 075543

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm




ELECTROLUX 053816

**3241104 GREY KNOB  $\varnothing$  55 mm 120-330°C**  
D shaft hole 8x6.5 mm  
for Oven under cooktop (ZANUSSI) NUOVA SERIE 700



ELECTROLUX 059249

**3241105 GREY KNOB  $\varnothing$  55 mm 120-330°C**  
D shaft hole 8x6.5 mm  
for Oven under cooktop (ZANUSSI) - Series HD900



ELECTROLUX 059010

**3241199 GREY KNOB  $\varnothing$  70 mm COLD WATER**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD900  
for Pasta cooker (ZANUSSI) - Series HD900



ELECTROLUX 059531

**3241103 GREY KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 059244



# ELECTROLUX



Suitable for:

**3241109 GREY KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD700



ELECTROLUX 058534

Suitable for:

**3241110 GREY KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series NUOVA 700



ELECTROLUX 058561

**3241198 GREY KNOB  $\varnothing$  70 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for Pasta cooker electric (ZANUSSI) - Series PR700



ELECTROLUX 059546

**3241113 GREY KNOB  $\varnothing$  70 mm 110-190°C**  
D shaft hole 10x8 mm  
for Fryer (ZANUSSI) - Series HD700



ELECTROLUX 003392

**3241210 GREY KNOB  $\varnothing$  70 mm 120-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan gas (ZANUSSI) - Series HD900



ELECTROLUX 002104

**3241263 GREY KNOB SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Pot stove (ZANUSSI) - Series 900



ELECTROLUX 0A2460

**3241709 KNOB ADAPTER  $\varnothing$  27 mm**  
D shaft hole 8x6.5 mm



ELECTROLUX 0C5400

**3241108 KNOB CAP**



ELECTROLUX 025255

ELECTROLUX 054367

**3241141 KNOB EXTENSION**  
D-shaped hole 10x8 mm  
for gas valve  
for OVEN-FRYER



ELECTROLUX 059305

**3241142 KNOB GASKET  $\varnothing$  44 mm**



ELECTROLUX 059326



# ELECTROLUX



Suitable for:

**3241439 KNOB RING NUT ø 84 mm SCREEN-PRINTED**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0259

Suitable for:

**3241195 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Lava rock grill (ZANUSSI) - Series N700  
for Pasta cooker (ZANUSSI) - Series N900  
for Pot stove (ZANUSSI) - Series N700  
for Solid top range (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0193

**3241196 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Grill electric (ZANUSSI) - Series N900  
for Grill gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900




ELECTROLUX 0C0192

**3241445 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Boiling pan (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0711

**3241449 KNOB RING NUT ø 84 mm 0-1-0-1**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0518

**3241479 KNOB RING NUT ø 84 mm 0-1-2-3**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ELECTROLUX 0C0560

**3241468 KNOB RING NUT ø 84 mm 1-2-3-4-5-6**  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0307

**3241507 KNOB RING NUT ø 84 mm 1-2-3-4-5-6**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0304





Suitable for:

**3241424 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Boiling pan (ZANUSSI) - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700



ELECTROLUX 0C0317

ELECTROLUX 0C3017

Suitable for:

**3241469 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ELECTROLUX 0C0318

ELECTROLUX 0C03187

**3241478 KNOB RING NUT  $\varnothing$  84 mm 100-300°C**  
for Oven under cooktop (ZANUSSI) PCF/M2 - PCF/M3



ELECTROLUX 0C0258

**3241436 KNOB RING NUT  $\varnothing$  84 mm 105-185°C**  
for Fryer (ZANUSSI) - Series N700



ELECTROLUX 0C0615

**3241426 KNOB RING NUT  $\varnothing$  84 mm 120-280°C**  
for Fry top (ZANUSSI) PR/E1FL - PR/E1FR - PR/E2FL



ELECTROLUX 0C0466

**3241427 KNOB RING NUT  $\varnothing$  84 mm 30-90°C**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0515

## Lamps

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



ELECTROLUX

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  72 mm**



ELECTROLUX 003451

ELECTROLUX 004163

**3221005 GREEN INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 026456

ELECTROLUX 053148

ELECTROLUX 053154

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2224

ELECTROLUX 058544



Suitable for:

# ELECTROLUX



Suitable for:

**3221132 GREEN INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ELECTROLUX 004169

ELECTROLUX 058544

**3221164 GREEN INDICATOR LAMP 230V**  
 head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
 dashboard mounting  
 for Salamander (TECNOINOX) - Series SE  
 Series SEF - Series SEL



ELECTROLUX 054150+054151

**3221045 GREEN LAMP CAP  $\varnothing$  7 mm**



ELECTROLUX 054151

**3221329 GREEN INDICATOR LAMP 230V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 10 mm - 150°C  
 for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



ELECTROLUX 0M0755

**3221207 GREEN INDICATOR LAMP 250V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 13 mm - 150°C  
 for Fry top (ZANUSSI)  
 for Fryer (ZANUSSI)  
 for Kitchen (ZANUSSI)  
 for Pasta cooker (ZANUSSI)



ELECTROLUX 005010

ELECTROLUX 058658

**3221301 RED INDICATOR LAMP 240V**  
 head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm - 150°C



ELECTROLUX 0C0687

**3221034 GREEN INDICATOR LAMP 400V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ELECTROLUX 004157

**3221045 GREEN LAMP CAP  $\varnothing$  7 mm**



ELECTROLUX 054151

Suitable for:

**3221008 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  12.5 mm  
universal application



ELECTROLUX 075096

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



ELECTROLUX 004895

ELECTROLUX 046241

ELECTROLUX 048488

ELECTROLUX 048832

Suitable for:

**3221126 INDICATOR LAMP 24V**  
head  $\varnothing$  8 mm



ELECTROLUX 075110

**3221162 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm  
for Fry top electric (TECNOINOX) FTC35E - FTC70E  
FTL35E - FTL70E - FTR35E - FTR70E  
for Fryer electric (TECNOINOX) FR35E - FR70E  
for Potato heater electric (TECNOINOX) SP35E



ELECTROLUX 004896

**3221126 INDICATOR LAMP 24V**  
head  $\varnothing$  8 mm



ELECTROLUX 075110

**3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  54 mm  
mounting hole  $\varnothing$  45 mm  
max temperature 300°C



ELECTROLUX 056708

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035

**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  57 mm  
mounting hole  $\varnothing$  42 mm  
max temperature 300°C  
for OVEN



ELECTROLUX

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035



Suitable for:

Suitable for:

**3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**  
 lamp glass  $\varnothing$  72 mm  
 mounting hole  $\varnothing$  68 mm  
 max temperature 300°C  
 for Display cabinet warm (CB) ESP/2 - EV16 - EV24  
 EV35 - VR12E - VR12G - VR20 - VR24 - VR30  
 VR36 - VR48 - VR8E

**3221192 LAMP SUPPORT**



ELECTROLUX 004160

ELECTROLUX 0A8268

**3221068 NEON LAMP FOR OVEN E14 2W 380V**  
 dimensions  $\varnothing$  13x30 mm  
 for OVEN

**3221097 NEUTRAL INDICATOR LAMP 220V**  
 head  $\varnothing$  8 mm - 120°C



ELECTROLUX 0H7037

ELECTROLUX 004895  
ELECTROLUX 048832

ELECTROLUX 046241

ELECTROLUX 048488

**3221006 ORANGE INDICATOR LAMP 220/380V**  
 head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
 universal application

**3221112 ORANGE INDICATOR LAMP 220V**  
 head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
 application to the board



ELECTROLUX 046272

ELECTROLUX 053149

ELECTROLUX 053155

ELECTROLUX 053811+053812

**3221011 ORANGE INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application

**3221032 GREEN INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ELECTROLUX 0A2225

ELECTROLUX 0A2224

ELECTROLUX 058544

**3221033 RED INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ELECTROLUX 0A2408



# ELECTROLUX



Suitable for:

**3221094 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  11.5 mm - 120°C  
for Fryer electric (AMBASSADE) CME413FR



ELECTROLUX 0H6618

Suitable for:

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 005215

ELECTROLUX 058522

**3221208 ORANGE INDICATOR LAMP 250V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 13 mm - 150°C  
for Fry top (ZANUSSI)  
for Fryer (ZANUSSI)  
for Kitchen (ZANUSSI)  
for Pasta cooker (ZANUSSI)



ELECTROLUX 005011

ELECTROLUX 058631

ELECTROLUX 058659

**3221014 ORANGE INDICATOR LIGHT 220V**  
mounting hole 30x22 mm - 125°C  
universal application



ELECTROLUX 0KM981

**3221007 ORANGE LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  12.5 mm  
universal application



ELECTROLUX 075095

**3221126 INDICATOR LAMP 24V**  
head  $\varnothing$  8 mm



ELECTROLUX 075110

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



ELECTROLUX 004895

ELECTROLUX 046241

ELECTROLUX 048488

**3221163 ORANGE LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



ELECTROLUX 004928

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035



Suitable for:

# ELECTROLUX



**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C



ELECTROLUX 054319

ELECTROLUX 054840

**3221140 OVEN LAMP E14 40W 230V**  
max temperature 300°C  
for Oven under cooktop



ELECTROLUX 081696

**3221330 QUARTZ LAMP 1000W 230V**  
overall length 480 mm  
glass length 338 mm  
for Rotisserie electric (CB) GV16 - GV16MAN - GV20  
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN  
GV35 - GV35MAN - GV42 - GV42MAN



ELECTROLUX 0K3359

**3221004 RED INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 053153

**3221005 GREEN INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 026456

ELECTROLUX 053148

ELECTROLUX 053154

**3221006 ORANGE INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 045272

ELECTROLUX 053149

ELECTROLUX 053155

**3221009 RED INDICATOR LAMP 220V**  
head 17x17 mm -  $\varnothing$  hole 13 mm - 120°C  
universal application



ELECTROLUX 057294

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2408





# ELECTROLUX



Suitable for:

**3221301 RED INDICATOR LAMP 240V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm - 150°C



ELECTROLUX 0C0687

Suitable for:

**3221298 RED INDICATOR LAMP 250V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 150°C



ELECTROLUX 005012

ELECTROLUX 058712

**3221358 WHITE LAMP RECEPTACLE**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm



ELECTROLUX 046289

## Lava rock grids

**3185051 STAINLESS STEEL GRILL 440x290x20 mm**  
for Lava rock grill gas (ZANUSSI) - Series HD700  
Series R701



ELECTROLUX 056657

**3185103 STAINLESS STEEL GRILL 445x285x20 mm**  
for Lava rock grill gas (ZANUSSI) MG/G1 - MG/G2  
RG/G1 - RG/G2



ELECTROLUX 006205

**3185059 STAINLESS STEEL GRILL 600x345x20 mm**  
for new series  
for Lava rock grill gas (ZANUSSI) - Series HD900



ELECTROLUX 002385

**3185079 STAINLESS STEEL GRILL 635x445x20 mm**  
for Lava rock grill gas (ZANUSSI) - Series PR700



ELECTROLUX 006206

**3185078 STAINLESS STEEL GRILL 715x600 mm**  
for Lava rock grill gas (ZANUSSI) - Series HD900



ELECTROLUX 002395



Suitable for:

# ELECTROLUX



Suitable for:

## Lavarock

**3312086 GLASS-CERAMIC PLATE 545x290 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series N700 - Series PR700



ELECTROLUX 059045

**3310008 MEDIUM-LARGE LAVA ROCK 5 Kg**  
medium-large size



ELECTROLUX 050859

## Leak detektors for gas

**3394009 GAS LEAK FINDER SE151NM**  
for natural gas and lpg leaks finding.  
standard 4 batteries 1.5V power supply  
battery life 7 hours of continuous working  
with imitation leather case  
calibration is reached through sensitivity adjustm  
in no polluting gas air so that  
the buzzer gives one pulse every second.  
As soon as the sensor is in a polluted  
environment the pulses frequency  
increases.



ELECTROLUX 052023

## Level gauges

**3201004 LEVEL GLASS ø 10x167 mm**  
for PAN



ELECTROLUX 005352

ELECTROLUX 059856

**3186340 OR GASKET 03037 EPDM**



ELECTROLUX 002923

ELECTROLUX 069550

## Level regulators

**3341038 LEVEL ADJUSTER RL30/3ES/11**  
24V 50/60Hz  
for Pasta cooker electric (ZANUSSI) CR40E



ELECTROLUX 053913



## Lever ball valves

**3526691 WATER VALVE  $\varnothing$  1/2"MF**  
 ballcock valve  
 heavy series with PN 40 total passage  
 aluminium lever  
 for Fryer (ZANUSSI) - Series PR700



ELECTROLUX 004486

**3526274 WATER VALVE  $\varnothing$  1"FF**  
 ball type  
 heavy series total flow PN 40  
 aluminium lever  
 for Fryer gas (CAPIC) CTI - CTIB - TI - TIB



ELECTROLUX 0A2071

ELECTROLUX 004729

**3526693 WATER VALVE  $\varnothing$  1"MF**  
 ballcock valve  
 heavy series with PN 40 total passage  
 aluminium lever  
 for Bratt pan (ZANUSSI) H900



ELECTROLUX 056617

**3526184 WATER VALVE 3/8"MF**  
 ballcock valve  
 heavy series with complete pass-through PN 40  
 aluminium lever  
 for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 0A5258

## Magnet groups

**3182018 MAGNETIC UNIT MINISIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
 thermocouple connection M10x1



ELECTROLUX 0K0669

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
 for PEL tap model 22-24



ELECTROLUX 056594

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



ELECTROLUX 056595

**3182003 MAGNETIC UNIT SIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT  
 for Fry top gas (FAGOR) - Series 900  
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
 for Pot stove gas (FAGOR) - Series 900



ELECTROLUX 056587



Suitable for:

# ELECTROLUX



**3182005 MAGNETIC UNIT SIT**  
ø head 19 mm - ø end 14,5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ELECTROLUX 056588

**3182008 MAGNETIC UNIT SIT**  
ø head 35 mm - ø end 20 mm - length 47 mm  
for valve SIT NOVASIT 820



ELECTROLUX 056589

**3182020 PEL MAGNETIC GROUP**  
head ø 24 mm - end ø 18 mm - length 59 mm  
thermocouple fitting M9x1  
for tap PEL model 23S



ELECTROLUX 056596

## Measuring tools

**3394207 BLACK DIGITAL THERMOMETER F/PANEL MOUNT.**  
battery powered  
front battery  
RANGE -50°+70°C  
precision  $\pm 1^\circ\text{C}$   
resolution 0.1°C  
remote probe length 1600 mm  
dimensions 62.5x29.5x19 mm



ELECTROLUX 099993

**3394952 DIGITAL THERMOMETER PDT300/1C**  
probe protected by its case  
range -50+150°C/-58+300°F  
resolution 0,1° - precision  $\pm 1^\circ\text{C}$   
auto power-off  
memory button - ON/OFF button



ELECTROLUX 0S2040

## Microswitches

**3240401 ACTUATOR FOR MICROSWITCH**  
for OVEN



ELECTROLUX 054902

**3240605 DOOR MICROSWITCH M1AX20 10A 250V**



ELECTROLUX 002785

ELECTROLUX 046063

Suitable for:

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**

3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels  
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14  
H17 - H22  
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35  
MJ45E



ELECTROLUX 069484

Suitable for:

**3240927 MICRO SWITCH XGG2 88 S21 16A 250V**

lever with roller  $\varnothing$  4.8 mm  
length 25.9 mm - 6.6 mm width



ELECTROLUX

**3240410 MICRO SWITCH 16A 250V**

for ANGELO PO OLD OVENS FC-FCV  
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
FC1211G-FC1211E  
for ANGELO PO FRYER 030FE1-030FE1B-70FE  
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
30FES2-30FES2B-091FE28  
for IMESA DRYER ES10-ES55-ES75  
for IMESA WASHING MACHINE  
LM30-LM40-LM55-LM70-LM85  
RC30-RC40-RC55-RC70  
for SIRMAN CUTTER C4-C6-C6VV-C9  
for GRANDIMPIANTI DRYER EMS10-EMS15  
for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
for IPSO CALENDER RI1600/30-RI1600/30AV



ELECTROLUX

**3240439 MICROSWITCH XTD225 15A 400V**

for Fryer electric (ZANUSSI)



ELECTROLUX 004927

**3240155 MICROSWITCH FR530A 3A 400V**

for COLD ROOMS DOORS  
for Pasta cooker (ZANUSSI) - Series HD900  
Series H900



ELECTROLUX 046884

**3240144 MICROSWITCH S16 16A 250V**



ELECTROLUX 0W2466



Suitable for:

# ELECTROLUX



**3240282 MICROSWITCH 0.5A 250V**  
 for Pot stove (ZANUSSI) - Series PR700  
 for Pot stove gas (WHIRLPOOL) CC2TG003 - CC4TG007  
 CC4VG007 - CC6VG010  
 for Solid top range (ZANUSSI) - Series PR700  
 for Solid top range gas (WHIRLPOOL) CTPF210



ELECTROLUX 004241

**3240584 MICROSWITCH 0.5A 250V**  
 for Solid top range gas (WHIRLPOOL) CTPF207  
 CTPF210  
 for Solid top range gas (ZANUSSI) - Series PR700



ELECTROLUX 004288

**3240406 MICROSWITCH 10A 250V**



ELECTROLUX 0H6597

**3240123 MICROSWITCH 16A 250V**



ELECTROLUX 0K1505

**3240151 MICROSWITCH 16A 250V**  
 for ZANUSSI TRAINO RT  
 for BIANCHI LEVEL TANK



ELECTROLUX 0E0209

ELECTROLUX 004904

ELECTROLUX 047485

**3240152 BUSHING FOR MICROSWITCH**



ELECTROLUX 047487

**3240473 GASKET FOR BUSHING**



ELECTROLUX 047490

**3240153 ROD FOR MICROSWITCH**



ELECTROLUX 047488

**3240154 SPRING FOR MICROSWITCH ROD**



ELECTROLUX 047489





Suitable for:

**3240820 MICROSWITCH 16A 250V**



ELECTROLUX 0KB678

ELECTROLUX 046286

ELECTROLUX 047485

Suitable for:

**3240401 ACTUATOR FOR MICROSWITCH  
for OVEN**



ELECTROLUX 054902

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



ELECTROLUX 045404

ELECTROLUX 45404

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



ELECTROLUX 045404

ELECTROLUX 45404

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm  
for Hot cupboard  
for Warm table



ELECTROLUX 0A2010

ELECTROLUX 004933

ELECTROLUX 031484

ELECTROLUX 054314

## Outlet siphons

**3395026 PIPE SIPHON  $\varnothing$  1"1/2**



ELECTROLUX 069404



Suitable for:

# ELECTROLUX



Suitable for:

## OR and ORM gaskets

**4059475 GASKET OR 04087 VITON**



ELECTROLUX 059475

**3186143 GASKET OR 04093 EPDM**



ELECTROLUX 050292

ELECTROLUX 086551

**1186230 O-RING GASKET 0164 EPDM**



ELECTROLUX 068799

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

**3186014 O-RING GASKET 06225 EPDM ø 67 mm**



ELECTROLUX 0E5037  
ELECTROLUX 049909

ELECTROLUX 007029

ELECTROLUX 047156

**3061011 O-RING SEAL 04375 EPDM**



ELECTROLUX 047458

**3243139 O-RING 02025 EPDM**



ELECTROLUX 067898

ELECTROLUX 086109

**3243266 O-RING 02081 EPDM**



ELECTROLUX 052779

**3186343 O-RING 02106 EPDM**



ELECTROLUX 033462

**3186317 O-RING 02131 RED SILICONE**  
for pod punch



ELECTROLUX 0C0188

**1186759 O-RING 03106 EPDM**



ELECTROLUX 0L0922

**1186238 O-RING 04081 EPDM**



ELECTROLUX 0A5182



# ELECTROLUX



Suitable for:

**3243142 O-RING 04118 EPDM**



ELECTROLUX 027301

Suitable for:

**3186314 O-RING 06225 SILICONE ø 67 mm**



ELECTROLUX 0L2304

**3186340 OR GASKET 03037 EPDM**



ELECTROLUX 002923

ELECTROLUX 069550

**3186860 OR GASKET 03056 EPDM  
EX OR 0118**



ELECTROLUX 0KK400

ELECTROLUX 068642

**1186990 OR-GASKET 04137 RED SILICONE**



ELECTROLUX

**3186241 VITON O-RING 06212**  
for DRAIN TAP ø 2" OLD MODEL AND  
TECNO NEW MODEL



ELECTROLUX 0S0286

## Piezo ignitors

**3001007 PIEZO IGNITER**  
a ø 22 mm hole is needed for the assembly  
2.4 mm ø male faston connector  
for Lava rock grill gas (FAGOR)



ELECTROLUX 0H6070

ELECTROLUX 058497

**3001009 PIEZO IGNITER JUNKERS**  
with faston 6.35x0.8 mm



ELECTROLUX 0K0210

ELECTROLUX 052539

ELECTROLUX 058225

**3001013 PIEZO IGNITER 10015**  
a ø 18 mm hole is needed for the assembly  
male faston connector ø 2.4 mm



ELECTROLUX 002605

**3001014 WATERTIGHT PIEZO CAP**  
made of silicone rubber  
complete with washer



ELECTROLUX 0C9409

ELECTROLUX 002816



Suitable for:

**3001020 PIEZO IGNITER 10015**  
18 mm  $\varnothing$  mounting hole  
2.4 mm  $\varnothing$  male faston connector



ELECTROLUX 0A2127

ELECTROLUX 059251

Suitable for:

**3001029 SIT PIEZO IGNITER**  
for mounting a hole  $\varnothing$  22 mm is required  
male faston  $\varnothing$  2.4 mm  
for SERIES SNACK



ELECTROLUX 004944

**3001014 WATERTIGHT PIEZO CAP**  
made of silicone rubber  
complete with washer



ELECTROLUX 0C9409

ELECTROLUX 002816

## Pilot burners and accessories

**3020144 BRASS NUT M15x1**



ELECTROLUX 020997

**3020441 BURNER FITTING**  
for Pot stove gas (ZANUSSI) - Series N700



ELECTROLUX 0C3646

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020145 JET HOLDER M15**  
for Boiling pan gas (ZANUSSI)  
for Fry top gas (ZANUSSI)  
for Kitchen gas (ZANUSSI)  
for Oven under cooktop gas (ZANUSSI)



ELECTROLUX 020988

ELECTROLUX 051948

**3020144 BRASS NUT M15x1**



ELECTROLUX 020997



Suitable for:

## 3020382 LPG PILOT BURNER LOWER PART

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0G2037

ELECTROLUX 0H6316

Suitable for:

## 3020021 NATURAL GAS PILOT BURNER CB 505.021

with NATURAL GAS nozzle  
with pilot pipe fitting



ELECTROLUX 0K1172

ELECTROLUX 066583

## 3020381 NG PILOT BURNER LOWER PART

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0G2024

## 3020541 NOZZLE FOR PILOT BURNER 0.35 mm



ELECTROLUX

## 3020083 NUT & OLIVE $\varnothing$ 4 mm



ELECTROLUX 052833

## 3020084 NUT & OLIVE $\varnothing$ 6 mm



ELECTROLUX 052834

## 3020085 NUT FOR SPARKING PLUG CONNECTION



ELECTROLUX 057960

## 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ELECTROLUX 027478

ELECTROLUX 050682

ELECTROLUX 054979

## 3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



ELECTROLUX 053665

## 3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



ELECTROLUX 053666



# ELECTROLUX



Suitable for:

**3020007 ONE-FLAME FIXED PILOT BURNER SIT**  
multigas with nozzle  $\varnothing$  0.20 mm  
fixed without bracket



ELECTROLUX 027239

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052834

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bratt pan gas (ZANUSSI) - Series R700  
for Kitchen gas (ZANUSSI)



ELECTROLUX LF-3020434

ELECTROLUX 0H6314

ELECTROLUX 027073

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ELECTROLUX 057251

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797





# ELECTROLUX



Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 0C0488  
ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

ELECTROLUX 052610  
ELECTROLUX 059380

ELECTROLUX 056720  
ELECTROLUX 059988

ELECTROLUX 057410

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020008 ONE-FLAME PILOT BURNER SIT**  
with NG nozzle  $\varnothing$  0.30 mm  
for Kitchen gas (ZANUSSI) - Series H900  
Series P1000



ELECTROLUX 052144

ELECTROLUX 056751

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052834

**3020057 PILOT GAS JET  $\varnothing$  0.30 mm**



ELECTROLUX 056750

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

**3020056 PILOT GAS JET  $\varnothing$  0.20 mm**



ELECTROLUX 056578

**3020243 PILOT GUARD**  
for Kitchen gas (ZANUSSI) - Series PCG  
Series ZPC



ELECTROLUX 056580



Suitable for:

# ELECTROLUX



Suitable for:

**3020250 ONE-FLAME PILOT BURNER SIT**  
 without sparking plug, gas nozzle  
 for Pot stove gas (ZANUSSI) - Series HD900  
 for Solid top range gas (ZANUSSI) - Series HD900



ELECTROLUX 059214

**3020286 ONE-FLAME PILOT BURNER SIT**  
 without sparking plug, gas nozzle and gasket  
 thermocouple fitting included  
 for Boiling pan gas (MARENO)  
 Series 900 PROTAGONISTA NUOVA  
 for Lava rock grill gas (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series OMEGA  
 for Oven under cooktop gas (MARENO)  
 Series 900 PROTAGONISTA NUOVA  
 for Pasta cooker gas (MARENO)  
 Series 900 PROTAGONISTA NUOVA



ELECTROLUX 0A2472

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm



ELECTROLUX 052610

ELECTROLUX 059380

ELECTROLUX 056720

ELECTROLUX 059988

ELECTROLUX 057410



# ELECTROLUX



Suitable for:

Suitable for:

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm**



ELECTROLUX 006725

**3020147 PILOT BURNER**  
supplied without nozzle, fittings  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0199

ELECTROLUX 0C3644

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



ELECTROLUX 053665

**3020157 PILOT JET  $\varnothing$  0.25 mm**



ELECTROLUX 054593

**3020441 BURNER FITTING**  
for Pot stove gas (ZANUSSI) - Series N700



ELECTROLUX 0C3646

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



ELECTROLUX

**3020423 PILOT EXTENSION**  
for Pot stove gas (ZANUSSI) - Series N700



ELECTROLUX 0C3643

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**3020440 PIPE OLIVE  $\varnothing$  7 mm**  
for Pot stove gas (ZANUSSI) - Series N700



ELECTROLUX 0C3645

**3020018 PILOT BURNER CB 503.003**  
with LPG jet and pilot olive  
with pilot pipe connection



ELECTROLUX 050693

**3020159 PILOT BURNER GPL CB 503.006**  
with LPG nozzle and pilot olive



ELECTROLUX 0K0205

**3020151 PILOT BURNER SIT**  
supplied without sparking plug, head and gasket  
with thermocouple fitting  
with fitting and olive



ELECTROLUX 0H6338

# ELECTROLUX



Suitable for:

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



ELECTROLUX 053668

**3020200 THERMOCOUPLE NUT**



ELECTROLUX 0C0121

ELECTROLUX 003609

**3020379 PILOT BURNER GASKET**



ELECTROLUX 0H6645

**3020380 PILOT BURNER MIDDLE PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0H6343

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833



# ELECTROLUX



Suitable for:

**3020152 PILOT HEAD**



ELECTROLUX 0H6050

**3020055 PILOT JET ø 0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3020383 PILOT BURNER UPPER PART**

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0H6342

ELECTROLUX 0K1210

**3020381 NG PILOT BURNER LOWER PART**

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0G2024

**3020379 PILOT BURNER GASKET**



ELECTROLUX 0H6645

Suitable for:

**3020054 PILOT JET ø 0.20 mm**



ELECTROLUX 056799

**3020382 LPG PILOT BURNER LOWER PART**

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0G2037

ELECTROLUX 0H6316

**3020083 NUT & OLIVE ø 4 mm**



ELECTROLUX 052833

**3020380 PILOT BURNER MIDDLE PART**

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ELECTROLUX 0H6343



Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3020116 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD700  
Series H900 - Series R701



ELECTROLUX 052280

**3020183 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 006128

**3020240 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD700  
Series N700 - Series PR700



ELECTROLUX 003328

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



ELECTROLUX 059216

# ELECTROLUX



Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ELECTROLUX 058330

**3020173 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD700  
Series HD900



ELECTROLUX 059301

**3020188 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series N700  
Series N900 - Series PR700



ELECTROLUX 0A5441

**3020423 PILOT EXTENSION**  
for Pot stove gas (ZANUSSI) - Series N700



ELECTROLUX 0C3643

**3020044 PILOT GAS JET  $\varnothing$  0.20 mm**



ELECTROLUX 054037

ELECTROLUX 054286





# ELECTROLUX



Suitable for:

**3020056 PILOT GAS JET  $\varnothing$  0.20 mm**



ELECTROLUX 056578

**3020049 PILOT GAS JET  $\varnothing$  0.28 mm**



ELECTROLUX 050661

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



ELECTROLUX 003626

**3020243 PILOT GUARD**  
for Kitchen gas (ZANUSSI) - Series PCG  
Series ZPC



ELECTROLUX 056580

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

**3020157 PILOT JET  $\varnothing$  0.25 mm**



ELECTROLUX 054593

Suitable for:

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



ELECTROLUX 059215

**3020057 PILOT GAS JET  $\varnothing$  0.30 mm**



ELECTROLUX 056750

**3020045 PILOT GAS JET  $\varnothing$  0.50 mm**



ELECTROLUX 054038

**3020152 PILOT HEAD**



ELECTROLUX 0H6050

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ELECTROLUX 058330

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388



# ELECTROLUX



Suitable for:

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**5015516 PILOT NOZZLE  $\varnothing$  0.40 mm**



ELECTROLUX 003327

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



ELECTROLUX 053668

**3020113 PILOT OLIVE TARGET  $\varnothing$  4 mm**



ELECTROLUX 059161

**3020114 PILOT OLIVE TARGET  $\varnothing$  6 mm**



ELECTROLUX 003863

**3020237 PILOT PROTECTION**  
for Pot stove gas (ZANUSSI) - Series HD900



ELECTROLUX 003547

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ELECTROLUX 052281

**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ELECTROLUX 052686

**3020440 PIPE OLIVE  $\varnothing$  7 mm**  
for Pot stove gas (ZANUSSI) - Series N700



ELECTROLUX 0C3645



Suitable for:

**3020146 TARGET ONE-FLAME PILOT BURNER SIT**  
 without sparking plug, gas nozzle and gasket  
 for Bain-marie gas (ZANUSSI) - Series N900  
 for Fry top gas (ZANUSSI) - Series N700  
 Series N900  
 for Pot stove gas (ZANUSSI) - Series N700  
 Series N900



ELECTROLUX 005503

Suitable for:

**40C7102 TARGET PILOT BURNER SIT 1 FLAME**  
 without sparking plug, gas nozzle and gasket  
 for Bain-marie gas (ZANUSSI) - Series N700  
 Series N900  
 for Bratt pan gas (ZANUSSI) - Series N700  
 Series N900  
 for Fry top gas (ZANUSSI) - Series HD900  
 Series N700 - Series N900  
 for Pot stove gas (ZANUSSI) - Series HD900  
 Series N700 - Series N900  
 for Solid top range gas (ZANUSSI) - Series N700  
 Series N900



ELECTROLUX 0C7102

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
 supplied without sparking plug, nozzle and gasket  
 with thermocouple fitting  
 for Boiling pan gas (ZANUSSI) - Series HD900  
 for Fry top gas (ZANUSSI) - Series HD900  
 Series PR700  
 for Pasta cooker gas (ZANUSSI) - Series HD900  
 for Solid top range gas (ZANUSSI) - Series HD900



ELECTROLUX 059379

**3020200 THERMOCOUPLE NUT**



ELECTROLUX 0C0121

ELECTROLUX 003609

**3020011 THREE-FLAME PILOT BURNER**  
 without sparking plug, gas jet  
 with pipe fitting and pilot pipe olive  
 with thermocouple connection  
 with sparking plug fitting  
 for Bratt pan gas (ZANUSSI)  
 for Pasta cooker gas (ZANUSSI) - Series N900  
 Series PR700



ELECTROLUX 054032

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



ELECTROLUX 053665



Suitable for:

**3020044 PILOT GAS JET  $\varnothing$  0.20 mm**



ELECTROLUX 054037

ELECTROLUX 054286

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 057410

ELECTROLUX 059380

ELECTROLUX 059988

# ELECTROLUX



Suitable for:

**3020045 PILOT GAS JET  $\varnothing$  0.50 mm**



ELECTROLUX 054038

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020003 THREE-FLAME PILOT BURNER SIT**

multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Fryer gas (ZANUSSI) - Series H900  
for Lava rock grill gas (ZANUSSI)  
for Pasta cooker gas (ZANUSSI)



ELECTROLUX 004216

ELECTROLUX 004962

ELECTROLUX 020152

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M4x1 mm  
total length 65 mm



ELECTROLUX 0C0488

ELECTROLUX 051565

ELECTROLUX 051977

ELECTROLUX 056754

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 057410

ELECTROLUX 059380

ELECTROLUX 059988



Suitable for:

Suitable for:

## 3020078 TUBING NUT FOR 6 mm $\phi$ PIPE



ELECTROLUX 003859

## 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet  $\phi$  0.20 mm  
 with 3 positions bracket  
 for Bain-marie gas (FAGOR)  
 for Bain-marie gas (GIGA) - Series 650  
 Series 700 - Series 900  
 for Boiling pan gas (FAGOR)  
 for Fry top gas (GIGA) - Series 650 - Series 700  
 Series 900  
 for Lava rock grill gas (GIGA) - Series 650  
 Series 700 - Series 900  
 for Oven under cooktop gas (FAGOR)



ELECTROLUX 0C0494  
 ELECTROLUX 051976  
 ELECTROLUX 058329

ELECTROLUX 050813  
 ELECTROLUX 054335

ELECTROLUX 051624  
 ELECTROLUX 057737

## 3020077 FITTING FOR PIPE $\phi$ 4 mm



ELECTROLUX 046755

## 3020054 PILOT JET $\phi$ 0.20 mm



ELECTROLUX 056799

## 3001003 ROUND SPARKING PLUG $\phi$ 7x44 mm

male faston M4x1 mm  
 total length 65 mm



ELECTROLUX 0C0488  
 ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

## 3020055 PILOT JET $\phi$ 0.35 mm



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

## 3020060 ROUND SPARKING PLUG $\phi$ 7x44 mm

male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm



ELECTROLUX 052610  
 ELECTROLUX 059380

ELECTROLUX 056720  
 ELECTROLUX 059988

ELECTROLUX 057410



Suitable for:

**3020078 TUBING NUT FOR 6 mm ø PIPE**



ELECTROLUX 003859

# ELECTROLUX



Suitable for:

**3020036 THREE-FLAME PILOT BURNER SIT**

with NG nozzle ø 0.35 mm  
with 3 positions bracket  
for Fry top gas (ZANUSSI) - Series H900  
Series R701  
for Grill gas (ZANUSSI) - Series R701  
for Kitchen gas (ZANUSSI) - Series P1000  
for Oven under cooktop gas (ZANUSSI) - Series H900  
for Solid top range gas (ZANUSSI) - Series H900



ELECTROLUX 050812

ELECTROLUX 058329

**3020054 PILOT JET ø 0.20 mm**



ELECTROLUX 056799

**3001003 ROUND SPARKING PLUG ø 7x44 mm**

male faston M4x1 mm  
total length 65 mm



ELECTROLUX 0C0488

ELECTROLUX 051565

ELECTROLUX 051977

ELECTROLUX 056754

**3020078 TUBING NUT FOR 6 mm ø PIPE**



ELECTROLUX 003859

**3020077 FITTING FOR PIPE ø 4 mm**



ELECTROLUX 046755

**3020055 PILOT JET ø 0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3020060 ROUND SPARKING PLUG ø 7x44 mm**

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 057410

ELECTROLUX 059380

ELECTROLUX 059988





# ELECTROLUX



Suitable for:

**3020199 THREE-FLAME PILOT BURNER SIT**  
supplied without sparking plug, nozzle and gasket



ELECTROLUX 002783

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ELECTROLUX 052833

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 059380

ELECTROLUX 059988

ELECTROLUX 057410

Suitable for:

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ELECTROLUX 052834

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



ELECTROLUX 053665

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859



Suitable for:

# ELECTROLUX



**3020037 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Bratt pan gas (ZANUSSI) - Series H900



ELECTROLUX 0H6336

ELECTROLUX 057411

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Lava rock grill gas (ANGELO PO) - Series SNACK



ELECTROLUX 058146

Suitable for:  
**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 059380

ELECTROLUX 056720

ELECTROLUX 059988

ELECTROLUX 057410

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755



Suitable for:

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020238 THREE-FLAME ST. STEEL PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Boiling pan gas (ZANUSSI) - Series N900  
for Kitchen gas (ZANUSSI) - Series N900



ELECTROLUX 0C0744

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

# ELECTROLUX



Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 057410

ELECTROLUX 059380

ELECTROLUX 059988

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



ELECTROLUX 053665



Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 057410

ELECTROLUX 059380

ELECTROLUX 059988

**3020103 THREE-POSITION BRACKET**



ELECTROLUX 005618

**3020013 TWO-FLAME PILOT BURNER RH**

without sparking plug, gas jet and gasket  
with thermocouple fitting  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



ELECTROLUX 058383

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ELECTROLUX 057960

# ELECTROLUX



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ELECTROLUX 053667

ELECTROLUX 057388



# ELECTROLUX



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ELECTROLUX 053670

Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610  
ELECTROLUX 059380

ELECTROLUX 056720  
ELECTROLUX 059988

ELECTROLUX 057410

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3020002 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bain-marie gas (FAGOR)  
for Boiling pan gas (FAGOR)  
for Grill gas (ZANUSSI)  
for Oven under cooktop gas (FAGOR)



ELECTROLUX 029776

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ELECTROLUX 0C0488  
ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610  
ELECTROLUX 059380

ELECTROLUX 056720  
ELECTROLUX 059988

ELECTROLUX 057410



Suitable for:

**3020078 TUBING NUT FOR 6 mm Ø PIPE**



ELECTROLUX 003859

# ELECTROLUX



Suitable for:

**3020005 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket  
for Fryer gas (TECNOINOX) - Series FR



ELECTROLUX 004946

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ELECTROLUX 056799

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ELECTROLUX 0C0488

ELECTROLUX 051565

ELECTROLUX 051977

ELECTROLUX 056754

**3020078 TUBING NUT FOR 6 mm Ø PIPE**



ELECTROLUX 003859

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ELECTROLUX 046755

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610

ELECTROLUX 056720

ELECTROLUX 057410

ELECTROLUX 059380

ELECTROLUX 059988





Suitable for:

**3020100 TWO-POSITION BRACKET**



ELECTROLUX 052256

Suitable for:

**3020101 TWO-POSITION BRACKET CLAMP**



ELECTROLUX 052246

## Pressure gauges

**3245022 PRESSURE GAUGE  $\varnothing$  63 mm**

coupling  $\varnothing$  1/8" M  
scale 0-1 bar

for Boiling pan electric (ZANUSSI) KPI/E10  
KPI/E10H - KPI/E15 - KPI/E15A - KPI/E15H  
KPI/E60

for Boiling pan gas (ZANUSSI) KPI/G06 - KPI/G10  
KPI/G10H - KPI/G15 - KPI/G15A - KPI/G15H



ELECTROLUX 0C0712

## Pressure regulators

**3350003 PRESSURE REGULATOR RGP120**

capacity 12 Kg/h  
inlet  $\varnothing$  1/4" F  
outlet  $\varnothing$  1/2" F  
LPG low pressure regulator  
outlet pressure 30mbar(25÷45mbar)



ELECTROLUX 0S0028

**3350001 PRESSURE REGULATOR RGP40**

capacity 4 Kg/h  
inlet  $\varnothing$  1/4" F  
outlet  $\varnothing$  3/8" F  
LPG low pressure regulator  
outlet pressure 30mbar



ELECTROLUX 0S0026

**3350002 PRESSURE REGULATOR RGP70**

capacity 7 Kg/h  
inlet  $\varnothing$  1/4" F  
outlet  $\varnothing$  3/8" F  
LPG low pressure regulator  
outlet pressure 30mbar(25÷45mbar)



ELECTROLUX 0S0027



Suitable for:

# ELECTROLUX



Suitable for:

## Pressure switches

**3320199 PRESSURE SWITCH 320/200 mm 16A 250V**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH - PCP/E2SH3B



ELECTROLUX 0C0872

**3320133 THREE-POLE PRESSURE SWITCH 0.3-0.8 BAR**  
model HB46A214  
connection 1/4" M - 10A 250V  
for Boiling pan (WHIRLPOOL)  
for Boiling pan (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 0A2480

## Probes

**3397181 PROBE BUSH**



ELECTROLUX 033478

**3445109 PROBE TCJ EC-SND-2312 3000 mm**  
2 wires - temperature range -50+350°C  
error limits  $\pm 0.75\%$  below 0°C  
30 seconds response time  
bulb  $\varnothing 6 \times 100$  mm  
vetrotex cable



ELECTROLUX 004116

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb  $\varnothing 6 \times 40$  mm



ELECTROLUX 0S0302

ELECTROLUX 083583

**3397182 SCREW PROBE**  
probe length 55 mm -  $\varnothing 8$  mm  
for Pasta cooker electric (ZANUSSI) CR/41E  
CR/41V - CR40V  
for Pasta cooker gas (ZANUSSI) CR40G - CR42G



ELECTROLUX 033477

**3397181 PROBE BUSH**



ELECTROLUX 033478



Suitable for:

**3445144 TEMPERATURE PROBE NTC 1000 mm**  
2-wire probe  
bulb  $\varnothing$  4x40 mm  
for Fryer (ZANUSSI) - Series HD900 - Series N900



ELECTROLUX 006609

Suitable for:

**3445145 THERMOSTAT PROBE 1400 mm**  
2-wire probe  
bulb  $\varnothing$  4x40 mm  
for Fryer (ZANUSSI) - Series HD900  
for Pasta cooker (ZANUSSI) - Series N700  
Series PR700



ELECTROLUX 006155

## Protection plates

**3244006 CONTROL PLATE**  
length 180 mm - width 70 mm  
for Hot cupboard  
for Warm table



ELECTROLUX 033049

**3244001 PROTECTION COVER ELETTROSIT**  
length 80 mm - width 60 mm  
for Bratt pan



ELECTROLUX 051280

**3244002 PROTECTION COVER ELETTROSIT**  
length 190 mm - width 90 mm  
for Fryer



ELECTROLUX 052272

**3244005 PROTECTION COVER ELETTROSIT**  
length 190 mm - width 90 mm  
for Fryer (ZANUSSI) HFR/G420 - HFR/G840



ELECTROLUX 053105

## Rating-plates

**3399137 CONTROL PLATE 265x85 mm**  
for Hot plate electric (ZANUSSI) DZ/LCE



ELECTROLUX 0C2330

**3399138 CONTROL PLATE 265x85 mm**  
for Hot plate electric (ZANUSSI) DW/H1CE - DWH1G  
DZ/D2CE - DZ/H1CE - DZ/L2CE - DZC2G - DZH1G  
DZL2G



ELECTROLUX 0D6267



Suitable for:

# ELECTROLUX



Suitable for:


## Relays

**3351158 BASE UNDECAL ES11 10A 400V**  
11 poles




ELECTROLUX 049236

**3351037 MINI RELAY 40.52 8A 230V 50/60Hz**  
2 switching contacts



ELECTROLUX 0E5849

**3351601 RELAY B1-3 16A 230V 50/60Hz**  
3 NO contacts



ELECTROLUX 046380

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
2 switching contacts



ELECTROLUX 0D0013  
ELECTROLUX 083215

ELECTROLUX 058857

ELECTROLUX 069882

**3351605 RELAY 60.63 10A 230V 50/60Hz**  
3 switching contacts



ELECTROLUX 056446  
ELECTROLUX 085296

ELECTROLUX 056466  
ELECTROLUX 086214


ELECTROLUX 056510

**3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts



ELECTROLUX 0PE302

**3351008 RELAY 62.83 16A 230V 50/60Hz**  
3 switching contacts




ELECTROLUX 0A9596  
ELECTROLUX 088197

ELECTROLUX 005033

ELECTROLUX 005034

**3351602 RELAY 65.31 30A 250V**  
1 cut-off contact  
coil 230V 50/60Hz



ELECTROLUX 085647

## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



ELECTROLUX 0A2205  
ELECTROLUX 054376

ELECTROLUX 0KT779

ELECTROLUX 006712

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat



ELECTROLUX 026945



Suitable for:

**3057015 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle ø 6x4.6 mm



ELECTROLUX 003565

ELECTROLUX 028390

Suitable for:

**3057018 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft ø 6x4.6 mm  
 back connection for thermostat  
 for Bain-marie (ALPENINOX)  
 for Bratt pan (ALPENINOX)  
 for Bratt pan (BARON) - Series 900  
 for Fry top (ALPENINOX)  
 for Fryer (ZANUSSI) - Series N700 - Series PR700  
 for Oven under cooktop (ALPENINOX)



ELECTROLUX 0A2036

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft ø 6x4.6 mm  
 for Boiling pan (ALPENINOX)  
 for Bratt pan (ZANUSSI) - Series R700 - Series 700  
 for Fry top (ALPENINOX)  
 for Fryer (STAR 10)  
 for Fryer (ZANUSSI) - Series R700 - Series 700  
 for Kitchen (ALPENINOX)  
 for Solid top range (ALPENINOX)



ELECTROLUX 0A2227

ELECTROLUX 003142

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft ø 6x4.6 mm  
 for Bain-marie (EMMEPI) - Series 650  
 for Bain-marie electric (OLIS) 72/02CBE  
 72/02TCBE  
 for Bratt pan electric (OLIS) 74/02KBEBI  
 for Bratt pan gas (OLIS) 74/02KBGMB  
 for Fryer (GICO) - Series 500 - Series 700  
 Series 900 - Series 920  
 for Fryer electric (OLIS) 72/02FRE - 74/02FRE  
 92/02FRE - 92/04FRE  
 for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212  
 for Kitchen gas (OLIS) 76/02CGGE  
 for Oven under cooktop (GICO) - Series 500  
 Series 700



ELECTROLUX 054375

**3057140 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 25A 400V - max 150°C  
 D-shaft ø 6x4.6 mm  
 for Fry top (ZANUSSI) - Series HD900 - Series N900  
 for Grill (ZANUSSI) - Series N700 - Series N900



ELECTROLUX 006649

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin ø 6x4.6 mm  
 for Bain-marie (EMMEPI) - Series 700 - Series 750  
 Series 900  
 for Bain-marie (OLIS) - Series 700 - Series 900  
 for Fry top (ALPENINOX)  
 for Fry top (EMMEPI) - Series 700 - Series 750  
 Series 900  
 for Fry top (OLIS) - Series 700  
 for Fry top (ZANUSSI) - Series N700 - Series PR700  
 for Fryer (ALPENINOX)  
 for Fryer (OLIS) - Series 700 - Series 900  
 for Grill (ZANUSSI) - Series 700  
 for Kitchen electric (ZANUSSI) - Series 900  
 for Oven under cooktop (ALPENINOX)



ELECTROLUX 0A2134

ELECTROLUX 0H6605

ELECTROLUX 004908



Suitable for:

# ELECTROLUX



**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm  
 for Fryer electric (GIORIK) FRE33 - FRE63 - FT33 FT63  
 for Self service counter (ZANUSSI)  
 for Warm table (ZANUSSI)



ELECTROLUX 032677

**3057255 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle ø 6x4.6 mm  
 for Bratt pan (CAPIC)  
 for Fryer gas (CAPIC) AB20 - A20 - CA10 - C10 2045 - 3085  
 for Grill (CAPIC)




ELECTROLUX 0H6688

**3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D shaft ø 6x4.6 mm



ELECTROLUX 028590

**3057013 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaft ø 6x4.6 mm  
 for Bain-marie (ZANUSSI) - Series H900  
 for Boiling pan (ZANUSSI) - Series H900  
 Series R701 - Series 700  
 for Bratt pan (MARENO) - Series 700  
 for Bratt pan (ZANUSSI) - Series H900  
 for Fry top (MARENO) - Series 700  
 for Fryer (ZANUSSI) - Series H900  
 for Pasta cooker (ZANUSSI) - Series H900  
 Series R701 - Series 700



ELECTROLUX 050857

**3057017 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft ø 6x4.6 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Bratt pan (ZANUSSI) - Series HD700  
 Series R700  
 for Fryer (ZANUSSI) - Series HD900  
 for Potato heater (ZANUSSI) - Series HD700  
 Series N700 - Series PR700



ELECTROLUX 0A2162

**3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft ø 6x4.6 mm  
 for Bain-marie (ZANUSSI) - Series N700  
 Series PR700  
 for Rotisserie electric (MCM) 1EE - 2EE - 3EE  
 4EE - 6EE - 8EE  
 for Toaster electric (DOSILET) TT0001 - TT4000



ELECTROLUX 0A2241

**3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D spindle ø 6x4.6 mm



ELECTROLUX 0H6682

ELECTROLUX 0K0472

ELECTROLUX 0K1379

**3057003 SELECTOR SWITCH 0-1-2-3-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft ø 6x4.6 mm  
 for Boiling pan electric (ZANUSSI) - Series H900



ELECTROLUX 051634





Suitable for:

**3057004 SELECTOR SWITCH 0-1-2-3-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 for Boiling pan electric (ZANUSSI) - Series 700  
 for Pasta cooker electric (ZANUSSI) CCP/E700  
 HCP/E400 - HCP/E800 - MCP/E700 - M70EPC  
 RCP/E700



ELECTROLUX 051647

Suitable for:

**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 for Pot stove gas (ZANUSSI) JUN90002 - JUN90012  
 JUN90022 - JUN90042 - JUN90069 - JUN92012  
 JUN92032




ELECTROLUX 029147

**3057064 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Boiling pan electric (ZANUSSI) KPI/E15  
 for Pasta cooker (ZANUSSI) - Series HD900



ELECTROLUX 059544

**3057142 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Oven under cooktop (WHIRLPOOL) - Series 700  
 Series 701  
 for Oven under cooktop (ZANUSSI) - Series HD700  
 Series H700 - Series PR700 - Series R701



ELECTROLUX 0C7965


ELECTROLUX 053866

**3057164 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 140°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Oven under cooktop electric (ZANUSSI)  
 Series N700 - Series N900




ELECTROLUX 0C0320

**3057006 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Kitchen electric (ZANUSSI) - Series H900



ELECTROLUX 025300

**3057031 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (ANGELO PO)  
 Series JUNIOR - Series SENIOR - Series SUMMIT  
 for Pot stove electric (ANGELO PO) - Series ALPHA  
 Series DELTA - Series OMEGA - Series SENIOR  
 Series SUMMIT



ELECTROLUX 0A2285

**3057093 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm



ELECTROLUX 0H6602




Suitable for:

# ELECTROLUX



**3057141 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm  
 for Oven under cooktop (ZANUSSI) - Series PR700



ELECTROLUX 0C9080

ELECTROLUX 004268

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Bratt pan electric (COMETTO)  
 for Hot plate electric (COMETTO)  
 for Kitchen electric (EMMEPI) - Series 900  
 for Pot stove electric (COMETTO)



ELECTROLUX 0A2022

ELECTROLUX 0K4922

**3057076 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Kitchen electric (ZANUSSI) - Series N700  
 Series PR700 - Series R701 - XC/E1 - XC/E2  
 XCF/E2 - XCV/E3



ELECTROLUX 059238

**3057089 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Boiling pan (ZANUSSI)  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ELECTROLUX 004741

**3057092 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Kitchen electric (KÜPPERSBUSCH) - Series FEH



ELECTROLUX 004915

ELECTROLUX 053408

**3057024 SELECTOR SWITCH 0-7 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Kitchen electric (EMMEPI) - Series 650  
 Series 700 - Series 750  
 for Kitchen electric (GICO) - Series 700  
 for Kitchen electric (GIGA) - Series 600  
 Series 700 - Series 800 - Series 900  
 for Kitchen electric (OFFCAR) - Series 700  
 Series 900  
 for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT  
 for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT  
 74/02TCE - 76/02TCE - 92/04CE - 92/04TCE  
 94/04CE - 94/04TCE



ELECTROLUX 0A2021

## Safety groups for pans and spare parts

**3184011 DEPRESSION VALVE  $\varnothing$  1/4" M**  
 in chrome plated brass  
 for safety group  $\varnothing$  3/4"  
 for safety group  $\varnothing$  1" 1/4



ELECTROLUX 010246

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
 in chrome plated brass  
 for safety group  $\varnothing$  1" 1/4



ELECTROLUX 0S0140

ELECTROLUX 008021

ELECTROLUX 010023

**3184029 DEPRESSION VALVE  $\varnothing$  3/8" M**  
 in chrome plated brass  
 for security valve 3/4"  
 for Boiling pan (ZANUSSI)  
 for Boiling pan electric (ZANUSSI) KPI/E15



ELECTROLUX 051566

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
 in chrome plated brass  
 radial connection 1/4"  
 scale 0-1 bar  
 for safety groups



ELECTROLUX 008022

ELECTROLUX 017055

**3184003 SAFETY GROUP  $\varnothing$  1" 1/4**  
 elbow connection  $\varnothing$  1" 1/4  
 complete with safety valve, depression valve,  
 tap for pressure gauge holder and pressure gauge  
 for STEAM BOILING KETTLE



ELECTROLUX 008019

ELECTROLUX 008061

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
 in chrome plated brass  
 for safety group  $\varnothing$  1" 1/4



ELECTROLUX 0S0140

ELECTROLUX 008021

ELECTROLUX 010023

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
 in chrome plated brass  
 radial connection 1/4"  
 scale 0-1 bar  
 for safety groups



ELECTROLUX 008022

ELECTROLUX 017055

**3184018 SAFETY VALVE  $\varnothing$  1" 1/4 M**  
 max pressure 0.5 atm  
 for safety group 1" 1/4  
 ISPESL approved



ELECTROLUX 010298

ELECTROLUX 056691

ELECTROLUX 057493



Suitable for:

**3184018 SAFETY VALVE  $\varnothing$  1"1/4"**  
max pressure 0.5 atm  
for safety group 1"1/4  
ISPESL approved



ELECTROLUX 010298

ELECTROLUX 056691

ELECTROLUX 057493

Suitable for:

**3184017 SAFETY VALVE  $\varnothing$  3/4"**  
max pressure 0.5 atm  
for safety group  $\varnothing$  3/4"



ELECTROLUX 054806

## Sleeves

**3450124 DRAIN PIPE 720 mm**  
external  $\varnothing$  40 mm - internal  $\varnothing$  30 mm  
for Pasta cooker (ZANUSSI) - Series H900  
Series N700 - Series N900 - Series PR700  
Series R700



ELECTROLUX 056888

## Solenoid valves

**3120138 COIL FOR GAS SOLENOID VALVE 1/2" 230V**  
for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 005548

**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**  
width 25 mm - height 33 mm  
depth 33 mm



ELECTROLUX 0KG317

ELECTROLUX 067609

**3120064 GAS SOLENOID VALVE 1/2" 230V**  
50/60Hz 20VA - max 500 mbar  
for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 059509

**3120138 COIL FOR GAS SOLENOID VALVE 1/2" 230V**  
for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 005548



# ELECTROLUX



Suitable for:

**3120261 MULLER SOLENOID VALVE 230V  $\varnothing$  12 mm**  
solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
3/4" inlet -  $\varnothing$  12 mm outlet



ELECTROLUX 0G2196

Suitable for:

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for solenoid valve ELBI  
rated value +/- 25%



ELECTROLUX 0L0166

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for solenoid valve ELBI  
rated value +/- 25%



ELECTROLUX 0W2908

**3120373 SOLENOID VALVE L621B03 230V 50Hz**  
for water  
2 ways - connections G1/2"-G1/4"FF  
coil model EMZA34AA 230V 50Hz  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ELECTROLUX 0C0561

ELECTROLUX 0C2390

**3120404 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
3/4" inlet - 1 outlet  $\varnothing$  10.5 mm



ELECTROLUX 0C0688

ELECTROLUX 0C4984

ELECTROLUX 056350

**3120406 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 2 outlets  $\varnothing$  10.5 mm



ELECTROLUX 069295

**3120013 SOLENOID VALVE 263 220/240V  $\varnothing$  10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet  $\varnothing$  10 mm



ELECTROLUX 047539

ELECTROLUX 047540

ELECTROLUX 049077

ELECTROLUX 069296

**3120014 SOLENOID VALVE 264 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet  $\varnothing$  10 mm



ELECTROLUX 0E0330

ELECTROLUX 047538

ELECTROLUX 069464

**3120004 SOLENOID VALVE 319 220/240V  $\varnothing$  10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



ELECTROLUX 0A2064

ELECTROLUX 0KM766

ELECTROLUX 002613

ELECTROLUX 047531

ELECTROLUX 055350

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



ELECTROLUX 002753

ELECTROLUX 047756

ELECTROLUX 048894

ELECTROLUX 055132

ELECTROLUX 086014



# ELECTROLUX



Suitable for:

**3120505 SOLENOID VALVE 329 24V  $\varnothing$  10 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



ELECTROLUX 058996

Suitable for:

**3120006 SOLENOID VALVE 339 220/240V  $\varnothing$  10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



ELECTROLUX 055444

ELECTROLUX 056872

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



ELECTROLUX 0K5389

ELECTROLUX 045631

ELECTROLUX 046427

ELECTROLUX 047536

ELECTROLUX 069463

**3120507 SOLENOID VALVE 349 24V  $\varnothing$  10 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



ELECTROLUX 046796

ELECTROLUX 048180

**3120008 SOLENOID VALVE 350 220/240V  $\varnothing$  14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



ELECTROLUX 047529

ELECTROLUX 047532

ELECTROLUX 048178

ELECTROLUX 048898

ELECTROLUX 069179

**3120511 SOLENOID VALVE 350 24V  $\varnothing$  14 mm**  
solenoid valve 90° - 24V 50Hz - max 90°C  
3/4" inlet -  $\varnothing$  14 mm outlet



ELECTROLUX 0H2513

ELECTROLUX 0L0175

**3120009 SOLENOID VALVE 351 220/240V  $\varnothing$  14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



ELECTROLUX 072282

**3120512 SOLENOID VALVE 351 24V  $\varnothing$  14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
3/4" inlet -  $\varnothing$  14 mm outlet



ELECTROLUX 0E5070

**3120010 SOLENOID VALVE 352 220/240V  $\varnothing$  14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  14 mm



ELECTROLUX 049056

**3120011 SOLENOID VALVE 353 220/240V  $\varnothing$  14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  14 mm



ELECTROLUX 069262

ELECTROLUX 072364





# ELECTROLUX



Suitable for:

**3120514 SOLENOID VALVE 353 24V  $\varnothing$  14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - two outlets  $\varnothing$  14 mm



ELECTROLUX 0KZ810

Suitable for:

**1120310 2-WAY SOLENOID VALVE SIRAI 230V 50Hz**  
L121V02 - connections  $\varnothing$  1/4"FF - max 20 bar  
VITON seal - orifice  $\varnothing$  2.5 mm  
coil ZA30A 9W 230V 50Hz 14VA



ELECTROLUX 0K5341

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz  
for Boiling pan gas (CHARVET)  
for Fryer gas (CAPIC) CTI - CTIB - C10 - TI - TIB  
for Kitchen (THIRODE) B7.FV.CF.FG



ELECTROLUX 0A2073  
ELECTROLUX 051884

ELECTROLUX 003376  
ELECTROLUX 053647

ELECTROLUX 004240

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz  
for Kitchen (THIRODE) B7.FV.CF.FG



ELECTROLUX 0A2097  
ELECTROLUX 003214

ELECTROLUX 0K9979  
ELECTROLUX 004248

ELECTROLUX 0M0476  
ELECTROLUX 054134

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



ELECTROLUX 003552

ELECTROLUX 004251

ELECTROLUX 054141

## Sparking and detection plugs

**3020206 ROUND DETECTOR ELECTRODE  $\varnothing$  9.5x60 mm**  
overall length 109 mm



ELECTROLUX 002638



Suitable for:

# ELECTROLUX



Suitable for:

## Sparking and detection plugs

**3020074 ROUND IGNITION ELECTRODE  $\varnothing$  5/8x52 mm**  
model 2/B  
total length 66 mm  
for Pot stove gas (ZANUSSI) - Series HD700



ELECTROLUX 054099

**3186341 ASBESTOS FREE FLAT GASKET  $\varnothing$  9x6x1 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700



ELECTROLUX 054100

**3020128 ROUND IGNITION ELECTRODE  $\varnothing$  6x32 mm**  
with silicone lead 770 mm  
overall length 800 mm  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ELECTROLUX 004970

**3020073 ROUND IGNITION ELECTRODE  $\varnothing$  7/10x52 mm**  
model 1/B  
female connection  
overall length 54 mm  
for Kitchen gas (WHIRLPOOL) AGB351 - AGB579  
AGB580 - AGB581 - AGB582 - AGB583 - AGB584



ELECTROLUX 0A2164

**3020124 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm**  
female connection  
overall length 58 mm  
for Fryer gas (ELFRAMO) GBD10 - GB10  
for Fryer gas (KOMEL) KBGD10 - KGB10  
for Pot stove (ROSINOX) RCS2X2FV



ELECTROLUX 054336

ELECTROLUX 056754

**3020205 ROUND IGNITION ELECTRODE  $\varnothing$  9.5x60 mm**  
overall length 90 mm



ELECTROLUX 002637

**3020208 ROUND IGNITION ELECTRODE  $\varnothing$  9x60 mm**  
with silicone lead 900 mm  
overall length 1010 mm  
for BRATT PAN series HD900



ELECTROLUX 0A5169

**3020306 ROUND IGNITION ELECTRODE  $\varnothing$  9x60 mm**  
overall length 117 mm  
for Bratt pan gas (ZANUSSI) - Series HD900



ELECTROLUX 0A5168

ELECTROLUX 003556



Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ELECTROLUX 0C0488  
ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELECTROLUX 052610  
ELECTROLUX 059380

ELECTROLUX 056720  
ELECTROLUX 059988

ELECTROLUX 057410

**3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm**  
total length 85 mm



ELECTROLUX 026847

## Springs

**3250098 DOOR HINGE SPRING  $\varnothing$  36x240 mm**  
for BRATT PAN series HD900



ELECTROLUX 0A5150

**3250099 SPRING SCREW**  
for BRATT PAN series HD900



ELECTROLUX 0A2551

**3250134 LID SPRING  $\varnothing$  28x115 mm**  
for BOILING PAN series N700  
for WASHER-EXTRACTOR LVA100



ELECTROLUX 004850

**3391058 HINGE SUPPORT**  
for Bratt pan (ZANUSSI) - Series HD900  
for Bratt pan electric (ZANUSSI) ABR/E800  
ABR/E810  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ELECTROLUX 0A5147

**3250135 LID SPRING  $\varnothing$  38x250 mm**  
for BOILING PAN series H900



ELECTROLUX 051527



Suitable for:

**3250081 LID SPRING  $\varnothing$  38x375 mm**  
for BOILING PAN series HD900-N900



ELECTROLUX 059518

**3250026 LID SPRING  $\varnothing$  40x300 mm**  
for BRATT PAN series HD900  
for BOILING PAN H900/HD900  
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ELECTROLUX 051268

**3250097 SPRING FOR TAP MICROSWITCH  $\varnothing$  10x14 mm**  
for SOLID TOP RANGE series PR700



ELECTROLUX 004243

Suitable for:

**3250096 LID SPRING  $\varnothing$  39x375 mm**  
for BOILING PAN series N900-HD900  
for PASTA COOKER CR15G-CR15E-CR15V-CR20G-CR20GI



ELECTROLUX 002981

**3250141 SPRING  $\varnothing$  21x75 mm**  
for SANDWICH PLATE DPG/RCE



ELECTROLUX 0C1836

**3250099 SPRING SCREW**  
for BRATT PAN series HD900



ELECTROLUX 0A2551

## Steam valves

**3524006 "REX" STEAM VALVE  $\varnothing$  1"MM**  
partially chromed steam valve "REX"  
square connection  $\varnothing$  1" MM



ELECTROLUX 0S0142

ELECTROLUX 038020

**3524002 STEAM VALVE  $\varnothing$  1"1/4FF**  
chromed plated steam valve  
square connection  
with nut




ELECTROLUX 017028

**3525013 VALVE  $\varnothing$  1"1/4 FF**



ELECTROLUX 0S0143

**3524007 VALVE KNOB**  
hole 7x7 mm  
for valve "REX"  $\varnothing$  1"1/4



ELECTROLUX 017052


ELECTROLUX 017053



Suitable for:

Suitable for:

**3524009 VALVE KNOB**  
 hole 9x9 mm  
 for valve  $\varnothing$  3/4" - 1 1/4"



ELECTROLUX 0A2148

## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
 mounting hole  $\varnothing$  25 mm  
 for Oven under cooktop gas (ZANUSSI) - Series R701  
 Series 700



ELECTROLUX 053978

ELECTROLUX 058274

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
 for push-buttons with mounting hole  $\varnothing$  25 mm  
 for Oven under cooktop gas (ZANUSSI) - Series R701  
 Series 700



ELECTROLUX 053979

**3319920 BLACK TWO-POLE SWITCH 16A 250V**



ELECTROLUX 0A8754

**3319923 BLACK/RED CAM**



ELECTROLUX 0A8272

**3319160 GREEN BIPOLAR PUSH-BUTTON 16A 250V**  
 with indicator lamp  
 flash silk-screen printing  
 temperature max 120°C  
 mounting hole 22x30 mm



ELECTROLUX 056717

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
 with indicator light and switch cover  
 screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm



ELECTROLUX 053810

**3319013 GREEN BIPOLAR SWITCH 16A 250V**  
 with indicator lamp and switch cover  
 "0 - II" symbol screenprinted  
 max temperature 120°C  
 mounting hole 22x30 mm



ELECTROLUX 053837

**3319014 GREEN BIPOLAR SWITCH 16A 250V**  
 with indicator lamp and switch cover  
 "fan" symbol screenprinted  
 max temperature 120°C  
 mounting hole 22x30 mm



ELECTROLUX 054552



Suitable for:

## 3319928 GREEN BIPOLAR SWITCH 16A 250V

with indicator lamp  
max.temperature 120°C  
lmounting hole ø 25 mm



ELECTROLUX 054518

Suitable for:

## 3319151 SWITCH PROTECTION CAP

ø external 34 mm  
for push-buttons with mounting hole ø 25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701  
Series 700



ELECTROLUX 053979

## 3319944 GREEN BIPOLAR SWITCH 16A 250V

with indicator light  
0-I silk-screen printing  
temperature max 120°C  
mounting hole 22x30 mm



ELECTROLUX 056703

## 3319967 GREEN SINGLE-POLE SWITCH 16A 250V

max temperature 120°C  
mounting hole 11x30 mm



ELECTROLUX 004110

## 1319202 GREEN TWO-POLE SWITCH 16A 250V

with indicator lamp  
silk-screen printing 0 - I  
temperature max 120°C  
mounting hole 22x30 mm  
for Hood electric (MORETTI) TIVOLI KAPPA



ELECTROLUX 056703

ELECTROLUX 081680

## 3319088 ORANGE BIPOLAR SWITCH 250V 16A

with indicator lamp and push-button cover  
temperature max 120°C  
mounting hole 22x30 mm



ELECTROLUX 056878

ELECTROLUX 056879

ELECTROLUX 056880

## 3319297 PUSH-BUTTON EXTENSION

external ø 7 mm  
for circuit boards



ELECTROLUX 002670

## 3319015 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp  
silk-screen print 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



ELECTROLUX 005899





# ELECTROLUX



Suitable for:

## 4059843 RED PUSH BUTTON WITH BLOCK

1 NC contact  
mounting hole  $\varnothing$  22 mm  
for BRATT PAN



ELECTROLUX 0A2196

ELECTROLUX 059843

Suitable for:

## 3319011 RED TWO-POLE PUSH-BUTTON 16A 250V

normally closed  
with indicator lamp and push-button cap  
max temperature 120°C  
mounting hole 22x30 mm



ELECTROLUX 054547

ELECTROLUX 055014

## 3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V

with protection cap  
mounting hole  $\varnothing$  16 mm  
for Pot stove electric (ZANUSSI)



ELECTROLUX 002418

## 3319921 SINGLE-POLE SWITCH 16A 250V



ELECTROLUX 0A8274

## 3319923 BLACK/RED CAM



ELECTROLUX 0A8272

## 3319151 SWITCH PROTECTION CAP

$\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701  
Series 700



ELECTROLUX 053979

## Tangential fans

### 3526150 TANGENTIAL FAN 180 mm LEFT

230V 50/60Hz -  $\varnothing$  60 mm - 25 W  
operating temperature -30°+135°C



ELECTROLUX 0A2272

ELECTROLUX 0A3008

### 3526165 TANGENTIAL FAN 180x180 mm

230V 50/60Hz -  $\varnothing$  60 mm - 45 W  
fan dimensions 180+180 mm  
operating temperature max 135°C



ELECTROLUX 0K3707



Suitable for:

# ELECTROLUX



Suitable for:

**3526966 TANGENTIAL FAN 300 mm LEFT**  
230V 50/60Hz - ø 60 mm - 26 W  
operating temperature -30°+135°C



ELECTROLUX 083737

## Taps for boiling pans

**3183028 SPOUT CONNECTION ø 16 mm**  
for Bain-marie (ZANUSSI) - Series N700  
Series PR700  
for Boiling pan electric (ZANUSSI)  
for Boiling pan gas (ZANUSSI)  
for Pasta cooker (ZANUSSI) - Series N900  
Series PR700




ELECTROLUX 004537

**3359142 WATER INLET TAP ø 1/2" M**  
swivel spout ø 18 mm  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 002322

**3186665 TEFLON FLAT GASKET ø 35x21x2 mm**



ELECTROLUX 002448

## Telethermometers

**3441021 TELETHERMOMETER BLACK ø 52 mm 0-250°C**  
metal body  
capillary length 1500 mm  
bulb ø 6x43 mm  
for Fryer (ZANUSSI) - Series H900



ELECTROLUX 053687

**3441024 TELETHERMOMETER BLACK ø 52 mm 50-350°C**  
metal body  
covered capillary length 1500 mm  
bulb ø 6x30 mm



ELECTROLUX 053808

ELECTROLUX 056383



Suitable for:

## 3441026 TELETHERMOMETER BLACK $\varnothing$ 60 mm 50-350°C

metal body  
capillary length 1500 mm  
bulb  $\varnothing$  4x104 mm



ELECTROLUX 057622

ELECTROLUX 058081

Suitable for:

## 3441025 TELETHERMOMETER WHITE $\varnothing$ 52 mm 50-350°C

metal body  
capillary length 1500 mm  
bulb  $\varnothing$  4x120 mm



ELECTROLUX 052987

## 3441006 WHITE TELETHERMOMETER $\varnothing$ 52 mm 0-120°C

metal case  
PVC covered capillary 1500 mm  
spring bulb  $\varnothing$  8x32 mm  
bulb fitting M10x1  
for Hot cupboard (ZANUSSI)  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ELECTROLUX 032085

ELECTROLUX 034075

## Terminal blocks

### 3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



ELECTROLUX 0W3543

### 3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 25x22x21 mm



ELECTROLUX 053805

### 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELECTROLUX 046357

### 3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 40x18x16 mm



ELECTROLUX 054042



Suitable for:

### 3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELECTROLUX 046347

Suitable for:

### 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELECTROLUX 005420

ELECTROLUX 058613

## Thermocouples and accessories

### 3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm

cut-off contact with cables 100 cm



ELECTROLUX 002784

ELECTROLUX 003528

ELECTROLUX 056914

### 3440145 CUT-OFF THERMOCOUPLE M9x1 100 cm

cut-off contact with cables 100 cm  
for Boiling pan gas (WHIRLPOOL)  
for Boiling pan gas (ZANUSSI) HPA/GI815 - HPA/G815  
HPN/GI810 - HPN/GI815 - HPN/G810 - HPN/G815  
HQN/GI122 - HQN/GI1225 - HQN/G1225 - HQN/G1917



ELECTROLUX 051635

### 3440185 CUT-OFF THERMOCOUPLE M9x1 100 cm

cut-off contact with cables 70 cm  
for Fryer (ZANUSSI) AFR/G410



ELECTROLUX 0C3162

ELECTROLUX 0K2898

ELECTROLUX 0K2954

ELECTROLUX 056574

ELECTROLUX 0K5790

ELECTROLUX 051932

ELECTROLUX 054055

ELECTROLUX 056573

ELECTROLUX 058387

### 3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



### 3440015 INTERRUPTION CONNECTOR M9x1



ELECTROLUX 005687

### 3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX 055033

### 3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX 0M0893

ELECTROLUX 003281

### 3440045 THERMOCOUPLE ASA SIT 150 cm



ELECTROLUX 056715



# ELECTROLUX



Suitable for:

**3440042 THERMOCOUPLE ASA SIT 85 cm**



ELECTROLUX 057343

Suitable for:

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm. female nut M9x1**



ELECTROLUX 055032

**3440079 THERMOCOUPLE M8x1 60 cm. COUPLING M6x1**



ELECTROLUX 004955

**3440047 THERMOCOUPLE M8x1 75 cm**



ELECTROLUX 054102  
ELECTROLUX 058332

ELECTROLUX 054103

ELECTROLUX 054104

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ELECTROLUX 054102  
ELECTROLUX 058332

ELECTROLUX 054103

ELECTROLUX 054104

**3440133 THERMOCOUPLE SIT M10x1 100 cm**



ELECTROLUX 0A2161

**3440135 THERMOCOUPLE SIT M10x1 150 cm**



ELECTROLUX 0H6252

**3440126 THERMOCOUPLE SIT M10x1 75 cm**



ELECTROLUX 0H6251

ELECTROLUX 0H6253

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS**



ELECTROLUX 0U2960

**3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1**



ELECTROLUX 0U2960

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS**



ELECTROLUX 0U2960



# ELECTROLUX



Suitable for:

**3440031 THERMOCOUPLE SIT M8x1 120 cm**



ELECTROLUX 0K5730

Suitable for:

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



ELECTROLUX 0K5730

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



ELECTROLUX 0K5730

**3440032 THERMOCOUPLE SIT M8x1 150 cm**



ELECTROLUX 0G2023

ELECTROLUX 051119

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ELECTROLUX 0G2023

ELECTROLUX 051119

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ELECTROLUX 0G2023

ELECTROLUX 051119

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ELECTROLUX 050235

**3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**



ELECTROLUX 050235

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ELECTROLUX 050235

**3440028 THERMOCOUPLE SIT M8x1 60 cm**



ELECTROLUX 050856

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ELECTROLUX 050856





# ELECTROLUX



Suitable for:

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ELECTROLUX 050856

Suitable for:

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ELECTROLUX 0K5688

ELECTROLUX 055106

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**



ELECTROLUX 0K5688

ELECTROLUX 055106

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ELECTROLUX 0K5688

ELECTROLUX 055106

**3440075 THERMOCOUPLE SIT M8x1 75 cm**



ELECTROLUX 0C0202

**3440875 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ELECTROLUX 0C0202

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ELECTROLUX 054102

ELECTROLUX 054103

ELECTROLUX 054104

ELECTROLUX 058332

**3440875 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ELECTROLUX 0C0202

**3440029 THERMOCOUPLE SIT M8x1 85 cm**



ELECTROLUX 0G2906

**3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS**



ELECTROLUX 0G2906

**3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS**



ELECTROLUX 0G2906

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ELECTROLUX 052163



# ELECTROLUX



Suitable for:

Suitable for:

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ELECTROLUX 027036

ELECTROLUX 027350

ELECTROLUX 053043

ELECTROLUX LF-3440061

**3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1**

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ELECTROLUX

ELECTROLUX LF-3440061

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ELECTROLUX 027036

ELECTROLUX 027350

ELECTROLUX 053043

ELECTROLUX 027036

ELECTROLUX 027350

ELECTROLUX 053043

**3440038 THERMOCOUPLE SIT M9x1 120 cm**

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



ELECTROLUX 0K3464

ELECTROLUX 020094

ELECTROLUX 0K3464

ELECTROLUX 020094

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**

**3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1**



ELECTROLUX 0K3464

ELECTROLUX 020094

ELECTROLUX

**3440039 THERMOCOUPLE SIT M9x1 150 cm**

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ELECTROLUX 059064

ELECTROLUX 059064



# ELECTROLUX



Suitable for:

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ELECTROLUX 059064

**3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1**



ELECTROLUX 020756

**3440034 THERMOCOUPLE SIT M9x1 50 cm**  
for Fry top gas (SILKO) BG74TLC



ELECTROLUX 025204

ELECTROLUX 027317

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



ELECTROLUX 025204

ELECTROLUX 027317

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ELECTROLUX 025677

ELECTROLUX 026273

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**



ELECTROLUX 025677

ELECTROLUX 026273

Suitable for:

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ELECTROLUX 020756

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ELECTROLUX 020756

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



ELECTROLUX 025204

ELECTROLUX 027317

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ELECTROLUX 004942

ELECTROLUX 025031

ELECTROLUX 057781

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ELECTROLUX 025677

ELECTROLUX 026273



# ELECTROLUX



Suitable for:

Suitable for:

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ELECTROLUX 004942

ELECTROLUX 025031

ELECTROLUX 057781

ELECTROLUX 004942

ELECTROLUX 025031

ELECTROLUX 057781

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ELECTROLUX 052814

ELECTROLUX 058386

ELECTROLUX 028982

**3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1**

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ELECTROLUX 028982

ELECTROLUX 028982

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ELECTROLUX 052814

ELECTROLUX 058386

ELECTROLUX 052814

ELECTROLUX 058386

**3440009 THERMOCOUPLE SIT M9x1 100 cm M8x1**

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ELECTROLUX 052163

ELECTROLUX 052163

**3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm**

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**



ELECTROLUX 0M0893

ELECTROLUX 003281

ELECTROLUX 0M0893

ELECTROLUX 003281



Suitable for:

**3440000 UNIVERSAL THERMOCOUPLE LF 120 cm**  
12 slotted pieces kit



ELECTROLUX 0S0056

Suitable for:

**3440001 UNIVERSAL THERMOCOUPLE LF 90 cm**  
12 slotted pieces kit



ELECTROLUX 0S0055

## Thermoregulators

**3442005 THERMOREGULATOR  $\varnothing$  60 mm 0-250°C**  
metal body  
white dial  
capillary length 1500 mm  
bulb  $\varnothing$  6x60 mm  
contact capacity 16(4)A 250V  
lead connector 6,35x0,8 mm  
mounting hole  $\varnothing$  61 mm  
for Fryer (ZANUSSI) ZFR/E1680 - ZFR/E2480  
for Fryer electric (ZANUSSI) HFR/E1680 - HFR/E2480  
for Fryer gas (ZANUSSI) HFR/G1680 - HFR/G2480



ELECTROLUX 054433

## Thermostatic gas valves

**3345038 THERMOSTATIC GAS COCK KIT PEL ST25**  
REPLACES EGA VALVE  
complete with accessories  
regulation temperature 140-300°C  
inlet 3/8"F - outlet 3/8"M - fitting 1/8"F  
bulb  $\varnothing$  6x120 mm - D-shaped pin  $\varnothing$  8x6.5 mm  
capillary 1240 mm  
for Oven under cooktop gas (ZANUSSI) MCF/G1050D  
MCF/G1055NL - MCF/G700 - MCF/G700D  
MCF/G705NL - RCF/G1050D - RCF/G700 - RCF/G700D



ELECTROLUX 0C0006



Suitable for:

# ELECTROLUX



Suitable for:

## Thermostatic gas valves

### 3345006 THERMOSTATIC GAS COCK PEL24ST

temperature range 120-320°C  
fitting inlet/outlet M20x1.5 mm  
capillary 900 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
D-shaped pin  $\varnothing$  10x8mm  
for Bratt pan  
for Fry top  
for Oven under cooktop



ELECTROLUX 058369

### 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ELECTROLUX 027478

ELECTROLUX 050682

### 3348037 PILOT OLIVE FOR PIPE $\varnothing$ 6 mm for model PEL 21-22



ELECTROLUX 020992

### 3348032 PIPE FITTING $\varnothing$ 12 mm for model PEL 22



ELECTROLUX 050670

### 3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



ELECTROLUX 003859

### 3348029 FITTING FOR PIPE $\varnothing$ 4 mm for model PEL 21-22



ELECTROLUX 052125

### 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE for model PEL 21-22



ELECTROLUX 052127

### 3348031 PIPE FITTING $\varnothing$ 10 mm for model PEL 22



ELECTROLUX 052124

### 3348038 PIPE OLIVE $\varnothing$ 10 mm for model PEL 22



ELECTROLUX 052128





Suitable for:

**3345016 THERMOSTATIC GAS COCK PEL24ST**  
 temperature range 120-320°C  
 fitting inlet/outlet M20x1.5 mm  
 capillary 1200 mm  
 swivel connections  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x100 mm  
 D-shaped pin  $\varnothing$  10x8mm  
 for Oven under cooktop (ZANUSSI)



ELECTROLUX 026335

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



ELECTROLUX 052127

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 for model PEL 22



ELECTROLUX 052124

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELECTROLUX 003859

**3345005 THERMOSTATIC GAS TAP PEL25ST**  
 adjustment temperature 140-300°C  
 fitting inlet and outlet M16x1.5 mm  
 thermocouple connection M8x1  
 bulb  $\varnothing$  6x120 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Oven under cooktop (ZANUSSI) - Series PR700  
 for Solid top range (ZANUSSI) - Series PR700



ELECTROLUX 006597

Suitable for:

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22



ELECTROLUX 052125

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



ELECTROLUX 020992

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 22



ELECTROLUX 052128



Suitable for:

# ELECTROLUX



Suitable for:

## Thermostats

**3444279 BULB HOLDING CLIP**  
per termostato resistenza



ELECTROLUX 066823

**3444579 BULB HOLDING CLIP**  
per termostato resistenza



ELECTROLUX 052262

**3744084 BULB HOLDING CLIP**  
for heating element thermostat



ELECTROLUX 0H6907

**3444215 GLAND FOR THERMOSTAT 12x1**



ELECTROLUX 067899

**3444121 MILLED GLAND FOR THERMOSTAT 9x1**




ELECTROLUX 027061

**3444124 PROTECTION CAP**  
for security thermostat



ELECTROLUX 0A2187

**3744061 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x150 mm



ELECTROLUX 0K0673

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm  
for Bain-marie (BERTO'S) BM55E - BM70E



ELECTROLUX 004912

**3444476 SINGLE-PHASE THERMOSTAT 170°C**  
2 contacts  
covered capillary length 560 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm  
for Hot cupboard electric (ZANUSSI)  
for Warm table electric (ZANUSSI)



ELECTROLUX 031482

**3444670 SINGLE-PHASE THERMOSTAT 190°C**  
with manual reset  
capillary length 350 mm - 16A 250V  
bulb  $\varnothing$  3.1x178 mm - with adapter nipple bland M9x1



ELECTROLUX 0H6142



Suitable for:

**3444554 SINGLE-PHASE THERMOSTAT 210°C**  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  6x47 mm  
 for Boiling pan (ZANUSSI) - Series N900



ELECTROLUX 0C1000

Suitable for:

**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm  
 for Bratt pan (ZANUSSI)



ELECTROLUX 057347

**3444080 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 covered capillary length 2020 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm  
 for Boiling pan (ZANUSSI)  
 for Bratt pan (ZANUSSI)  
 for Fryer (ZANUSSI)



ELECTROLUX 0A2011

**3444483 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 900 mm - 0.5A 12V  
 bulb  $\varnothing$  6x87 mm  
 for Fryer (AMBACH) - Series FG - Series GF  
 Series GY



ELECTROLUX 0C4279

**3444348 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 capillary length 1000 mm - 15A 250V  
 bulb  $\varnothing$  5x100 mm  
 for Fryer (STAR 10) F4 - F4+4 - F6+6  
 for Fryer electric (STAR 10) LT3 - LT8  
 for Fryer electric (ZANUSSI) HFR/E1680 - HFR/E2480  
 for Fryer gas (ZANUSSI) HFR/G1680 - HFR/G2480



ELECTROLUX 053012

**3444558 SINGLE-PHASE THERMOSTAT 238°C**  
 with automatic reset  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  6x74 mm  
 for Boiling pan (ZANUSSI) - Series HD900



ELECTROLUX 006709

**3444239 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland M10x1  
 complete with wiring 330mm for thermocouple  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (OFFCAR) - Series 700 - Series 900  
 for Fryer gas (GIORIK) - Series FRG



ELECTROLUX 058164

**3444377 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M10x1  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6



ELECTROLUX 003121



Suitable for:

## 3744065 SINGLE-PHASE THERMOSTAT 240°C

with manual reset  
double bulb  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x135 mm  
for Fryer (WHIRLPOOL) - Series 900  
for Fryer (ZANUSSI) - Series HD900



ELECTROLUX 059559

Suitable for:

## 3444124 PROTECTION CAP for security thermostat



ELECTROLUX 0A2187

## 3444684 SINGLE-PHASE THERMOSTAT 250°C

with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x90 mm  
for Fryer (ZANUSSI) - Series N700 - Series N900



ELECTROLUX 005931

## 3444018 SINGLE-PHASE THERMOSTAT 30-90°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x175 mm  
for Bain-marie electric (ZANUSSI) - Series HD900  
Series N700 - Series N900 - Series PR700  
Series R701  
for Hot cupboard electric (ZANUSSI)



ELECTROLUX 051142

## 3444019 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for Bain-marie (ZANUSSI)



ELECTROLUX 003262

ELECTROLUX 051920

## 3444560 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin 6x4.6 mm  
capillary covered length 1450 mm - 23A 400V  
bulb  $\varnothing$  6x90 mm  
for Food-service trolley (ZANUSSI)



ELECTROLUX 033716

## 3444266 SINGLE-PHASE THERMOSTAT 338°C

with manual reset  
covered capillary length 830 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm  
for Rotisserie (CB)



ELECTROLUX 002730

## 3444312 SINGLE-PHASE THERMOSTAT 360°C

with manual reset  
covered capillary 1500 mm - 3 contacts 16A 250V  
bulb  $\varnothing$  4x110 mm  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series JUNIOR - Series OMEGA - Series SENIOR  
Series SUMMIT  
for Oven under cooktop (SILKO)



ELECTROLUX 003594

ELECTROLUX 053980

ELECTROLUX 057442



# ELECTROLUX



Suitable for:

## 3444391 SINGLE-PHASE THERMOSTAT 45-170°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm  
bulb  $\varnothing$  3x220 mm  
for Hot cupboard (ZANUSSI)  
for Warm table (ZANUSSI)



ELECTROLUX 031480

## 3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



ELECTROLUX 029918

ELECTROLUX 057937

## 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



ELECTROLUX 005421

## 3444438 SINGLE-PHASE THERMOSTAT 90-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 0.5A 12V  
bulb  $\varnothing$  4x230 mm  
for Bratt pan (ZANUSSI) - Series HD900  
for Fryer (ZANUSSI) - Series PR700



ELECTROLUX 0G2351

ELECTROLUX 002602

Suitable for:

## 3444477 SINGLE-PHASE THERMOSTAT 50-260°C

with auxiliary switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1270 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900 - Series PR700



ELECTROLUX 002109

## 3444176 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051360

## 3444754 SINGLE-PHASE THERMOSTAT 50-98°C


D-shaped pin 6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  3x335 mm - with stuffing gland M9x1



ELECTROLUX 0H6440

## 3444031 SINGLE-PHASE THERMOSTAT 90-185°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2500 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Fryer (ZANUSSI) - Series HD900 - Series N700  
Series N900 - Series PR700



ELECTROLUX 003049

ELECTROLUX 052300

ELECTROLUX 052330





Suitable for:

# ELECTROLUX



## 3444032 SINGLE-PHASE THERMOSTAT 90-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Bratt pan (ZANUSSI) - Series H900  
for Fryer (ZANUSSI) - Series R700



ELECTROLUX 050412

## 3444376 SINGLE-PHASE THERMOSTAT 95-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1010 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
for Fryer (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fryer electric (GIORIK) - Series FT - FTR3  
FTR5 - FTR6  
for Fryer electric (MBM) EF45 - EF90  
for Fryer electric (ZANUSSI) QFE300 - QFE600



ELECTROLUX 058163

## 3444007 THERMOSTAT TR2 0-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm



ELECTROLUX 054323

## 3444078 THREE-PHASE THERMOSTAT 100-175°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Fryer (ALPENINOX) - Series 700 - Series 900



ELECTROLUX 0A2003

## 3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm  
for Bratt pan electric (GIGA) SKBR40E  
for Fry top (ZANUSSI) - Series H900



ELECTROLUX 052916

## 3444028 THREE-PHASE THERMOSTAT 105-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2800 mm - 10A 400V  
bulb  $\varnothing$  4x235 mm  
for Bratt pan (ZANUSSI) - Series R700  
Series R701  
for Fryer (ZANUSSI) - Series R700 - Series R701  
for Fryer electric (FRI FRI) D6



ELECTROLUX 004925

ELECTROLUX 051361

ELECTROLUX 054931

## 3444443 THREE-PHASE THERMOSTAT 115-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  3x144 mm  
for Fry top (ZANUSSI) - Series N700 - Series PR700



ELECTROLUX 004363

## 3444221 THREE-PHASE THERMOSTAT 140°C

with manual reset  
covered capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm  
for Fryer (MBM) - Series CLASSICA



ELECTROLUX 051644





Suitable for:

**3444567 THREE-PHASE THERMOSTAT 145°C**  
with manual reset  
capillary length 1750 mm - 16A 230V  
bulb  $\varnothing$  3.1x180 mm - with adapter nipple band M9x1



ELECTROLUX 0H6219

Suitable for:

**3444024 THREE-PHASE THERMOSTAT 160°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm  
for Boiling pan (ZANUSSI) - Series H900  
for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 051637

**3444442 THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary 880 mm  
bulb  $\varnothing$  6x88 mm  
for Boiling pan (ZANUSSI) - Series HD900  
Series N900



ELECTROLUX 005295

**3444556 THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x87 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series PR700



ELECTROLUX 004742

**3444079 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 1790 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Fryer (ZANUSSI)



ELECTROLUX 0A2204

**3444323 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
covered capillary length 950 mm - 20A 380V  
bulb  $\varnothing$  6x155 mm  
for Pasta cooker (ZANUSSI) - Series HD900



ELECTROLUX 059552

**3444035 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 10A 400V  
bulb  $\varnothing$  6x240 mm  
for Fryer (ZANUSSI) - Series R700 - Series R701



ELECTROLUX 051369

**3444143 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb  $\varnothing$  6x85 mm  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ELECTROLUX 0A5435



Suitable for:

# ELECTROLUX



**3444036 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x160 mm  
 for Bratt pan (ZANUSSI) - Series H900  
 for Fryer (ZANUSSI) AFR/G410 - Series HD700  
 Series H900 - Series R701



ELECTROLUX 052331

**3444368 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm  
 for Fryer (LOTUS) - Series 600 - Series 650  
 Series 700 - Series 900



ELECTROLUX 004951

**3444436 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 2700 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Fryer (WHIRLPOOL)  
 for Fryer (ZANUSSI) - Series HD900 - Series N700  
 Series N900 - Series PR700  
 for Hot plate (WHIRLPOOL)



ELECTROLUX 004472

**3444439 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm  
 for Bain-marie (ZANUSSI) - Series N900  
 for Fryer (WHIRLPOOL) - Series 900  
 for Fryer (ZANUSSI) - Series HD900 - Series N900



ELECTROLUX 006282

**3444437 THREE-PHASE THERMOSTAT 250°C**  
 with manual reset  
 covered capillary length 2500 mm - 20A 380V  
 bulb  $\varnothing$  6x240 mm  
 for Bratt pan (WHIRLPOOL) - Series 700  
 for Bratt pan (ZANUSSI) - Series H700  
 for Fryer (WHIRLPOOL) - Series 700  
 for Fryer (ZANUSSI) - Series H700



ELECTROLUX 054932

**3444444 THREE-PHASE THERMOSTAT 250°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Fryer (ZANUSSI) - Series N700 - Series N900



ELECTROLUX 005941

**3444557 THREE-PHASE THERMOSTAT 270°C**  
 with manual reset  
 covered capillary length 870 mm - 20A 400V  
 bulb  $\varnothing$  6x78 mm  
 for Fry top (ZANUSSI) - Series N700 - Series PR700



ELECTROLUX 006307

**3444575 THREE-PHASE THERMOSTAT 285°C**  
 with manual reset  
 covered capillary 940 mm - 20A 380V  
 bulb  $\varnothing$  6x157 mm  
 for Boiling pan (WHIRLPOOL) - Series H900  
 for Boiling pan (ZANUSSI) - Series HD900  
 Series H900



ELECTROLUX 053183



Suitable for:

**3444351 THREE-PHASE THERMOSTAT 295°C**  
 with manual reset  
 covered capillary 1800 mm - 10A 400V  
 bulb  $\varnothing$  4x125 mm - 10A 400V  
 for TECNOINOX OVEN  
 for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



ELECTROLUX 004921

Suitable for:

**3444076 THREE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



ELECTROLUX 0A2237  
ELECTROLUX 025468

ELECTROLUX 0H6220  
ELECTROLUX 032858

ELECTROLUX 0H6228

**3444088 THREE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 with adapter nipple band M9x1  
 for Bain-marie (ZANUSSI)



ELECTROLUX 004911

**3444067 THREE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 for Hot cupboard (ANGELO PO)  
 for Hot cupboard (MARENO)  
 for Hot cupboard (ZANUSSI)



ELECTROLUX 052000

ELECTROLUX 057237

**3444703 THREE-PHASE THERMOSTAT 315°C**  
 with manual reset  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



ELECTROLUX 0H6215

**3444025 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x160 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 Series H900  
 for Bratt pan (ZANUSSI) - Series HD900 - H900  
 for Fry top (ZANUSSI) - Series HD700



ELECTROLUX 051454

ELECTROLUX 051643

**3444354 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length 1120 mm - 10A 400V  
 bulb  $\varnothing$  3x190 mm  
 for Fry top electric (TECNOINOX) FTC35E - FTC70E  
 FTL35E - FTL70E - FTR35E - FTR70E



ELECTROLUX 0H6134

ELECTROLUX 004919

**3444445 THREE-PHASE THERMOSTAT 350°C**  
 covered capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x190 mm  
 for Bratt pan (ZANUSSI) - Series N900  
 for Oven under cooktop (ZANUSSI) - Series N900



ELECTROLUX 00C070



Suitable for:

# ELECTROLUX



**3444306 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm  
 for Bratt pan (BARON) - Series 700 - Series 900  
 for Bratt pan (ZANUSSI) - Series N700  
 Series PR700  
 for Fry top (BARON) - Series 600 - Series 700  
 Series 900  
 for Fry top (ZANUSSI) - Series HD900 - Series N900  
 for Kitchen (BARON) - Series 700 - Series 900  
 for Pot stove (ZANUSSI) - Series PR700



ELECTROLUX 004269

**3444574 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1200 mm - 20A 400V  
 bulb  $\varnothing$  6x79 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Fry top (ZANUSSI) - Series N700 - Series PR700  
 for Kitchen (ZANUSSI) - Series N700



ELECTROLUX 004600

**3444251 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm  
 for Fry top (TECNOINOX) - Series 700  
 for Fry top (ZANUSSI) - Series HD900 - Series N900  
 for Oven under cooktop (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA  
 for Oven under cooktop (TECNOINOX) - Series 700  
 for Oven under cooktop (ZANUSSI) - Series HD900  
 Series N700 - Series N900



ELECTROLUX 004917

ELECTROLUX 059235

**3444435 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 16A 380V  
 bulb  $\varnothing$  2.5x330 mm  
 for Fry top (ZANUSSI) - Series H900



ELECTROLUX 055996

**3444561 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1740 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm



ELECTROLUX 0H6217

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm  
 for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1  
 RG/E2



ELECTROLUX 0A2206

ELECTROLUX 0A2236



Suitable for:

## 3444033 THREE-PHASE THERMOSTAT 60-165°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  8x115 mm  
with adapter nipple bland M14x1  
for Fryer (ZANUSSI)



ELECTROLUX 026860

Suitable for:

## 3444559 THREE-PHASE THERMOSTAT 60-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb  $\varnothing$  4x229 mm  
for Fryer (ZANUSSI) - Series N700



ELECTROLUX 005940

## 3444044 THREE-PHASE THERMOSTAT 60-260°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm  
for Bratt pan (ZANUSSI)



ELECTROLUX 051362

## 3444038 THREE-PHASE THERMOSTAT 60-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm  
for Oven under cooktop (ZANUSSI) - Series H900  
for Pot stove (ZANUSSI) - Series H900  
Series R701



ELECTROLUX 052099

## 3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Fryer (ZANUSSI)



ELECTROLUX 0H6233

## 3444570 THREE-PHASE THERMOSTAT 95-230°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1250 mm  
bulb  $\varnothing$  4x128 mm  
for frytop N700  
for Fry top (ZANUSSI) - Series N700  
for Grill (ZANUSSI) - Series N900



ELECTROLUX 0C7528

ELECTROLUX 002402



Suitable for:

# ELECTROLUX



Suitable for:

## Timers

**3446065 TIMER R12B52209VA 220Vac**  
programmable time scale from 0-12s to 0-120h  
for Fryer (ZANUSSI) - Series H900  
for Pasta cooker (ZANUSSI) - Series N700



ELECTROLUX 054504

**3446001 TIMER 120 MINUTES**  
complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
manual left hand positioning possible  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



ELECTROLUX 003432

ELECTROLUX 029920

ELECTROLUX 053817

ELECTROLUX 057936

**3446004 TIMER 120 MINUTES**  
complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
manual left hand positioning possible  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



ELECTROLUX 003431

**3446104 TIMER 60 MINUTES M2**  
manually set mechanical timer  
manually set cycle 60 minutes  
2 poles with contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



ELECTROLUX 0H6684

## Tool holder shafts

**9742006 TOOL SHAFT FEATHER**  
dimensions 6x6x25 mm



ELECTROLUX 0E5048

ELECTROLUX 0K8973

## Tools

**3394038 GROOVED FRYTOP SCRAPER**



ELECTROLUX 056940





Suitable for:

Suitable for:

## Tools

**3394406 SCRAPER**  
with 1 blade 102 mm



ELECTROLUX 055995

**3394408 SCRAPER BLADE - 10 PCS**



ELECTROLUX 0C2519

ELECTROLUX 056347

**3394408 SCRAPER BLADE - 10 PCS**



ELECTROLUX 0C2519

ELECTROLUX 056347

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ELECTROLUX 0A2269

ELECTROLUX 004120

ELECTROLUX 082378

ELECTROLUX 083833

## Water filling taps

**3525005 LEFT-HAND WATER INLET TAP  $\varnothing$  1/2"FF**  
square pin 7x7 mm  
brass valve for hot water  
max flow rate 4 bar 24 l/min  
with external fixing thread  $\varnothing$  27x19 mm  
for Boiling pan (ZANUSSI) - Series H900  
Series R701  
for Boiling pan electric (OLIS) 915PEB  
for Boiling pan gas (OLIS) 910PGB - 911PGB  
915PGB  
for Pasta cooker electric (OLIS) 72/02CPE  
74/02CPE  
for Pasta cooker gas (OLIS) 912PCCPG - 914PCCPG



ELECTROLUX 026537

**3241107 BLACK KNOB  $\varnothing$  50 mm**  
square hole 7x7 mm  
for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 025260

ELECTROLUX 054254



Suitable for:

**3241108 KNOB CAP**



ELECTROLUX 025255

ELECTROLUX 054367

# ELECTROLUX



Suitable for:

**3358003 WATER INLET TAP  $\varnothing$  1/2"MM**  
 square shaft 7x7 mm  
 for Pasta cooker (ZANUSSI) - Series H900  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 for Pasta cooker gas (DESCO)  
 till 31/12/01  
 CPG1 - CPG1/PS - CPG2 - CPG3 - CPG7/1 - CPG7/2



ELECTROLUX 056616

**3241108 KNOB CAP**



ELECTROLUX 025255

ELECTROLUX 054367

**3241107 BLACK KNOB  $\varnothing$  50 mm**  
 square hole 7x7 mm  
 for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 025260

ELECTROLUX 054254

**3525004 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
 square shaft 7x7 mm  
 brass valve for cold water  
 max. flow rate 4 bar 24L/min  
 with external fastening thread  $\varnothing$  27x19 mm  
 for Bain-marie (ZANUSSI) - Series H900  
 for Boiling pan (ZANUSSI) - Series H900  
 Series R701  
 for Boiling pan electric (OLIS) 915PEB  
 for Boiling pan gas (OLIS) 910PGB - 911PGB  
 915PGB  
 for Bratt pan (ZANUSSI) - Series H900  
 for Pasta cooker (ZANUSSI) - Series H900  
 for Pasta cooker electric (OLIS) 72/02CPE  
 74/02CPE  
 for Pasta cooker gas (OLIS) 912PCCPG - 914PCCPG



ELECTROLUX 025733

ELECTROLUX 053703

**3241107 BLACK KNOB  $\varnothing$  50 mm**  
 square hole 7x7 mm  
 for Pasta cooker (ZANUSSI) - Series H900



ELECTROLUX 025260

ELECTROLUX 054254



Suitable for:

**3241108 KNOB CAP**



ELECTROLUX 025255

ELECTROLUX 054367

**3525040 WATER INLET TAP DX  $\varnothing$  1/2"FF**

D-shaft  $\varnothing$  10x8 mm  
for Bain-marie (ZANUSSI) - Series HD900  
for Boiling pan (ZANUSSI) - Series HD700  
for Pasta cooker (ZANUSSI) - Series HD900



ELECTROLUX 003516

**3358010 WATER INLET TAP KIT**

for Pasta cooker electric (ZANUSSI) MCP/E1S  
MCP/E2D - RCP/E1S - RCP/E2D  
for Pasta cooker gas (ZANUSSI) MCP/G1S - MCP/G2D  
RCP/G1S - RCP/G2D



ELECTROLUX 005873

**3525041 WATER INLET TAP LH  $\varnothing$  1/2"FF**

D-shaft  $\varnothing$  10x8 mm  
for Boiling pan (MARENO) - Series 900  
for Boiling pan (ZANUSSI) - Series HD700  
Series HD900  
for Bratt pan (MARENO) - Series 900 PROTAGONISTA  
for Pasta cooker (MARENO) - Series 700  
Series 900  
for Pasta cooker (ZANUSSI) - Series HD900



ELECTROLUX 003517

## Wheels and accessories

**3522015 ARTICULATION FOR SCREW**



ELECTROLUX 051294

**3522024 CROSS-HEAD NUT FOR TAP WORM**



ELECTROLUX 0A5155

**3522030 EXTENSION FOR TAP WORM**



ELECTROLUX 002355

**3522029 HAND WHEEL CRANK**

hole for shaft  $\varnothing$  16 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900 - Series PR700



ELECTROLUX 002276



Suitable for:

Suitable for:

**3522004 HAND WHEEL HANDLE IR407/90**  
for Bratt pan



ELECTROLUX 052393

**3522003 HANDWHEEL ø 175 mm**  
central hole ø 20 mm  
for Bratt pan (ZANUSSI) - Series H900



**3522004 HAND WHEEL HANDLE IR407/90**  
for Bratt pan



ELECTROLUX 052392

**3522019 RING FOR SCREW**



ELECTROLUX 052393

**3522020 RING NUT FOR SCREW**



ELECTROLUX 051277

**3522010 SCREW BEARING 6004 LD1**  
extern. ø 42 mm - intern. ø 20 mm - thic kn. 12 mm  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051276

**3522028 SCREW FOR TAP WORM**



ELECTROLUX 051298

**3522009 SCREW FOR TILTING**  
total length 885 mm  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 0A5163

**3522035 SCREW FOR TILTING**  
length 615 mm  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 002136

ELECTROLUX 002314

ELECTROLUX 002731



# ELECTROLUX



Suitable for:

**3522049 SCREW NUT FOR VITON**



ELECTROLUX 0C0675

Suitable for:

**3522014 SCREW SUPPORT**



ELECTROLUX 051265

**3522021 SCROLL FOR SCREW**



ELECTROLUX 051264

**3002009 SEEGER RING  $\varnothing$  38 mm**  
internal  $\varnothing$  32.5 mm - thic kn. 1.5 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900



ELECTROLUX 0A2592

**3522018 SPINDLE FOR TILTING SCREW**



ELECTROLUX 051365

**3522006 WHEEL  $\varnothing$  158 mm**  
central hole  $\varnothing$  16 mm  
complete with folding handle  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900 - Series PR700



ELECTROLUX 0A5164

**3522015 ARTICULATION FOR SCREW**



ELECTROLUX 051294

**1063911 BEARING 6202 2Z**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



ELECTROLUX 056820

**1063901 BEARING 6204 2RS NSK**  
external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm-thickness 14 mm



ELECTROLUX 0C0673  
ELECTROLUX 065048

ELECTROLUX 0KQ395

ELECTROLUX 045726



Suitable for:

**3522024 CROSS-HEAD NUT FOR TAP WORM**



ELECTROLUX 0A5155

**3522019 RING FOR SCREW**



ELECTROLUX 051277

**3522010 SCREW BEARING 6004 LD1**  
extern.  $\varnothing$  42 mm - intern.  $\varnothing$  20 mm - thickn. 12 mm  
for Bratt pan (ZANUSSI) - Series H900



ELECTROLUX 051298

**3522009 SCREW FOR TILTING**  
total length 885 mm  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 002136

**3522049 SCREW NUT FOR VITON**



ELECTROLUX 0C0675

# ELECTROLUX



Suitable for:

**3522030 EXTENSION FOR TAP WORM**



ELECTROLUX 002355

**3522020 RING NUT FOR SCREW**



ELECTROLUX 051276

**3522028 SCREW FOR TAP WORM**



ELECTROLUX 0A5163

**3522035 SCREW FOR TILTING**  
length 615 mm  
for Bratt pan (ZANUSSI) - Series HD900



ELECTROLUX 002314

**3522014 SCREW SUPPORT**



ELECTROLUX 051265

ELECTROLUX 002731





Suitable for:

**3522021 SCROLL FOR SCREW**



ELECTROLUX 051264

**3522018 SPINDLE FOR TILTING SCREW**



ELECTROLUX 051365

**3522041 WHEEL ø 160 mm**  
central hole ø 14 mm  
with handle



ELECTROLUX

# ELECTROLUX



Suitable for:

**3002009 SEEGER RING ø 38 mm**  
internal ø 32.5 mm - thickn. 1.5 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900



ELECTROLUX 0A2592

**3522023 THRUST BEARING 51102**  
external ø 28 mm - internal ø 15 mm - thickn.9 mm



ELECTROLUX 056821

**3522011 WHEEL ø 200 mm**  
central hole ø 20 mm  
with folding handle  
for Bratt pan (FAGOR) - Series 700 - Series 900



ELECTROLUX 0H6471

## Wire pan supports

**3354001 GRID REDUCER FOR MOKA 265x265 mm**  
in stainless steel



ELECTROLUX 025056

**3354002 MOKA ADAPTER 100x340 mm**  
made of chrome-plated iron  
for old series  
for Pot stove (ALPENINOX) - Series 900



ELECTROLUX 0A2000