




Spare parts for:

**Cooking equipment**



Suitable for:

**ELETTROBAR**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ELETTROBAR



Suitable for:

## Bearings

**1063911 BEARING 6202 2Z**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



ELETTROBAR 314002

**1063906 BEARING 6203 2Z**  
external  $\varnothing$  40 mm-internal  $\varnothing$  17 mm-thickness 12 mm



ELETTROBAR 314003

**9063010 BEARING 6204 DDU**  
external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm-thickness 14 mm  
for BAKERMIX KNEADER MIX203.B  
for OEM KNEADER F201/1-F501/2  
for OEM POTATO PEELER PLP10-PLP15-PLP23-PLP32  
for OEM POTATO PEELER PC6-PC8-PL10-PL15-PL23-PL32  
for OEM POTATO PEELER PV10-PV15-PV23



ELETTROBAR 314005

## Capacitors

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206002

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206003

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206004

**3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206005



# ELETTROBAR



Suitable for:

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELETTROBAR 206010

Suitable for:

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELETTROBAR 206002

ELETTROBAR 206009

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206001

## Contact thermostats

**3444610 CONTACT THERMOSTAT  $90^{\circ}\text{C}$  10A 250V**  
with automatic reset  
for BOILER



ELETTROBAR 236052

## Contactors

**3454012 CONTACTOR ABB A30-30-10 30A 400V 15Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
2 normally open auxiliary contacts  
for OVEN



ELETTROBAR

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



ELETTROBAR 229010

ELETTROBAR 229032

ELETTROBAR 229011

ELETTROBAR 926040

ELETTROBAR 229019

ELETTROBAR 929122



Suitable for:

**3351202 CONTACTOR AEG LS07 7A 230V 3Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



ELETTROBAR 926147

# ELETTROBAR



Suitable for:

**3351049 CONTACTOR SIEMENS 3RT1016-1AP01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact  
for Food-service trolley (MODULINE) RM112M



ELETTROBAR 80350

## Drain assembly

**3316011 BRASS DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  80 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



ELETTROBAR 43145

## Drain taps and accessories

**3526632 GAS/WATER BALLCOCK VALVE  $\varnothing$  3/4" FF**  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium throttle



ELETTROBAR 720010

## Feet

**3313005 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with fixed screw M12x25 mm



ELETTROBAR 926117



Suitable for:

# ELETTROBAR



Suitable for:

## Fittings

3349347 NICHEL-PL.HOSE-END FITTING  $\varnothing$  3/8" M  $\varnothing$  12



ELETTROBAR 927015

3349334 NICHEL-PLATED FITTING  $\varnothing$  1/2" M-3/8" F



ELETTROBAR 927234

## Fryer baskets and accessories

3055269 FRYER BASKET 200x295x110 mm  
in chromium plated iron  
for Fryer electric (CAPIC) FRI9  
for Fryer electric (ELETTROBAR) FRI9



ELETTROBAR 706089

## Fuses

3049019 DELAY FUSE 5x20 - 10 PCS  
250V 4A



ELETTROBAR 228010

3049041 QUICK ACTING FUSE 5x20 - 10 PCS  
250V 315mA



ELETTROBAR 926283

3049045 QUICK ACTING FUSE 5x20 - 10 PCS  
250V 800mA



ELETTROBAR 926284

3049052 QUICK ACTING FUSE 5x20 - 10 PCS  
250V 4A



ELETTROBAR 228004

## Gas taps and accessories

3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22



ELETTROBAR 455001



Suitable for:

# ELETTROBAR



Suitable for:

## Gas valves and accessories

**3523035 KNOB FOR MINISIT VALVE**  
for Fry top gas (FAGOR) FTG-705 - FTG-710  
FTG-905 - FTG-910



ELETTROBAR 447060

**3523047 MINISIT COVER**  
for Fry top gas (FAGOR) - Series 900  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
Series 900



ELETTROBAR 611002

**3523023 MINISIT VALVE FOR FRYER 50÷190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Fryer gas



ELETTROBAR 611001

## Gaskets and seals

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**



ELETTROBAR 437028

**3186011 FLAT CARBO GASKET  $\varnothing$  63x48x2 mm**  
universal carbo  
for heating element



ELETTROBAR 437029

## Heating elements

**3355243 HEATING ELEMENT 1000W 230V BOTTOM**  
length 180 mm - width 195 mm  
complete with cables  
for Panini grill electric (ELETTROBAR) G33 - G39  
433 - 434 - 436 - 437 - 438



ELETTROBAR B.30023500

ELETTROBAR 921008

ELETTROBAR 921038

**3355309 HEATING ELEMENT 1000W 230V BOTTOM**  
length 185 mm - width 180 mm  
complete with cables  
for Panini grill electric (BERTO'S) PD/VTR  
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST  
PDR/LD - PDR/VTR - PDT/L - PDT/M - PDT/R  
PDT/SX - PDT/VTR - PSL/LD - PSL/LX - PSR/LD  
PSR/ST - PST/L - PST/R



ELETTROBAR B.30023500



# ELETTROBAR



Suitable for:


**3355310 HEATING ELEMENT 1000W 230V TOP**  
length 185 mm - width 320 mm  
complete with cables  
for Panini grill electric (BERTO'S) PDT/VTR  
PM+VTR - PML/LD - PML/ST - PMR/ST - PMR/VTR



ELETTROBAR B.30024100

Suitable for:

**3355311 HEATING ELEMENT 1500W 230V BOTTOM**  
length 185 mm - width 320 mm  
complete with cables  
for Panini grill electric (BERTO'S) PM+VTR  
PML/LD - PML/ST - PMR/LD - PMR/ST - PMR/VTR  
PMT/VTR



ELETTROBAR B.30024300

**3455456 HEATING ELEMENT 3000W 230V**  
length 360 mm - width 65 mm  
height 240 mm - fittings  $\varnothing$  13 mm  
for Fryer electric (MBM) EF12B



ELETTROBAR 161879

**3355612 HEATING ELEMENT 3300W 230V**  
length 250 mm - width 135 mm  
height 220 mm - flange 160x22 mm  
for Fryer electric (ELETTROBAR) FRI6



ELETTROBAR 230069

**3355613 HEATING ELEMENT 3300W 230V**  
length 320 mm - width 135 mm  
height 220 mm - flange 160x22 mm  
for Fryer electric (ELETTROBAR) FRI9



ELETTROBAR 230070

**3355615 HEATING ELEMENT 4950W 230V**  
length 320 mm - width 130 mm  
height 220 mm - flange 160x22 mm  
for Fryer electric (COLGED) FAST151  
for Fryer electric (ELETTROBAR) FRI9



ELETTROBAR 230068

**3355616 HEATING ELEMENT 6600W 230V**  
length 350 mm - width 130 mm  
height 230 mm - flange 160x22 mm  
for Fryer electric (COLGED) FAST151  
for Fryer electric (ELETTROBAR) FRI12



ELETTROBAR 230072

**3355308 HEATING ELEMENT 700W 230V TOP**  
length 185 mm - width 180 mm  
complete with cables  
for Panini grill electric (BERTO'S) PD/VTR  
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST  
PDR/LD - PDR/ST - PDR/VTR - PSL/LD - PSL/SX  
PSM/ST - PSR/LD - PSR/ST



ELETTROBAR B.30022500




Suitable for:

# ELETTROBAR



**3355406 HEATING ELEMENT 750W 230V TOP**  
 length 170 mm - width 145 mm  
 complete with cables  
 for Panini grill electric (ELETTROBAR) G33 - G39  
 433 - 434 - 436 - 437 - 438



ELETTROBAR B.30022500

ELETTROBAR 921017

ELETTROBAR 921037

Suitable for:

**3355349 QUARTZ HEATING ELEMENT 1000W 230V**  
 length 390 mm - flange 130x11 mm  
 for Toaster electric (DIHR) F120 - F60  
 for Toaster electric (ELETTROBAR) 412  
 for Toaster electric (SICOMEX)



ELETTROBAR 923003

ELETTROBAR 923004

**3355299 QUARTZ TUBE  $\varnothing$  10x390 mm**  
 for Toaster electric (ARISTARCO)



ELETTROBAR 484001

**3355343 WIRE HEATING ELEMENT 500W 110V**  
 length 390 mm  
 for Toaster electric (BERTO'S) 12T - 6T  
 for Toaster electric (ELETTROBAR) 3P - 6P



ELETTROBAR 230031

**3355299 QUARTZ TUBE  $\varnothing$  10x390 mm**  
 for Toaster electric (ARISTARCO)



ELETTROBAR 484001

## Interference suppression filters

**3160479 INTERFERENCE SUPPRESSION FILTER 0,47 $\mu$ F**



ELETTROBAR 926144

## Ironmongery (screws,nuts,washers)

**3060069 S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588**



ELETTROBAR 926087



## Knobs

**3241402 BLACK KNOB  $\varnothing$  70 mm**  
 D shaft hole 6x4.6 mm  
 for thermostat. selector switch. timer.  
 program switch. energy regulator



ELETTROBAR

**3241863 BLACK KNOB  $\varnothing$  70 mm**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241864 BLACK KNOB  $\varnothing$  70 mm MIN-MAX**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241860 BLACK KNOB  $\varnothing$  70 mm 0-1-0-1**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241861 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241862 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3-4-5-6**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241855 BLACK KNOB  $\varnothing$  70 mm 30-110°C**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241853 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241854 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
 D shaft hole 6x4.6 mm



ELETTROBAR

**3241334 BLACK KNOB  $\varnothing$  71 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Boiling pan gas (GIGA) KPI10G - KP10G - KP15G  
 for Boiling pan gas (WHIRLPOOL) AGB371 - AGB373  
 AGB374 - AGB376 - AGB378 - AGB379 - AGB395  
 AGB397 - AGB398 - AGB400 - AGB402 - AGB403  
 for Pasta cooker (GIGA) KCP4 - KCP82 - OPCP4  
 OPCP82  
 for Pasta cooker gas (WHIRLPOOL) AGB448 - AGB450  
 AGB527 - AGB529



ELETTROBAR



Suitable for:

**3241168 BLACK KNOB 38x38 mm**  
square hole 3x3 mm



ELETTROBAR 999044

# ELETTROBAR



Suitable for:

**3241344 RED KNOB ø 72 mm 50-300°C**  
D shaft hole 8x6 mm  
for Panini grill (BERTO'S) - Series 600  
Series 900



ELETTROBAR B.30654500

**3241460 SELF-STICK DISK 50-300°C**  
external ø 63 mm



ELETTROBAR

## Lamps

**3221552 GREEN INDICATOR LAMP 12V**  
head ø 7 mm - hole ø 6 mm  
wire connection length 200 mm



ELETTROBAR

**3221132 GREEN INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ELETTROBAR 216019

**3221164 GREEN INDICATOR LAMP 230V**  
head ø 7 mm - hole ø 6 mm - 120°C  
dashboard mounting  
for Salamander (TECNOINOX) - Series SE  
Series SEF - Series SEL



ELETTROBAR DEL15

**3221329 GREEN INDICATOR LAMP 230V**  
ø head 16 mm - ø hole 10 mm - 150°C  
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



ELETTROBAR 161792

ELETTROBAR 166465

**3221262 GREEN LAMP RECEPTACLE**  
head ø 14.5 mm - hole ø 12 mm



ELETTROBAR 926114

**3319219 GREY SUPPORT**



ELETTROBAR 226096



Suitable for:

**3221192 LAMP SUPPORT**



ELETTROBAR 299035

Suitable for:

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



ELETTROBAR 216006

ELETTROBAR 926113

**3221553 ORANGE INDICATOR LAMP 12V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm  
wire connection length 200 mm



ELETTROBAR

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELETTROBAR B.30168500

ELETTROBAR 216018

ELETTROBAR 216020

**3221325 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  10 mm - 150°C  
for Bain-marie (MBM) - Series MAGIS MAGISTRA  
for Fry top (MBM) - Series MAGIS MAGISTRA



ELETTROBAR 161793

ELETTROBAR 166466

**3221329 GREEN INDICATOR LAMP 230V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 10 mm - 150°C  
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



ELETTROBAR 161792

ELETTROBAR 166465

**3221137 ORANGE INDICATOR LAMP 250V**  
 $\varnothing$  head 14 mm -  $\varnothing$  hole 12 mm - 120°C  
for Bain-marie electric (FAGOR) BME9-05 - BME9-10  
for Kitchen electric (FAGOR) CE7-20 - CE7-40  
CE9-41



ELETTROBAR 216012

**3221551 RED INDICATOR LAMP 12V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm  
wire connection length 200 mm



ELETTROBAR

**3221139 RED INDICATOR LIGHT 230V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm - 120°C  
for Panini grill electric (ELETTROBAR) G33 - G39



ELETTROBAR 216016



Suitable for:

# ELETTROBAR



Suitable for:

## Lava rock grids

- 3185059 STAINLESS STEEL GRILL 600x345x20 mm**  
 for new series  
 for Lava rock grill gas (ZANUSSI) - Series HD900



ELETTROBAR

## Microswitches

- 3240605 DOOR MICROSWITCH M1AX20 10A 250V**



ELETTROBAR 218011

- 3240204 MAGNETIC MICROSWITCH E5301C**  
 0.4A 250V - contact NO - head 65x20x9 mm  
 with magnet 63x19x11 mm  
 with cable length 1900 mm



ELETTROBAR 927017

- 3240181 PROTECTED MAGNET 62x18x10 mm**



ELETTROBAR 926014

- 3240123 MICROSWITCH 16A 250V**



ELETTROBAR 218009

- 3240181 PROTECTED MAGNET 62x18x10 mm**



ELETTROBAR 926014

## OR and ORM gaskets

- 3186013 O-RING GASKET 06187 EPDM ø 58 mm**



ELETTROBAR 456002

ELETTROBAR 456079

- 3186014 O-RING GASKET 06225 EPDM ø 67 mm**



ELETTROBAR 929046



Suitable for:

**3060608 O-RING 03050 EPDM**



ELETTROBAR 456020

Suitable for:

**3186434 O-RING 0121 EPDM**



ELETTROBAR 456026

**1186503 O-RING 0155 RED SILICONE**  
for exchanger  
for Pasta cooker electric (DESCO) CPE2 - CPE7



ELETTROBAR 927097

**3243142 O-RING 04118 EPDM**



ELETTROBAR 929055

**3186340 OR GASKET 03037 EPDM**



ELETTROBAR 456011

**3186580 OR GASKET 04131 VITON**



ELETTROBAR 927010

## Pilot burners and accessories

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ELETTROBAR 468098

**3020014 TWO-FLAME PILOT BURNER LH**  
without sparking plug, gas jet and gasket  
with thermocouple fitting  
for Pasta cooker gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA



ELETTROBAR 611003

**3020013 TWO-FLAME PILOT BURNER RH**  
without sparking plug, gas jet and gasket  
with thermocouple fitting  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



ELETTROBAR 611004



Suitable for:

# ELETTROBAR



Suitable for:

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm  
for Toaster



ELETTROBAR 433004

## Probes


**3445398 SILICONE PROBE NTC 1500 mm**  
2-wire probe temperature range -50+120°C  
bulb ø 6x50 mm



ELETTROBAR 927335


## Relays

**3351154 BASE OCTAL ES8 10A 400V**  
8 poles



ELETTROBAR 927045

**3351601 RELAY B1-3 16A 230V 50/60Hz**  
3 NO contacts




ELETTROBAR 229008

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
2 switching contacts




ELETTROBAR 229023

**3351605 RELAY 60.63 10A 230V 50/60Hz**  
3 switching contacts




ELETTROBAR 229024

**3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts



ELETTROBAR 929115

**3351008 RELAY 62.83 16A 230V 50/60Hz**  
3 switching contacts



ELETTROBAR 229036



Suitable for:

## 3351602 RELAY 65.31 30A 250V

1 cut-off contact  
coil 230V 50/60Hz



ELETTROBAR 229025

ELETTROBAR 229029

Suitable for:

## 3351041 TIME LIMIT RELAY E21 5A 240V 50/60Hz

timer 60" ÷ 3'



ELETTROBAR 238064

## Rotary switches

### 3057151 SELECTOR SWITCH 0-2 POSITIONS

contact capacity 16A 250V - max temperature 150°  
D spindle  $\varnothing$  6x4.6 mm  
for Toaster electric (BERTO'S) 12T - 4T0 - 6T  
for Toaster electric (ELETTROBAR) 404 - 406 - 412  
for Toaster electric (SILANOS) FA3



ELETTROBAR 923011

## Solenoid valves

### 3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI  
rated value +/- 25%



ELETTROBAR 133009

### 3120408 SOLENOID VALVE 230V $\varnothing$ 13.5 mm

solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 1 outlet  $\varnothing$  13.5 mm



ELETTROBAR

### 3120004 SOLENOID VALVE 319 220/240V $\varnothing$ 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



ELETTROBAR 240006

### 3120504 SOLENOID VALVE 319 24V $\varnothing$ 10 mm

solenoid valve 90° - 24V 50Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



ELETTROBAR



# ELETTROBAR



Suitable for:

**3120005 SOLENOID VALVE 329 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



ELETTROBAR 240011

ELETTROBAR 240016

ELETTROBAR 240018

Suitable for:

**3120505 SOLENOID VALVE 329 24V ø 10 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



ELETTROBAR LF-3120530

**3120007 SOLENOID VALVE 349 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 10 mm



ELETTROBAR 240003

ELETTROBAR 929172

**3120507 SOLENOID VALVE 349 24V ø 10 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - dual outlet ø 10 mm



ELETTROBAR 927001

**3120511 SOLENOID VALVE 350 24V ø 14 mm**  
solenoid valve 90° - 24V 50Hz - max 90°C  
3/4" inlet - ø 14 mm outlet



ELETTROBAR

**3120512 SOLENOID VALVE 351 24V ø 14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
3/4" inlet - ø 14 mm outlet



ELETTROBAR

## Sparking and detection plugs

**3020060 ROUND SPARKING PLUG ø 7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ELETTROBAR 611006





Suitable for:

# ELETTROBAR



Suitable for:

## Springs

**3250003 SPRING  $\varnothing$  20x115 mm**  
for ELECTRIC GRIDDLE PS-PM-PD/ST



ELETTROBAR B.30613100

**3250146 SPRING  $\varnothing$  21.5x117 mm**  
for Panini grill electric (BERTO'S) PDM/LD  
PDR/LD - PSL/LD - PSR/LD  
for Panini grill electric (ELETTROBAR) G34 - G37  
G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



ELETTROBAR 921005

## Switches

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701  
Series 700



ELETTROBAR 410005

## Telethermometers

**3441084 TELETHERMOM.58x25 mm 0-120°C TR58.25P**  
plastic case  
black dial  
capillary length 1500 mm



ELETTROBAR

**3441020 TELETHERMOMETER WHITE  $\varnothing$  52 mm 50-250°C**  
metal body  
capillary length 1500 mm  
bulb  $\varnothing$  6x43 mm  
for Fryer



ELETTROBAR 161827

ELETTROBAR 483004

## Terminal blocks

**3247018 2-POLE TERMINAL BLOCK FV77 20A 600V**  
for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELETTROBAR 921045

**3247016 3-POLE TERMINAL BLOCK FV273 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELETTROBAR 921044



Suitable for:

**3247011 6-POLE TERMINAL BLOCK FV122 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELETTROBAR 220011

ELETTROBAR 921057

Suitable for:

**3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELETTROBAR

## Thermocouples and accessories

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ELETTROBAR 611005

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



ELETTROBAR 611005

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ELETTROBAR 611005

## Thermostats

**3444008 BLACK KNOB  $\varnothing$  41 mm 0-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for thermostat TR/2



ELETTROBAR 929042

**3444124 PROTECTION CAP**  
for security thermostat



ELETTROBAR 410006



Suitable for:

**3444651 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 950 mm - 16A 250V  
bulb  $\varnothing$  3x190 mm  
for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8  
for Fryer electric (ELETTROBAR) FRI12 - FRI6  
FRI9



ELETTROBAR 236034

ELETTROBAR 236045

Suitable for:

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



ELETTROBAR 924024

**3444006 THERMOSTAT TR2 0-210°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  5x140 mm  
for Fryer electric (ELETTROBAR) ME40



ELETTROBAR

**3444335 THERMOSTAT TR2 0-250°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 940 mm - 15A 250V  
bulb  $\varnothing$  3x190 mm  
for Hot plate electric (ELETTROBAR)



ELETTROBAR 921014

**3444336 THERMOSTAT TR2 0-270°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 940 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm  
for Hot plate electric (ELETTROBAR)  
for Hot plate electric (FIMAR)



ELETTROBAR 921046

**3444004 THERMOSTAT TR2 0-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



ELETTROBAR 929044

**3444143 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb  $\varnothing$  6x85 mm  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ELETTROBAR



Suitable for:

# ELETTROBAR



Suitable for:

## Timers

### 3446138 TIMER 15 MINUTES M2

mechanical movement with balance wheel  
manually set mechanical timer  
manually set cycle 15 minutes  
2 poles with contact capacity 16(4)A 250V  
max temperature 125°C  
square pin 3x3 mm



ELETTROBAR 222001

### 3241168 BLACK KNOB 38x38 mm

square hole 3x3 mm



ELETTROBAR 999044