




Spare parts for:

## Cooking equipment



Suitable for:

# ELOMA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# ELOMA



Suitable for:

## Fuses

**3049016 DELAY FUSE 5x20 - 10 PCS**  
250V 2A



ELOMA 190756

**3049019 DELAY FUSE 5x20 - 10 PCS**  
250V 4A



ELOMA 765368

**3049022 DELAY FUSE 5x20 - 10 PCS**  
250V 10A



ELOMA 578975

## Handles

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



ELOMA LF-3242042

## Heating elements

**3755352 HEATING ELEMENT 1000W 230V**  
length 730 mm - width 40 mm  
for Grill electric (ELOMA)



ELOMA R0215

ELOMA 318013

**3755353 HEATING ELEMENT 1000W 230V**  
length 710 mm - width 40 mm  
for Grill electric (ELOMA)



ELOMA R0210

ELOMA 318012



# ELOMA



Suitable for:

**3755354 HEATING ELEMENT 1100W 230V**  
length 745 mm - width 40 mm  
for Grill electric (ELOMA)



ELOMA R0220

ELOMA 318014

Suitable for:

**3755346 HEATING ELEMENT 2000W 230V**  
length 250 mm - width 170 mm  
total height 130 mm - with cables  
for Salamander electric (FRANKE)



ELOMA T0120

ELOMA 318049

**3755347 HEATING ELEMENT 2000W 230V**  
length 250 mm - width 170 mm  
total height 130 mm - with cables  
for Salamander electric (FRANKE)



ELOMA T0119

ELOMA 318048

**3755350 HEATING ELEMENT 2100W 230V**  
length 470 mm - width 210 mm



ELOMA R0205

ELOMA 318011

**3755349 HEATING ELEMENT 2200W 230V**  
length 365 mm - width 170 mm



ELOMA R0200

ELOMA 318010

## Lamps

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



ELOMA

**3221381 HALOGEN LAM PR7S 300W 230V**  
length 117 mm



ELOMA

## Microswitches

**3240123 MICROSWITCH 16A 250V**



ELOMA 570540



Suitable for:


# ELOMA



Suitable for:

## Rotary switches

**3057203 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ELOMA E0191

ELOMA E32006

ELOMA 320006

**3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



ELOMA E0187

ELOMA 532215

**3057093 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



ELOMA E0185

**3057096 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Salamander electric (FRANKE) FR1/1E2



ELOMA T0132

## Solenoid valves

**3120261 MULLER SOLENOID VALVE 230V  $\varnothing$  12 mm**  
solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
3/4" inlet -  $\varnothing$  12 mm outlet



ELOMA 754463

## Tangential fans

**3526150 TANGENTIAL FAN 180 mm LEFT**  
230V 50/60Hz -  $\varnothing$  60 mm - 25 W  
operating temperature -30°+135°C



ELOMA 573469



Suitable for:

# ELOMA



Suitable for:

## Thermostats

**3444681 SINGLE-PHASE THERMOSTAT 318°C**  
capillary length 800 mm  
bulb  $\varnothing$  4x110 mm - with adapter nipple band M9x1  
with complete tank joint M12x1



ELOMA E0232

ELOMA 336004

**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1



ELOMA E0268  
ELOMA 234007

ELOMA E334007

ELOMA 091634