




Spare parts for:

Cooking equipment



Suitable for:

EMMEPI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

EMMEPI



Suitable for:

Air regulators

3025103 AERATION REGULATOR
internal \varnothing 14 mm - external \varnothing 17 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 807731

3025107 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 807729

3025185 AERATION REGULATOR
internal \varnothing 22 mm - external \varnothing 24 mm
height 66 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



EMMEPI 827851

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



EMMEPI 809503

EMMEPI 831100001

Bearings

3063017 BEARING 6203 2RS NSK
external \varnothing 40 mm - internal \varnothing 17 mm - thickness 12 mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555

3063121 BEARING 6203 2RS SKF
 \varnothing ext. 40 mm - \varnothing int. 17 mm - thickness 12 mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555



Suitable for:

1063906 BEARING 6203 2Z
external \varnothing 40 mm-internal \varnothing 17 mm-thickness 12 mm



EMMEPI 808551

Suitable for:

1063901 BEARING 6204 2RS NSK
external \varnothing 47 mm -internal \varnothing 20 mm-thickness 14 mm



EMMEPI EC1110002

3063122 BEARING 6204 2RS SKF
 \varnothing ext. 47 mm - \varnothing int. 20 mm - thickness 14 mm



EMMEPI EC1110002

Bulb sheathes

3187006 SHEATHING \varnothing 1/2" 130 mm
in stainless steel for thermostat bulb
2 pipes



EMMEPI TR0298

Burners, flame spreaders and accessories

3025345 BURNER \varnothing 100 mm 5.5KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99637

3025111 BURNER \varnothing 100 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806099

3025335 BURNER \varnothing 100 mm 5KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C89437

3025348 BURNER \varnothing 120 mm 7,5KW
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C99638



Suitable for:

EMMEPI



3025182 BURNER \varnothing 125 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806100

3025328 BURNER \varnothing 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10048

3025108 BURNER \varnothing 70 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806098

3025342 BURNER \varnothing 70 mm 3.5 KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99636

3025332 BURNER \varnothing 70 mm 3KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C89438

3025321 BURNER \varnothing 90 mm 3KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10045

3025113 BURNER SUPPORT 100 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806178

3025346 BURNER SUPPORT 100 mm 5.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00011

EMMEPI C00815

3025336 BURNER SUPPORT 100 mm 5Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10274

3025349 BURNER SUPPORT 120 mm 7.5Kw
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C00012

EMMEPI C00816



EMMEPI



Suitable for:

3025184 BURNER SUPPORT 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806179

Suitable for:

3025110 BURNER SUPPORT 70 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806177

3025343 BURNER SUPPORT 70 mm 3.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00010

EMMEPI C00814

3025333 BURNER SUPPORT 70 mm 3Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10273

3025112 FLAME SPREADER ø 100 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806123

3025107 AERATION REGULATOR
internal ø 18 mm - external ø 20 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 807729

3025111 BURNER ø 100 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806099

3025113 BURNER SUPPORT 100 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806178

3025465 FLAME SPREADER ø 100 mm UNPOLISHED
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10196

3025321 BURNER ø 90 mm 3KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10045



Suitable for:

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10046

EMMEPI



Suitable for:

3025334 FLAME SPREADER ø 100 mm 5 KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10285

3025336 BURNER SUPPORT 100 mm 5Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10274

3025344 FLAME SPREADER ø 100 mm 5.5 KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00457

3025345 BURNER ø 100 mm 5.5KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99637

3025346 BURNER SUPPORT 100 mm 5.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00011

EMMEPI C00815

3025347 FLAME SPREADER ø 120 mm 7.5KW
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C00458

3025348 BURNER ø 120 mm 7,5KW
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C99638



EMMEPI



Suitable for:

3025349 BURNER SUPPORT 120 mm 7.5Kw
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C00012

EMMEPI C00816

Suitable for:

3025183 FLAME SPREADER ø 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806124

3025182 BURNER ø 125 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806100

3025397 FLAME SPREADER ø 130 mm UNPOLISHED
for Pot stove gas (BERTO'S) - Series 900
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10197

3025398 FLAME SPREADER ø 60 mm UNPOLISHED
for Pot stove gas (BERTO'S) - Series 900
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10198

3025185 AERATION REGULATOR
internal ø 22 mm - external ø 24 mm
height 66 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI

3025184 BURNER SUPPORT 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806179

3025328 BURNER ø 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10048

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10049



Suitable for:

EMMEPI



Suitable for:

3025398 FLAME SPREADER ø 60 mm UNPOLISHED

for Pot stove gas (BERTO'S) - Series 900
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10198

3025109 FLAME SPREADER ø 70 mm

for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806122

EMMEPI 808272

3025108 BURNER ø 70 mm

with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806098

3025103 AERATION REGULATOR

internal ø 14 mm - external ø 17 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 807731

3025110 BURNER SUPPORT 70 mm

for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



EMMEPI 806177

3025341 FLAME SPREADER ø 70 mm 3.5KW

for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00456

3025342 BURNER ø 70 mm 3.5 KW

for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99636

3025343 BURNER SUPPORT 70 mm 3.5Kw

for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00010

EMMEPI C00814



EMMEPI



Suitable for:

3025331 FLAME SPREADER \varnothing 70 mm 3KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10284

Suitable for:

3025333 BURNER SUPPORT 70 mm 3Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10273

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10046

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650
for Pot stove gas (MBM) - Series MINIMA



EMMEPI C10049

Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2 mm for plug
for Bratt pan gas (MBM) GBRA



EMMEPI 808276

3001027 IGNITION CABLE 500 mm
with faston terminal \varnothing 2 mm for ignition
with faston terminal \varnothing 2 mm for plug
for Pot stove gas (MBM) - Series MINIMA
Series OMNIA



EMMEPI C00808

3001038 IGNITION CABLE 500 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2 mm for plug
for Pot stove gas (LOTUS) - Series 600



EMMEPI C10475

3001040 IGNITION CABLE 850 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 4 mm for plug



EMMEPI 051E10008

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



EMMEPI 809430

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EMMEPI C10259

EMMEPI 809389



Suitable for:

3001017 SIT IGNITION LEAD 600 mm
 with faston 6.35x0.8 mm ignition
 with faston \varnothing 4 mm for electrode
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



EMMEPI

Suitable for:

3001018 SIT IGNITION LEAD 600 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



EMMEPI C00171

EMMEPI 808230

Capacitors

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



EMMEPI 8C1588


3068014 CAPACITOR μ F 8 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



EMMEPI 132110008

Cast iron hot plates

3312031 RIBBED PLATE 425x375 mm
 made of cast iron
 for Pot stove (MBM) - Series 900 CLASSICA



EMMEPI 100510

3312115 SMOOTH PLATE 365x355 mm
 for Pot stove (MBM) - Series 900 MAGISTRA



EMMEPI 100083

Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
 for hoses \varnothing 7÷7.5 mm



EMMEPI 809344

3449462 HOSE CLAMP 12-20
 for hoses \varnothing 12÷20 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7



EMMEPI 902440



Suitable for:

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7



EMMEPI 8C1490

EMMEPI



Suitable for:

3449456 HOSE CLAMP 50-70
for hoses \varnothing 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7



EMMEPI 902490

3168002 HOSE CLAMP 68-85
for hoses \varnothing 68÷85 mm
made of stainless steel AISI 304
height 9 mm and screw E7



EMMEPI E2311007

Contact thermostats

3443046 CONTACT THERMOSTAT 16A 250V
fastening pin M4



EMMEPI 8C1169

3443045 CONTACT THERMOSTAT 180°C 16A 250V
with manual reset - 16A 250V



EMMEPI 809925

Contactors

3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact
for Kitchen electric (AMBASSADE) CFE705RT
CFE714RT



EMMEPI 8C0216

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



EMMEPI 8C0148



Suitable for:

EMMEPI




3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Fryer electric (MARENO) F7-4E12



EMMEPI C00571

Suitable for:

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



EMMEPI 807553

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



EMMEPI C00287

EMMEPI 907041

Drain assembly

3316150 DRAIN ASSEMBLY 3/4"
 with nut and gasket
 for Warm table (MARENO) SVAC16 - SVAC20 - SVCG08
 SVCG12 - SVCG16 - SVCG20



EMMEPI 825827

Drain taps and accessories

3526671 BALL VALVE ø 1/2" FF
 for Bain-marie (ZANUSSI)
 for Bratt pan (ZANUSSI)
 for Food-service trolley (BLANCO) SAG2 - SAG3
 SG3 ECO-LINE
 for Pasta cooker (EMMEPI) - Series 700
 for Pasta cooker (ZANUSSI)



EMMEPI 827969

3356049 DRAIN PIPE WITH SAFETY DEVICE
 ø 22 mm - length 210 mm - bayonet joint
 for TECNOINOX BAIN-MARIE-FRYER



EMMEPI C00712

EMMEPI 705130222

EMMEPI 808931



Suitable for:

Suitable for:

3356004 DRAIN TAP \varnothing 1" F
 TAPERED SEAL - fixed connection \varnothing 1" F
 with gasket
 for BOILING PAN



EMMEPI

3356005 DRAIN TAP \varnothing 1"1/4 F TECNO
 TAPERED SEAL - fixed connection \varnothing 1"1/4 F
 with gasket
 for BOILING PAN



EMMEPI 808350

3186010 ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm



EMMEPI 903300

3356100 DRAIN TAP \varnothing 2" F TECNO
 GASKET SEAL - with swivel nut \varnothing 2" F
 for Boiling pan
 for Bratt pan (CHARVET) 1000GMA200BM/C



EMMEPI 806172

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
 for drain tap \varnothing 2" old model



EMMEPI 809269

3242190 DRAIN TAP HANDGRIP
 for DRAIN TAP \varnothing 2" OLD MODEL
 AND FOR TECNO NEW MODEL



EMMEPI 8C2064

3242191 PIN M6x40
 for DRAIN TAP \varnothing 2" OLD MODEL



EMMEPI 8C2044

3186241 VITON O-RING 06212
 for DRAIN TAP \varnothing 2" OLD MODEL AND
 TECNO NEW MODEL



EMMEPI 809345



Suitable for:

EMMEPI



3356052 DRAIN TAP \varnothing 3/4" F
 lateral lever fitting
 outlet internal \varnothing 22 mm
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie gas (MARENO) BMG40 - BMG60
 for Fryer (EMMEPI) - Series 650
 for Fryer gas (MARENO) FQ-G60 - FQG-40
 for Pasta cooker (EMMEPI) - Series 650



EMMEPI 809040

Suitable for:

3356049 DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
 for TECNOINOX BAIN-MARIE-FRYER



EMMEPI C00712

EMMEPI 705130222

3356053 DRAIN TAP HANDLE
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie (ZANUSSI) - Series Q500
 for Fryer (EMMEPI) - Series 650
 for Fryer (ZANUSSI) - Series Q500
 for Pasta cooker (EMMEPI) - Series 650



EMMEPI 809039

3242190 DRAIN TAP HANDGRIP
 for DRAIN TAP \varnothing 2" OLD MODEL
 AND FOR TECNO NEW MODEL



EMMEPI 8C2064

3356053 DRAIN TAP HANDLE
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie (ZANUSSI) - Series Q500
 for Fryer (EMMEPI) - Series 650
 for Fryer (ZANUSSI) - Series Q500
 for Pasta cooker (EMMEPI) - Series 650



EMMEPI 809039

3356138 OUTLET TAP FITTING
 for Pasta cooker gas (GIORIK) 3CPG



EMMEPI 809274

3242191 PIN M6x40
 for DRAIN TAP \varnothing 2" OLD MODEL



EMMEPI 8C2044

Electric hot plates

3311166 ELECTRIC HOT PLATE ø 180 mm 1800W 230V

faston electric connections
for glass-ceramic cooking top
for glass-ceramic cooking top



EMMEPI 809043

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI C10000

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (BONNET) B-B7.PE800
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720



EMMEPI C00208

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V

terminal block electric connections
with STAINLESS steel edge
for Pot stove (MBM) - Series DOMINA900



EMMEPI C00210

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI C00637

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI 514120003

3311062 ELECTRIC HOT PLATE 3000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



EMMEPI

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



EMMEPI C00212



Suitable for:

EMMEPI



Suitable for:

Electrical gas valves and accessories

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KKG - 94KBCM
94KKG
for Fryer gas (BONNET)



EMMEPI C00302

EMMEPI 813416

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



EMMEPI 813436



Suitable for:

EMMEPI



3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



EMMEPI C00946

Suitable for:

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



EMMEPI 808578

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



EMMEPI 8C0068

EMMEPI 809595

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



EMMEPI 809326



Suitable for:

EMMEPI



Suitable for:

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M
 for Grill electric (BERTO'S) E6PL60B - E6PL60M
 E9PL40M - E9PL80M - PLE40BE - PLE40ME
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M
 for Salamander electric (BERTO'S) SA/E48 - SA/E60
 SA/E60-E - SA/E68M - SA/E68M-E



EMMEPI 806287

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



EMMEPI E11110001

EMMEPI 8C0297

EMMEPI 808020

EMMEPI 809397

2111902 ENERGY REGULATOR

contacts 240V 13A
 temperature max 125°C
 D-shaft ø 6x4.6 mm
 for Pot stove electric (MBM) EVC26 - EVC46



EMMEPI 8C1979

EMMEPI 809046

Fryer baskets and accessories

3055207 FRYER BASKET 185x270x120 mm

made of chrome-plated iron
 for Fryer (ZANUSSI) - Series HD700



EMMEPI 808182

3055360 FRYER BASKET 290x230x120 mm

made of chrome plated iron
 for Fryer (EMMEPI) FR704EB1
 for Fryer (MACFRIN)
 for Fryer (SILKO)
 for Fryer electric (GIORIK) F15L - F215L
 for Fryer gas (GIORIK) FG13L - FG213L



EMMEPI CFR242812

EMMEPI CF518120017



Gas burners

3023235 BURNER 450x220 mm
made of stainless steel
for Lava rock grill gas (BARON) - Series 700



EMMEPI 8C2060

3023148 BURNER 535x240 mm
made of stainless steel
for Fry top gas (MBM) - Series MAGISTRA



EMMEPI 809992

3023144 BURNER 575x225 mm
made of stainless steel
for Lava rock grill gas (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



EMMEPI 8C1344

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED
for Fryer gas (BARON) - Series 700 - Series 900



EMMEPI 808417

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED
for Fryer gas (BARON) - Series 700 - Series 900



EMMEPI 808419

3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7207 - FRG9207



EMMEPI 051E10005

Gas taps and accessories

3348105 GAS COCK SABAF
without pilot flame
fittings \varnothing M14x1.5 mm
eye thermocouple connection
D-shaped long pin \varnothing 8x6.5 mm
for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C10107

3348002 GAS COCK 22/0
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm
for Boiling pan (THIRODE)
for Bratt pan gas (THIRODE) SA30 - SA41
for Grill (FAGOR) - Series 900



EMMEPI C00085
EMMEPI 806168

EMMEPI 512250003
EMMEPI 808036

EMMEPI 512250004
EMMEPI 808196



Suitable for:

Suitable for:

3348010 GAS COCK 22/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm



EMMEPI 806166

3348003 GAS COCK 22/V
 with pilot flame
 with vertical flange
 fittings \varnothing M20x1.5mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



EMMEPI C00779

EMMEPI 809469

3348011 GAS TAP 23/0
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm - outlet fitting M24x1.5mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm
 for Bain-marie (CHARVET)
 for Boiling pan (CHARVET)
 for Boiling pan (THIRODE)
 for Bratt pan gas (THIRODE) SA65 - SA85
 for Fryer (CHARVET)



EMMEPI 808520

3348032 PIPE FITTING \varnothing 12 mm
 for model PEL 22



EMMEPI 807910

3348038 PIPE OLIVE \varnothing 10 mm
 for model PEL 22



EMMEPI 808515

3348044 PIPE OLIVE \varnothing 10 mm
 for model PEL 20 - 21



EMMEPI 815848

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10



EMMEPI C00753

EMMEPI 808934

3526250 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple fitting M9x1
 gas max inlet pressure 50 mbar
 outlet pressure range setting
 outlet 3÷18 mbar
 room temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (EMMEPI)
 for Fryer gas (MARENO)



EMMEPI 512250006



EMMEPI



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



EMMEPI C00950

EMMEPI 814979

Suitable for:

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



EMMEPI 8C1808

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



EMMEPI 8C1809

3523049 MINISIT VALVE FOR FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
with an elbow flange \varnothing 3/8" F
for Fryer gas (EMMEPI)



EMMEPI

3523933 MINISIT VALVE FOR FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 6x105 mm
without cover, knob and flanges
for Fryer gas (MARENO) FQG-40 - FQG-60



EMMEPI 809371

3523949 MINISIT VALVE FOR FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges
for Fryer gas (ZANUSSI) - Series R701



EMMEPI C00897



Suitable for:

EMMEPI



3523923 MINISIT VALVE FOR FRYER 50÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 lenght capillary 1200 mm
 bulb \varnothing 5x95 mm
 without cover. knob and flanges
 for Fryer gas (ZANUSSI) - Series R701



EMMEPI 806267

3523920 MINISIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges
 for Fry top gas
 for Oven under cooktop gas



EMMEPI 806192

3523091 MINISIT VALVE FOR OVEN 70÷310°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1300 mm
 bulb \varnothing 4x75 mm
 without cover. knob and flanges
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



EMMEPI

3523060 OIL SEAL FITTING \varnothing 14 mm
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



EMMEPI 808852

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm



EMMEPI 903300

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
 for drain tap \varnothing 2" old model



EMMEPI 809269

1186409 FLAT TEFLON GASKET \varnothing 68x55x3 mm
 for heating element




EMMEPI 808594



Gaskets for oven door

3786585 OVEN DOOR GASKET 1650 mm
 made of silicone elastomer
 profile dimensions 14x7.5 mm
 COLOUR BLACK
 for Oven under cooktop (MBM) - Series MEDIUM 70



EMMEPI 806051

EMMEPI 808903

3786012 OVEN DOOR GASKET 470x390 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 12x10 mm
 COLOUR BLACK
 for Oven under cooktop (EMMEPI) - Series 650



EMMEPI C10088

3186349 OVEN DOOR GASKET 500x300 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 12x10 mm
 COLOUR BLACK
 for Oven under cooktop (EMMEPI) - Series 750
 Series 900



EMMEPI C00165

3186103 OVEN DOOR GASKET 540x320 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 9.2x8.5 mm
 COLOUR BLACK
 for Oven under cooktop (MBM) - Series CLASSICA
 Series MAGISTRA - Series MEDIUM



EMMEPI 807059

3786013 OVEN DOOR GASKET 560x350 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 12x10 mm
 COLOUR BLACK
 for Oven under cooktop (EMMEPI) - Series 700



EMMEPI C10090

5032931 OVEN DOOR GASKET 660x390 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for EMMEPI OVEN FE900
 for TECNOEKA COOKING RANGE KCV96P-M/KCV96-M/
 for TECNOEKA OVEN KF912-GA/KF912GRILL-GA/
 KF912IX-GA/KF913DIX/KF9133DIX/KF1001G-GAM/
 KF1001GIXAL-GAM/KF911/KF911IX/KF964AL/KF964ALM/
 KF964I/KF964IM




EMMEPI 132110003



Suitable for:

5028247 OVEN DOOR GASKET 700x410 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 10x9 mm
COLOUR BLACK
for BUILT-IN OVEN series 650
for Oven under cooktop (EMMEPI) - Series 650



EMMEPI C10089

Suitable for:

3786014 OVEN DOOR GASKET 860x360 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop (EMMEPI) - Series 700-MAXI




EMMEPI C10091

Grids for kitchen

3185252 PAN SUPPORT GRID 390x362 mm

for COOKING RANGE 900
for Pot stove (EMMEPI) - Series 900



EMMEPI C00460

EMMEPI C00860

3185068 PAN SUPPORT GRID 445x355 mm

for Pot stove (MBM) - Series MAGISTRA



EMMEPI 100086

3354015 GRID REDUCER FOR MOKA 180x180 mm

made of chrome plated iron
for Pot stove (MBM) - Series MAGISTRA
for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



EMMEPI 100477

3185251 PAN SUPPORT GRID 560x278 mm

for Pot stove (EMMEPI) - Series 600 - Series 650
Series 700



EMMEPI C10078



Suitable for:

EMMEPI

Suitable for:



Handles

3242034 BLACK S/STEEL HANDLE 620x60 mm
 for Oven under cooktop (MBM)
 Series MAGIS MAGISTRA - Series MAGISTRA
 Series OMNIA



EMMEPI 815619

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
 for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
 for Oven under cooktop (MBM)
 Series MAGIS MAGISTRA - Series MAGISTRA



EMMEPI 807728

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



EMMEPI 8C0315

EMMEPI 809875

3242354 DOOR LOCK MAGNET
 distance between magnetic part holes 74 mm
 distance between holes of strike plate 64 mm
 for Fryer (MBM) - Series MAGISTRA



EMMEPI C00247

EMMEPI 808161

3242288 HANDLE 160x60 mm
 for Oven under cooktop (MBM) - Series MAGISTRA
 for Oven under cooktop gas (MBM)
 Series MAGIS MAGISTRA



EMMEPI 806132

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
 for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
 for Oven under cooktop (MBM)
 Series MAGIS MAGISTRA - Series MAGISTRA



EMMEPI 807728

3398021 OVEN DOOR CATCH
 distance between holes 47 mm
 catch distance 27 mm



EMMEPI 131110006

EMMEPI 131110007

EMMEPI 808747

3242336 OVEN DOOR HANDLE ø 29x90 mm M10



EMMEPI 8C0979

EMMEPI 808338

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
 for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
 for Oven under cooktop (MBM)
 Series MAGIS MAGISTRA - Series MAGISTRA



EMMEPI 807728

3242921 RH-LH LOCKING HANDLE W/OUT KEYLOCK 560CR
 length 230 mm - mounting distance 110 mm



EMMEPI 8C2082



Suitable for:

EMMEPI



Suitable for:

Heating elements

3355826 CERAMIC HEATING ELEMENT 400W 230V
 length 245 mm - width 60 mm
 for Potato heater electric (ZANUSSI) QME300I
 QME600I



EMMEPI 808142

3355850 HEATING ELEMENT 1000W 230V
 length 220 mm - width 95 mm
 flange 107x33 mm
 for Salamander electric (TECNOINOX) SE80



EMMEPI E12110001

3755896 HEATING ELEMENT 1000W 230V
 length 220 mm - width 100 mm
 height 50 mm
 for Bain-marie electric (EMMEPI) - Series 700
 Series 750 - Series 900
 for Fry top electric (EMMEPI) - Series 650
 Series 700



EMMEPI C10199

3755856 HEATING ELEMENT 10200W 230/400V
 length 300 mm - width 180 mm
 coupling M5x1.5 mm - complete with cables
 complete with OR gaskets
 for Fryer electric (GIORIK) F15



EMMEPI 808256

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3186601 O-RING 04200 EPDM



EMMEPI 808054

3755652 RING NUT 2" FOR HEATING ELEMENT
 for Fryer (SILKO) FE72206



EMMEPI 808892



EMMEPI



Suitable for:

3455350 HEATING ELEMENT 1100W 230V
length 325 mm - width 80 mm
height 50 mm
for Bratt pan electric (EMMEPI)



EMMEPI C00351

Suitable for:

3755022 HEATING ELEMENT 1150W 240V BOTTOM
length 190 mm - width 310 mm
for Panini grill (SIRMAN) CORT - ELIO




EMMEPI 809844

3755430 HEATING ELEMENT 1200W 230V
width 225 mm - length 175 mm



EMMEPI 809922

3355328 HEATING ELEMENT 1200W 230V TOP
length 265 mm - width 170 mm
for Panini grill electric (SILANOS) MEDIA RIGATA



EMMEPI 905611

3755858 HEATING ELEMENT 12000W 230/400V
length 325 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (EMMEPI) EFR74EBN
for Fryer electric (GIORIK) FE15 - FE215



EMMEPI E16110002

EMMEPI E16110002+...

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3186601 O-RING 04200 EPDM



EMMEPI 808054

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



EMMEPI 808892

3355473 HEATING ELEMENT 1333W 230V
length 280 mm - width 20 mm
height 40 mm - couplings \varnothing 12 mm
for Fryer electric (EMMEPI) - Series 650
for Fryer electric (GIORIK) FRE33 - FRE63 - FTR6T



EMMEPI 808620

3355447 HEATING ELEMENT 1380W 230V
length 350 mm - width 190 mm
fittings \varnothing 12 mm
for Bain-marie electric (EMMEPI) - Series 650
for Bain-marie electric (GIORIK) BME62



EMMEPI 808174



Suitable for:

EMMEPI



Suitable for:

3755006 HEATING ELEMENT 1500W 240V
 length 500 mm - width 110 mm
 height 75 mm
 for Bratt pan electric (MBM) - Series 900 MAGISTRA



EMMEPI C00183

EMMEPI 808242

3755661 HEATING ELEMENT 15000W 230V
 length 300 mm - width 285 mm
 with two holes per bulb - complete with cables
 complete with OR gaskets
 for Fryer electric (EMMEPI) - Series 900
 for Fryer electric (GIORIK)
 for Fryer electric (MBM) EF45 - EF90
 for Fryer electric (OFFCAR) - Series 700
 Series 900
 for Fryer electric (SILKO)



EMMEPI 808046

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3186601 O-RING 04200 EPDM



EMMEPI 808054

3786459 O-RING 04200 VITON



EMMEPI 808048

3755652 RING NUT 2" FOR HEATING ELEMENT
 for Fryer (SILKO) FE72206



EMMEPI 808892



EMMEPI



Suitable for:

3755897 HEATING ELEMENT 1800W 230V
length 290 mm - width 140 mm
height 50 mm
for Bain-marie electric (EMMEPI) - Series 700
Series 750 - Series 900
for Fry top electric (EMMEPI) - Series 750
Series 900



EMMEPI C00644

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE60



EMMEPI E12110002

EMMEPI 8C0296

3355848 HEATING ELEMENT 2000W 230V
length 230 mm - width 255 mm
flange 70x22 mm
for Salamander electric (TECNOINOX) SEF1 - SEF2
SEL1 - SEL2



EMMEPI 8C0222

3355148 HEATING ELEMENT 2000W 240V
length 280 mm - width 60 mm
couplings \varnothing 16 mm
for Boiling pan electric (MBM)
Series 900 MAGISTRA



EMMEPI 807787

Suitable for:

3755076 HEATING ELEMENT 1840W 230V
length 275 mm - width 65 mm
couplings \varnothing 13 mm
for Pasta cooker electric (EMMEPI) - Series 650
Series 700 - Series 750
for Pasta cooker electric (GIORIK) - Series 700



EMMEPI 808056

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



EMMEPI 827915

3755406 HEATING ELEMENT 2000W 230V
external \varnothing 300 mm
for CRÊPE PAN 350 mm
for Crêpe pan electric (FB FABÀ)
for Crêpe pan electric (FIMAR) CRP - CRP2



EMMEPI 809923

3755966 HEATING ELEMENT 2400W 220V
external \varnothing 190 mm - height 65 mm
flange 100x22 mm



EMMEPI 828041




Suitable for:

EMMEPI



3355214 HEATING ELEMENT 2500W 220V
length 530 mm - width 615 mm
flange 70x22 mm
for Kitchen electric (MBM) E4F



EMMEPI 814382

Suitable for:

3755895 HEATING ELEMENT 2500W 230V
length 525 mm - width 560 mm
flange 70x22 mm
for Oven under cooktop electric (EMMEPI)
Series 750 - Series 900



EMMEPI C00215

EMMEPI C10194

5037521 HEATING ELEMENT 2500W 230V
external \varnothing 195 mm - overall height 75 mm
flange 70x22 mm
for EMMEPI OVEN FE440
for TECNOEKA COOKING RANGE KCV96-M
for TECNOEKA OVEN KF412-KF412U-KF412GRILL-KF723M-
KF723-KF723GRILL-KF723U-KF9133DIX-KF921-KF964AL-
KF964ALM-KF964I-KF964IM



EMMEPI 132110013

3755077 HEATING ELEMENT 2520W 220V
length 445 mm - width 65 mm
couplings \varnothing 13 mm
for Pasta cooker electric (BARON) - Series 900
for Pasta cooker electric (OLIS) - Series 900



EMMEPI 808756

3355807 HEATING ELEMENT 3000W 400V
length 490 mm - width 270 mm
couplings \varnothing 13 mm
for Salamander electric (GIORIK) S511S




EMMEPI 8C0462

3355809 HEATING ELEMENT 3100W 400V
length 310 mm - width 297 mm
flange 70x22 mm
for Salamander electric (GIORIK) S510S



EMMEPI 808862

3355812 HEATING ELEMENT 3300W 230V
length 240 mm - width 380 mm
flange 70x22 mm
for Salamander electric (GIORIK) SE520



EMMEPI 808459

3755491 HEATING ELEMENT 6000W 240V
immersed length 310 mm
threaded connection \varnothing 2"
with bulb sheath
complete with cap and teflon gasket



EMMEPI 808525



EMMEPI



Suitable for:

3755489 HEATING ELEMENT 6800W 230V
 length 300 mm - width 110 mm
 connection M54x1.5 mm - with cables
 with O-rings
 for Fryer electric (SILKO) CFE72210 - CFE90210



EMMEPI 808689

3186601 O-RING 04200 EPDM



EMMEPI 808054

Suitable for:

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



EMMEPI 808892

3755023 HEATING ELEMENT 700W 240V TOP
 length 180 mm - width 175 mm
 for Panini grill (SIRMAN) CORT - ELIO



EMMEPI 808870

3755857 HEATING ELEMENT 7000W 230/400V
 length 325 mm - width 105 mm
 coupling M54x1.5 mm - complete with cables
 complete with OR gaskets
 for Fryer electric (EMMEPI) EFR72EBN
 for Fryer electric (GIORIK) FE210 - FE922



EMMEPI 8C2134

EMMEPI 8C2134+...

3186601 O-RING 04200 EPDM



EMMEPI 808054

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



EMMEPI 808892



Suitable for:

3755666 HEATING ELEMENT 7200/6000W 240/220V
 immersed length 495 mm
 flange external \varnothing 72 mm
 with thermostat probe receptacle
 with O-ring
 for Boiling pan electric (MBM) E100I - E100IT9
 E100I9 - E150IA - E150IT9 - E150I9



EMMEPI 807788

3755024 HEATING ELEMENT 850W 240V BOTTOM
 length 180 mm - width 175 mm
 with cables
 for Panini grill (SIRMAN) CORT - ELIO



EMMEPI 808871

3755325 QUARTZ PIPE \varnothing 12x255 mm



EMMEPI AE9110001

3755652 RING NUT 2" FOR HEATING ELEMENT
 for Fryer (SILKO) FE72206



EMMEPI 808892

3755328 WIRE HEATING ELEMENT 380W 230V
 length 180 mm



EMMEPI AE9110002

Suitable for:

3755428 HEATING ELEMENT 800W 230V
 width 180 mm - length 175 mm



EMMEPI 809830

3755021 HEATING ELEMENT 875W 240V TOP
 length 190 mm - width 310 mm
 for Panini grill (SIRMAN) CORT - ELIO



EMMEPI 809848

3755480 RADIANT HEATING ELEMENT 850W 230V
 length 265 mm - width 235 mm



EMMEPI 8C0362

3355336 SILICONE HEATING ELEMENT 1000W 240V
 length 400 mm - width 290 mm
 complete with thermostat 150°C automatic reset
 for Bain-marie electric (MACFRIN)
 for Bain-marie electric (ZANUSSI)



EMMEPI 827136

3755325 QUARTZ PIPE \varnothing 12x255 mm



EMMEPI AE9110001



Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
 height 23 mm
 for Kitchen electric (FAGOR) CE-741 - CE9-41
 for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
 CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
 CG9-82
 for Oven under cooktop
 for Oven under cooktop electric (FAGOR) HE9-10
 HE9-20
 for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
 HG9-20



EMMEPI C00132

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
 height 160 mm
 for Oven under cooktop



EMMEPI C00131

EMMEPI C10079

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
 height 160 mm
 for Oven under cooktop



EMMEPI C00130

EMMEPI C10080

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
 height 23 mm
 for Kitchen electric (FAGOR) CE-741 - CE9-41
 for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
 CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
 CG9-82
 for Oven under cooktop
 for Oven under cooktop electric (FAGOR) HE9-10
 HE9-20
 for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
 HG9-20



EMMEPI C00132

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
 height 23 mm
 for Kitchen electric (FAGOR) CE-741 - CE9-41
 for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
 CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
 CG9-82
 for Oven under cooktop
 for Oven under cooktop electric (FAGOR) HE9-10
 HE9-20
 for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
 HG9-20



EMMEPI C00132



Suitable for:

EMMEPI



Suitable for:

Hose reels

3359557 HYDRO-GUN NIT0 1
special connection only for MIDIREEL GROUP
with spray regulator



EMMEPI 8C2178

Injectors

3500021 GAS JET M10x1 \varnothing 0.95 mm



EMMEPI 808274

3500024 GAS JET M10x1 \varnothing 1.15 mm



EMMEPI 809960

3500027 GAS JET M10x1 \varnothing 1.30 mm



EMMEPI 809950

EMMEPI 809954

3500028 GAS JET M10x1 \varnothing 1.45 mm



EMMEPI 808423

3500174 GAS JET M12x1 \varnothing 1,55 mm



EMMEPI C00120

3500173 GAS JET M21X1 \varnothing 0.81 mm



EMMEPI C00112

3500172 GAS JET M21X1 \varnothing 0.87 mm



EMMEPI C00534

3500079 GAS JET M21X1 \varnothing 0.90 mm



EMMEPI C00772

3500142 GAS JET M21X1 \varnothing 0.95 mm



EMMEPI C00113

3500078 GAS JET M21X1 \varnothing 1.00 mm



EMMEPI C00770



EMMEPI



Suitable for:

Suitable for:

3500143 GAS JET M21X1 ϕ 1.05 mm

3500075 GAS JET M21X1 ϕ 1.10 mm



EMMEPI C00114

EMMEPI C00535

3500149 GAS JET M21X1 ϕ 1.15 mm

3500144 GAS JET M21X1 ϕ 1.20 mm



EMMEPI C00525

EMMEPI C00115

3500145 GAS JET M21X1 ϕ 1.25 mm

3500080 GAS JET M21X1 ϕ 1.30 mm



EMMEPI C00116

EMMEPI C00804

3500146 GAS JET M21X1 ϕ 1.35 mm

3500124 GAS JET M21X1 ϕ 1.40 mm



EMMEPI C00117

EMMEPI C00118

3500125 GAS JET M21X1 ϕ 1.45 mm

3500139 GAS JET M21X1 ϕ 1.50 mm



EMMEPI C00119

EMMEPI C00148

3500099 GAS JET M21X1 ϕ 1.60 mm

3500090 GAS JET M21X1 ϕ 1.65 mm



EMMEPI C00399

EMMEPI C00235



EMMEPI



Suitable for:

Suitable for:

3500076 GAS JET M21X1 ø 1.70 mm

3500088 GAS JET M21X1 ø 1.75 mm



EMMEPI C00536

EMMEPI C00892

3500126 GAS JET M21X1 ø 1.80 mm

3500127 GAS JET M21X1 ø 1.85 mm



EMMEPI C00121

EMMEPI C00122

3500106 GAS JET M21X1 ø 1.90 mm

3500128 GAS JET M21X1 ø 1.95 mm



EMMEPI C00400

EMMEPI C00123

3500141 GAS JET M21X1 ø 2.00 mm

3500140 GAS JET M21X1 ø 2.05 mm



EMMEPI C00773

EMMEPI C00149

3500129 GAS JET M21X1 ø 2.10 mm

3500135 GAS JET M21X1 ø 2.15 mm



EMMEPI C00124

EMMEPI C00125

3500123 GAS JET M21X1 ø 2.20 mm

3500136 GAS JET M21X1 ø 2.25 mm



EMMEPI C00490

EMMEPI C00126



EMMEPI



Suitable for:

Suitable for:

3500137 GAS JET M21X1 \varnothing 2.30 mm

3500138 GAS JET M21X1 \varnothing 2.35 mm



EMMEPI C00127

EMMEPI C00128

3500147 GAS JET M21X1 \varnothing 2.45 mm

3500119 GAS JET M21X1 \varnothing 2.50 mm



EMMEPI C00491

EMMEPI C00404

3500086 GAS JET M21X1 \varnothing 2.60 mm

3500089 GAS JET M21X1 \varnothing 2.70 mm



EMMEPI C00831

EMMEPI C10176

3500107 GAS JET M21X1 \varnothing 2.85 mm

3500087 GAS JET M21X1 \varnothing 3.05 mm



EMMEPI C00401

EMMEPI C00834

3500108 GAS JET M21X1 \varnothing 3.10 mm

3500077 GAS JET M21X1 \varnothing 3.15 mm



EMMEPI C00402

EMMEPI C00543

3500109 GAS JET M21X1 \varnothing 3.40 mm

3500148 GAS JET M21X1 \varnothing 3.55 mm



EMMEPI C00403

EMMEPI C00492



EMMEPI



Suitable for:

Suitable for:

3500120 GAS JET M21X1 ø 3.75 mm

3500062 GAS JET M7x1 ø 0.85 mm



EMMEPI C00405

EMMEPI 808049

3500063 GAS JET M7x1 ø 0.95 mm

3500069 GAS JET M7x1 ø 1.60 mm



EMMEPI 808155

EMMEPI 8C0025

3500042 GAS JET M9x1 ø 1.00 mm

3500043 GAS JET M9x1 ø 1.10 mm



EMMEPI 8C0028

EMMEPI 808415

3500044 GAS JET M9x1 ø 1.15 mm

3500047 GAS JET M9x1 ø 1.35 mm



EMMEPI 8C0023

EMMEPI 808567

3500070 GAS NOZZLE M10x1 ø 1.70 mm




EMMEPI 808384

Ironmongery (screws,nuts,washers)

3183051 NUT M20x1.5

3528075 S/STEEL OPEN WASHER ø 8 mm UNI 1751



EMMEPI 809068

EMMEPI 905940

3528010 STAINL.STEEL SCREW WASHER M6 UNI 6592
dimensions \varnothing 12x6.4x1.6 mm



EMMEPI E25110025

EMMEPI 8C1731

Knobs

3241249 BLACK KNOB \varnothing 39 mm
D shaft hole 6x4.6 mm
for Fryer (GIORIK)



EMMEPI 813429

3241357 BLACK KNOB \varnothing 40 mm
D-shaped hole 6x4.6 mm



EMMEPI 809928

3241244 BLACK KNOB \varnothing 60 mm 1-2-3-4-5-6-7-8
D shaft hole 6x4.6 mm
for Pot stove (TECNOINOX) PCC35E - PCC70E
for Potato heater (TECNOINOX) SP35E



EMMEPI E11110002

3241040 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for valve equipped gas COOK TOP tap



EMMEPI 806133

3241042 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaft hole 8x6.5 mm
for Pot stove (MBM) - Series MAGISTRA



EMMEPI 806037

3241523 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Kitchen electric (MBM) E4F
for Pot stove electric (MBM) E2AR - E6AR



EMMEPI 807771

3241525 BLACK KNOB \varnothing 75 mm 0-1-2-3
D shaft hole 6x4.6 mm
for Boiling pan (MBM) E150A
for Boiling pan electric (MBM) E150IA
for Pasta cooker electric (MBM) EC45



EMMEPI 807770

3241624 BLACK KNOB \varnothing 75 mm 100-250°C
D shaft hole 6x4.6 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI C99639



EMMEPI



Suitable for:

3241620 BLACK KNOB ø 76 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C89433

EMMEPI C89459

Suitable for:

3241621 BLACK KNOB ø 76 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Pot stove (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EMMEPI C99683

3241619 BLACK KNOB ø 76 mm 1-2-3-4-5-6-7-8
D shaft hole 10x8 mm
for Fry top (EMMEPI)
for Oven under cooktop (EMMEPI)



EMMEPI C99698

3241126 BLACK KNOB ø 76 mm 170-300°C
D shaft hole 10x8 mm
for Oven under cooktop (MBM) MAGISTRA



EMMEPI 806361

3241055 FIXING CLIP
for knob with ø 8 mm hole



EMMEPI C00196

3241615 GREY KNOB ø 49 mm
D shaft hole 6x4.6 mm
for Salamander (GIORIK)



EMMEPI 8C1602

3241039 RED KNOB ø 65 mm 0-1-2-3-4-5-6-7-8
D shaft hole 8x7 mm
for EGA COOKTOP OVEN valve



EMMEPI 806139

3241821 RED KNOB ø 76 mm 1-2-3-4-5-6-7-8
D shaft hole 6x4.6 mm
for Bratt pan (MBM) MAGISTRA GBR - MAGISTRA GBRA



EMMEPI 830829

3241127 RED KNOB ø 76 mm 50-300°C
D shaft hole 6x4.6 mm
for Oven under cooktop (MBM) MAGISTRA



EMMEPI 807607



Suitable for:

EMMEPI



Suitable for:

Lamps

3221349 GLASS F.OVEN RECEPTACLE LAMP ø 72 mm



EMMEPI 808851

**3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
for OVEN-PIZZA OVEN**



EMMEPI 808808

3221110 GREEN INDICATOR LAMP 230V
head ø 7 mm - hole ø 8 mm - 120°C
wire connection length 210 mm



EMMEPI 808147

3221132 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 807773

EMMEPI 808971

EMMEPI 809382

3221164 GREEN INDICATOR LAMP 230V
head ø 7 mm - hole ø 6 mm - 120°C
dashboard mounting
for Salamander (TECNOINOX) - Series SE
Series SEF - Series SEL



EMMEPI 8C0298

3221935 GREEN INDICATOR LAMP 230V
mounting hole 30x11 mm - 120°C



EMMEPI 818892

3221199 GREEN INDICATOR LAMP 250V
head ø 8 mm - 150°C
wire connection length 300 mm
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI 808943

3221034 GREEN INDICATOR LAMP 400V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 8C0071



Suitable for:

EMMEPI



3221012 GREEN INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



EMMEPI 806080

3221293 GREEN INDICATOR LIGHT 250V
head ø 20 mm - hole ø 10 mm - 120°C



EMMEPI 809929

3221262 GREEN LAMP RECEPTACLE
head ø 14.5 mm - hole ø 12 mm



EMMEPI 808461

3221199 GREEN INDICATOR LAMP 250V
head ø 8 mm - 150°C
wire connection length 300 mm
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI 808943

3221202 TRANSPARENT INDICATOR LAMP 250V
head ø 8 mm - 150°C
wire connection length 300 mm



EMMEPI 809084

3221358 WHITE LAMP RECEPTACLE
head ø 16 mm - hole ø 13 mm



EMMEPI 809085

3221183 GREEN PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 150°C
universal application



EMMEPI 244120001

3221184 ORANGE PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 244120002



EMMEPI



Suitable for:

3221287 INFRARED LAMP E27 250W 230V
max temperature 200°C



EMMEPI 40XX-XX40999

Suitable for:

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN



EMMEPI 809935

3221094 ORANGE INDICATOR LAMP 230V
head ø 14.5 mm - hole ø 11.5 mm - 120°C
for Fryer electric (AMBASSADE) CME413FR



EMMEPI 809228

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 806128

EMMEPI 808970

EMMEPI 809248

3221294 ORANGE INDICATOR LIGHT 250V
head ø 20 mm - hole ø 10 mm - 120°C



EMMEPI 809927

3221136 ORANGE INDICATOR LIGHT 400V
head ø 10 mm - hole ø 9 mm
for Sausage grill (SILANOS) ROLLY5 - ROLLY8



EMMEPI 903629

3221184 ORANGE PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 244120002

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C



EMMEPI 809884

3221080 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C



EMMEPI 808969

3221202 TRANSPARENT INDICATOR LAMP 250V
head ø 8 mm - 150°C
wire connection length 300 mm



EMMEPI 809084



Suitable for:

EMMEPI



Suitable for:

3221358 WHITE LAMP RECEPTACLE
head \varnothing 16 mm - hole \varnothing 13 mm



EMMEPI 809085

Lava rock grids

3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm
for Lava rock grill gas (GIORIK) GG926



EMMEPI 808517

Level gauges

3201003 WATER LEVEL GAUGE HCX76 107x28 mm
distance between holes 76 mm
for PANS



EMMEPI 808704

Level sensors

3341039 WATER LEVEL PROBE \varnothing 3x205 mm
overall length 220 mm



EMMEPI 807854



Lever ball valves

3526705 BALLCOCK VALVE \varnothing 1/2"MF



EMMEPI C00263

3526672 WATER VALVE \varnothing 3/4"FF

ballcock valve
heavy series with PN 40 total passage
aluminium lever
for Pasta cooker electric (WHIRLPOOL) AGB592
AGB593



EMMEPI 808433

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



EMMEPI 807351

3240436 MAGNETIC MICRO SWITCH MK12

with cable 4000 mm - head 32x15 mm
for Fryer electric (FRI FRI) FFM31 - FFM41 - FFM42



EMMEPI 809557

3240407 MECHANICAL MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14
H17 - H22
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35
MJ45E



EMMEPI 809481

3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
FC1211G-FC1211E
for ANGELO PO FRYER 030FE1-030FE1B-70FE
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
30FES2-30FES2B-091FE28
for IMESA DRYER ES10-ES55-ES75
for IMESA WASHING MACHINE
LM30-LM40-LM55-LM70-LM85
RC30-RC40-RC55-RC70
for SIRMAN CUTTER C4-C6-C6VV-C9
for GRANDIMPIANTI DRYER EMS10-EMS15
for FAGOR CALENDER PE30/140-PE30/160-PE30/200
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
for IPSO CALENDER RI1600/30-RI1600/30AV



EMMEPI E61110053

EMMEPI 61110053

EMMEPI 807351

1240120 MICROSWITCH MKV11D15 16A 250V
for Bratt pan (MBM) - Series MAGISTRA



EMMEPI 807795

3240144 MICROSWITCH S16 16A 250V



EMMEPI 809227




Suitable for:

Suitable for:

3240406 MICROSWITCH 10A 250V

3240820 MICROSWITCH 16A 250V



EMMEPI E61110082

EMMEPI 8C2018

EMMEPI 808879

EMMEPI E00010041

EMMEPI 808053

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
for Hot cupboard
for Warm table



EMMEPI 8C0758

EMMEPI 8C2135

EMMEPI 807206

OR and ORM gaskets

3186697 O-RING 0159 EPDM

3186601 O-RING 04200 EPDM



EMMEPI 808043

EMMEPI 808055

EMMEPI 808054

3786459 O-RING 04200 VITON

**3186860 OR GASKET 03056 EPDM
EX OR 0118**



EMMEPI 808048

EMMEPI 809237

3186241 VITON O-RING 06212
for DRAIN TAP ø 2" OLD MODEL AND
TECNO NEW MODEL



EMMEPI 809345



Piezo ignitors

3001043 IGNITION BATTERY HOLDER
for battery 1.5V



EMMEPI C10166

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector
for Lava rock grill gas (FAGOR)



EMMEPI 808153

3001107 PIEZO IGNITER
for installation it is necessary a \varnothing 22 mm hole
male faston \varnothing 2.4 mm



EMMEPI C00069

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



EMMEPI 806090

3001020 PIEZO IGNITER 10015
18 mm \varnothing mounting hole
2.4 mm \varnothing male faston connector



EMMEPI 8C1850

EMMEPI 809476

3001044 RED PUSH-BUTTON IGNITER 12A 250V
for Fry top gas (EMMEPI) - Series 650 - Series 700
for Pot stove gas (EMMEPI) - Series 650
Series 700
for Solid top range gas (EMMEPI) - Series 650
Series 700



EMMEPI C10250

3001029 SIT PIEZO IGNITER
for mounting a hole \varnothing 22 mm is required
male faston \varnothing 2.4 mm
for SERIES SNACK



EMMEPI 8C0635



Suitable for:

EMMEPI



Suitable for:

Pilot burners and accessories

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020084 NUT & OLIVE \varnothing 6 mm



EMMEPI 8C0070

3020082 OLIVE FOR 12 mm \varnothing PIPE



EMMEPI 8C0412

EMMEPI 807907

3020111 OLIVE FOR 4 mm \varnothing PIPE



EMMEPI 830885

3020033 ONE-FLAME PILOT BURNER SIT
multigas nozzle
external regulation with 7 mm nut
for Oven under cooktop gas (MBM) - Series CLASSICA
Series MAGISTRA - Series MEDIUM 70



EMMEPI C00391

EMMEPI 511300014

3020201 PILOT GAS JET \varnothing 0.14 mm



EMMEPI 8C0955

3020042 PILOT GAS JET \varnothing 0.19 mm



EMMEPI 809996

3020202 PILOT GAS JET \varnothing 0.27 mm



EMMEPI 8C1497

3020043 PILOT GAS JET \varnothing 0.36 mm



EMMEPI 809994

3020449 PILOT GAS JET \varnothing 0.54 mm
for Bratt pan gas (BERTO'S) G9BR8



EMMEPI 808033



EMMEPI



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



EMMEPI 8C0030

Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



EMMEPI 808365

3020055 PILOT JET \varnothing 0.35 mm



EMMEPI 8C0031

3020187 PILOT NOZZLE \varnothing 0.51 mm



EMMEPI 808364

3020251 TARGET ONE-FLAME PILOT BURNER SIT

without sparking plug, gas nozzle and gasket
for Boiling pan gas (MBM) - Series MAGISTRA
for Bratt pan gas (MBM) - Series MAGISTRA
for Lava rock grill gas (MARENO) - Series PLG
for Solid top range gas (LOTUS) - Series 700
Series 900



EMMEPI 808353

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020042 PILOT GAS JET \varnothing 0.19 mm



EMMEPI 809996

3020043 PILOT GAS JET \varnothing 0.36 mm



EMMEPI 809994

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498



Suitable for:

EMMEPI



3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



EMMEPI 8C1496

EMMEPI 809474

3020042 PILOT GAS JET \varnothing 0.19 mm



EMMEPI 809996

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020011 THREE-FLAME PILOT BURNER

without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Bratt pan gas (ZANUSSI)
for Pasta cooker gas (ZANUSSI) - Series N900
Series PR700



EMMEPI 808039

EMMEPI 808197

EMMEPI 809197

Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020043 PILOT GAS JET \varnothing 0.36 mm



EMMEPI 809994

3020256 THREE-FLAME PILOT BURNER

supplied without sparking plug, nozzle
with thermocouple fitting
with sparking plug fitting
with pilot pipe fitting
for Boiling pan gas (BARON) - Series 700
Series 900
for Boiling pan gas (EMMEPI) - Series 900
for Boiling pan gas (JEMI) - Series 700
Series 900



EMMEPI 808524



Suitable for:

Suitable for:

3020269 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple fitting
 with sparking plug fitting



EMMEPI 806154

EMMEPI 807835

3020401 THREE-FLAME PILOT BURNER
 supplied without sparking plug
 with LPG and NATURAL GAS nozzle
 with thermocouple fitting
 with sparking plug fitting
 with pilot pipe fitting



EMMEPI 809195

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)



EMMEPI C00070

EMMEPI C00392

EMMEPI C00711

EMMEPI 051E10007

EMMEPI 808180

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020054 PILOT JET \varnothing 0.20 mm



EMMEPI 8C0030

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020055 PILOT JET \varnothing 0.35 mm



EMMEPI 8C0031

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



EMMEPI C00173

EMMEPI 8C1498



Suitable for:

Suitable for:

3020036 THREE-FLAME PILOT BURNER SIT
 with NG nozzle \varnothing 0.35 mm
 with 3 positions bracket
 for Fry top gas (ZANUSSI) - Series H900
 Series R701
 for Grill gas (ZANUSSI) - Series R701
 for Kitchen gas (ZANUSSI) - Series P1000
 for Oven under cooktop gas (ZANUSSI) - Series H900
 for Solid top range gas (ZANUSSI) - Series H900

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI C00166

EMMEPI 8C0638

EMMEPI 806019

3020054 PILOT JET \varnothing 0.20 mm

3020055 PILOT JET \varnothing 0.35 mm



EMMEPI 8C0030

EMMEPI 8C0031

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



EMMEPI 051H10002

EMMEPI 8C0637



EMMEPI 808177

EMMEPI C00173

EMMEPI 8C1498

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
 without sparking plug, gas nozzle and gasket

3020040 PILOT JET \varnothing 0.30 mm



EMMEPI 830792

EMMEPI 808365

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
 without sparking plug, gas nozzle and gasket
 thermocouple fitting included
 for Bain-marie gas (MBM) GBM45 - GMB90
 for Bratt pan gas (ZANUSSI) - Series H900

3020040 PILOT JET \varnothing 0.30 mm



EMMEPI 806153

EMMEPI 808365

Pliers for sandwiches und toasts

- 3317051 GRILL PLIER**
 length 100 mm
 height 180 mm
 for Toaster



EMMEPI E91310002

Probes

- 3445109 PROBE TCJ EC-SND-2312 3000 mm**
 2 wires - temperature range -50+350°C
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb $\varnothing 6 \times 100$ mm
 vetrotex cable



EMMEPI 8C0221


Relays

- 3351007 MINI RELAY 55.32 10A 240V 50/60Hz**
 2 switching contacts
 manual push-button




EMMEPI 809015

- 3351021 RELAY 62.82 16A 230V 50/60Hz**
 2 switching contacts



EMMEPI 809863

- 3351008 RELAY 62.83 16A 230V 50/60Hz**
 3 switching contacts



EMMEPI 905475



Suitable for:

EMMEPI



Suitable for:

Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



EMMEPI C00218

3057019 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C

D-shaft \varnothing 6x4.6 mm

for Boiling pan (ALPENINOX)

for Bratt pan (ZANUSSI) - Series R700 - Series 700

for Fry top (ALPENINOX)

for Fryer (STAR 10)

for Fryer (ZANUSSI) - Series R700 - Series 700

for Kitchen (ALPENINOX)

for Solid top range (ALPENINOX)



EMMEPI 808145

3057026 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C

D shaft \varnothing 6x4.6 mm

for Bain-marie (EMMEPI) - Series 650

for Bain-marie electric (OLIS) 72/02CBE
72/02TCBE

for Bratt pan electric (OLIS) 74/02KBEBI

for Bratt pan gas (OLIS) 74/02KBGMB

for Fryer (GICO) - Series 500 - Series 700

Series 900 - Series 920

for Fryer electric (OLIS) 72/02FRE - 74/02FRE

92/02FRE - 92/04FRE

for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212

for Kitchen gas (OLIS) 76/02CGGE

for Oven under cooktop (GICO) - Series 500

Series 700



EMMEPI 806286

3057027 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C

D-shaft \varnothing 6x4.6 mm

rear hole for thermostat

for Fryer (MORICE)

for Fryer electric (GIGA) SKF2E - Series 600

Series 700 - Series 800 - Series 900

for Grill (MORICE)

for Hot plate (MORICE)

for Kitchen (OM GAS) - Series MERCURY

Series SCORPION

for Kitchen (THIRODE) - Series 700 - Series 900

for Kitchen electric (EMMEPI) - Series 650

Series 700 - Series 750 - Series 900



EMMEPI C00217

EMMEPI 806117




Suitable for:

EMMEPI



3057082 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°
 D-shaft 6x4.6 mm
 for Fryer (BARON) - Series 700 - Series 900
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer (GIORIK) - Series 700 - Series 900
 for Fryer (OFFCAR) - Series 700 - Series 900
 for Pasta cooker (BARON) - Series 700 - Series 900
 for Pasta cooker (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900
 for Pasta cooker (GIORIK) - Series 700
 Series 900



EMMEPI 808052

3057177 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 700 - Series 750
 Series 900
 for Bain-marie (OLIS) - Series 700 - Series 900
 for Fry top (ALPENINOX)
 for Fry top (EMMEPI) - Series 700 - Series 750
 Series 900
 for Fry top (OLIS) - Series 700
 for Fry top (ZANUSSI) - Series N700 - Series PR700
 for Fryer (ALPENINOX)
 for Fryer (OLIS) - Series 700 - Series 900
 for Grill (ZANUSSI) - Series 700
 for Kitchen electric (ZANUSSI) - Series 900
 for Oven under cooktop (ALPENINOX)



EMMEPI C00690

3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm
 for Fryer electric (GIORIK) FRE33 - FRE63 - FT33
 FT63
 for Self service counter (ZANUSSI)
 for Warm table (ZANUSSI)




EMMEPI C00685

EMMEPI 808687

3057186 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaft ø 6x4.6 mm
 for Bratt pan (MBM) - Series MAGISTRA



EMMEPI 814040

3057190 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 32A 600V - max 75°C
 rectangular shaft 4x5 mm
 for Fryer electric (GIORIK) F15 - F20 - F215
 F220 - F920 - F940



EMMEPI 807808

3057216 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 230V - max 150°C
 D-shaped pin 6x4.6 mm
 for Panini grill electric (FB FABBA) - Series E
 Series S



EMMEPI 809926



Suitable for:

EMMEPI




3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm




EMMEPI 806116

3057083 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Oven under cooktop (MBM)



EMMEPI 807768

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Bratt pan electric (COMETTO)
 for Hot plate electric (COMETTO)
 for Kitchen electric (EMMEPI) - Series 900
 for Pot stove electric (COMETTO)



EMMEPI C00214

EMMEPI 806160

3057092 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Kitchen electric (KÜPPERSBUSCH) - Series FEH



EMMEPI 808148

EMMEPI 831097

3057024 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750
 for Kitchen electric (GICO) - Series 700
 for Kitchen electric (GIGA) - Series 600
 Series 700 - Series 800 - Series 900
 for Kitchen electric (OFFCAR) - Series 700
 Series 900
 for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
 for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
 74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
 94/04CE - 94/04TCE



EMMEPI C00213

EMMEPI 807602

Safety groups for pans and spare parts

3184013 DEPRESSION VALVE \varnothing 3/4" M
in chrome plated brass
for safety group \varnothing 1" 1/4



EMMEPI 809385

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



EMMEPI 8C0229

EMMEPI 807335

EMMEPI 808347

Solenoid valves

3120541 SOLENOID VALVE L140B5 \varnothing 1/2" FF 24V
for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz



EMMEPI TR0091

3120043 COIL SIRAI Z610A 24V 50/60Hz



EMMEPI TR0020

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



EMMEPI 902410

3120167 SOLENOID VALVE 264A 220/240V \varnothing 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - three outlets \varnothing 14 mm



EMMEPI E00010011

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



EMMEPI 8C0206

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



EMMEPI 809327

EMMEPI 809335

EMMEPI 902390



Suitable for:

EMMEPI



3120007 SOLENOID VALVE 349 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



EMMEPI 8C0145 EMMEPI 808922

3120009 SOLENOID VALVE 351 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



EMMEPI 809566

3120011 SOLENOID VALVE 353 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



EMMEPI 809565

3120517 SOLENOID-VALVE L140B5 1/2"FF 24V
for water - normally closed
max temperature 100°C
coil z615A 24V 50Hz



EMMEPI 8C0441

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - TI - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



EMMEPI C00507 EMMEPI C10167 EMMEPI 8C1700

3181502 SPARK GENERATOR 2 OUTLETS
1.5V battery powered



EMMEPI C10167

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz
for Kitchen (THIRODE) B7.FV.CF.FG



EMMEPI C10168

3181501 SPARK GENERATOR 4 OUTLETS
1.5V battery powered



EMMEPI C10168

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



EMMEPI

3181503 SPARK GENERATOR 6 OUTLETS
1.5V battery powered



EMMEPI C10169



Suitable for:

Suitable for:

Sparking and detection plugs

3020305 ROUND IGNITION ELECTRODE \varnothing 6/7x42 mm
with silicone lead 750 mm
overall length 800 mm
for Pot stove gas (EMMEPI) - Series 650
Series 700



EMMEPI C10161

3020068 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
square coupling
with shaped igniter
overall model 63 mm



EMMEPI C00927

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



EMMEPI 807741

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020230 ROUND SPARKING PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



EMMEPI 806107

EMMEPI 807905

Spits, sticks and rotisserie accessories

3162001 END FORK
square hole 11.3 mm



EMMEPI 8C2245

3162002 MIDDLE FORK
square hole 11.3 mm



EMMEPI 8C2244



Suitable for:

EMMEPI

Suitable for:



Springs

3250029 LEFTHAND SPRING \varnothing 20x40 mm
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



EMMEPI 8C0450

3250001 LEFTHAND SPRING \varnothing 20x42 mm
 for ELECTRIC PLATE all models
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



EMMEPI 80873

3250028 RIGHTHAND SPRING \varnothing 20x40 mm
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



EMMEPI 8C0449

3250002 RIGHTHAND SPRING \varnothing 20x42 mm
 for ELECTRIC PLATE all models
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



EMMEPI 80874


3250124 SPRING FOR PLATE \varnothing 22x100 mm



EMMEPI 8C0361

Steam valves

3524009 VALVE KNOB
 hole 9x9 mm
 for valve \varnothing 3/4" - 1"1/4



EMMEPI 809516



Switches

3319146 BLACK BIPOLAR SWITCH 16A 250V

silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Potato heater (GIORIK) 401L



EMMEPI 808146

3319423 GREEN BIPOLAR SWITCH 16A 24V

temperature max 120°C
mounting hole 22x30 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900



EMMEPI C00610

3319029 GREEN BIPOLAR SWITCH 16A 250V

with indicator lamp
max temperature 120°C
mounting hole 22x30 mm



EMMEPI 818181

3319944 GREEN BIPOLAR SWITCH 16A 250V

with indicator light
0-I silk-screen printing
temperature max 120°C
mounting hole 22x30 mm



EMMEPI 712110000

3319967 GREEN SINGLE-POLE SWITCH 16A 250V

max temperature 120°C
mounting hole 11x30 mm



EMMEPI 809477

EMMEPI 809478

3319015 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp
silk-screen print 0 - I
max temperature 120°C
mounting hole 22x30 mm



EMMEPI 8C0961

3319373 RED SINGLE-POLE PUSH-BUTTON 16A 250V

for IGNITION
with protection cap
silk-screen printing "lightning"
max temperature 120°C
mounting hole \varnothing 25 mm
for Pot stove gas (BARON) - Series 1100
Series 1400 - Series 700 - Series 900
for Pot stove gas (OLIS) - Series 1100
Series 1400 - Series 700 - Series 900



EMMEPI 244230001

3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V

with protection cap
mounting hole \varnothing 16 mm
for Pot stove electric (ZANUSSI)



EMMEPI 809886



Suitable for:

EMMEPI



Suitable for:

1319082 SINGLE-POLE PUSH BUTTON 16A 250V



EMMEPI 244230101

Tangential fans

3526153 TANGENTIAL BLOWER 180 mm RIGHTHAND

230V 50/60Hz - ø 60 mm - 25W
operating temperature -30°+135°C



EMMEPI 827914

3526963 TANGENTIAL FAN 240 mm RIGHT

230V 50/60Hz - ø 60 mm - 25 W
operating temperature -30°+135°C



EMMEPI 721200003

Taps for boiling pans

3183050 NUT 1/2"



EMMEPI 809067


3183045 SPOUT

pipe ø 18 mm
for Pasta cooker gas (GIORIK) CPG2L



EMMEPI 808420

3183051 NUT M20x1.5



EMMEPI 809068

3183050 NUT 1/2"



EMMEPI 809067

3020082 OLIVE FOR 12 mm ø PIPE



EMMEPI 8C0412

EMMEPI 807907

Telethermometers

3441008 BLACK TELETHERMOMETER \varnothing 52 mm 0-120°C

plastic case
PVC covered capillary 1500 mm
bulb \varnothing 6.5x2.6 mm



EMMEPI 815215

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case
capillary 1500 mm
bulb \varnothing 6x26 mm



EMMEPI 907090

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



EMMEPI C00395

Thermocouples and accessories

3440116 GROUND LEAD FOR THERMOCOUPLE 35 cm



EMMEPI C10362

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



EMMEPI 513120001

3440014 INTERRUPTION CONNECTOR M8x1



EMMEPI 8C1701

3440015 INTERRUPTION CONNECTOR M9x1



EMMEPI C00169

EMMEPI 807350

EMMEPI 807842

3440114 THERMOCOUPLE FAST CONNECT. 60 cm

threaded coupling M6x1
faston 8x2 mm - faston 5x1.6 mm
for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C10067

EMMEPI C10333

3440116 GROUND LEAD FOR THERMOCOUPLE 35 cm



EMMEPI C10362



Suitable for:

Suitable for:

3440115 THERMOCOUPLE FAST CONNECT. 70 cm
 threaded coupling M6x1 mm
 faston 8x2 mm - faston 5x1.6 mm
 for Pot stove (EMMEPI) - Series 650 - Series 700

3440116 GROUND LEAD FOR THERMOCOUPLE 35 cm



EMMEPI C10065

EMMEPI C10334

EMMEPI C10362

3440133 THERMOCOUPLE SIT M10x1 100 cm

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 808521

EMMEPI 806185

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185

EMMEPI 806185

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186

EMMEPI 8C0639

EMMEPI 806186

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

EMMEPI C10201

EMMEPI 814980



EMMEPI



Suitable for:

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

EMMEPI 806183

EMMEPI 808178

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

EMMEPI 806183

EMMEPI 808178

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138

EMMEPI 806184

EMMEPI 808138

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



EMMEPI 808151

EMMEPI 806271



Suitable for:

EMMEPI



Suitable for:

Thermostatic gas valves

3345010 THERMOSTATIC GAS COCK PEL24ST
 temperature range 55-110°C
 fitting inlet/outlet M20x1.5 mm
 capillary 900 mm
 thermocouple connection M9x1
 bulb \varnothing 6x155 mm
 D-shaped pin \varnothing 10x8mm
 for Bain-marie



EMMEPI C00417

3345017 THERMOSTATIC GAS COCK PEL24ST
 temperature range 120-320°C
 fitting inlet/outlet M20x1.5 mm
 capillary 1000 mm
 swivel connections
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 D-shaped pin \varnothing 10x8mm
 for Oven under cooktop (ANGELO P0)
 for Oven under cooktop (EMMEPI)



EMMEPI C00084

EMMEPI C00600

Thermostats

3444008 BLACK KNOB \varnothing 41 mm 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 for thermostat TR/2




EMMEPI 903982

3744096 SINGLE-PHASE THERMOSTAT 100-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x74 mm
 for Brattt pan (EMMEPI) - Series 750 - Series 900
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900



EMMEPI C00563

3444352 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x129 mm
 for Bain-marie (BERTO'S) BM55E - BM70E



EMMEPI 808671

3444564 SINGLE-PHASE THERMOSTAT 140°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 3.1x226 mm
 for Boiling pan (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series MAGISTRA



EMMEPI 807791



EMMEPI



Suitable for:

Suitable for:

3744097 SINGLE-PHASE THERMOSTAT 230°C
 complete with cut-off thermocouple
 with manual reset
 capillary length 750 mm
 bulb \varnothing 6x77 mm
 for Fryer (EMMEPI) - Series 900



EMMEPI C00169

EMMEPI C00377

EMMEPI C00926

EMMEPI C00926+C00169+...

EMMEPI

EMMEPI 513130201

EMMEPI 513130201+C00169+

3444239 SINGLE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 860 mm - 16A 250V
 bulb \varnothing 6x77 mm - with stuffing gland M10x1
 complete with wiring 330mm for thermocouple
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer (OFFCAR) - Series 700 - Series 900
 for Fryer gas (GIORIK) - Series FRG



EMMEPI 051E10002

EMMEPI 808181

3444377 SINGLE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 6x80 mm - with adapter nipple bland M10x1
 for Fryer electric (GIORIK) - Series FT - FTR3
 FTR5 - FTR6



EMMEPI 813430

3444489 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x125 mm



EMMEPI 828838

3444685 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm
 bulb \varnothing 6x100 mm
 for Bain-marie (EMMEPI) - Series 700 - Series 750
 Series 900
 for Hot cupboard (EMMEPI) - Series 700
 Series 750 - Series 900



EMMEPI C00219

EMMEPI C00220

EMMEPI 807256

3444687 SINGLE-PHASE THERMOSTAT 300°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x74 mm
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Oven under cooktop (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



EMMEPI C00546

3444686 SINGLE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x80 mm
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900



EMMEPI C00564

3444278 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 890 mm - 16A 230V
 bulb \varnothing 3x200 mm
 for Bratt pan (MBM) - Series DOMINA
 Series MAGISTRA - Series OMNIA



EMMEPI 813961



Suitable for:

EMMEPI



3444627 SINGLE-PHASE THERMOSTAT 45-255°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x74 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900
for Rotisserie (CB)



EMMEPI C00545

Suitable for:

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



EMMEPI 808672

3444514 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 660 mm - 16A 240V
bulb \varnothing 4x100 mm



EMMEPI 808872

3444543 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin 6x4.6 mm
capillary length 840 mm - 16A 250V
bulb \varnothing 3x185 mm



EMMEPI 809924

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



EMMEPI 908326

3444369 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Bain-marie (GICO) 110 - Series 700
Series 900 - Series 920
for Bratt pan (GICO) - Series 700 - Series 900
Series 920
for Bratt pan (LOTUS) - Series 700
for Bratt pan (MBM)
for Fry top (LOTUS) - Series 600 - Series 650
for Oven under cooktop (MBM)



EMMEPI 806188

3444643 SINGLE-PHASE THERMOSTAT 60-150°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 3x219 mm
for Boiling pan (SILKO) - Series 900
for Pasta cooker (SILKO) - Series 900



EMMEPI 809036

3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x228 mm



EMMEPI 8C0363



Suitable for:

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer electric (GIORIK) - Series FT - FTR3
 FTR5 - FTR6
 for Fryer electric (MBM) EF45 - EF90
 for Fryer electric (ZANUSSI) QFE300 - QFE600



EMMEPI 806041

EMMEPI 808935

Suitable for:

3444770 THREE-PHASE THERMOSTAT 157°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Pasta cooker (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



EMMEPI 808057

3444775 THREE-PHASE THERMOSTAT 159°C
 with manual reset
 capillary length 1100 mm - 16A 230V
 bulb \varnothing 3.1x185 mm
 for Boiling pan (EMMEPI) - Series 700 - Series 750
 Series 900



EMMEPI 808203

3444375 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x90 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer (GIORIK) - Series FT
 for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7
 for Fryer electric (MBM) EF45 - EF46 - EF47
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99



EMMEPI 8C2105

EMMEPI 807349

EMMEPI 807987

3444631 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 1700 mm - 20A 400V
 bulb \varnothing 6x80 mm
 for Fryer (BERTO'S) - Series 600 - Series 700
 Series 900



EMMEPI C10380

3444351 THREE-PHASE THERMOSTAT 295°C
 with manual reset
 covered capillary 1800 mm - 10A 400V
 bulb \varnothing 4x125 mm - 10A 400V
 for TECNOINOX OVEN
 for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



EMMEPI C00686

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



EMMEPI 808058

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1120 mm - 10A 400V
 bulb \varnothing 3x190 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E



EMMEPI 807790



Suitable for:

EMMEPI



3444370 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 3000 mm - 10A 400V
 bulb \varnothing 6x90 mm
 for Bratt pan (EMMEPI) - Series 750 - Series 900
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fry top (GIGA) - Series SKT - Series 700
 Series 800 - Series 900
 for Oven under cooktop (EMMEPI) - Series 700
 for Oven under cooktop (GIGA) - Series 900



EMMEPI C00098

3444363 THREE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm
 for Bratt pan (LOTUS) - Series 600 - Series 650
 Series 700
 for Bratt pan electric (MBM) EBRA - EBRAVI9T
 EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T
 for Fry top (LOTUS) - Series 600 - Series 650
 Series 700
 for Oven under cooktop (LOTUS) - Series 700
 Series 900



EMMEPI 807793

3444168 THREE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x220 mm
 for Fry top (MBM) - Series CLASSICA



EMMEPI 806189

3444366 THREE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



EMMEPI 807603

Timers

3446002 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



EMMEPI 813170

3446004 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



EMMEPI 828794



EMMEPI



Suitable for:

3446107 TIMER 15 MINUTES IT/ITS
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 2 poles with contact capacity 16(3)A 250V
 max temperature 125°C
 pin 7x5 mm
 for Toaster (FB FABA)



EMMEPI 8C1552

Suitable for:

5031403 120 MINUTES TIMER MS65
 mechanical timer with sound alarm
 120 minutes mechanically set cycle
 contact capacity 16(4)A 230V 50Hz
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Kitchen electric (TECNOEKA) KCV96-M - KCV96P-M
 for Oven under cooktop (EMMEPI) - Series 900



EMMEPI 132110014

Water filling taps

3242233 BLACK HANDLE
 D shaft hole \varnothing 9x8 mm



EMMEPI 808432

3358005 WATER INLET TAP
 inlet \varnothing 1/2" M - outlet \varnothing 10 mm
 for Bain-marie (MBM) - Series MAGISTRA
 for Boiling pan (MBM) - Series MAGISTRA
 for Bratt pan (MBM) - Series MAGISTRA
 for Pasta cooker (MBM) - Series MAGISTRA



EMMEPI 806038

3358006 WATER INLET TAP \varnothing 1/2" FF
 for Boiling pan (MBM) - Series DOMINA
 Series MAGIS MAGISTRA
 for Bratt pan (MBM) - Series OMNIA
 for Fryer (MBM) - Series MINIMA



EMMEPI C10510

EMMEPI C10510+224110004+

3359120 WATER INLET TAP \varnothing 1/2" FF
 D shaft 9x8 mm
 for Pasta cooker (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900
 for Pasta cooker (GIORIK) - Series 700
 Series 900



EMMEPI 808037

3242233 BLACK HANDLE
 D shaft hole \varnothing 9x8 mm



EMMEPI 808432



Suitable for:

EMMEPI



Suitable for:

Wheels and accessories

3522022 WHEEL ø 175 mm
central hole ø 20 mm
with handle
for Bratt pan (MBM) - Series MAGISTRA
Series OMNIA



EMMEPI 830831

3522016 WHEEL ø 200 mm
central hole ø 16 mm
with folding handle
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA



EMMEPI C00248

Wire pan supports

3354011 GRID REDUCER FOR MOKA 145x170 mm
in chrome plated iron



EMMEPI 100505

3354015 GRID REDUCER FOR MOKA 180x180 mm
made of chrome plated iron
for Pot stove (MBM) - Series MAGISTRA
for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



EMMEPI 100477

3354001 GRID REDUCER FOR MOKA 265x265 mm
in stainless steel



EMMEPI 100660