



Spare parts for:

Cooking equipment



Suitable for:

FOEMM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

FOEMM



Suitable for:

Burners, flame spreaders and accessories

3025096 FLAME SPREADER \varnothing 100 mm
in brass



FOEMM 0509108902

FOEMM 305000012530

3025094 FLAME SPREADER \varnothing 70 mm
in brass



FOEMM 05019909102

FOEMM 305000012630

Cables for piezo igniters

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



FOEMM 05000080350

Drain taps and accessories

3356004 DRAIN TAP \varnothing 1" F
TAPERED SEAL - fixed connection \varnothing 1" F
with gasket
for BOILING PAN



FOEMM

3356100 DRAIN TAP \varnothing 2" F TECNO
GASKET SEAL - with swivel nut \varnothing 2" F
for Boiling pan
for Bratt pan (CHARVET) 1000GMA200BM/C



FOEMM 05030035831



Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



FOEMM 05150036150

3526063 VALVE V4600C HONEYWELL \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz



FOEMM 05750107300

Energy regulators

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Boiling pan (MORICE)
for Boiling pan (THIRODE)
for Bratt pan (MORICE)
for Bratt pan (THIRODE)
for Fry top (LOTUS) - Series 60 - Series 65
Series 70
for Grill (THIRODE)
for Hot plate (EMMEPI) - Series 650 - Series 700
for Hot plate (GICO) - Series 110 - Series 700
Series 920
for Pasta cooker electric (BONNET)



FOEMM 05050204750



Suitable for:

FOEMM



Suitable for:

Gas taps and accessories

3348002 GAS COCK 22/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M8x1
 D-shaped pin \varnothing 10x8 mm
 for Boiling pan (THIRODE)
 for Bratt pan gas (THIRODE) SA30 - SA41
 for Grill (FAGOR) - Series 900



FOEMM 05000070430

FOEMM 05019917330

3348003 GAS COCK 22/V
 with pilot flame
 with vertical flange
 fittings \varnothing M20x1.5mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



FOEMM 05050302400

3348012 GAS COCK 23/0
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm - outlet fitting M24x1.5mm
 with flow regulator
 thermocouple connection M10x1
 D-shaped pin \varnothing 10x8 mm



FOEMM 05030043730

Gas valves and accessories

3523020 MINISIT VALVE FOR OVEN 100 ÷ 340 °C
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0 ÷ 60 °C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8" F
 for Fry top gas
 for Oven under cooktop gas



FOEMM 05010014700



Gaskets for oven door

3186051 OVEN DOOR GASKET

made of silicone elastomer
width 37 mm
COLOUR BLACK
SOLD PER METRE
for Oven under cooktop (FOEMM)



FOEMM 305150318740

Heating elements

3355230 HEATING ELEMENT 2000W 220V

length 395 mm - width 140 mm
connection \varnothing 10 mm



FOEMM 305060090151

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



FOEMM



Suitable for:

FOEMM



Suitable for:

Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm
for Oven under cooktop



FOEMM 05010001201

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



FOEMM

3053018 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155
height 146 mm
for Oven under cooktop electric (MARENO) FOE-60M



FOEMM 05150024501

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm
for Oven under cooktop



FOEMM 05010001101

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



FOEMM



Suitable for:

Suitable for:

3053017 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155
height 146 mm
for Oven under cooktop electric (MARENO) FOE-60M



FOEMM 05150024401

Knobs

3241055 FIXING CLIP

for knob with \varnothing 8 mm hole



FOEMM 00000022001

Lamps

3221012 GREEN INDICATOR LIGHT 220V

mounting hole 30x22 mm - 125°C
universal application



FOEMM 05000096150

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED

\varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



FOEMM

3182011 MAGNETIC UNIT PEL SMALL HEADED

\varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



FOEMM



Suitable for:

FOEMM



Suitable for:

Piezo ignitors

3001005 PIEZO IGNITER

a \varnothing 18 mm hole is needed for the assembly
male faston \varnothing 2.4 mm
for Bain-marie gas (SILKO) BMG40 - BMG60
for Fry top gas (SILKO) SKT



FOEMM 05000080200

Pilot burners and accessories

3020001 ONE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bratt pan gas (ZANUSSI) - Series R700
for Kitchen gas (ZANUSSI)



FOEMM 05019906800

3020054 PILOT JET \varnothing 0.20 mm



FOEMM 0977030

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

3020018 PILOT BURNER CB 503.003

with LPG jet and pilot olive
with pilot pipe connection



FOEMM 05010055800

3020054 PILOT JET \varnothing 0.20 mm



FOEMM 0977030



Suitable for:

Suitable for:

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)

3020054 PILOT JET \varnothing 0.20 mm



FOEMM 05000010100

FOEMM 05000027300

FOEMM 0977030

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

Rotary switches

3057050 CONNECTING BRACKET
 connecting thermostat and switch

3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie electric (OLIS) 72/02CBE
 72/02TCBE
 for Bratt pan electric (OLIS) 74/02KBEBI
 for Bratt pan gas (OLIS) 74/02KBGMB
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920
 for Fryer electric (OLIS) 72/02FRE - 74/02FRE
 92/02FRE - 92/04FRE
 for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
 for Kitchen gas (OLIS) 76/02CGGE
 for Oven under cooktop (GICO) - Series 500
 Series 700



FOEMM 305150320700

FOEMM 05150320550



Suitable for:

FOEMM



3057001 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
for Pot stove gas (ZANUSSI) JUN90002 - JUN90012
JUN90022 - JUN90042 - JUN90069 - JUN92012
JUN92032



FOEMM 305010078050

Suitable for:

3057023 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)



FOEMM 05010076150

3057024 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750
for Kitchen electric (GICO) - Series 700
for Kitchen electric (GIGA) - Series 600
Series 700 - Series 800 - Series 900
for Kitchen electric (OFFCAR) - Series 700
Series 900
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
94/04CE - 94/04TCE



FOEMM 05000083150

Safety groups for pans and spare parts

3184013 DEPRESSION VALVE \varnothing 3/4" M

in chrome plated brass
for safety group \varnothing 1" 1/4



FOEMM 05030032301

3184007 PRESSURE GAUGE \varnothing 60 mm

in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



FOEMM 05030033701

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"

for security valve 3/4"
for security valve 1" 1/4



FOEMM 05030034401



Suitable for:

3184002 SAFETY GROUP \varnothing 1"1/4
 vertical connection \varnothing 1"1/4
 complete with safety valve, depression valve,
 tap for pressure gauge holder and pressure gauge
 for STEAM BOILING KETTLE



FOEMM 05030033801

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



FOEMM 05030033701

3184018 SAFETY VALVE \varnothing 1"1/4M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPEL approved



FOEMM 05030032201

3184018 SAFETY VALVE \varnothing 1"1/4M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPEL approved



FOEMM 05030032201

Suitable for:

3184013 DEPRESSION VALVE \varnothing 3/4" M
 in chrome plated brass
 for safety group \varnothing 1"1/4



FOEMM 05030032301

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
 for security valve 3/4"
 for security valve 1"1/4



FOEMM 05030034401



Suitable for:

FOEMM



Suitable for:

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

Switches

3319019 RED BIPOLAR SWITCH 16A 250V
with indicator lamp
max temperature 120°C
mounting hole 22x30 mm



FOEMM 05000078750

FOEMM 305000046250

Telethermometers

3441026 TELETHERMOMETER BLACK \varnothing 60 mm 50-350°C
metal body
capillary length 1500 mm
bulb \varnothing 4x104 mm



FOEMM 05159905800

3441027 TELETHERMOMETER WHITE \varnothing 60 mm 50-350°C
metal body
capillary length 1500 mm
bulb \varnothing 4x105 mm



FOEMM 05159905700

3441029 TELETHERMOMETER WHITE 56x25 mm 50-350°C
plastic body
capillary length 1000 mm
bulb \varnothing 6x25 mm
for Rotisserie electric (ROLLER GRILL) RBE12
RBE4 - RBE8



FOEMM 05150015150



Suitable for:

FOEMM

Suitable for:



Thermocouples and accessories

3440030 THERMOCOUPLE SIT M8x1 100 cm



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



FOEMM 05019906700

FOEMM 05050103900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440038 THERMOCOUPLE SIT M9x1 120 cm



FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440039 THERMOCOUPLE SIT M9x1 150 cm



FOEMM 05000026900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900



Suitable for:

FOEMM



Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900

3440033 THERMOCOUPLE SIT M9x1 32 cm



FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



FOEMM 05000010200

FOEMM 05019906600

3440036 THERMOCOUPLE SIT M9x1 85 cm.



FOEMM 05000010200

FOEMM 05019906600

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



FOEMM 05000010200

FOEMM 05019906600

Thermostats

3444071 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm
for Fryer (FOEMM)
for Fryer (OLIS)



FOEMM 305750107250

3444074 SINGLE-PHASE THERMOSTAT 45-265°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb \varnothing 3x220 mm
for Oven under cooktop (FOEMM)



FOEMM 305150068450



FOEMM



Suitable for:

3444070 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x80 mm
for Fryer (FOEMM)



FOEMM 305000087150

Suitable for:

3444067 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Hot cupboard (ANGELO PO)
for Hot cupboard (MARENO)
for Hot cupboard (ZANUSSI)



FOEMM 05000087250

FOEMM 305000036450

FOEMM 305000087250

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm
for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1
RG/E2



FOEMM 05000087350

3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



FOEMM 05050033650

Timers

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer



FOEMM 305000040540

3446008 TIMER 30 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
30 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



FOEMM 305000080050

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer



FOEMM 305000040540



Suitable for:

FOEMM



Suitable for:

Water filling taps

3359285 WATER INLET TAP \varnothing 1/2" M
for BOILING PAN
for Boiling pan (FAGOR)



FOEMM 05030033101