




Spare parts for:

Cooking equipment



Suitable for:

GICO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

GICO



Suitable for:

Air regulators

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



GICO

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GICO 607008

Burners, flame spreaders and accessories

3025383 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500



GICO A00419

3025384 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 900 - Series 920



GICO A00418

3025381 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 700 - Series 900



GICO 770339300

3025395 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

3025382 BURNER \varnothing 85 mm
for new series
for Pot stove gas (GICO) - Series 900



GICO 770336750

3025410 BURNER \varnothing 90 mm
for Pot stove gas (GICO) - Series 110 - Series 500
Series 700 - Series 920



GICO A00420



GICO



Suitable for:

3025076 BURNER BASE \varnothing 60 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 790300780

GICO 790300789

Suitable for:

3025079 BURNER BASE \varnothing 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

GICO 790300810

3025077 BURNER CAP \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 290200450

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025381 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 700 - Series 900



GICO 770339300

3025395 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

3025076 BURNER BASE \varnothing 60 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 790300780

GICO 790300789

3025078 FLAME SPREADER \varnothing 55 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 270204230

GICO 290200460

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790



Suitable for:

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

GICO



Suitable for:

3025080 BURNER CAP ø 85 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 290200480

3025382 BURNER ø 85 mm
for new series
for Pot stove gas (GICO) - Series 900



GICO 770336750

3025081 FLAME SPREADER ø 80 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 270204240

GICO 290200490

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025079 BURNER BASE ø 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412



GICO



Suitable for:

3025340 FLAME SPREADER \varnothing 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500
Series 900 - Series 920



GICO 270203540

3025383 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500



GICO A00419

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

3025078 FLAME SPREADER \varnothing 55 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 270204230

GICO 290200460

3025066 FLAME SPREADER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 270200190

GICO 770319550

Suitable for:

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025384 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 900 - Series 920



GICO A00418

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350



Suitable for:

3025395 BURNER ø 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

3025071 FLAME SPREADER ø 75 mm
for Pot stove gas (GICO) - Series 700



GICO 241200410

GICO 770319560

3025079 BURNER BASE ø 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

GICO



Suitable for:

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

Suitable for:

Suitable for:

3025081 FLAME SPREADER \varnothing 80 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 270204240

GICO 290200490

3025370 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (GICO) - Series 110 - Series 520
Series 620 - Series 700



GICO 270203550

3025410 BURNER \varnothing 90 mm
for Pot stove gas (GICO) - Series 110 - Series 500
Series 700 - Series 920



GICO A00420

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790



Suitable for:

GICO



Suitable for:

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
 without pilot hosing
 for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

Cables for piezo igniters

3001016 SIT IGNITION LEAD 1000 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



GICO 5509080


3001018 SIT IGNITION LEAD 600 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



GICO 5509040

Contactors

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



GICO 6300240600

Cooking baskets and accessories

3055194 PASTA COOKER BASKET 300x115x180 mm
 for Pasta cooker electric (GICO) 64/755T



GICO 264200230



Drain taps and accessories

3356004 DRAIN TAP ø 1" F
TAPERED SEAL - fixed connection ø 1" F
with gasket
for BOILING PAN



GICO V1201

3356007 DRAIN TAP ø 1"1/2 F TECNO
TAPERED SEAL - swivel nut ø 1"1/2 F
with gasket
for BOILING PAN



GICO 422116

3356005 DRAIN TAP ø 1"1/4 F TECNO
TAPERED SEAL - fixed connection ø 1"1/4 F
with gasket
for BOILING PAN



GICO

3356100 DRAIN TAP ø 2" F TECNO
GASKET SEAL - with swivel nut ø 2" F
for Boiling pan
for Bratt pan (CHARVET) 1000GMA200BM/C



GICO A00087

GICO 422107

Electric hot plates

3311090 ELECTRIC HOT PLATE ø 145 mm 1000W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 611062410

3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 611062415

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (BONNET) B-B7.PE800
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720



GICO 511022426

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (MORICE) RE40010003
for Kitchen electric (FAGOR) CE-741 - CE7-20
CE7-40



GICO 5110001



Suitable for:

GICO



3311160 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top
for Hot plate (SILKO) CSIECV74E



GICO 260203240

GICO 511062325

3311063 ELECTRIC HOT PLATE 3000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GICO 5110003

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GICO 511012440

3311048 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
terminal block electric connections
for electric cooking top



GICO

3311065 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GICO 5110002



Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



GICO 43300012

GICO 4330122224

GICO 790202500

3440200 TWIN LEAD THERMOPILE 580 mm



GICO 434010580

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 100 mbar
 room temperature 0 ÷ 60°C
 power supply 220V 50Hz



GICO 43330001

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3 ÷ 50 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz



GICO 433012

Electronic thermostats and controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
 power supply 12Vca/dc 1.5VA
 thermostat setting range 99 ÷ 600°C
 ON-OFF control with one actuation point
 1 exchange relay output 6(3)A 250V
 inbuilt alarm buzzer
 access to configuration parameters through
 password
 serial port for data exchange
 room temperature 0 ÷ 60°C
 PTC/NTC/PT100/PT1000 type probe (not included)
 connections by screwed terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



GICO 629601

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0 ÷ 60°C
 screw terminal block
 IMQ approved



GICO 639603



Suitable for:

GICO



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



GICO 539205

GICO 539206

3350035 ENERGY ADJUSTER

contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm



GICO 539209

GICO 539208

Gas burners

3023015 BURNER ø 40x460 mm

overall length 485 mm
 made of stainless steel
 for Bratt pan gas (GICO) - Series 900



GICO 4323105

3023325 BURNER 445x200 mm

made of stainless steel
 for Lava rock grill gas (GICO) - Series 700



GICO A00273

GICO 260202640

3023238 BURNER 510x200 mm

made of stainless steel
 for Lava rock grill gas (GICO) - Series 900



GICO A00274

GICO 290203290



Gas taps and accessories

3348014 GAS COCK 20/S
 without pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple fitting M8x1
 D-shaped pin \varnothing 8x6.5mm



GICO 435212

3348016 GAS COCK 21/SV
 with pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



GICO 435210

3348005 GAS COCK 22/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5 mm
 with flow regulator
 thermocouple connection M8x1
 D-shaped pin \varnothing 10x8 mm



GICO 435221

3348010 GAS COCK 22/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm



GICO 435220

3348012 GAS COCK 23/0
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm - outlet fitting M24x1.5mm
 with flow regulator
 thermocouple connection M10x1
 D-shaped pin \varnothing 10x8 mm



GICO 435280

3348015 GAS TAP 20/N
 without pilot flame
 fittings \varnothing M16x1.5 mm
 D-shaped pin \varnothing 8x6.5 mm



GICO 435213

3348031 PIPE FITTING \varnothing 10 mm
 for model PEL 22



GICO 270201680

3348038 PIPE OLIVE \varnothing 10 mm
 for model PEL 22



GICO 270201580



Suitable for:

GICO



Suitable for:

Gas valves and accessories

3526133 EUROSIT VALVE FOR FRY TOP 60÷300°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Fry top gas (GIGA) - Series 650
 for Fry top gas (TECNOINOX) FTC70G
 for Fry top gas (WHIRLPOOL) AGB455 - AGB457
 AGB459 - AGB461 - AGB463 - AGB465 - AGB467
 AGB470
 for Fry top gas (ZANUSSI) MRV/G1CL
 for Kitchen (ZANUSSI) ACF/G810



GICO A00406

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10



GICO A00405

3523040 MINISIT SENSING ELEMENT 100÷340°C

capillary length 1050 mm
 bulb \varnothing 5x70 mm
 for Fry top gas
 for Oven under cooktop gas



GICO 439631034

3523043 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm
 button bulb \varnothing 14.4x26 mm
 for Fryer gas (GICO)



GICO 439621019

3523051 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm
 bulb \varnothing 6x105 mm
 for Fryer gas



GICO 439611019

3523020 MINISIT VALVE FOR OVEN 100÷340°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8" F
 for Fry top gas
 for Oven under cooktop gas



GICO 433011

GICO 770203180



Suitable for:

Suitable for:

3523031 MINISIT VALVE FOR OVEN 100 ÷ 340°C
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0 ÷ 60°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8" F
 for Oven under cooktop gas



GICO 790200800

Grids for kitchen

3185117 PAN SUPPORT GRID 385x290 mm
 for Pot stove (GICO) - Series 700



GICO 270203609

Heating elements

3355829 CERAMIC HEATING ELEMENT 650W 230V
 length 245 mm - width 60 mm
 for Potato heater electric (ZANUSSI) SCCE350



GICO 51012300650

3355202 HEATING ELEMENT 1300W 240V
 length 370 mm - width 95 mm
 connection \varnothing 10 mm
 for Bain-marie electric (GICO)



GICO A00084

GICO 241200562

3355207 HEATING ELEMENT 1370W 240V
 length 430 mm - width 95 mm
 height 65 mm
 nut and washer on demand
 for second series
 for Fry top electric (GICO)



GICO 270200662

3755681 HEATING ELEMENT 2000W 230V
 length 500 mm - width 320 mm
 flange 70x22 mm
 for new series
 for Oven under cooktop electric (GICO) - Series 64



GICO 260200070



Suitable for:

GICO



3355205 HEATING ELEMENT 2020W 240V

length 550 mm - width 90 mm
height 60 mm
nut and washer on demand
for first series
for Fry top electric (GICO)



GICO 290200112

3455277 HEATING ELEMENT 2600W 230V

length 445 mm - width 40 mm
height 225 mm - couplings \varnothing 12 mm
for Pasta cooker electric (GICO)
since 1/01/88
till 1/01/00
Series 900



GICO 290203600

3755683 HEATING ELEMENT 2700W 230V

length 350 mm - width 60 mm
fittings \varnothing 3/8"
for Pasta cooker electric (GICO) - Series 700



GICO 270204220

GICO 270205870

3755075 HEATING ELEMENT 2740W 230V

length 500 mm - width 480 mm
flange 70x22 mm
for Oven under cooktop electric (GICO)
Series 700



GICO 270200402

3355210 HEATING ELEMENT 2740W 400V

length 500 mm - width 480 mm
flange 70x22 mm
for Oven under cooktop electric (GICO)
Series 700



GICO 270201220

GICO 270203360

3355209 HEATING ELEMENT 3200W 240V

length 675 mm - width 120 mm
for Bratt pan electric (GICO)



GICO 241201401

GICO 290200770

3355211 HEATING ELEMENT 3275W 240V

length 535 mm - width 620 mm
flange 160x22 mm
for Oven under cooktop electric (GICO)



GICO 241200922

3755679 HEATING ELEMENT 3275W 400V

length 535 mm - width 620 mm
flange 160x22 mm
for Oven under cooktop electric (GICO)
Series 900 - Series 920



GICO 290203720



Suitable for:

3755684 HEATING ELEMENT 4000W 230V
 length 480 mm - width 60 mm
 fittings \varnothing 3/8"
 for Pasta cooker electric (GICO) - Series 900
 Series 920



GICO 290203880

GICO 290205360

Suitable for:

3355204 HEATING ELEMENT 800W 240V
 length 475 mm - width 70 mm
 for Bratt pan electric (GICO)



GICO 290200091

Hinges, catches and accessories

3053014 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 200 mm - overall length 285
 height 140 mm
 for Oven under cooktop electric (GICO)
 Series 110 - Series 500 - Series 64 - Series 700
 Series 900 - Series 920
 for Oven under cooktop gas (GICO) - Series 110
 Series 500 - Series 64 - Series 700 - Series 900
 Series 920



GICO A00006(SOLO_SX)

GICO A00006SX

GICO 741105831

3053442 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
 distance between holes mobile part 65 mm
 distance between hole fix part 33 mm
 length 97 mm - width 20 mm
 height 46 mm



GICO

3053013 RIGHTHAND DOOR HINGE FOR OVEN
 distance between holes 200 mm - overall length 285
 height 140 mm
 for Oven under cooktop electric (GICO)
 Series 110 - Series 500 - Series 64 - Series 700
 Series 900 - Series 920
 for Oven under cooktop gas (GICO) - Series 110
 Series 500 - Series 64 - Series 700 - Series 900
 Series 920



GICO A00006(SOLO_DX)

GICO 741105741

Injectors

3500020 GAS JET M10x1 \varnothing 0.80 mm



GICO 241204861

3500021 GAS JET M10x1 \varnothing 0.95 mm



GICO 241204871



GICO



Suitable for:

Suitable for:

3500022 GAS JET M10x1 ø 1.00 mm

3500023 GAS JET M10x1 ø 1.10 mm



GICO 270200910

GICO 270202150

3500024 GAS JET M10x1 ø 1.15 mm

3500025 GAS JET M10x1 ø 1.20 mm



GICO 241204881

GICO 241202341

3500027 GAS JET M10x1 ø 1.30 mm

3500028 GAS JET M10x1 ø 1.45 mm



GICO 241203401

GICO 241204901

3500029 GAS JET M10x1 ø 1.50 mm

3500030 GAS JET M10x1 ø 1.60 mm



GICO 241204911

GICO 241203441

3500031 GAS JET M10x1 ø 1.90 mm

3500032 GAS JET M10x1 ø 2.00 mm



GICO 241204921

GICO 290200050

3500033 GAS JET M10x1 ø 2.20 mm

3500034 GAS JET M10x1 ø 2.30 mm



GICO 241202650

GICO 241203451



Suitable for:

Suitable for:

3500035 GAS JET M10x1 ø 2.50 mm



GICO 241204941

Knobs

3241271 BLACK KNOB
round hole ø 10 mm



GICO 3336019200

GICO 760308790

GICO 790305070

3241147 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 766100010
GICO 790119460

GICO 790106620

GICO 790109340

3241144 KNOB BLACK INSERT
external ø 72 mm



GICO 290202440

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430

3241540 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (GICO)
Series 64-PROFONDITA' 600 NUOVA



GICO 766100020

GICO 790106630

GICO 790119470

3241144 KNOB BLACK INSERT
external ø 72 mm



GICO 290202440



Suitable for:

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

GICO



Suitable for:

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430

3241814 BLACK KNOB ø 60 mm 1-1
D shaft hole 6x4.6 mm
for Bain-marie (GICO) - Series 110 - Series 500
Series 64 - Series 700 - Series 900 - Series 920
for Self service counter (GICO) - Series 39



GICO 766100040

GICO 790106900

GICO 790119490

3241134 BLACK KNOB ø 60 mm 50-300°C
D-shaped hole 6x4.6 mm
for Fry top (GICO) - Series 110 - Series 500
Series 700 - Series 900 - Series 920
for Oven under cooktop (GICO) - Series 110
Series 900 - Series 920



GICO 766100130

GICO 790106950

GICO 790109400

3241038 GREY KNOB ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for COOKING RANGE series 110



GICO 766100000

GICO 790119450

GICO 790106610

GICO 790109350

3241539 GREY KNOB ø 60 mm 1-2-3
D-shaped hole 6x4.6 mm
for Pot stove electric (GICO) - Series 110
Series 500 - Series 900 - Series 920



GICO 766100050

GICO 790119510

GICO 790106910

GICO 790109370

3241538 GREY KNOB ø 60 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Pot stove electric (GICO) - Series 64
Series 700



GICO 766100070

GICO 790119520

3241144 KNOB BLACK INSERT
external ø 72 mm



GICO 290202440

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430



Lamps

3221132 GREEN INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



GICO A00409

3221117 GREEN INDICATOR LAMP 400V
 head \varnothing 18 mm - hole \varnothing 12 mm - 150°C



GICO 5229054

3221162 GREEN LAMP RECEPTACLE
 head \varnothing 14.5 mm - hole \varnothing 10 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E
 for Fryer electric (TECNOINOX) FR35E - FR70E
 for Potato heater electric (TECNOINOX) SP35E



GICO 6229044

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



GICO 6229046

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
 lamp glass \varnothing 42 mm
 mounting hole \varnothing 38 mm
 max temperature 300°C
 for OVEN



GICO 6230001

3221097 NEUTRAL INDICATOR LAMP 220V
 head \varnothing 8 mm - 120°C



GICO

3221095 ORANGE INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



GICO A00410

3221116 ORANGE INDICATOR LAMP 400V
 head \varnothing 18 mm - hole \varnothing 12 mm - max 150°C



GICO 5229052

3221163 ORANGE LAMP RECEPTACLE
 head \varnothing 15 mm - hole \varnothing 10 mm



GICO 6229043



Suitable for:

GICO



3221167 RED LAMP RECEPTACLE
head ø 15 mm - hole ø 10 mm



GICO 6229047

3221163 ORANGE LAMP RECEPTACLE
head ø 15 mm - hole ø 10 mm



GICO 6229043

Suitable for:

3221162 GREEN LAMP RECEPTACLE
head ø 14.5 mm - hole ø 10 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E
for Fryer electric (TECNOINOX) FR35E - FR70E
for Potato heater electric (TECNOINOX) SP35E



GICO 6229044

Lever ball valves

3356068 DRAIN TAP ø 1/2"MM
for Bain-marie (GICO) - Series 700
for Pasta cooker (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 433206

3526672 WATER VALVE ø 3/4"FF
ballcock valve
heavy series with PN 40 total passage
aluminium lever
for Pasta cooker electric (WHIRLPOOL) AGB592
AGB593



GICO 433207

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm
for Hot cupboard
for Warm table



GICO 507005

GICO 507007



OR and ORM gaskets

1186414 O-RING 0119 EPDM



GICO 370000119

1186759 O-RING 03106 EPDM



GICO 370003106

Piezo igniters

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector
for Lava rock grill gas (FAGOR)



GICO 4398050

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



GICO 00073

Pilot burners and accessories

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



GICO 43701035

3020050 OLIVE FOR 4 mm \varnothing PIPE



GICO 241202490

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bratt pan gas (ZANUSSI) - Series R700
for Kitchen gas (ZANUSSI)



GICO

GICO LF-3020434

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO



Suitable for:

GICO 270200700

GICO 4398060

3020030 PILOT BURNER GICO
jet and connections not included



GICO A00001


GICO 270200020

3020157 PILOT JET \varnothing 0.25 mm



GICO 43701025

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

3020201 PILOT GAS JET \varnothing 0.14 mm



GICO

3020043 PILOT GAS JET \varnothing 0.36 mm



GICO 43702036

3020050 OLIVE FOR 4 mm \varnothing PIPE



GICO 241202490

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030

3020051 TUBING NUT M10X1 FOR 4 mm \varnothing PIPE



GICO 241202480

3020042 PILOT GAS JET \varnothing 0.19 mm



GICO 43702019

3020449 PILOT GAS JET \varnothing 0.54 mm
for Bratt pan gas (BERTO'S) G9BR8



GICO 4372027



GICO



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



GICO 43701025

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030

3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

3020257 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 700 - Series 900 - Series 920



GICO A00407

GICO A00424

3020042 PILOT GAS JET \varnothing 0.19 mm



GICO 43702019

3020043 PILOT GAS JET \varnothing 0.36 mm



GICO 43702036

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060



Suitable for:

GICO



3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



GICO 790200900

3020043 PILOT GAS JET ø 0.36 mm



GICO 43702036

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GICO A00283

Suitable for:

3020042 PILOT GAS JET ø 0.19 mm



GICO 43702019

3020060 ROUND SPARKING PLUG ø 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060

3020289 THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle
with thermocouple fitting
with sparking plug fitting
with pilot pipe fitting
for Grill gas (GICO) - Series 500 - Series 600
Series 700 - Series 900



GICO 436201



Suitable for:

GICO



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



GICO A00132

GICO 436006

3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (ANGELO PO) - Series SNACK



GICO A00282

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030



Suitable for:

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

GICO



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060

3020051 TUBING NUT M10X1 FOR 4 mm \varnothing PIPE



GICO 241202480

3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting
for Pasta cooker gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA



GICO A00281

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060



Suitable for:

Suitable for:

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bain-marie gas (FAGOR)
for Boiling pan gas (FAGOR)
for Grill gas (ZANUSSI)
for Oven under cooktop gas (FAGOR)



3020054 PILOT JET \varnothing 0.20 mm



GICO

GICO 4370001

3020055 PILOT JET \varnothing 0.35 mm



3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4370002

GICO 4398070

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



GICO A00317



Suitable for:

GICO



Suitable for:

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



GICO 5200995

GICO 5200996

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



GICO 00423

GICO 52004115

3057015 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm



GICO 52021625

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bain-marie (EMMEPI) - Series 650
for Bain-marie electric (OLIS) 72/02CBE
72/02TCBE
for Bratt pan electric (OLIS) 74/02KBEBI
for Bratt pan gas (OLIS) 74/02KBGMB
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Fryer electric (OLIS) 72/02FRE - 74/02FRE
92/02FRE - 92/04FRE
for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
for Kitchen gas (OLIS) 76/02CGGE
for Oven under cooktop (GICO) - Series 500
Series 700




GICO 52002115

3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



GICO 52003432

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
for Pot stove gas (ZANUSSI) JUN90002 - JUN90012
JUN90022 - JUN90042 - JUN90069 - JUN92012
JUN92032



GICO 00410

GICO 52002432

Suitable for:

Suitable for:

3057024 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750
 for Kitchen electric (GICO) - Series 700
 for Kitchen electric (GIGA) - Series 600
 Series 700 - Series 800 - Series 900
 for Kitchen electric (OFFCAR) - Series 700
 Series 900
 for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
 for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
 74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
 94/04CE - 94/04TCE



GICO 00424

GICO 52002715

Safety groups for pans and spare parts

3184011 DEPRESSION VALVE \varnothing 1/4" M

in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1" 1/4



GICO 42233014

3184029 DEPRESSION VALVE \varnothing 3/8" M

in chrome plated brass
 for security valve 3/4"
 for Boiling pan (ZANUSSI)
 for Boiling pan electric (ZANUSSI) KPI/E15



GICO 42230030

3184007 PRESSURE GAUGE \varnothing 60 mm

in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



GICO 422905

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"

for security valve 3/4"
 for security valve 1" 1/4



GICO 422108

3184018 SAFETY VALVE \varnothing 1" 1/4 M

max pressure 0.5 atm
 for safety group 1" 1/4
 ISPESL approved



GICO 42230020

GICO 42230114

3184017 SAFETY VALVE \varnothing 3/4" M

max pressure 0.5 atm
 for safety group \varnothing 3/4"



GICO 42230010



Suitable for:

GICO



Suitable for:

Solenoid valves

3120408 SOLENOID VALVE 230V ø 13.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet ø 13.5 mm



GICO

3120004 SOLENOID VALVE 319 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO 53943410240

GICO 63943410240

3120504 SOLENOID VALVE 319 24V ø 10 mm
solenoid valve 90° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO

3120005 SOLENOID VALVE 329 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO 53943410240

3120505 SOLENOID VALVE 329 24V ø 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO LF-3120530

3120511 SOLENOID VALVE 350 24V ø 14 mm
solenoid valve 90° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



GICO

3120512 SOLENOID VALVE 351 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



GICO

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



GICO 539613240

GICO 539613242

Sparking and detection plugs

3020073 ROUND IGNITION ELECTRODE \varnothing 7/10x52 mm
model 1/B
female connection
overall length 54 mm
for Kitchen gas (WHIRLPOOL) AGB351 - AGB579
AGB580 - AGB581 - AGB582 - AGB583 - AGB584



GICO 4398300001

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060

Switches

3319928 GREEN BIPOLAR SWITCH 16A 250V
with indicator lamp
max.temperature 120°C
lmounting hole \varnothing 25 mm



GICO 5209201

GICO 52221025

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm
for Oven under cooktop gas (ZANUSSI) - Series R701
Series 700



GICO 55463001

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm
for Oven under cooktop gas (ZANUSSI) - Series R701
Series 700



GICO 55463001



Suitable for:

GICO



Suitable for:

Taps for boiling pans

3183014 SPOUT - CONNECTION 1/2" M
 swivel spout in chrome plated brass
 spout \varnothing 18 mm
 for Boiling pan (JEMI) - Series 700 - Series 900
 for Boiling pan (MBM) - Series MAGIS MAGISTRA
 for Boiling pan electric (MBM) E100I - E150I
 for Boiling pan gas (MBM) G100 - G150



GICO A00086

3356139 WATER INLET TAP \varnothing 3/8" F
 for Boiling pan (CAPIC) W085121



GICO 42239038

Telethermometers

3441027 TELETHERMOMETER WHITE \varnothing 60 mm 50-350°C
 metal body
 capillary length 1500 mm
 bulb \varnothing 4x105 mm



GICO 4251103552

Terminal blocks

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



GICO 652501


3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



GICO 652502

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
 interrupted contact with terminals



GICO 434009100

GICO 4343103

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
 interrupted contact with fastons



GICO A00425
GICO 4343106

GICO 434099045

GICO 4343102



Suitable for:

Suitable for:

3440064 NUT FOR THERMOCOUPLE M8x1



GICO

3440030 THERMOCOUPLE SIT M8x1 100 cm



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00270

GICO 434008100

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



GICO A00270

GICO 434008100

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00270

GICO 434008100

3440032 THERMOCOUPLE SIT M8x1 150 cm



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201



Suitable for:

Suitable for:

3440028 THERMOCOUPLE SIT M8x1 60 cm

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016 GICO 434008050 GICO 434008060

GICO A00016 GICO 434008050 GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



GICO A00016 GICO 434008050 GICO 434008060

GICO A00017

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



GICO A00017

GICO A00017

3440033 THERMOCOUPLE SIT M9x1 32 cm

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

**3440034 THERMOCOUPLE SIT M9x1 50 cm
for Fry top gas (SILKO) BG74TLC**

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO

GICO LF-3440034



GICO



Suitable for:

Suitable for:

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO LF-3440034

GICO 434209075

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075

GICO 434209075

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO 434009175

GICO A00022

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO A00022

GICO A00022

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO 434009175

GICO 434009175



Suitable for:

GICO



Suitable for:

Thermostatic gas valves

3345006 THERMOSTATIC GAS COCK PEL24ST

temperature range 120-320°C
fitting inlet/outlet M20x1.5 mm
capillary 900 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
D-shaped pin \varnothing 10x8mm
for Bratt pan
for Fry top
for Oven under cooktop



GICO 435215

3345010 THERMOSTATIC GAS COCK PEL24ST

temperature range 55-110°C
fitting inlet/outlet M20x1.5 mm
capillary 900 mm
thermocouple connection M9x1
bulb \varnothing 6x155 mm
D-shaped pin \varnothing 10x8mm
for Bain-marie



GICO 435218

3345013 THERMOSTATIC GAS COCK PEL25ST

temperature range 30-90°C
fitting inlet/outlet M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x155 mm
D-shaped pin \varnothing 8x6.5 mm
for Bain-marie



GICO 435217

3345018 THERMOSTATIC GAS COCK PEL25ST

temperature range 100-300°C
fitting inlet/outlet M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
D-shaped pin \varnothing 8x6.5 mm
for Fry top
for Oven under cooktop



GICO 435219

Thermostats

3444629 SINGLE-PHASE THERMOSTAT 220°C

with manual reset
covered capillary length 2000 mm
bulb \varnothing 6x87 mm
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 53400112220

3444138 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
covered capillary length 850 mm - 16A 250V
button bulb \varnothing 14x10 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



GICO 5340101230



Suitable for:

3444199 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 complete with wiring
 covered capillary length 850 mm - 16A 230V
 bulb \varnothing 4x120 mm - with adapter nipple bland M9x1
 for Boiling pan (GICO) - Series 700 - Series 900
 Series 920
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920
 for Pasta cooker (GICO) - Series 500 - Series 700
 Series 900 - Series 920



GICO 5340011200

Suitable for:

3744045 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x130 mm
 for Bain-marie (GICO) - Series 110 - Series 39
 Series 500 - Series 64 - Series 700 - Series 900
 Series 920
 for Hot cupboard (GICO) - Series 370 - Series 96
 for Potato heater (GICO) - Series 64 - Series 700
 for Self service counter (GICO) - Series 39



GICO 53401003090

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm



GICO 6340004032001

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



GICO 53401005270

GICO 63401005270

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Bain-marie (GICO) 110 - Series 700
 Series 900 - Series 920
 for Bratt pan (GICO) - Series 700 - Series 900
 Series 920
 for Bratt pan (LOTUS) - Series 700
 for Bratt pan (MBM)
 for Fry top (LOTUS) - Series 600 - Series 650
 for Oven under cooktop (MBM)



GICO 53401005320

3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (BARON)
 for Fryer (BERTO'S)
 for Fryer (OLIS) - Series 700 - Series 900
 for Fryer electric (FRI FRI) D6 - D8
 for Fryer electric (THIRODE) FR10



GICO 53401031820



Suitable for:

GICO



3444090 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x240 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Boiling pan (MARENO)
 for Boiling pan (SILKO)
 for Fryer (MARENO)
 for Fryer (SILKO)



GICO

Suitable for:

3444088 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x130 mm
 with adapter nipple band M9x1
 for Bain-marie (ZANUSSI)



GICO 00400

GICO 53403003090

GICO 53403003110

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1120 mm - 10A 400V
 bulb \varnothing 3x190 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E



GICO 53403000350

3444363 THREE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm
 for Bratt pan (LOTUS) - Series 600 - Series 650
 Series 700
 for Bratt pan electric (MBM) EBRA - EBRAVI9T
 EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T
 for Fry top (LOTUS) - Series 600 - Series 650
 Series 700
 for Oven under cooktop (LOTUS) - Series 700
 Series 900



GICO 53403000420

3444630 THREE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Fry top (GICO) - Series 110 - Series 500
 Series 700 - Series 900 - Series 920
 for Oven under cooktop (GICO) - Series 110
 Series 900 - Series 920



GICO 53403050390

3444052 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm
 for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1
 RG/E2



GICO 00402

GICO 270200341

GICO 53403050300



Suitable for:

GICO



Suitable for:

3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer (ZANUSSI)



GICO 6010004

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GICO 6351120

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GICO 6351020

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



GICO 639603



Suitable for:

GICO



Suitable for:

Water filling taps

3359099 WATER INLET TAP \varnothing 1/2" FF

for old series
for Boiling pan (GICO) - Series 90 - Series 92
for Pasta cooker (GICO) - Series 50 - Series 70
Series 90 - Series 92



GICO 422101

GICO 790304640

3241271 BLACK KNOB

round hole \varnothing 10 mm



GICO 3336019200

GICO 760308790

GICO 790305070

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm

in stainless steel



GICO 241200480

GICO 554