



Spare parts for:

Cooking equipment



Suitable for:

GIGA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:


GIGA



Suitable for:

Air regulators

3352019 AERATION REGULATOR
for Fryer (GIGA) - Series 600 - Series 700
Series 900



GIGA X23200

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIGA X19901

Bearings

1063005 BEARING 6201 2RS
external \varnothing 32 mm-internal \varnothing 12 mm-thickness 10 mm



GIGA SDTR0050

1063906 BEARING 6203 2Z
external \varnothing 40 mm-internal \varnothing 17 mm-thickness 12 mm



GIGA D314003

Bulb sheathes

3786499 SHEATH FOR THERMOSTAT
for Fryer gas (ELFRAMO) GBD10 - GB10 - GSDT12
GSDT20 - GST12 - GST20 - GWDT12 - GWDT20
GWD12 - GWD12ELT - GWD20 - GWD20ELT - GWT12
GWT20 - GW12 - GW12ELT - GW20 - GW20ELT
GW209T



GIGA K97600

3187006 SHEATHING \varnothing 1/2" 130 mm
in stainless steel for thermostat bulb
2 pipes



GIGA SDTR0298

Burners, flame spreaders and accessories

3025447 BURNER \varnothing 120 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V00200

3025299 BURNER \varnothing 120 mm 7Kw
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21200

GIGA 0900X21200

GIGA 721-026-00



GIGA



Suitable for:

3025168 BURNER ø 75 mm 3.5 KW
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21000

Suitable for:

3025297 BURNER ø 75 mm 4.3Kw
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA 0750X22200

GIGA 0900X22200

GIGA 721-030-00

3025444 BURNER ø 90 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V00100

3025171 BURNER ø 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21100

3025298 BURNER ø 95 mm 6.4Kw
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA 0750X22100

GIGA 0900X22100

GIGA 721-028-00

3025300 BURNER CAP ø 120 mm 7Kw
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA X21800

3025299 BURNER ø 120 mm 7Kw
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21200

GIGA 0900X21200

GIGA 721-026-00

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



GIGA 0000X16100

3025301 VENTURI F/BURNER CAP 120 mm 7Kw
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21500

GIGA 0900X21500

GIGA 717-028-00

GIGA 721-025-00

GIGA 872-091-00



Suitable for:

GIGA



Suitable for:

3025179 BURNER RING ø 90 mm
for Pot stove gas (LOTUS) - Series 650



GIGA M01100

3025446 FLAME SPREADER ø 120 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V00400

3025448 VENTURI F/FLAME SPREADER 120 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V01900

3025169 FLAME SPREADER ø 75 mm 4.3Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA X21600

3025297 BURNER ø 75 mm 4.3Kw
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA 0750X22200

GIGA 0900X22200

GIGA 721-030-00

3025447 BURNER ø 120 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V00200

3025168 BURNER ø 75 mm 3.5 KW
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21000

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



GIGA 0000X16100



Suitable for:

3025312 SPARKING PLUG SUPPORT
for burners \varnothing 75-95 mm
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA B83900

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21300

3025176 FLAME SPREADER \varnothing 80 mm
for Kitchen gas (WHIRLPOOL) AGB579 - AGB580
AGB581 - AGB583 - AGB584
for Pot stove gas (GIGA) - Series 650



GIGA M00300

3025443 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V00300

3025445 VENTURI F/FLAME SPREADER 90 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V01800

GIGA



Suitable for:

3025313 THERMOCOUPLE SUPPORT
for burners \varnothing 75-95 mm
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA B83800

3025444 BURNER \varnothing 90 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V00100



Suitable for:

GIGA



3025172 FLAME SPREADER 6.4Kw ø 95 mm
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA X21700

3025298 BURNER ø 95 mm 6.4Kw
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA 0750X22100

GIGA 0900X22100

GIGA 721-028-00

3025312 SPARKING PLUG SUPPORT
for burners ø 75-95 mm
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA B83900

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21400

3025312 SPARKING PLUG SUPPORT
for burners ø 75-95 mm
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA B83900

Suitable for:

3025171 BURNER ø 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21100

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



GIGA 0000X16100

3025313 THERMOCOUPLE SUPPORT
for burners ø 75-95 mm
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA B83800

3025313 THERMOCOUPLE SUPPORT
for burners ø 75-95 mm
for Pot stove gas (GIGA) - Series 900
for Pot stove gas (SILKO) - Series 900



GIGA B83800



Suitable for:

3025301 VENTURI F/BURNER CAP 120 mm 7Kw
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21500
GIGA 721-025-00

GIGA 0900X21500
GIGA 872-091-00

GIGA 717-028-00

Suitable for:

3025448 VENTURI F/FLAME SPREADER 120 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V01900

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21300

3025445 VENTURI F/FLAME SPREADER 90 mm
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA V01800

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



GIGA 0900X21400

Cables for piezo igniters

3001036 IGNITION CABLE 700 mm
with faston terminal 3x1 mm for ignition
with faston terminal \varnothing 2 mm for plug



GIGA X40500

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIGA E10000

GIGA X41000

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIGA X40100



Suitable for:

GIGA



Suitable for:

Capacitors

- 3068014 CAPACITOR μ F 8 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



GIGA D206001

Cast iron hot plates

- 3312085 RIBBED PLATE 370x290 mm**
in cast iron
for Pot stove (GIGA)



GIGA PRM

Clamps

- 3449462 HOSE CLAMP 12-20**
for hoses \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7



GIGA SD902440

- 3449453 HOSE CLAMP 25-40**
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7



GIGA SD902460

- 3449454 HOSE CLAMP 32-50**
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7



GIGA SD902441



Contactors

3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw
 coil 230V 50/60Hz
 4 normally open contacts
 no auxiliary contact
 for Kitchen electric (AMBASSADE) CFE705RT
 CFE714RT



GIGA Y10100

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



GIGA D229019

3454055 CONTACTOR AEG LS5K400 12A 230V 5.5Kw
 coil 230V 50/60Hz
 4 normally open contacts
 no auxiliary contact



GIGA E10300

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact




GIGA Y11100

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Fryer electric (MARENO) F7-4E12



GIGA X55300

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
 10A 400V 4Kw
 coil 220/240V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Boiling pan (ZANUSSI)
 for Bratt pan (ZANUSSI)
 for Fryer (ZANUSSI)
 for Pasta cooker (ZANUSSI)



GIGA Y10000

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



GIGA SD907043

GIGA SD907095



Suitable for:

GIGA



Suitable for:

Cooking baskets and accessories

3055135 PASTA COOKER BASKET 1/3 160x290x200 mm
for 13 portions approx
made of STAINLESS STEEL
for Pasta cooker (DESCO) - Series 1 - Series 2
Series 3



GIGA X60600

3055282 PASTA COOKER BASKET 135x280x160 mm
in STAINLESS steel
for Pasta cooker electric (GIGA) CCPE4 - CCPE6
ICPE4 - ICPE6 - SKPC40E - SKPC60E
for Pasta cooker gas (GIGA) TCP60G



GIGA X59600

GIGA X62600

3055364 PASTA COOKER BASKET 295x140x200 mm
made of stainless steel
for Pasta cooker (SILKO) CCPG82
for Pasta cooker gas (GIGA) CCPG4



GIGA X59700

GIGA X62800

Drain taps and accessories

3356004 DRAIN TAP ø 1" F
TAPERED SEAL - fixed connection ø 1" F
with gasket
for BOILING PAN



GIGA

3356005 DRAIN TAP ø 1"1/4 F TECNO
TAPERED SEAL - fixed connection ø 1"1/4 F
with gasket
for BOILING PAN



GIGA

3356100 DRAIN TAP ø 2" F TECNO
GASKET SEAL - with swivel nut ø 2" F
for Boiling pan
for Bratt pan (CHARVET) 1000GMA200BM/C



GIGA Y71100



Electric hot plates

3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIGA X45400

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (BONNET) B-B7.PE800
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720



GIGA X45300

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIGA X45500

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIGA

3311062 ELECTRIC HOT PLATE 3000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GIGA Y12000

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GIGA Y12100

Electrical gas valves and accessories

3526098 COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



GIGA X50400

3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETTRISIT-820 NOVA-824 NOVASIT



GIGA X49000



Suitable for:

GIGA



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series OMEGA
 for Fryer gas (CAPIC)



GIGA 0000X11400

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



GIGA X44400

GIGA 5010063

3350035 ENERGY ADJUSTER
 contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



GIGA Y17405

GIGA Y17604

Feet

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm
 for Bain-marie (ZANUSSI) - Series R701
 for Fry top (ZANUSSI) - Series H900
 for Oven under cooktop (ZANUSSI) - Series H900



GIGA Y40400



Suitable for:

GIGA



Suitable for:

Fryer baskets and accessories

3055275 FRYER BASKET 115x300x110 mm
 in chromium plated iron
 for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE
 SK10SE - 15DPE - 15PE
 for Fryer gas (GIGA) CF10DG8M - CF10G4M - KFG1
 KFG2 - SKF10GM - SKF20GM - TF10GM - TF20GM



GIGA X63100

3055257 FRYER BASKET 200x295x105 mm
 in chromium plated iron
 for Fryer electric (GIGA) CF4E - CF6E - IF1E4
 IF2E6 - IF4E - IF6E - KFE1 - KFE2 - SKF1E
 SKF2E - SKF4E - SKF6E - SK10DSE - SK10SE



GIGA Y47700

GIGA Y48000

3055258 FRYER BASKET 280x100x100 mm
 in chromium plated iron
 for Fryer electric (GIGA) CF4E - CF6E - IF1E4
 IF2E6 - IF4E - IF6E - KFE1 - KFE2 - SKF1E
 SKF2E - SKF4E - SKF6E - SK10DSE - SK10SE



GIGA Y47900

GIGA Y48100

3055186 FRYER BASKET 290x110x120 mm
 for Fryer electric (ELFRAMO) EB12 - EB12+12 - EM12
 EM12+12
 for Fryer electric (KOMEL) KEB12 - KEB12+12
 KEM12 - KEM12+12
 for Fryer gas (ELFRAMO) GM12 - GM12+12 - GW12
 for Fryer gas (KOMEL) KGM12 - KGM12+12 - KGW12



GIGA X59900

3055276 FRYER BASKET 290x215x120 mm
 in chromium plated iron
 for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE
 SK10SE - 15DPE - 15PE
 for Fryer gas (GIGA) CF10DG8M - CF10G4M - KFG1
 KFG2 - SKF10GM - SKF20GM - TF10GM - TF20GM



GIGA X55600

GIGA X62000

Gas burners

3023172 BURNER ø 40x500 mm
 overall length 520 mm
 made of stainless steel
 for Bratt pan gas (GIGA) - Series 900
 for Bratt pan gas (OLIS) 94KB/G



GIGA Y22200

3023257 BURNER 430x280 mm
 made of iron
 for Solid top range gas (GIGA) - Series 900



GIGA Y22000



Suitable for:

GIGA



Suitable for:

3023255 VERTICAL BURNER \varnothing 75x180 mm
 made of stainless steel
 for Fryer gas (JEMI) - Series 600
 for Fryer gas (LOTUS) - Series 650 - Series 700



GIGA 0900X23100

Gas taps and accessories

3348089 BRACKET FOR TAP



GIGA X07400

GIGA X68052

3183044 GAS COCK

flange type outlet
 pipe fitting M13
 D-shaped \varnothing 6x4.6 mm - pin length 25 mm
 eye thermocouple fitting
 for Kitchen (GIGA) - Series 650
 for Kitchen gas (WHIRLPOOL) AGB580 - AGB583



GIGA Y20700

GIGA 0000Y20700

3348014 GAS COCK 20/S
 without pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple fitting M8x1
 D-shaped pin \varnothing 8x6.5mm



GIGA 0000X10100

GIGA 1000X10100

GIGA 2000X10100

3348016 GAS COCK 21/SV
 with pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



GIGA X08100

GIGA 3000X10500

GIGA 0000X10500

GIGA 0000X10800

3348002 GAS COCK 22/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M8x1
 D-shaped pin \varnothing 10x8 mm
 for Boiling pan (THIRODE)
 for Bratt pan gas (THIRODE) SA30 - SA41
 for Grill (FAGOR) - Series 900



GIGA 0000X10900

GIGA 0000Y21400

GIGA 0000Y21500

3348003 GAS COCK 22/V
 with pilot flame
 with vertical flange
 fittings \varnothing M20x1.5mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



GIGA 0000Y21600

GIGA 0000Y21700

Suitable for:

Suitable for:

3348015 GAS TAP 20/N
 without pilot flame
 fittings \varnothing M16x1.5 mm
 D-shaped pin \varnothing 8x6.5 mm



GIGA x08100

Gas valves and accessories

3526133 EUROSIT VALVE FOR FRY TOP 60÷300°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Fry top gas (GIGA) - Series 650
 for Fry top gas (TECNOINOX) FTC70G
 for Fry top gas (WHIRLPOOL) AGB455 - AGB457
 AGB459 - AGB461 - AGB463 - AGB465 - AGB467
 AGB470
 for Fry top gas (ZANUSSI) MRV/G1CL
 for Kitchen (ZANUSSI) ACF/G810



GIGA X13400

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10



GIGA X12900

3526130 EUROSIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Oven under cooktop gas (ANGELO PO)
 Series ALPHA - Series BIFRONTA - Series DELTA
 Series GAMMA - Series OMEGA



GIGA E30100080

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



GIGA



Suitable for:

GIGA



3523949 MINISIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 supplied without lid knob and flanges
 for Fryer gas (ZANUSSI) - Series R701



GIGA Y23000

Suitable for:

3523920 MINISIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges
 for Fry top gas
 for Oven under cooktop gas



GIGA


3523001 VALVE M1 \varnothing 1/8"MF
 inlet \varnothing 1/8"M - outlet \varnothing 1/8"M
 thermocouple connection M8x1
 maximum gas inlet pressure 150 mbar
 room temperature 0÷80°C
 with thread under the button for ring nut



GIGA Y21800


Gaskets for oven door

3186312 OVEN DOOR GASKET 1300 mm
 made of silicone elastomer
 profile dimensions 20x10 mm
 COLOUR BLACK
 for Oven under cooktop (GIGA) - Series 700
 Series 900



GIGA 0000X05600

3186403 OVEN DOOR GASKET 1400 mm
 made of silicone elastomer
 profile dimensions 21x12 mm
 COLOUR BLACK
 for Oven under cooktop (GIGA) - Series 600
 for Oven under cooktop (MBM) - Series MINIMA



GIGA X68009

GIGA 50015

3186786 OVEN DOOR GASKET 600x300 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 10x9 mm
 COLOUR BLACK
 for Kitchen gas (WHIRLPOOL) AGB583 - AGB584
 for Oven under cooktop (GIGA) - Series SNACK650



GIGA X68201



Suitable for:

GIGA



Suitable for:

Grids for kitchen

3185026 SHELF 580x370 mm
for Pot stove (BERTO'S) - Series 655
for Pot stove (GIGA) - Series SNACK600



GIGA 0550M48200

GIGA 1550Y63000

3185025 SHELF 580x385 mm
for Pot stove (BERTO'S) - Series 655
for Pot stove (GIGA) - Series COUNTER700



GIGA 0550X25000

GIGA 1550X25000

Guides

3053223 DOOR SLIDEWAY
for Hot cupboard (ZANUSSI)



GIGA 19800

Handles

3242710 COOKING TOP HANDLE
for Pot stove gas (GIGA) - Series 650 - Series 700
Series 900



GIGA Y65500

3242678 LID HANDLE PITCH M10 ø 40 mm
supplied with extension
for Boiling pan gas (GIGA) - Series 700



GIGA E20200014
GIGA

GIGA E20200014+E51500

GIGA E51500

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



GIGA R31200



Suitable for:

GIGA



Suitable for:

Heating elements

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm
for Potato heater electric (ZANUSSI) SCCE350



GIGA X4800

3310017 CERAMIC HEATING ELEMENT 750W 230V
length 245 mm - width 60 mm



GIGA

3455307 HEATING ELEMENT FOR TANK 2750W 230V
length 300 mm - width 100 mm
fittings \varnothing 14 mm
for Pasta cooker electric (BERTO'S) E6CPM - E6CP6B
for Pasta cooker electric (GIGA) CCPE4 - CCPE6
ICPE4 - ICPE6 - SKCP40E - SKCP60E - TCP40E
TCP60E
for Pasta cooker electric (WHIRLPOOL) AGB528/WP
AGB592/WP - AGB593/WP



GIGA X47100

GIGA Y19900

3355441 HEATING ELEMENT 1135W 220/240V
length 425 mm - width 65 mm
height 80 mm
for Fry top electric (GIGA) SKT40E - SKT40EC
SKT40ER - SKT60E - SKT60EC - SKT60EC2
SKT60ELR - SKT60ER - SKT60ER2 - SKT60E2
SKT80EC2 - SKT80ELR - SKT80ER2 - SKT80E2



GIGA X45700

3355442 HEATING ELEMENT 1500/1800W 220/240V
length 420 mm - width 50 mm
fittings \varnothing 16 mm
for Bain-marie electric (GIGA) EBMS4 - EBMS8
SKB40E - SKB80E



GIGA X45800

3355440 HEATING ELEMENT 1500W 220V
length 435 mm - width 75 mm
height 60 mm - fittings \varnothing 12 mm
for Hot plate electric (GIGA) SKR40E - SKR60E



GIGA Y00200

3455316 HEATING ELEMENT 1500W 230V
length 300 mm - width 50 mm
fittings \varnothing 14 mm
for Pasta cooker electric (GIGA) CCPE4 - CCPE6
ICPE4 - ICPE6 - SKCP40E - SKCP60E - TCP40E
TCP60E
for Pasta cooker electric (WHIRLPOOL) AGB528/WP
AGB530/WP - AGB592/WP



GIGA Y19800

3455346 HEATING ELEMENT 1600W 220V
length 305 mm - width 205 mm
flange 70x22 mm - with cables - height 50 mm
for Salamander electric (GIGA) S600E - S680E



GIGA X47800



GIGA



Suitable for:

3755085 HEATING ELEMENT 2350/2560W 230/340V

length 585 mm - width 85 mm
height 100 mm
for Fry top electric (GIGA) - Series 900



GIGA Y10400

Suitable for:

3355889 HEATING ELEMENT 2500W 230V

external ø 190 mm - total height 70 mm
flange 70x22 mm
for Kitchen electric (MBM) E4F6
for Oven under cooktop electric (GIGA)
Series COUNTER700 - Series KAPPA900
Series SNACK650



GIGA X68002

GIGA 50039

3755490 HEATING ELEMENT 3400W 230V

length 305 mm - width 190 mm
height 80 mm



GIGA X48100

3355830 HEATING ELEMENT 350W 230V

length 280 mm - width 60 mm
flange 110x22 mm
for Potato heater electric (BERTO'S) E6SP6B
E6SP6M - E7SP-4B - E7SP-4M
for Potato heater electric (GIGA) SKP40E



GIGA X48400

3755084 HEATING ELEMENT 4700W 230V

length 540 mm - width 200 mm
height 90 mm
for Bratt pan electric (GIGA) - Series 900



GIGA Y10500

3355445 HEATING ELEMENT 6000W 230V

length 310 mm - width 250 mm
total height 265 mm - with cables
for Bain-marie electric (BERTO'S) E7F10
for Fryer electric (GIGA) SKF10E - SKF20E



GIGA X46200

3755486 HEATING ELEMENT 990W 240V

length 470 mm - width 105 mm
height 25 mm - 2 flanges 55x18 mm
for Oven under cooktop electric (SILKO) CCG7046/P
CCG70662/P - CCG7246 - CCG72662 - CCG72663
CCQ7246 - CCT7246 - CCT7246/V - CE84EPQ
CG84EPS



GIGA X47000

5038682 SILICONE HEATING ELEMENT 1000W 230V

length 400 mm - width 241 mm
complete with thermostat 145°C manual reset
for Bain-marie electric (GIGA) CBE4 - CBE8 - IBE4
IBE8 - KB4 - KB8 - SKB40E - SKB80E



GIGA Y15900



Suitable for:

GIGA



Suitable for:

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



GIGA X66000

GIGA X66100

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

3053101 LEFT-HAND DOOR HINGE FOR OVEN

mounting distance 120 mm - overall length 155 mm
height 148 mm
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (LOTUS)
Series CF
for Oven under cooktop gas (GIGA) CC80G
for Oven under cooktop gas (LOTUS) - Series CF



GIGA X68021

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
height 160 mm
for Oven under cooktop



GIGA X66100

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



GIGA X66000

GIGA X66100



3053018 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155 mm
height 146 mm
for Oven under cooktop electric (MARENO) FOE-60M



GIGA

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S) G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1 G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

3053100 RIGHT-HAND DOOR HINGE FOR OVEN

mounting distance 120 mm - overall length 155 mm
height 148 mm
for Oven under cooktop electric (GIGA) CCG80E CC80E
for Oven under cooktop electric (LOTUS) Series CF
for Oven under cooktop gas (GIGA) CC80G
for Oven under cooktop gas (LOTUS) - Series CF



GIGA X68020

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S) G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1 G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
height 160 mm
for Oven under cooktop



GIGA X66000

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41 CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61 CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10 HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10 HG9-20



GIGA X66000

GIGA X66100



Suitable for:

3053017 RIGHTHAND DOOR HINGE FOR OVEN
 distance between holes 120 mm - overall length 155
 height 146 mm
 for Oven under cooktop electric (MARENO) FOE-60M



GIGA

Suitable for:

3053019 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 110 mm
 height 25 mm
 for Oven under cooktop (LOTUS) - Series CF
 for Oven under cooktop electric (BERTO'S)
 G9F4E+FE1 - G9F6E+FE1
 for Oven under cooktop electric (GIGA) CCG80E
 CC80E
 for Oven under cooktop electric (MARENO) FOE-60M
 for Oven under cooktop gas (BERTO'S) G9F4E+FG1
 G9F6E+FG1
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

Injectors

3500021 GAS JET M10x1 ø 0.95 mm



GIGA X33600

3500024 GAS JET M10x1 ø 1.15 mm



GIGA X34000

3500025 GAS JET M10x1 ø 1.20 mm



GIGA X34100

3500027 GAS JET M10x1 ø 1.30 mm



GIGA X34300

3500028 GAS JET M10x1 ø 1.45 mm



GIGA X34500

3500029 GAS JET M10x1 ø 1.50 mm



GIGA X34700

3500031 GAS JET M10x1 ø 1.90 mm



GIGA X35400

3500061 GAS JET M7x1 ø 0.80 mm



GIGA X38000



GIGA



Suitable for:

3500063 GAS JET M7x1 ø 0.95 mm



GIGA X38300

Suitable for:

3500064 GAS JET M7x1 ø 1.20 mm



GIGA X38800

3500068 GAS JET M7x1 ø 1.55 mm



GIGA X39300

3500069 GAS JET M7x1 ø 1.60 mm



GIGA X38900

3500319 GAS NOZZLE HOLDER F/BURNER ø 90/120 mm
for Kitchen gas (WHIRLPOOL) AGB351 - AGB352
AGB353 - AGB354 - AGB358 - AGB359 - AGB360
AGB361 - AGB362 - AGB363 - AGB483 - AGB484
AGB485 - AGB486 - AGB489 - AGB490 - AGB491
AGB492 - AGB493 - AGB494 - AGB495 - AGB499
AGB500



GIGA V01100

GIGA 0600V01100

3500372 GAS NOZZLE M10x1 ø 1,00 mm



GIGA Y30000

3500369 GAS NOZZLE M10x1 ø 1,05 mm
for Bratt pan gas (WHIRLPOOL) AGB412 - AGB414
AGB416 - AGB426 - AGB428 - AGB430



GIGA Y30100

3500262 GAS NOZZLE M10x1 ø 1,20 mm
for Fryer gas (ELFRAMO) FG12M - FG24M - GBD10
GB10
for Fryer gas (KOMEL) KGBD10 - KGB10



GIGA Y35200

3500338 GAS NOZZLE M10x1 ø 1,35 mm
for Boiling pan gas (WHIRLPOOL) AGB371 - AGB373
AGB374 - AGB376 - AGB378 - AGB379 - AGB395
AGB397 - AGB398 - AGB400 - AGB402 - AGB403
for Bratt pan gas (WHIRLPOOL) AGB504 - AGB506



GIGA Y08600

3500339 GAS NOZZLE M10x1 ø 1,45 mm
for Lava rock grill gas (WHIRLPOOL) AGB471
AGB472 - AGB539 - AGB546 - AGB554 - AGB561
AGB612 - AGB613



GIGA X29600



Suitable for:

GIGA



3500337 GAS NOZZLE M10x1 ø 1,50 mm
for Pasta cooker gas (WHIRLPOOL) AGB527 - AGB529



GIGA Y08700

3500376 GAS NOZZLE M10x1 ø 2.65 mm
for Kitchen gas (WHIRLPOOL) AGB354 - AGB490



GIGA Y31900

3500374 GAS NOZZLE M10x1 ø 2,20 mm
for Lava rock grill gas (WHIRLPOOL) AGB471
AGB472 - AGB539 - AGB546 - AGB554 - AGB561
AGB612 - AGB613



GIGA Y31200

3500348 GAS NOZZLE M10x1 ø 2,45 mm
for Pasta cooker gas (WHIRLPOOL) AGB448 - AGB450



GIGA Y31500

Knobs

3241927 ADHESIVE DISK 0-1-2-3
external ø 70 mm



GIGA Y65011

3241228 BLACK KNOB ø 70 mm
D shaft hole 6x4.6 mm
for Bratt pan (WHIRLPOOL) AGB417 - AGB419 - AGB421
AGB423 - AGB425 - AGB427 - AGB429 - AGB431
for Bratt pan gas (WHIRLPOOL) AGB416 - AGB418
AGB420 - AGB422 - AGB424 - AGB426 - AGB428
AGB430



GIGA Y65010

GIGA 0000X00600

GIGA 0000Y65010

3241075 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove gas (GIGA)



GIGA 0000X00100

GIGA 0000Y65101

3241227 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Grill (WHIRLPOOL) AGB366 - AGB367 - AGB503
AGB547 - AGB588 - AGB611
for Grill electric (GIGA) SKRE/EGRS-M
for Kitchen electric (WHIRLPOOL) AGB497



GIGA 0000Y65006

GIGA 0000X01300

GIGA 0000Y65006



GIGA



Suitable for:

Suitable for:

3241834 BLACK KNOB ø 70 mm 0-1-2-3
 D shaft hole 6x4.6 mm
 for PASTA COOKER AGB449/851244901000
 AGB451/851245101000-AGB528/851252801000
 AGB530/851253001000-AGB592/851259201000
 AGB593/851259301000
 for PASTA COOKER SKCP40E-SKCP60E-CCPE4-CCPE6-TCP40
 -TCP60E-ICPE4-ICPE6-KCP4E-KCP82E-OPCP4E-OPCP82E

3241786 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm
 for Kitchen electric (WHIRLPOOL) AGB496
 for Kitchen gas (WHIRLPOOL) AGB582
 for Oven under cooktop electric (WHIRLPOOL) AGB487
 AGB585
 for Pot stove electric (WHIRLPOOL) AGB364 - AGB365
 AGB501 - AGB502 - AGB586 - AGB587



GIGA Y65011

GIGA 0000X01000

GIGA 0000Y65011

GIGA 0000Y04100

GIGA 0000Y65005

3241221 BLACK KNOB ø 70 mm 100-195°C
 D shaft hole 6x4.6 mm
 for Fryer (GIGA) E - E10B - MB - SKF

3241149 BLACK KNOB ø 70 mm 50-300°C
 D shaft hole 6x4.6 mm
 for Fry top (GIGA) - Series 900
 for Kitchen electric (WHIRLPOOL) AGB496 - AGB497
 for Kitchen gas (WHIRLPOOL) AGB493 - AGB495
 AGB582
 for Oven under cooktop (GIGA) - Series 900
 for Oven under cooktop (WHIRLPOOL) AGB604 - AGB605
 AGB606 - AGB609



GIGA 0000X00700

GIGA 0000Y65002

GIGA Y65004

GIGA 0000Y04600

GIGA 0000Y04900

GIGA 0000Y65004

3241273 BLACK KNOB ø 71 mm SILK-SCREEN PRINTED
 D shaft hole 8x6.5 mm
 for Bratt pan (WHIRLPOOL) 200-309
 for Fry top gas (GIGA) SKTG
 for Lava rock grill gas (GIGA) SKPLG
 for Pot stove (GIGA) - Series 700 NUOVA
 Series 900 NUOVA

3241334 BLACK KNOB ø 71 mm SILK-SCREEN PRINTED
 D shaft hole 10x8 mm
 for Boiling pan gas (GIGA) KP10G - KP10G - KP15G
 for Boiling pan gas (WHIRLPOOL) AGB371 - AGB373
 AGB374 - AGB376 - AGB378 - AGB379 - AGB395
 AGB397 - AGB398 - AGB400 - AGB402 - AGB403
 for Pasta cooker (GIGA) KCP4 - KCP82 - OPCP4
 OPCP82
 for Pasta cooker gas (WHIRLPOOL) AGB448 - AGB450
 AGB527 - AGB529



GIGA Y65103

GIGA 0000X00800

GIGA 0000Y03700

GIGA Y03700

GIGA Y65203

GIGA 0000Y65203

GIGA 0000Y65103

GIGA 1000Y03700

GIGA 1000X00800



Suitable for:

3241153 BLACK-GREEN KNOB \varnothing 75 mm
D shaft hole 6x4.6 mm
for Fry top (GIGA) - Series 900



GIGA 0000Y04400

GIGA



Suitable for:

3241785 GREY KNOB \varnothing 71 mm 0-90°C
D shaft hole 6x4,6 mm
for Bain-marie (WHIRLPOOL) ABG532 - AGB453
AGB454 - AGB531 - AGB591



GIGA Y65000

GIGA Y65014

GIGA 0000Y65014

Lamps

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



GIGA

3221400 GREEN INDICATOR LAMP 230V
 \varnothing head 14 mm - \varnothing hole 13 mm



GIGA

3221182 GREEN PILOT LIGHT 250V
head \varnothing 14.5 mm - hole \varnothing 12 mm - 120°C
universal application



GIGA X50900

3221181 ORANGE INDICATOR LAMP 250V
head \varnothing 14.5 mm - hole \varnothing 12 mm - 120°C
universal application



GIGA X41200

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 57 mm
mounting hole \varnothing 42 mm
max temperature 300°C
for OVEN



GIGA X68004

GIGA 50051

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



GIGA D216006



Suitable for:

3221181 ORANGE INDICATOR LAMP 250V
head \varnothing 14.5 mm - hole \varnothing 12 mm - 120°C
universal application



GIGA X41200

Suitable for:

3221581 WHITE INDICATOR LIGHT 250V
head \varnothing 12 mm - hole \varnothing 13 mm
wire connection length 800 mm
for PYROCERAMIC COOKING RANGE
for Pot stove (GIGA) - Series 650



GIGA Y17406

Lava rock grids

3185063 STAINLESS STEEL GRILL 450x330x20 mm
for Lava rock grill gas (GIGA) SKPLG



GIGA B49900

Lever ball valves

3356052 DRAIN TAP \varnothing 3/4" F
lateral lever fitting
outlet internal \varnothing 22 mm
for Bain-marie (EMMEPI) - Series 650
for Bain-marie gas (MARENO) BMG40 - BMG60
for Fryer (EMMEPI) - Series 650
for Fryer gas (MARENO) FQ-G60 - FQG-40
for Pasta cooker (EMMEPI) - Series 650



GIGA 0000X15600

3526673 GAS/WATER VALVE \varnothing 1" FF
ball valve
heavy series with PN 40 total passage
aluminum lever
for Fryer (GIGA) - Series 700 - Series 900
for Pasta cooker (GIGA) - Series 700 - Series 900
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2
for Pasta cooker gas (DESCO) 9CPG1 - 9CPG2



GIGA M75400

3526672 WATER VALVE \varnothing 3/4" FF
ballcock valve
heavy series with PN 40 total passage
aluminium lever
for Pasta cooker electric (WHIRLPOOL) AGB592
AGB593



GIGA M75500



Suitable for:

GIGA



Suitable for:

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



GIGA D218011

3240189 MICRO SWITCH M1DX20 10A 250V

for Bain-marie (BONNET)
for Boiling pan (BONNET)
for Fryer (BONNET)



GIGA R31600

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
for Hot cupboard
for Warm table



GIGA V03000

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm



GIGA D456002

GIGA E11700

5005318 O-RING 0153 VITON



GIGA X05000

3186197 O-RING 04150 EPDM



GIGA X05400

3186340 OR GASKET 03037 EPDM



GIGA D456011



Piezo ignitors

3001005 PIEZO IGNITER
 a \varnothing 18 mm hole is needed for the assembly
 male faston \varnothing 2.4 mm
 for Bain-marie gas (SILKO) BMG40 - BMG60
 for Fry top gas (SILKO) SKT



GIGA M00500

3001007 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 2.4 mm \varnothing male faston connector
 for Lava rock grill gas (FAGOR)



GIGA E30200

3001020 PIEZO IGNITER 10015
 18 mm \varnothing mounting hole
 2.4 mm \varnothing male faston connector



GIGA E30400

GIGA M02100

Pilot burners and accessories

3020093 BURNER INJECTOR ASSEMBLY
 with LPG and natural gas nozzles M9x1
 pipe \varnothing 12 mm



GIGA 0000X16100

3020077 FITTING FOR PIPE \varnothing 4 mm



GIGA X13200

3020085 NUT FOR SPARKING PLUG CONNECTION



GIGA X13002

3020266 PILOT BURNER
 for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA Y20300

3020097 PILOT AERATION REGULATOR
 internal \varnothing 7 mm - external \varnothing 9 mm
 height 10 mm



GIGA X19901



Suitable for:

3020105 PILOT WITH 0.20 mm Ø JET



GIGA X19900

3020201 PILOT GAS JET Ø 0.14 mm



GIGA X30400

3020043 PILOT GAS JET Ø 0.36 mm



GIGA X30100

3020105 PILOT WITH 0.20 mm Ø JET



GIGA X19900

3020102 SCREW



GIGA X19904

3020295 TARGET PILOT BURNER SIT 1 FLAME
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
with pilot pipe fitting
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



GIGA X14400

GIGA



Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



GIGA 0000X19000

GIGA 0000X19000+...

3020042 PILOT GAS JET Ø 0.19 mm



GIGA X30000

3020054 PILOT JET Ø 0.20 mm



GIGA X19906

3020106 PILOT WITH 0.25 mm Ø JET



GIGA 0000X19000

GIGA 0000X19000+...

3020077 FITTING FOR PIPE Ø 4 mm



GIGA X13200



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



GIGA X30000

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIGA X13001

GIGA X16900

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



GIGA X13000

3020042 PILOT GAS JET \varnothing 0.19 mm



GIGA X30000

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIGA X13001

GIGA X16900

GIGA

Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



GIGA X30100

3020077 FITTING FOR PIPE \varnothing 4 mm



GIGA X13200

3020043 PILOT GAS JET \varnothing 0.36 mm



GIGA X30100





Suitable for:

GIGA



Suitable for:

3020200 THERMOCOUPLE NUT



GIGA X16500

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)



GIGA R32300

GIGA X13500

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
 total length 65 mm



GIGA E30100054

3020036 THREE-FLAME PILOT BURNER SIT

with NG nozzle \varnothing 0.35 mm
 with 3 positions bracket
 for Fry top gas (ZANUSSI) - Series H900
 Series R701
 for Grill gas (ZANUSSI) - Series R701
 for Kitchen gas (ZANUSSI) - Series P1000
 for Oven under cooktop gas (ZANUSSI) - Series H900
 for Solid top range gas (ZANUSSI) - Series H900



GIGA E30100005

3020054 PILOT JET \varnothing 0.20 mm



GIGA X19906

3020054 PILOT JET \varnothing 0.20 mm



GIGA X19906



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GIGA E3010054

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (ANGELO PO) - Series SNACK



GIGA X17000

3020104 THREE-POSITION BRACKET CLAMP



GIGA 5730045

3020296 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.35 mm
with 2 positions bracket
for Fryer gas (GIGA) - Series 700 - Series 900



GIGA 1000X19000

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GIGA E3010054

GIGA



Suitable for:

3020103 THREE-POSITION BRACKET



GIGA 5730042

3020054 PILOT JET \varnothing 0.20 mm



GIGA X19906



Suitable for:

GIGA



Suitable for:

Pressure gauges

3245019 PRESSURE GAUGE \varnothing 50 mm

fitting \varnothing 1/4" M

scale 0-1 bar

for Boiling pan electric (GIGA) CPEI - KPI10E

KPI10EA - KPI15E - KPI15EA - OPPI10E

OPPI10EA - OPPI15E - OPPI15EA

for Boiling pan gas (GIGA) CPG - CPGI - KPI10G

KPI10GA - KPI10GT - KPI10GTA - KPI15G

KPI15GA - KPI15GT - KPI15GTA - KP10G - KP10GA

KP10GT - KP10GTA - KP15G - KP15GA - KP15GT

KP15GTA - OPPI10G - OPPI10GA - OPPI15G

OPPI15GA - OPP10G - OPP10GA - OPP15G - OPP15GA




GIGA E51000

Relays

3351008 RELAY 62.83 16A 230V 50/60Hz

3 switching contacts



GIGA SD905475

Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



GIGA X44600

3057014 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C

D spindle \varnothing 6x4.6 mm

back connection for thermostat



GIGA X40700

GIGA X49700



Suitable for:

GIGA



3057027 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 rear hole for thermostat
 for Fryer (MORICE)
 for Fryer electric (GIGA) SKF2E - Series 600
 Series 700 - Series 800 - Series 900
 for Grill (MORICE)
 for Hot plate (MORICE)
 for Kitchen (OM GAS) - Series MERCURY
 Series SCORPION
 for Kitchen (THIRODE) - Series 700 - Series 900
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



GIGA Y16200

3057177 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 700 - Series 750
 Series 900
 for Bain-marie (OLIS) - Series 700 - Series 900
 for Fry top (ALPENINOX)
 for Fry top (EMMEPI) - Series 700 - Series 750
 Series 900
 for Fry top (OLIS) - Series 700
 for Fry top (ZANUSSI) - Series N700 - Series PR700
 for Fryer (ALPENINOX)
 for Fryer (OLIS) - Series 700 - Series 900
 for Grill (ZANUSSI) - Series 700
 for Kitchen electric (ZANUSSI) - Series 900
 for Oven under cooktop (ALPENINOX)



GIGA X40900

3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm
 for Fryer electric (GIORIK) FRE33 - FRE63 - FT33
 FT63
 for Self service counter (ZANUSSI)
 for Warm table (ZANUSSI)



GIGA 6030012

3057186 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Bratt pan (MBM) - Series MAGISTRA



GIGA X51300

3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



GIGA X44000

3057305 SELECTOR SWITCH 0-1-2-3 POSITIONS

contact capacity 18A 240V - max 150°C
 D-shaped pin 6x4.6 mm
 for Boiling pan electric (GIGA) CPEI - KPIGN27E
 KPI10E - KPI15E - KPI15EA - OPPI10E - OPPI15E
 OPPI15EA
 for Boiling pan electric (WHIRLPOOL) AGB372
 AGB375 - AGB377 - AGB382 - AGB396 - AGB399
 AGB401 - AGB511




GIGA E11000



Suitable for:

3057098 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Pasta cooker (MODULAR) - Series 600
Series 700 - Series 900
for Pasta cooker electric (DESCO) CPE2 - CPE2-7



GIGA AEC011ZR10

3057024 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750
for Kitchen electric (GICO) - Series 700
for Kitchen electric (GIGA) - Series 600
Series 700 - Series 800 - Series 900
for Kitchen electric (OFFCAR) - Series 700
Series 900
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
94/04CE - 94/04TCE



GIGA X40800

GIGA X54100


GIGA



Suitable for:

3057180 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Kitchen electric (MARENO) - Series 700
Series 900
for Pasta cooker electric (BERTO'S) CPE40 - E9CP40



GIGA X44100

3057079 SELECTOR SWITCH 0-9 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (WHIRLPOOL) AGB496 - AGB497
for Kitchen gas (WHIRLPOOL) AGB493 - AGB495
AGB582
for Oven under cooktop electric (GIGA)
Series 600 - Series 700 - Series 900



GIGA X68204

Safety groups for pans and spare parts

3184013 DEPRESSION VALVE \varnothing 3/4" M

in chrome plated brass
for safety group \varnothing 1" 1/4



GIGA Y70200

3184007 PRESSURE GAUGE \varnothing 60 mm

in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



GIGA Y70700

3184018 SAFETY VALVE \varnothing 1" 1/4 M

max pressure 0.5 atm
for safety group 1" 1/4
ISPESL approved



GIGA Y70300

Solenoid valves

3120541 SOLENOID VALVE L140B5 \varnothing 1/2"FF 24V

for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz



GIGA SDTR0091

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



GIGA D240011

GIGA SD902390

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm

solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



GIGA LF-3120530

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



GIGA D240003

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm

solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - \varnothing 14 mm outlet



GIGA

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



GIGA X50000



Suitable for:

GIGA



Suitable for:

Sparking and detection plugs

3020127 ROUND IGNITION ELECTRODE \varnothing 6.5x55 mm
 with silicone lead 625 mm
 overall length 680 mm
 for Pot stove gas (GIGA) - Series 700 - Series 800



GIGA X14500

3020448 ROUND IGNITION ELECTRODE \varnothing 6x55 mm
 overall length 82 mm
 for Pot stove gas (GIGA) - Series 600



GIGA X68041

GIGA 719-005-00

3020073 ROUND IGNITION ELECTRODE \varnothing 7/10x52 mm
 model 1/B
 female connection
 overall length 54 mm
 for Kitchen gas (WHIRLPOOL) AGB351 - AGB579
 AGB580 - AGB581 - AGB582 - AGB583 - AGB584



GIGA X15000

3020068 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 square coupling
 with shaped igniter
 overall model 63 mm



GIGA X14600

3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 overall length 67 mm
 for Fryer gas (GIGA) - Series 600 - Series 700
 Series 900
 for Fryer gas (WHIRLPOOL) AGB512 - AGB513 - AGB517
 AGB518 - AGB595 - AGB596
 for Kitchen gas (WHIRLPOOL) AGB352 - AGB353
 AGB484 - AGB485 - AGB489 - AGB491
 for Oven under cooktop gas (GIGA) - Series 700
 Series 900
 for Oven under cooktop gas (WHIRLPOOL) AGB356
 AGB357 - AGB488



GIGA X16800

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



GIGA E30100054

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



GIGA X13001

GIGA X16900



Springs

3250208 LH SPRING F. BRATT PAN HINGE
for AGB405-431
for BRATT PAN series 900



GIGA Y71800

3250207 RH SPRING F. BRATT PAN HINGE
for AGB405-426
for BRATT PAN series 900



GIGA Y71500

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



GIGA X50800

3319151 SWITCH PROTECTION CAP
ø external 34 mm
for push-buttons with mounting hole ø 25 mm
for Oven under cooktop gas (ZANUSSI) - Series R701
Series 700



GIGA D410005

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary 1500 mm
bulb ø 6x26 mm



GIGA SD907090

Terminal blocks

3247017 12-POLE PLASTIC TERMINAL BLOCK
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450V



GIGA X41400

3247050 3-POLES TERMINAL BLOCK FV110 40A 450V
for cable ø 6 mm max.
operating temperature 150°C



GIGA X59200



Suitable for:

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GIGA X52500

GIGA X59100

Suitable for:

3351071 5 POLE-TERMINAL BLOCK

for cable max 16 mm²
nominal voltage 600V



GIGA 0000X53900

Thermocouples and accessories

3440158 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm

cut-off contact with faston
for Bratt pan gas (WHIRLPOOL) AGB404 - AGB406
AGB408 - AGB410 - AGB412 - AGB414 - AGB416
AGB418 - AGB420 - AGB422 - AGB424 - AGB426
AGB428 - AGB430
for Fry top gas (WHIRLPOOL) AGB455 - AGB457
AGB459 - AGB461 - AGB463 - AGB467 - AGB470



GIGA X14300

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



GIGA X14000

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm

interrupted contact with fastons



GIGA X19100

3440064 NUT FOR THERMOCOUPLE M8x1



GIGA X15900

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS



GIGA X17600

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GIGA X68045

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



GIGA X68045

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GIGA X68045



GIGA



Suitable for:

Suitable for:

3440028 THERMOCOUPLE SIT M8x1 60 cm

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GIGA X14800

GIGA X14800

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GIGA X14800

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIGA X14900

GIGA X14900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



GIGA X14900

GIGA X13900

3440080 THERMOCOUPLE SIT M9x1 40 cm.

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



GIGA X13900

GIGA X13900

**3440034 THERMOCOUPLE SIT M9x1 50 cm
for Fry top gas (SILKO) BG74TLC**

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIGA X14200

GIGA X14200



Suitable for:

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIGA X14200

Suitable for:

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X14100

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X15700

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



GIGA X15700

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X15700

3440035 THERMOCOUPLE SIT M9x1 60 cm.



GIGA X14100

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X14100

3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm



GIGA X17600

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm- 10 PCS



GIGA X17600

3440127 THERMOCOUPLE TARGET M9x1 60 cm
with fixing connection M10x1 - model T46 48"
for pilot burner Robertshaw model 9B
for gas valve Unitrol 7000



GIGA X13300



Thermostatic gas valves

3345028 THERMOSTATIC GAS COCK GF/R

temperature 300°C
capillary 850 mm
bulb \varnothing 4x150 mm
D-shaped long pin \varnothing 6x4.5 mm
for Oven under cooktop gas (GIGA) CC120G - CC80G
CC81G - C4FFLG - C4FFLGP - C6FFLG - C6FFLGP



GIGA X68053

3345006 THERMOSTATIC GAS COCK PEL24ST

temperature range 120-320°C
fitting inlet/outlet M20x1.5 mm
capillary 900 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
D-shaped pin \varnothing 10x8mm
for Bratt pan
for Fry top
for Oven under cooktop



GIGA 0000X11200

Thermostats

3444008 BLACK KNOB \varnothing 41 mm 0-90°C

D-shaped pin \varnothing 6x4.6 mm
for thermostat TR/2



GIGA SD903982

3444224 BULB HOLDING CLIP

internal \varnothing 6 and 8 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 900



GIGA M86500

3250220 BULB HOLDING CLIP \varnothing 6 mm

for Fryer electric (GIGA) CF4E - CF6E - IF1E4
IF2E6 - IF4E - IF6E - KFE1 - KFE2 - OPFE1
OPFE2 - SKF1E - SKF2E - SKF4E - SKF6E - TF4E
TF6E



GIGA M86800

3250218 BULB HOLDING CLIP \varnothing 8,5 mm

for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE
SK10SE - TF2EA - 15DPE - 15PE



GIGA M86900

3444233 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1750 mm - 16A 250V
bulb \varnothing 6x133 mm - with adapter nipple bland M9x1
for Fryer (GIGA) - Series 700 - Series 900



GIGA X49400

GIGA X56800

GIGA Y16000

3444238 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
covered capillary length 850 mm - 15A 250V
button bulb \varnothing 14x26 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 900



GIGA X43400

GIGA X49400

GIGA 0000X43400



Suitable for:

GIGA



3444372 SINGLE-PHASE THERMOSTAT 245°C

with manual reset
covered capillary length 1170 mm - 16A 250V
bulb \varnothing 6x133 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 800
for Fryer electric (GIGA) SKF2E
for Fryer electric (WHIRLPOOL) AGB433 - AGB435
AGB437 - AGB439 - AGB441 - AGB443 - AGB447
AGB514 - AGB515 - AGB516 - AGB521 - AGB522
AGB523 - AGB524 - AGB525
for Fryer gas (WHIRLPOOL) AGB513



GIGA X49500

GIGA Y16300

3744094 SINGLE-PHASE THERMOSTAT 30-150°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1600 mm
bulb \varnothing 3x145 mm
for Boiling pan (GIGA) - Series 700 - Series 900



GIGA E10600

3444018 SINGLE-PHASE THERMOSTAT 30-90°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb \varnothing 6x175 mm
for Bain-marie electric (ZANUSSI) - Series HD900
Series N700 - Series N900 - Series PR700
Series R701
for Hot cupboard electric (ZANUSSI)



GIGA X5780011

3444209 SINGLE-PHASE THERMOSTAT 355°C

with manual reset
covered capillary length 880 mm - 16A 250V
bulb \varnothing 4x124 mm
for Boiling pan (GIGA) - Series 900
for Bratt pan (GIGA) - Series 900
for Fry top (GIGA) - Series 900



GIGA Y16500

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



GIGA R31400
GIGA 5010087

GIGA R65070210

GIGA X43600

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



GIGA X68205

3444000 SINGLE-PHASE THERMOSTAT 90-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary 900 mm - 16A 250V
button bulb \varnothing 14x10 mm
complete with screw and joint
for Fryer gas (GIGA) - Series SKF



GIGA 0000X43300

3444005 THERMOSTAT TR2 0-120°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



GIGA X43100



Suitable for:

3444198 THREE-PHASE THERMOSTAT 100-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Fryer (BARON)
for Fryer (BERTO'S)
for Fryer (OLIS) - Series 700 - Series 900
for Fryer electric (FRI FRI) D6 - D8
for Fryer electric (THIRODE) FR10



GIGA X43800

GIGA



Suitable for:

3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 6x80 mm
for Bratt pan electric (GIGA) SKBR40E
for Fry top (ZANUSSI) - Series H900



GIGA X43200

GIGA X43900

GIGA Y16400

3444370 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 3000 mm - 10A 400V
bulb \varnothing 6x90 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fry top (GIGA) - Series SKT - Series 700
Series 800 - Series 900
for Oven under cooktop (EMMEPI) - Series 700
for Oven under cooktop (GIGA) - Series 900



GIGA X44800

GIGA 448001

3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x135 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 800 - Series 900
for Fryer electric (GIGA) SKF2E
for Fryer electric (WHIRLPOOL) AGB515 - AGB516
AGB521 - AGB523 - AGB597 - AGB598



GIGA X43800

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GIGA X54000

GIGA 6180003

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GIGA R31700



Suitable for:

GIGA



Suitable for:

Water filling taps

3359126 WATER INLET TAP \varnothing 1/2" FF

for Bain-marie (GIGA) - Series 900
for Bratt pan (GIGA) - Series 700 - Series 900
for Pasta cooker (GIGA) - Series 650 - Series 700
Series 800 - Series 900



GIGA M75600

GIGA X18000

Wheels and accessories

3522007 WHEEL \varnothing 200 mm

complete with handle
for Bratt pan electric (SILKO) CBE9060 - CBE9060C
SE94CRM - SE94IRM
for Bratt pan gas (SILKO) CBG9060/P - CBG9060C/P
SG94CRM - SG94IRM



GIGA 0900Y41900