



Spare parts for:

Cooking equipment



Suitable for:

GIORIK



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

GIORIK



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIORIK 7070014

GIORIK 7090007

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GIORIK 6033175

Cables for piezo igniters

3001028 SIT CABLE 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



GIORIK 6050051

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



GIORIK 6050065

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIORIK 6050610



Capacitors

3068008 CAPACITOR μ F 5 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



GIORIK 6090015


Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



GIORIK 6046043


3446554 CONTACTOR LOVATO BF0901A
 coil 9A 380/400V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact
 for Fryer electric (GIORIK) FE20S



GIORIK 6041039


GIORIK 6046040

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



GIORIK 6046038

3446583 CONTACTOR LOVATO BF18T4A
 coil 18A 230V 50/60Hz 8Kw
 4 normally open contacts
 no auxiliary contact



GIORIK 6046046

Cooking baskets and accessories

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
 plastic replacement for PASTA COOKER baskets



GIORIK 2001110



Suitable for:

GIORIK



Suitable for:

Cooking baskets and accessories

3055283 PASTA COOKER BASKET \varnothing 145x230 mm
of STAINLESS steel
for Pasta cooker electric (GIORIK) CP2 - CP3



GIORIK 2003080

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

3055509 PASTA COOKER BASKET 1/3 290x160x230 mm
made of STAINLESS STEEL
for Pasta cooker (GIORIK)
for Pasta cooker electric (MACFRIN)
for Pasta cooker gas (MACFRIN)



GIORIK 2003046

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

3055213 PASTA COOKER BASKET 163x143x230 mm LH
made of stainless steel
for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2003047

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

3055204 PASTA COOKER BASKET 163x143x230 mm RH
made of stainless steel
for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2003045

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110



Suitable for:

3055505 PASTA COOKER BASKET 2/3 325x300x230 mm
made of STAINLESS STEEL
for Pasta cooker (GIORIK)
for Pasta cooker electric (MACFRIN)
for Pasta cooker gas (MACFRIN)



GIORIK 2003075

Suitable for:

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

3055521 PASTA COOKER BASKET 490x290x215 mm
made of STAINLESS STEEL
for Pasta cooker (GIORIK)
for Pasta cooker electric (MACFRIN)
for Pasta cooker gas (MACFRIN)



GIORIK 2101603

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

Drain taps and accessories

3356049 DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



GIORIK 7060060

3356051 DRAIN TAP \varnothing 3/4" F
for Fryer (ZANUSSI) - Series QUICK



GIORIK 7060026

GIORIK 7060031

3356138 OUTLET TAP FITTING
for Pasta cooker gas (GIORIK) 3CPG



GIORIK 2106617



Suitable for:

GIORIK



Suitable for:

Electric hot plates

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIORIK 6001062

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GIORIK 6001059

3311065 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



GIORIK 6001061

Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF

inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



GIORIK 7020060

3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054



Suitable for:

GIORIK



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



GIORIK 7020070

Energy regulators

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Boiling pan (MORICE)
for Boiling pan (THIRODE)
for Bratt pan (MORICE)
for Bratt pan (THIRODE)
for Fry top (LOTUS) - Series 60 - Series 65
Series 70
for Grill (THIRODE)
for Hot plate (EMMEPI) - Series 650 - Series 700
for Hot plate (GICO) - Series 110 - Series 700
Series 920
for Pasta cooker electric (BONNET)



GIORIK 6031020

GIORIK 6031023

Fryer baskets and accessories

3055279 FRYER BASKET 140x285x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F10L - F210L - F922N
for Fryer gas (GIORIK) FG07L - FG207L



GIORIK 2003001

3055207 FRYER BASKET 185x270x120 mm
made of chrome-plated iron
for Fryer (ZANUSSI) - Series HD700



GIORIK 2004579



Suitable for:

GIORIK



3055272 FRYER BASKET 220x260x100 mm
in chromium plated iron
for Fryer electric (GIORIK) FT5



GIORIK 2003018

Suitable for:

3055414 FRYER BASKET 290x115x120 mm
made of chrome plated iron
for Fryer (MACFRIN)
for Fryer electric (GIORIK) F15L - F215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2003002

3055197 FRYER BASKET 290x165x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F220CL - F220L - F940N
for Fryer gas (GIORIK) FG217L



GIORIK 2003008

3055360 FRYER BASKET 290x230x120 mm
made of chrome plated iron
for Fryer (EMMEPI) FR704EB1
for Fryer (MACFRIN)
for Fryer (SILKO)
for Fryer electric (GIORIK) F15L - F215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2003003

3055524 FRYER BASKET 290x330x120 mm
in chromium plated iron
for Fryer (GIORIK)



GIORIK

3055436 FRYER BASKET 310x115x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012892

3055415 FRYER BASKET 310x130x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012898

3055438 FRYER BASKET 310x145x120 mm
made of chrome plated iron
for Fryer gas (GIORIK) FG17L - FG217L - FG917
FG934



GIORIK 2012895



Suitable for:

3055437 FRYER BASKET 310x230x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012893

Suitable for:

3055439 FRYER BASKET 310x300x120 mm
made of chrome plated iron
for Fryer gas (GIORIK) FG17L - FG217L - FG917
FG934



GIORIK 2012896

3055195 FRYER BASKET 330x290x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F20L - F220L
for Fryer gas (GIORIK) FG17L - FG217L



GIORIK 2003009

Gas burners

3023284 BURNER VERTICAL LEFT
NICKEL PLATED
for Fryer gas (GIORIK) FRG7113 - FRG7113C
FRG7213 - FRG7213C



GIORIK 2112968

3023285 BURNER VERTICAL RIGHT
NICKEL PLATED
for Fryer gas (GIORIK) FRG7113 - FRG7113C
FRG7213 - FRG7213C



GIORIK 2112967

3023235 BURNER 450x220 mm
made of stainless steel
for Lava rock grill gas (BARON) - Series 700



GIORIK 2010923

3023144 BURNER 575x225 mm
made of stainless steel
for Lava rock grill gas (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



GIORIK 2010924

3023286 CENTRAL BURNER VERTICAL
NICKEL PLATED
for Fryer gas (GIORIK) FRG9117 - FRG9217



GIORIK 2112969

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED
for Fryer gas (BARON) - Series 700 - Series 900



GIORIK 2001231



Suitable for:

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED
for Fryer gas (BARON) - Series 700 - Series 900



GIORIK 2001230

Suitable for:

3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7207 - FRG9207



GIORIK 2112970

Gas taps and accessories

3348014 GAS COCK 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



GIORIK 7060013

3348002 GAS COCK 22/0
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm
for Boiling pan (THIRODE)
for Bratt pan gas (THIRODE) SA30 - SA41
for Grill (FAGOR) - Series 900



GIORIK 7060012

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



GIORIK 7050029

3020082 OLIVE FOR 12 mm \varnothing PIPE



GIORIK 7070025



Suitable for:

Suitable for:

5052175 GAS TAP 21/S
 clamp connection
 with pilot flame
 for fittings \varnothing M16x1,5 mm
 thermocouple fitting M9x1
 D-shaft \varnothing 8x6.5 mm
 for Pot stove gas (MARENO)
 Series 700 PROTAGONISTA NUOVA
 Series 900 PROTAGONISTA NUOVA



GIORIK 7060016

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



GIORIK 7070036

Gas valves and accessories

3526260 EUROSIT VALVE CAP



GIORIK 7050016

3526134 EUROSIT VALVE FOR FRY TOP 40÷280°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Fry top gas (ZANUSSI) - Series N700
 Series PR700
 for Oven under cooktop gas (ZANUSSI)
 Series HD700 - Series HD900



GIORIK 7020211

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10



GIORIK 7020215

3526130 EUROSIT VALVE FOR OVEN 100÷340°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Oven under cooktop gas (ANGELO PO)
 Series ALPHA - Series BIFRONTI - Series DELTA
 Series GAMMA - Series OMEGA



GIORIK 7020218



Suitable for:

GIORIK



3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



GIORIK 7020220

Suitable for:

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



GIORIK 7050010

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



GIORIK 7050015

3523051 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas



GIORIK 7020216

3523933 MINISIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 6x105 mm
without cover, knob and flanges
for Fryer gas (MARENO) FQG-40 - FQG-60



GIORIK 7020210

3523949 MINISIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges
for Fryer gas (ZANUSSI) - Series R701



GIORIK 7020200

3523091 MINISIT VALVE FOR OVEN 70÷310°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1300 mm
bulb \varnothing 4x75 mm
without cover, knob and flanges
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



GIORIK

3523060 OIL SEAL FITTING \varnothing 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



GIORIK 7050025



Handles

3242354 DOOR LOCK MAGNET

distance between magnetic part holes 74 mm
distance between holes of strike plate 64 mm
for Fryer (MBM) - Series MAGISTRA



GIORIK 5900352

3398021 OVEN DOOR CATCH

distance between holes 47 mm
catch distance 27 mm



GIORIK 2000160

Heating elements

3355826 CERAMIC HEATING ELEMENT 400W 230V

length 245 mm - width 60 mm
for Potato heater electric (ZANUSSI) QME300I
QME600I



GIORIK 6001124

3755856 HEATING ELEMENT 10200W 230/400V


length 300 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (GIORIK) F15



GIORIK 6002137

GIORIK 6002137+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 2" FOR HEATING ELEMENT

for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655



Suitable for:

GIORIK



3755858 HEATING ELEMENT 12000W 230/400V

length 325 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (EMMEPI) EFR74EBN
for Fryer electric (GIORIK) FE15 - FE215



GIORIK 6002151

GIORIK 6002151+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

3355473 HEATING ELEMENT 1333W 230V

length 280 mm - width 20 mm
height 40 mm - couplings \varnothing 12 mm
for Fryer electric (EMMEPI) - Series 650
for Fryer electric (GIORIK) FRE33 - FRE63 - FTR6T



GIORIK 6001139

3755661 HEATING ELEMENT 15000W 230V

length 300 mm - width 285 mm
with two holes per bulb - complete with cables
complete with OR gaskets
for Fryer electric (EMMEPI) - Series 900
for Fryer electric (GIORIK)
for Fryer electric (MBM) EF45 - EF90
for Fryer electric (OFFCAR) - Series 700
Series 900
for Fryer electric (SILKO)



GIORIK 6002138

GIORIK 6002138+

Suitable for:

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 2" FOR HEATING ELEMENT

for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655

3355447 HEATING ELEMENT 1380W 230V

length 350 mm - width 190 mm
fittings \varnothing 12 mm
for Bain-marie electric (EMMEPI) - Series 650
for Bain-marie electric (GIORIK) BME62



GIORIK 6001024

3186697 O-RING 0159 EPDM




GIORIK 6090145



Suitable for:

3186601 O-RING 04200 EPDM



GIORIK 6090144

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655

3755859 HEATING ELEMENT 16500W 230/400V
length 325 mm - width 255 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (GIORIK) FE20 - FE220 - FE920



GIORIK 6002152

GIORIK 6002152+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

3355834 HEATING ELEMENT 1840W 230V
length 250 mm - width 85 mm
height 185 mm - fittings \varnothing 14 mm
for Fryer electric (GIORIK) FT7



GIORIK 6002055

GIORIK



Suitable for:

3786459 O-RING 04200 VITON



GIORIK OR4200FP75

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655

3755076 HEATING ELEMENT 1840W 230V
length 275 mm - width 65 mm
couplings \varnothing 13 mm
for Pasta cooker electric (EMMEPI) - Series 650
Series 700 - Series 750
for Pasta cooker electric (GIORIK) - Series 700



GIORIK 6002063



Suitable for:

GIORIK



3355832 HEATING ELEMENT 2000W 230V
 length 260 mm - width 130 mm
 height 175 mm - complete with cables
 shaped flange length 90 mm
 for Fryer electric (GIORIK) FT3N



GIORIK 6001129

3355804 HEATING ELEMENT 2185W 230V
 length 227 mm - width 300 mm
 flange 70x22 mm
 for Salamander electric (GIORIK) SR514 - S505



GIORIK 6001067

3755077 HEATING ELEMENT 2520W 220V
 length 445 mm - width 65 mm
 couplings \varnothing 13 mm
 for Pasta cooker electric (BARON) - Series 900
 for Pasta cooker electric (OLIS) - Series 900



GIORIK 6002064

3355808 HEATING ELEMENT 2570W 230V
 length 310 mm - width 297 mm
 flange 70x22 mm
 for Salamander electric (GIORIK) S510



GIORIK 6002021

3355806 HEATING ELEMENT 2730W 230V
 length 490 mm - width 270 mm
 connection \varnothing 13 mm
 for Salamander electric (GIORIK) S511



GIORIK 6002066

3355807 HEATING ELEMENT 3000W 400V
 length 490 mm - width 270 mm
 couplings \varnothing 13 mm
 for Salamander electric (GIORIK) S511S



GIORIK 6003052

3355805 HEATING ELEMENT 3060W 230V
 length 227 mm - width 300 mm
 flange 70x22 mm
 for Salamander electric (GIORIK) S505R



GIORIK 6001068

3355809 HEATING ELEMENT 3100W 400V
 length 310 mm - width 297 mm
 flange 70x22 mm
 for Salamander electric (GIORIK) S510S



GIORIK 6003022



Suitable for:

3355833 HEATING ELEMENT 3280W 230V
length 315 mm - width 180 mm
height 175 mm - flange 70x22 mm
for Fryer electric (GIORIK) FT5



GIORIK 6002054

Suitable for:

3355812 HEATING ELEMENT 3300W 230V
length 240 mm - width 380 mm
flange 70x22 mm
for Salamander electric (GIORIK) SE520



GIORIK 6001133

3355810 HEATING ELEMENT 650W 230V
length 260 mm - width 55 mm
connection \varnothing 15 mm
for Salamander electric (GIORIK) SR512 - SR512D



GIORIK 6002058

3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
connection M54x1.5 mm - with cables
with O-rings
for Fryer electric (SILKO) CFE72210 - CFE90210



GIORIK 6002136

GIORIK 6002136+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

3755857 HEATING ELEMENT 7000W 230/400V
length 325 mm - width 105 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (EMMEPI) EFR72EBN
for Fryer electric (GIORIK) FE210 - FE922



GIORIK 6002150

GIORIK 6002150+...

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655

3186697 O-RING 0159 EPDM




GIORIK 6090145



Suitable for:

3186601 O-RING 04200 EPDM



GIORIK 6090144

GIORIK



Suitable for:

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655

3355811 HEATING ELEMENT 930W 230V
length 260 mm - width 55 mm
connection \varnothing 15 mm
for Salamander electric (GIORIK) SR512



GIORIK 6001071

3755855 RADIANT HEATING ELEMENT 1500W 230V
length 265 mm - width 165 mm
for Salamander electric (GIORIK) SH505R - SH510P
SH510R - SH520G - SH560P



GIORIK 6001066

3755652 RING NUT 2" FOR HEATING ELEMENT
for Fryer (SILKO) FE72206



GIORIK 2005494

GIORIK 2010655

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



GIORIK 5900402



Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm
for Oven under cooktop



GIORIK 5900401

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



GIORIK 5900402

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm
for Oven under cooktop



GIORIK 5900400

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



GIORIK 5900402

Hose reels

3359553 WASHING UNIT MINIREEL

stainless steel case aisi 304
with automatic retractor
EPDM hose \varnothing 13 mm
pull-out hose length 160 cm
complete with shower ECO/F
for fixing to any equipment



GIORIK 7080001

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M

with coupling 3/8" M x 1/2" M



GIORIK 7080010



Suitable for:

GIORIK



Suitable for:

Injectors

3500062 GAS JET M7x1 \varnothing 0.85 mm



GIORIK 7042726

3500063 GAS JET M7x1 \varnothing 0.95 mm



GIORIK 7042731

3500058 GAS JET M7x1 \varnothing 1.00 mm



GIORIK 7042789

3500065 GAS JET M7x1 \varnothing 1.30 mm



GIORIK 7042736

3500067 GAS JET M7x1 \varnothing 1.40 mm



GIORIK 7042790

3500069 GAS JET M7x1 \varnothing 1.60 mm



GIORIK 7042730

3500042 GAS JET M9x1 \varnothing 1.00 mm



GIORIK 7042701

3500043 GAS JET M9x1 \varnothing 1.10 mm



GIORIK 7042707

3500044 GAS JET M9x1 \varnothing 1.15 mm



GIORIK 7042749

3500047 GAS JET M9x1 \varnothing 1.35 mm



GIORIK 7042753

3500051 GAS JET M9x1 \varnothing 1.90 mm



GIORIK 7042748



Interference suppression filters


3160479 INTERFERENCE SUPPRESSION FILTER 0,47µF



GIORIK 6090050

Ironmongery (screws,nuts,washers)

3183051 NUT M20x1.5



GIORIK 5340043

Knobs

3241249 BLACK KNOB ø 39 mm
D shaft hole 6x4.6 mm
for Fryer (GIORIK)



GIORIK 5900198

3241576 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



GIORIK 5900246

3241574 BLACK KNOB ø 73 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (SILKO) - Series 700 - Series 900



GIORIK 5900254

3241276 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Fryer (GIORIK) - Series 600 - Series 700
Series 900



GIORIK 2008672

3241823 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Grill gas (GIORIK) GG66
for Pasta cooker gas (GIORIK) CPG1 - CPG1BM
CPG2L - CPG66 - 2CPG - 22CPG - 23CPG - 3CPG



GIORIK 2008671

3241824 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (GIORIK) - Series GI070
Series GI090



GIORIK 2012984



Suitable for:

GIORIK



3241882 BLACK KNOB \varnothing 75 mm 0-110°C
D shaft hole 6x4.6 mm
for Pasta cooker (GIORIK) CP1 - CP2L - CP22L
for Pasta cooker (ZANUSSI) CP1BM



GIORIK 2008675


Suitable for:

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



GIORIK 5900242

3241615 GREY KNOB \varnothing 49 mm
D shaft hole 6x4.6 mm
for Salamander (GIORIK)



GIORIK 2006823

Lamps

3221110 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 8 mm - 120°C
wire connection length 210 mm



GIORIK 6061061

3221199 GREEN INDICATOR LAMP 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



GIORIK 6061068

3221367 GREEN INDICATOR LAMP 250V
head \varnothing 16 mm - hole \varnothing 13 mm - 120°C
wire connection length 240 mm



GIORIK 6061068

GIORIK 6061068+6061070

GIORIK 6061070

3221166 GREEN INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



GIORIK 6061050



Suitable for:

3221165 ORANGE INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



GIORIK 6061051

Suitable for:

3221166 GREEN INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



GIORIK 6061050

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



GIORIK 60601052

GIORIK 6061052

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C



GIORIK 6061053

3221202 TRANSPARENT INDICATOR LAMP 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm



GIORIK 6061067

3221369 TRANSPARENT INDICATOR LAMP 250V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C
wire connection length 250 mm



GIORIK 6061067+6061069

3221358 WHITE LAMP RECEPTACLE
head \varnothing 16 mm - hole \varnothing 13 mm



GIORIK 6061069

Lava rock grids

3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm
for Lava rock grill gas (GIORIK) GG926



GIORIK 2005384

3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm
for Lava rock grill gas (MBM) GLP45 - GLP45-P
GLP90 - GLP90-P



GIORIK 2010949



Suitable for:

GIORIK



Suitable for:

Level sensors

3341039 WATER LEVEL PROBE \varnothing 3x205 mm
overall length 220 mm



GIORIK 600090

Lever ball valves

3526673 GAS/WATER VALVE \varnothing 1"FF
ball valve
heavy series with PN 40 total passage
aluminum lever
for Fryer (GIGA) - Series 700 - Series 900
for Pasta cooker (GIGA) - Series 700 - Series 900
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2
for Pasta cooker gas (DESCO) 9CPG1 - 9CPG2



GIORIK 706056

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



GIORIK 6043080

3240820 MICROSWITCH 16A 250V



GIORIK 6043085

OR and ORM gaskets

1186230 O-RING GASKET 0164 EPDM




GIORIK 6090140

3186697 O-RING 0159 EPDM



GIORIK 6090145

1786011 O-RING 0164 VITON



GIORIK 6090140

3186601 O-RING 04200 EPDM



GIORIK 6090144



Suitable for:

3786459 O-RING 04200 VITON



GIORIK OR4200FP75

Suitable for:

3186340 OR GASKET 03037 EPDM



GIORIK 6090146

Piezo igniters

3001007 PIEZO IGNITER

a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector
for Lava rock grill gas (FAGOR)



GIORIK 6010047

3001041

PIEZO IGNITER JUNKERS CP101.053

a \varnothing 22 mm hole is needed for the assembly
male faston \varnothing 2.4 mm



GIORIK 6010048

Pilot burners and accessories

3020084 NUT & OLIVE \varnothing 6 mm



GIORIK 7050020

3020085

NUT FOR SPARKING PLUG CONNECTION



GIORIK 5900317

GIORIK 7050028

3020082 OLIVE FOR 12 mm \varnothing PIPE



GIORIK 7070025

3020201

PILOT GAS JET \varnothing 0.14 mm



GIORIK 7042014

3020202 PILOT GAS JET \varnothing 0.27 mm



GIORIK 7042013

3020449

PILOT GAS JET \varnothing 0.54 mm

for Bratt pan gas (BERTO'S) G9BR8



GIORIK 7042008



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

3020114 PILOT OLIVE TARGET \varnothing 6 mm



GIORIK 7070045

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



GIORIK 7090028

3020110 THREE-FLAME DEFLECTOR



GIORIK 7090002

Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3020102 SCREW



GIORIK 7090006

3020200 THERMOCOUPLE NUT



GIORIK 5900318

3020011 THREE-FLAME PILOT BURNER

without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Bratt pan gas (ZANUSSI)
for Pasta cooker gas (ZANUSSI) - Series N900
Series PR700



GIORIK 7090026



Suitable for:

GIORIK



3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GIORIK 7090024

3020401 THREE-FLAME PILOT BURNER
supplied without sparking plug
with LPG and NATURAL GAS nozzle
with thermocouple fitting
with sparking plug fitting
with pilot pipe fitting



GIORIK 7090025

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



GIORIK 7090022

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

3020055 PILOT JET \varnothing 0.35 mm



3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 7042006

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIORIK 6010046

GIORIK 6010087



Suitable for:

GIORIK



3020036 THREE-FLAME PILOT BURNER SIT

with NG nozzle \varnothing 0.35 mm
with 3 positions bracket
for Fry top gas (ZANUSSI) - Series H900
Series R701
for Grill gas (ZANUSSI) - Series R701
for Kitchen gas (ZANUSSI) - Series P1000
for Oven under cooktop gas (ZANUSSI) - Series H900
for Solid top range gas (ZANUSSI) - Series H900



GIORIK 7090023

3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIORIK 6010087

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



GIORIK 7050029

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



GIORIK 6010046

3020101 TWO-POSITION BRACKET CLAMP



GIORIK 7090005



Probes

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



GIORIK 6000085

3445195 TCJ VETROTEX PROBE 700 mm
 2-wire probe temperature range -50+600°C
 error limit $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb ø 6x200 mm
 for Fryer gas (GIORIK) FG213 - FG217



GIORIK 6000106

Rating-plates

3399067 CONTROL PANEL 125x100 mm
 for Fryer gas (GIORIK) FG213 - FG217



GIORIK 2007069

Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft ø 6x4.6 mm
 for Boiling pan (ALPENINOX)
 for Bratt pan (ZANUSSI) - Series R700 - Series 700
 for Fry top (ALPENINOX)
 for Fryer (STAR 10)
 for Fryer (ZANUSSI) - Series R700 - Series 700
 for Kitchen (ALPENINOX)
 for Solid top range (ALPENINOX)



GIORIK 6030007

3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft ø 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie electric (OLIS) 72/02CBE
 72/02TCBE
 for Bratt pan electric (OLIS) 74/02KBEBI
 for Bratt pan gas (OLIS) 74/02KBGMB
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920
 for Fryer electric (OLIS) 72/02FRE - 74/02FRE
 92/02FRE - 92/04FRE
 for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
 for Kitchen gas (OLIS) 76/02CGGE
 for Oven under cooktop (GICO) - Series 500
 Series 700



GIORIK 6030015




Suitable for:

GIORIK



3057082 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°
D-shaft 6x4.6 mm
for Fryer (BARON) - Series 700 - Series 900
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fryer (GIORIK) - Series 700 - Series 900
for Fryer (OFFCAR) - Series 700 - Series 900
for Pasta cooker (BARON) - Series 700 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900
for Pasta cooker (GIORIK) - Series 700
Series 900



GIORIK 6030019

3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Fryer electric (GIORIK) FRE33 - FRE63 - FT33
FT63
for Self service counter (ZANUSSI)
for Warm table (ZANUSSI)



GIORIK 6030012

3057190 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 32A 600V - max 75°C
rectangular shaft 4x5 mm
for Fryer electric (GIORIK) F15 - F20 - F215
F220 - F920 - F940



GIORIK 6030003

3057159 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Pasta cooker electric (OFFCAR) - Series 700
Series 900
for Salamander electric (GIORIK) SR512



GIORIK 6030017

3057092 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Kitchen electric (KÜPPERSBUSCH) - Series FEH



GIORIK 6030014

3057146 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 400V - max 150°C
rectangular pin 4x5 mm
for Fryer (MACFRIN)



GIORIK 6030030

5034977 SWITCH 0-3 POSITIONS

contacts 16A 250V - max 150°C
D-Shaft 6x4.6 mm
for Boiling pan (MARENO) - Series 700 - Series 900
Series 900 PROTAGONISTA NUOVA
for Pasta cooker (MARENO) - Series 700
Series 900 - Series 900 PROTAGONISTA NUOVA



GIORIK 6030040



Suitable for:

GIORIK



Suitable for:

Spark generators

- 3181002 SPARK GENERATOR 2 OUTLETS**
220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



GIORIK 6041059

Sparking and detection plugs

- 3001003 ROUND SPARKING PLUG \varnothing 7x44 mm**
male faston M4x1 mm
total length 65 mm



GIORIK 6010046

- 3020060 ROUND SPARKING PLUG \varnothing 7x44 mm**
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIORIK 6010087

- 3020230 ROUND SPARKING PLUG \varnothing 7x54 mm**
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



GIORIK 6010061

Switches

- 3319146 BLACK BIPOLAR SWITCH 16A 250V**
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Potato heater (GIORIK) 401L



GIORIK 6032031



Suitable for:

GIORIK



Suitable for:

Taps for boiling pans

3183050 NUT 1/2"



GIORIK 7070085

3183045 SPOUT
pipe \varnothing 18 mm
for Pasta cooker gas (GIORIK) CPG2L




GIORIK 2101769

3183050 NUT 1/2"



GIORIK 7070085

3183051 NUT M20x1.5



GIORIK 5340043

3020082 OLIVE FOR 12 mm \varnothing PIPE



GIORIK 7070025

Thermocouples and accessories

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



GIORIK 7050032

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



GIORIK 6010064

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GIORIK 6010065

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



GIORIK 6010052



Suitable for:

3440039 THERMOCOUPLE SIT M9x1 150 cm



GIORIK 6010056

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIORIK 6010056

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIORIK 6010056

3440034 THERMOCOUPLE SIT M9x1 50 cm
for Fry top gas (SILKO) BG74TLC



GIORIK 6010058

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIORIK 6010055

3440035 THERMOCOUPLE SIT M9x1 60 cm .



GIORIK 6010055

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIORIK 6010055

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GIORIK 6010057



Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



GIORIK 6010057

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GIORIK 6010057

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



GIORIK 6010063

Thermostats

3444122 MILLED GLAND FOR THERMOSTAT BULB 10x1



GIORIK 6030024

3444107 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x142 mm - with adapter nipple bland M9x1
for Boiling pan (MARENO)
for Boiling pan (MBM)
for Boiling pan (OLIS)
for Fryer (GIORIK)
for Fryer (MARENO)
for Fryer (MBM)
for Fryer (OLIS)



GIORIK 6010020

3444239 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with stuffing gland M10x1
complete with wiring 330mm for thermocouple
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fryer (OFFCAR) - Series 700 - Series 900
for Fryer gas (GIORIK) - Series FRG



GIORIK 2001046

GIORIK 2011140

3444377 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 6x80 mm - with adapter nipple bland M10x1
for Fryer electric (GIORIK) - Series FT - FTR3
FTR5 - FTR6



GIORIK 6010006

GIORIK 6010018



Suitable for:

3444376 SINGLE-PHASE THERMOSTAT 95-190°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer electric (GIORIK) - Series FT - FTR3
 FTR5 - FTR6
 for Fryer electric (MBM) EF45 - EF90
 for Fryer electric (ZANUSSI) QFE300 - QFE600



GIORIK 6010005

GIORIK 6010011

Suitable for:

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Pasta cooker (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



GIORIK 6010002

3444375 THREE-PHASE THERMOSTAT 225°C

with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x90 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer (GIORIK) - Series FT
 for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7
 for Fryer electric (MBM) EF45 - EF46 - EF47
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99



GIORIK 6010037

3444307 THREE-PHASE THERMOSTAT 230°C

with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer electric (BARON) - Series 900



GIORIK 6010036

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
 capillary length 1120 mm - 10A 400V
 bulb \varnothing 3x190 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E



GIORIK 5910029

3444620 THREE-PHASE THERMOSTAT 45-120°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 380V
 bulb \varnothing 6x140 mm
 for Pasta cooker electric (GIORIK) - Series 700
 Series 900



GIORIK 6010016



Suitable for:

3444790 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 800 mm - 10A 400V
 bulb \varnothing 4x120 mm
 for Fry top (OFFCAR) - Series 700 - Series 900
 for Oven under cooktop (OFFCAR) - Series 700
 Series 900



GIORIK 5910028

GIORIK



Suitable for:

3444366 THREE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



GIORIK 6010004

Timers

3446002 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



GIORIK 6032040

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



GIORIK 6010086

Water filling taps

3242233 BLACK HANDLE
 D shaft hole \varnothing 9x8 mm



GIORIK 2001250



Suitable for:

GIORIK



Suitable for:

Water filling taps

3359120 WATER INLET TAP \varnothing 1/2" FF

D shaft 9x8 mm
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900
for Pasta cooker (GIORIK) - Series 700
Series 900



GIORIK 7060018

3242233 BLACK HANDLE

D shaft hole \varnothing 9x8 mm



GIORIK 2001250