




Spare parts for:

Cooking equipment



Suitable for:

HONEYWELL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

HONEYWELL



Suitable for:

Electrical gas valves and accessories

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



HONEYWELL V4336A2220B

3523078 GAS VALVE \varnothing 1/2" FF VS820A1807
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
for NATURAL GAS - 7500mV
for Fryer gas (FRYMASTER) GF40 - MJ35 - SM250GNS
for Fryer gas (PITCO FRIALATOR) SG14



HONEYWELL VS820A1807

3526066 HONEYWELL VALVE V4400C \varnothing 3/4" FF 220V
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



HONEYWELL V4400C1211B

HONEYWELL V4400C1211U001

HONEYWELL V4400C1237U

3526580 VALVE VK8105A HONEYWELL \varnothing 18 mm
inlet-outlet \varnothing 18 mm unthreaded
maximum gas inlet pressure 60 mbar
room temperature 15÷80°C
power supply 24V



HONEYWELL VK8105A1007B

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz



HONEYWELL VR4605P2015B

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



HONEYWELL V4336A2220B

3526063 VALVE V4600C HONEYWELL \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz



HONEYWELL V4600C1029B

HONEYWELL V4600C1029U

HONEYWELL V4600C1029U001

HONEYWELL V4600C1086U



Suitable for:

HONEYWELL



Suitable for:

Piezo ignitors

- 3001013** **PIEZO IGNITER 10015**
a \varnothing 18 mm hole is needed for the assembly
male faston connector \varnothing 2.4 mm



HONEYWELL

Pilot burners and accessories

- 3020421** **PILOT BURNER HONEYWELL Q327**
with NG jet



HONEYWELL Q327A1683B

- 3020422** **PILOT BURNER HONEYWELL Q349**
supplied without sparking plug, nozzle
with pilot pipe fitting \varnothing 6 mm



HONEYWELL Q349A1034B+TEXTE

- 3440154** **THERMOCOUPLE M9x1 90 cm**
bulb \varnothing 10x54 mm - with fixing connection M11x1
for PILOT HONEYWELL Q349-Q327



HONEYWELL Q309A3018B

- 3500328** **PILOT NOZZLE**
for LPG - pilot Honeywell Q349



HONEYWELL 45900421-014B

- 3500329** **PILOT NOZZLE**
for NATURAL GAS - pilot Honeywell Q349



HONEYWELL 45.900.421.11B

- 3500331** **PILOT NOZZLE**
for LPG - pilot Honeywell Q327



HONEYWELL 388146KR



Suitable for:

HONEYWELL



Suitable for:

Pressure switches

- 3320225 ADJUSTABLE PRESSUR SWITCH 0,2-1 KG**
HONEYWELL PA404 1025
fitting 8/13"F
for Bratt pan electric (ROSINOX) MBM80E
for Bratt pan gas (ROSINOX) MBM80G



HONEYWELL PA404A1025/B

Sparking and detection plugs

- 3806021 ROUND DETECTOR ELECTRODE**
with flange



HONEYWELL Q354A1000B

- 3806001 ROUND IGNITION ELECTRODE \varnothing 6x44 mm**
fitting \varnothing 9 mm
overall length 75 mm
for Honeywell burner
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB



HONEYWELL 45900413002B

Thermocouples and accessories

- 3440154 THERMOCOUPLE M9x1 90 cm**
bulb \varnothing 10x54 mm - with fixing connection M11x1
for PILOT HONEYWELL Q349-Q327



HONEYWELL Q309A3018B