



Spare parts for:

Cooking equipment



Suitable for:

JUNO-RÖDER-SENKING



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Cables for piezo igniters


- 3001002 SIT IGNITION LEAD 1000 mm**
 with faston 6.35x0.8 mm ignition
 with faston \varnothing 4 mm for electrode
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



JUNO-RÖDER-SENKING

Drain taps and accessories

- 3356154 DRAIN TAP \varnothing 1"1/2F**
 with fixed connection \varnothing 1"1/2F
 for Boiling pan (JUNO-RÖDER-SENKING)
 for Boiling pan (ZANUSSI)




JUNO-RÖDER-SENKING 232220

- 3356156 DRAIN TAP \varnothing 1"1/2F**
 flanged connection with screw fastening \varnothing 1"1/2F
 for Boiling pan (JUNO-RÖDER-SENKING)
 for Boiling pan (KÜPPERSBUSCH)
 for Boiling pan (MKN)
 for Boiling pan (ZANUSSI)



JUNO-RÖDER-SENKING 232008

- 3356153 DRAIN TAP \varnothing 1"1/4F**
 with fixed connection \varnothing 1"1/4F
 for Boiling pan (JUNO-RÖDER-SENKING)
 for Boiling pan (ZANUSSI)



JUNO-RÖDER-SENKING 232210

Electric hot plates

- 3311096 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 230V**
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



JUNO-RÖDER-SENKING 210383

- 3311098 ELECTRIC HOT PLATE \varnothing 220 mm 2000W 230V**
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



JUNO-RÖDER-SENKING 210562



JUNO-RÖDER-SENKING



Suitable for:

3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



JUNO-RÖDER-SENKING 210619

Suitable for:

3311102 ELECTRIC HOT PLATE ø 300 mm 2500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



JUNO-RÖDER-SENKING 210710

3311070 ELECTRIC HOT PLATE 2500W 230V

dimensions 300x300 mm
tilting plate
electric screw couplings
for electric cooking top



JUNO-RÖDER-SENKING 210747

3311074 ELECTRIC HOT PLATE 4000W 230V


dimensions 300x300 mm
tilting plate
terminal block electric connections
for electric cooking top



JUNO-RÖDER-SENKING 210755

3311151 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooktop
WITHOUT PAN DETECTOR



JUNO-RÖDER-SENKING 214430

Electrical cables

3050075 SPIRAL FEEDING CABLE 500 mm

3 threads ø 1,5 mm
total length 2000 mm
with SCHUKO plug



JUNO-RÖDER-SENKING 513012



Suitable for:

Suitable for:

Electrical gas valves and accessories

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



JUNO-RÖDER-SENKING 231872

3526090 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KKG - 94KBCM
94KKG
for Fryer gas (BONNET)



JUNO-RÖDER-SENKING 203306

3523076 GAS VALVE UNITROL 7000 BER S7C
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
with pressure regulator 17cm CE
slow opening
power supply 24V
for Fryer gas (FRYMASTER) MJ45



JUNO-RÖDER-SENKING

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



JUNO-RÖDER-SENKING 230436

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



JUNO-RÖDER-SENKING 231908

JUNO-RÖDER-SENKING 231912

JUNO-RÖDER-SENKING 231913

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



JUNO-RÖDER-SENKING 231864

Gas burners

- 3023255 VERTICAL BURNER \varnothing 75x180 mm**
 made of stainless steel
 for Fryer gas (JEMI) - Series 600
 for Fryer gas (LOTUS) - Series 650 - Series 700



JUNO-RÖDER-SENKING 215789

Gas valves and accessories

- 3523035 KNOB FOR MINISIT VALVE**
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



JUNO-RÖDER-SENKING 252418

- 3523920 MINISIT VALVE FOR OVEN $100 \div 340^{\circ}\text{C}$**
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature $0 \div 60^{\circ}\text{C}$
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges
 for Fry top gas
 for Oven under cooktop gas



JUNO-RÖDER-SENKING 244108

JUNO-RÖDER-SENKING 244109

Gaskets and seals

- 3186187 HEATING ELEMENT GASKET**
 external dimensions 68x13 mm



JUNO-RÖDER-SENKING 237353

JUNO-RÖDER-SENKING 246294

Heating elements

- 3355505 HEATING ELEMENT 1000W 220V**
 length 230 mm - width 60 mm
 connection \varnothing 1/4"
 for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING

- 3355720 HEATING ELEMENT 1000W 220V**
 immersed length 225 mm - width 60 mm
 flange 80x28 mm - with receptacle hole



JUNO-RÖDER-SENKING 214610

JUNO-RÖDER-SENKING 231003



JUNO-RÖDER-SENKING



Suitable for:

3755554 HEATING ELEMENT 1000W 230V
length 260 mm - width 30 mm
fittings \varnothing 10 mm - with nut and gasket
for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 2422164020

3755287 HEATING ELEMENT 1100W 380V
length 540 mm - height 62 mm
with cables
for Fry top electric (JUNO-RÖDER-SENKING)
for Fry top electric (ZANUSSI)



JUNO-RÖDER-SENKING 213896

JUNO-RÖDER-SENKING 214743

3755721 HEATING ELEMENT 1500W 230V
length 390 mm - width 37 mm
fittings \varnothing 10 mm
for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214086

3755178 HEATING ELEMENT 1800W 230V
length 550 mm - width 95 mm
for Bratt pan electric (ZANUSSI)



JUNO-RÖDER-SENKING 249212

Suitable for:

3755182 HEATING ELEMENT 1080W 230V
length 480 mm - width 37 mm
height 62 mm - with cables
for Grill electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214337

3755133 HEATING ELEMENT 1500W 230V
length 395 mm - width 200 mm
2 flanges 30x15 mm
for Bain-marie electric (BLANCO)



JUNO-RÖDER-SENKING 213786

3755556 HEATING ELEMENT 1750W 220V
external \varnothing 200 mm - total height 70 mm
flange 70x22 mm
for Dish warmer electric (MOBILE CONTAINING)
SHU-MS/A - SHU-MS/B - SHU-MS/D - THNU-MS210
THNU-MS240 - THNU-MS280 - THNU-MS310



JUNO-RÖDER-SENKING 214759

3755173 HEATING ELEMENT 2000W 230V
length 285 mm - width 45 mm
height 265 mm - fittings \varnothing 12 mm
for Fryer electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214335



JUNO-RÖDER-SENKING



Suitable for:

3755555 HEATING ELEMENT 2000W 230V
length 460 mm - width 30 mm
fittings \varnothing 10 mm
for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 2422166000

Suitable for:

3755174 HEATING ELEMENT 2500W 230V
length 285 mm - width 45 mm
height 265 mm - fittings \varnothing 12 mm
for Fryer electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214774

3755288 HEATING ELEMENT 2500W 230V
length 285 mm - width 70 mm
height 40 mm - fittings \varnothing 12 mm
for Fryer electric (JUNO-RÖDER-SENKING)
for Fryer electric (ZANUSSI)



JUNO-RÖDER-SENKING 214227

3755723 HEATING ELEMENT 2600W 230V
external \varnothing 203 mm - total height 65 mm
flange 70x22 mm
for Oven under cooktop electric (JUNO-RÖDER-SENKING)
for Oven under cooktop electric (ZANUSSI)



JUNO-RÖDER-SENKING 214042

3755172 HEATING ELEMENT 3500W 230V
length 240 mm - width 380 mm
2 flanges 70x22 mm



JUNO-RÖDER-SENKING 214760

3755179 HEATING ELEMENT 4000W 230V
length 255 mm - width 65 mm
flange 81x27.5 mm



JUNO-RÖDER-SENKING 214286

3755180 HEATING ELEMENT 4000W 400V
length 255 mm - width 65 mm
flange 81x27.5 mm



JUNO-RÖDER-SENKING 214679

3755181 HEATING ELEMENT 6000W 230V
length 380 mm - width 65 mm
flange 81x27.5 mm



JUNO-RÖDER-SENKING 214287

3355721 HEATING ELEMENT 6000W 400V
for boiler
immersed length 380 mm - width 60 mm
flange 80x28 mm



JUNO-RÖDER-SENKING 214608

JUNO-RÖDER-SENKING 231027

3755290 HEATING ELEMENT 750W 230V
length 470 mm - width 28 mm
flange 44x20 mm



JUNO-RÖDER-SENKING 213375

JUNO-RÖDER-SENKING 213774

JUNO-RÖDER-SENKING 214338



Suitable for:

Suitable for:

Lamps

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



JUNO-RÖDER-SENKING 245878

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



JUNO-RÖDER-SENKING 212508

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions \varnothing 10x28 mm
for OVEN



JUNO-RÖDER-SENKING 846804

3221068 NEON LAMP FOR OVEN E14 2W 380V
dimensions \varnothing 13x30 mm
for OVEN



JUNO-RÖDER-SENKING 565628

3221245 NEON LAMP FOR OVEN E14 230V
dimensions \varnothing 13x30 mm



JUNO-RÖDER-SENKING 565602

3221094 ORANGE INDICATOR LAMP 230V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
for Fryer electric (AMBASSADE) CME413FR



JUNO-RÖDER-SENKING 245883

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



JUNO-RÖDER-SENKING 245879

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



JUNO-RÖDER-SENKING 211020

JUNO-RÖDER-SENKING 565265

JUNO-RÖDER-SENKING 846098



JUNO-RÖDER-SENKING



Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C



Suitable for:

3221330 QUARTZ LAMP 1000W 230V
overall length 480 mm
glass length 338 mm
for Rotisserie electric (CB) GV16 - GV16MAN - GV20
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
GV35 - GV35MAN - GV42 - GV42MAN



JUNO-RÖDER-SENKING 211199

JUNO-RÖDER-SENKING 245812

JUNO-RÖDER-SENKING 568529

JUNO-RÖDER-SENKING 567941

Magnet groups

3182018 MAGNETIC UNIT MINISIT
ø head 25 mm - ø end 17 mm - length 56 mm
thermocouple connection M10x1



JUNO-RÖDER-SENKING 215650

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



JUNO-RÖDER-SENKING 215413

3182011 MAGNETIC UNIT PEL SMALL HEADED
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



JUNO-RÖDER-SENKING 215410

3120360 MAGNETIC UNIT UNITROL
ø head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



JUNO-RÖDER-SENKING 230436

Microswitches

3240406 MICROSWITCH 10A 250V



JUNO-RÖDER-SENKING 245536

3240123 MICROSWITCH 16A 250V



JUNO-RÖDER-SENKING 212424



Suitable for:

Suitable for:

Piezo ignitors

3001007 PIEZO IGNITER

a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector
for Lava rock grill gas (FAGOR)



JUNO-RÖDER-SENKING 203189

3001009 PIEZO IGNITER JUNKERS with faston 6.35x0.8 mm



JUNO-RÖDER-SENKING 200597

Pilot burners and accessories

3020382 LPG PILOT BURNER LOWER PART

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600
PZA/G800 - PZF/GG800



JUNO-RÖDER-SENKING 230210

3020158 NATURAL GAS PILOT BURNER CB 505.004 with sparking plug, NATURAL GAS nozzle with thermocouple fitting with sparking plug fitting with pilot pipe fitting



JUNO-RÖDER-SENKING 505059

3020021 NATURAL GAS PILOT BURNER CB 505.021 with NATURAL GAS nozzle with pilot pipe fitting



JUNO-RÖDER-SENKING 230263

3020381 NG PILOT BURNER LOWER PART for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600 JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600 PZA/G800 - PZF/GG800



JUNO-RÖDER-SENKING 230211

3020001 ONE-FLAME PILOT BURNER SIT multigas with jet \varnothing 0.20 mm with 2 positions bracket for Bratt pan gas (ZANUSSI) - Series R700 for Kitchen gas (ZANUSSI)



JUNO-RÖDER-SENKING LF-3020434 JUNO-RÖDER-SENKING 230187

3020018 PILOT BURNER CB 503.003 with LPG jet and pilot olive with pilot pipe connection



JUNO-RÖDER-SENKING



JUNO-RÖDER-SENKING



Suitable for:

3020379 PILOT BURNER GASKET



JUNO-RÖDER-SENKING 246197

Suitable for:

3020159 PILOT BURNER GPL CB 503.006
with LPG nozzle and pilot olive



JUNO-RÖDER-SENKING 200404

3020380 PILOT BURNER MIDDLE PART

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600
PZA/G800 - PZF/GG800



JUNO-RÖDER-SENKING 230638

3020151 PILOT BURNER SIT

supplied without sparking plug, head and gasket
with thermocouple fitting
with fitting and olive



JUNO-RÖDER-SENKING 230626

JUNO-RÖDER-SENKING 233005

3020383 PILOT BURNER UPPER PART

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600
PZA/G800 - PZF/GG800



JUNO-RÖDER-SENKING 230632

JUNO-RÖDER-SENKING 230637

3020152 PILOT HEAD



JUNO-RÖDER-SENKING 200715

3020055 PILOT JET \varnothing 0.35 mm



JUNO-RÖDER-SENKING 230931

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



JUNO-RÖDER-SENKING 230156



JUNO-RÖDER-SENKING



Suitable for:

Suitable for:

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)

3020037 THREE-FLAME PRINTED PILOT BURNER SIT
 without sparking plug, gas nozzle and gasket
 thermocouple fitting included
 for Bratt pan gas (ZANUSSI) - Series H900



JUNO-RÖDER-SENKING 230584

JUNO-RÖDER-SENKING 230620

3020002 TWO-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 2 positions bracket
 for Bain-marie gas (FAGOR)
 for Boiling pan gas (FAGOR)
 for Grill gas (ZANUSSI)
 for Oven under cooktop gas (FAGOR)

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
 without sparking plug, gas nozzle and gasket
 thermocouple fitting included
 for Bain-marie gas (MBM) GBM45 - GMB90
 for Bratt pan gas (ZANUSSI) - Series H900



JUNO-RÖDER-SENKING

JUNO-RÖDER-SENKING

Relays

3351021 RELAY 62.82 16A 230V 50/60Hz
 2 switching contacts



JUNO-RÖDER-SENKING 261956

JUNO-RÖDER-SENKING 261957

Rotary switches

3057177 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 700 - Series 750
 Series 900
 for Bain-marie (OLIS) - Series 700 - Series 900
 for Fry top (ALPENINOX)
 for Fry top (EMMEPI) - Series 700 - Series 750
 Series 900
 for Fry top (OLIS) - Series 700
 for Fry top (ZANUSSI) - Series N700 - Series PR700
 for Fryer (ALPENINOX)
 for Fryer (OLIS) - Series 700 - Series 900
 for Grill (ZANUSSI) - Series 700
 for Kitchen electric (ZANUSSI) - Series 900
 for Oven under cooktop (ALPENINOX)



JUNO-RÖDER-SENKING 245599

JUNO-RÖDER-SENKING 293587

3057255 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 for Bratt pan (CAPIC)
 for Fryer gas (CAPIC) AB20 - A20 - CA10 - C10
 2045 - 3085
 for Grill (CAPIC)



JUNO-RÖDER-SENKING 247318

3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 231413

JUNO-RÖDER-SENKING 247202

3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Bain-marie (ZANUSSI) - Series N700
 Series PR700
 for Rotisserie electric (MCM) 1EE - 2EE - 3EE
 4EE - 6EE - 8EE
 for Toaster electric (DOSILET) TT0001 - TT4000



JUNO-RÖDER-SENKING 245596

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 212269

JUNO-RÖDER-SENKING 231420

JUNO-RÖDER-SENKING 231422

3057001 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 for Pot stove gas (ZANUSSI) JUN90002 - JUN90012
 JUN90022 - JUN90042 - JUN90069 - JUN92012
 JUN92032



JUNO-RÖDER-SENKING 231424

JUNO-RÖDER-SENKING 245541



JUNO-RÖDER-SENKING



Suitable for:

3057093 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 245595

Suitable for:

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)



JUNO-RÖDER-SENKING 231069

JUNO-RÖDER-SENKING 231496

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



JUNO-RÖDER-SENKING 236116

Sleeving for cables

3050752 SILICONE SEALING BRAIDING \varnothing 6 mm - 10 m
temperature $-60^{\circ}+280^{\circ}\text{C}$
for 100 m rolls see 3050152



JUNO-RÖDER-SENKING 271030

3050152 SILICONE SEALING BRAIDING \varnothing 6 mm - 100 m
temperature $-60^{\circ}+280^{\circ}\text{C}$
for 100 m rolls see 3050752



JUNO-RÖDER-SENKING 271030

3050152 SILICONE SEALING BRAIDING \varnothing 6 mm - 100 m
temperature $-60^{\circ}+280^{\circ}\text{C}$
for 100 m rolls see 3050752



JUNO-RÖDER-SENKING 271030

Solenoid valves

3120261 MULLER SOLENOID VALVE 230V \varnothing 12 mm
 solenoid valve 180° - 220/230V 50/60Hz - max 90°C
 3/4" inlet - \varnothing 12 mm outlet



JUNO-RÖDER-SENKING 231845

3120408 SOLENOID VALVE 230V \varnothing 13.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 1 outlet \varnothing 13.5 mm



JUNO-RÖDER-SENKING

3120013 SOLENOID VALVE 263 220/240V \varnothing 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - triple outlet \varnothing 10 mm



JUNO-RÖDER-SENKING 02712

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



JUNO-RÖDER-SENKING 02613

3120504 SOLENOID VALVE 319 24V \varnothing 10 mm
 solenoid valve 90° - 24V 50Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



JUNO-RÖDER-SENKING

3120006 SOLENOID VALVE 339 220/240V \varnothing 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



JUNO-RÖDER-SENKING 55444

3120511 SOLENOID VALVE 350 24V \varnothing 14 mm
 solenoid valve 90° - 24V 50Hz - max 90°C
 3/4" inlet - \varnothing 14 mm outlet



JUNO-RÖDER-SENKING

Sparking and detection plugs

3020026 ROUND IGNITION ELECTRODE \varnothing 9x39 mm
 male connection M4x1 mm
 overall length 67 mm



JUNO-RÖDER-SENKING 201578

3020062 ROUND IGNITION ELECTRODE \varnothing 9x39 mm
 model CB505/059 Junkers
 overall length 57 mm



JUNO-RÖDER-SENKING 203190



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



JUNO-RÖDER-SENKING 249598

JUNO-RÖDER-SENKING 261005

Suitable for:

3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm
total length 85 mm



JUNO-RÖDER-SENKING 246082

Thermocouples and accessories

3440135 THERMOCOUPLE SIT M 10x1 150 cm



JUNO-RÖDER-SENKING 215781

3440132 THERMOCOUPLE SIT M 10x1 40 cm



JUNO-RÖDER-SENKING 215783

3440126 THERMOCOUPLE SIT M 10x1 75 cm



JUNO-RÖDER-SENKING 215780

3440837 THERMOCOUPLE SIT M 9x1 100 cm - 10 PCS



JUNO-RÖDER-SENKING 215784

3440037 THERMOCOUPLE SIT M 9x1 100 cm.



JUNO-RÖDER-SENKING 215784

3440837 THERMOCOUPLE SIT M 9x1 100 cm - 10 PCS



JUNO-RÖDER-SENKING 215784

Thermostats

3744084 BULB HOLDING CLIP
for heating element thermostat



JUNO-RÖDER-SENKING 279296

3744061 SINGLE-PHASE THERMOSTAT 125°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 3x150 mm



JUNO-RÖDER-SENKING 215691



JUNO-RÖDER-SENKING



Suitable for:

3444670 SINGLE-PHASE THERMOSTAT 190°C
with manual reset
capillary length 350 mm - 16A 250V
bulb \varnothing 3.1x178 mm - with adapter nipple bland M9x1



JUNO-RÖDER-SENKING 213151

Suitable for:

3444673 SINGLE-PHASE THERMOSTAT 330°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 3.1x140 mm



JUNO-RÖDER-SENKING 215673

3444414 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1430 mm - 16A 230V
bulb \varnothing 3x160 mm - with adapter nipple band M9x1



JUNO-RÖDER-SENKING 232908

3444668 SINGLE-PHASE THERMOSTAT 50-320°C
complete with switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 3100 mm - 16A 230V
bulb \varnothing 3.1x160 mm



JUNO-RÖDER-SENKING

3444754 SINGLE-PHASE THERMOSTAT 50-98°C
D-shaped pin 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb \varnothing 3x335 mm - with stuffing gland M9x1



JUNO-RÖDER-SENKING 232909

3444567 THREE-PHASE THERMOSTAT 145°C
with manual reset
capillary length 1750 mm - 16A 230V
bulb \varnothing 3.1x180 mm - with adapter nipple band M9x1



JUNO-RÖDER-SENKING 214838

3444036 THREE-PHASE THERMOSTAT 245°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb \varnothing 6x160 mm
for Bratt pan (ZANUSSI) - Series H900
for Fryer (ZANUSSI) AFR/G410 - Series HD700
Series H900 - Series R701



JUNO-RÖDER-SENKING 293586

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm



JUNO-RÖDER-SENKING 214839

JUNO-RÖDER-SENKING 214908

JUNO-RÖDER-SENKING 214948



JUNO-RÖDER-SENKING



Suitable for:

3444190 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 3000 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple band M9x1
with complete tank joint M12x1
for Bain-marie (MARENO)
for Bain-marie (SILKO)



JUNO-RÖDER-SENKING 214846

Suitable for:

3444703 THREE-PHASE THERMOSTAT 315°C

with manual reset
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x80 mm - with adapter nipple band M9x1



JUNO-RÖDER-SENKING 214803

3444707 THREE-PHASE THERMOSTAT 320°C

with manual reset
covered capillary length 1450 mm - 10A 400V
bulb \varnothing 6x176 mm - with adapter nipple band M9x1



JUNO-RÖDER-SENKING 212899

JUNO-RÖDER-SENKING 213139

JUNO-RÖDER-SENKING 213149

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



JUNO-RÖDER-SENKING 212841

3444704 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x80 mm



JUNO-RÖDER-SENKING 212844

3444561 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1740 mm - 16A 230V
bulb \varnothing 6x80 mm



JUNO-RÖDER-SENKING 214806

3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer (ZANUSSI)



JUNO-RÖDER-SENKING 215076

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 252136

JUNO-RÖDER-SENKING 252227

3446104 TIMER 60 MINUTES M2

manually set mechanical timer
 manually set cycle 60 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 247242

Wheels and accessories

3522011 WHEEL \varnothing 200 mm

central hole \varnothing 20 mm
 with folding handle
 for Bratt pan (FAGOR) - Series 700 - Series 900



JUNO-RÖDER-SENKING 234851