



Spare parts for:

Cooking equipment



Suitable for:

NUOVA SIMONELLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11182036





Suitable for:

Suitable for:

Bearings

1063005 BEARING 6201 2RS
external \varnothing 32 mm-internal \varnothing 12 mm-thickness 10 mm



NUOVA SIMONELLI 15100044

3063005 BEARING 6202 2RS NSK
external \varnothing 35 mm -internal \varnothing 15 mm-thickness 11 mm



NUOVA SIMONELLI 15010034

NUOVA SIMONELLI 15100086

1063200 BEARING 6300 2RS
external \varnothing 35 mm -internal \varnothing 10 mm-thickness 11 mm



NUOVA SIMONELLI

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 04000043

NUOVA SIMONELLI 15050009

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 15010033

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 15050002

NUOVA SIMONELLI 15050023

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



NUOVA SIMONELLI

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



NUOVA SIMONELLI 04000010


3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI

Contactors

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



NUOVA SIMONELLI 04200019

Fittings

3349317 ELBOW FITTING 1/4" M \varnothing 6/4



NUOVA SIMONELLI 07300361

1349102 FITTING \varnothing 1/4" M-1/4" M



NUOVA SIMONELLI 07300012

1349112 FITTING \varnothing 1/4" M-3/8" M



NUOVA SIMONELLI 07300017

1349111 FITTING \varnothing 1/8" M 1/4" M



NUOVA SIMONELLI 07300006

1349101 FITTING \varnothing 1/8" M-1/8" M NICKEL-PLATED



NUOVA SIMONELLI 07300004

1349103 FITTING \varnothing 3/8" M-3/8" M



NUOVA SIMONELLI 07300015

3349342 NICHEL-PL.HOSE-END FITTING \varnothing 1/4" M \varnothing 7



NUOVA SIMONELLI

3349340 NICHEL-PL.T-FITTING \varnothing 1/4" M-1/4" M-1/4" M



NUOVA SIMONELLI 07300051



Suitable for:

3349355 NICHEL-PL.T-FITTING \varnothing 1/8" F-1/8" F-1/8" F



NUOVA SIMONELLI 07300718

Suitable for:

3349302 STRAIGHT FITTING 1/4" M \varnothing 6/4



NUOVA SIMONELLI 07300362

3349306 STRAIGHT FITTING 1/8" F \varnothing 6/4



NUOVA SIMONELLI 07300376

3349301 STRAIGHT FITTING 1/8" M \varnothing 6/4



NUOVA SIMONELLI 07300364

3349314 TURNING ELBOW FITTING 1/8" M \varnothing 6/4



NUOVA SIMONELLI 07300375

Fuses

3049070 QUICK ACTING FUSE 10x38 - 10 PCS
500V 4A



NUOVA SIMONELLI 16300112

3049033 QUICK ACTING FUSE 6.3x32 - 10 PCS
500V 6.3A



NUOVA SIMONELLI 18010958

Gas valves and accessories

3523001 VALVE M1 \varnothing 1/8" MF
inlet \varnothing 1/8" M - outlet \varnothing 1/8" M
thermocouple connection M8x1
maximum gas inlet pressure 150 mbar
room temperature 0-80°C
with thread under the button for ring nut



NUOVA SIMONELLI

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm



NUOVA SIMONELLI 18010760

**1186409 FLAT TEFLON GASKET \varnothing 68x55x3 mm
for heating element**



NUOVA SIMONELLI

Heating elements

3755022 HEATING ELEMENT 1150W 240V BOTTOM
length 190 mm - width 310 mm
for Panini grill (SIRMAN) CORT - ELIO



NUOVA SIMONELLI 15320004

3755023 HEATING ELEMENT 700W 240V TOP
length 180 mm - width 175 mm
for Panini grill (SIRMAN) CORT - ELIO



NUOVA SIMONELLI 15320001

3755024 HEATING ELEMENT 850W 240V BOTTOM
length 180 mm - width 175 mm
with cables
for Panini grill (SIRMAN) CORT - ELIO



NUOVA SIMONELLI 15320002

3755021 HEATING ELEMENT 875W 240V TOP
length 190 mm - width 310 mm
for Panini grill (SIRMAN) CORT - ELIO



NUOVA SIMONELLI 15320003

Hydraulic plumbing

1449682 SILICONE HOSE \varnothing 5x8 SHORE 60 - 10 m
alimentary



NUOVA SIMONELLI 11600002

Ironmongery (screws,nuts,washers)

1349504 NUT FOR TAP \varnothing 1/2"



NUOVA SIMONELLI 00300032

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588



NUOVA SIMONELLI



Suitable for:

Suitable for:

Knobs

3241331 BLACK KNOB \varnothing 45 mm
square hole 5x5 mm



NUOVA SIMONELLI 15320006

Lamps

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E
for Fryer electric (TECNOINOX) FR35E - FR70E
for Potato heater electric (TECNOINOX) SP35E



NUOVA SIMONELLI 18010610

3221126 INDICATOR LAMP 24V
head \varnothing 8 mm



NUOVA SIMONELLI 18010788

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



NUOVA SIMONELLI 18010606

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



NUOVA SIMONELLI 18010611

3221013 RED INDICATOR LAMP 230V
mounting hole 30x22 mm - 125°C
universal application



NUOVA SIMONELLI 04200012

3221960 WHITE INDICATOR LAMP 230V
mounting hole 30x22 mm - 125°C



NUOVA SIMONELLI 15320011

Lever ball valves

3526699 BALL VALVE \varnothing 1/4" MF



NUOVA SIMONELLI 09000008

NUOVA SIMONELLI 09000018

3526704 BALLCOCK VALVE \varnothing 3/8" MF



NUOVA SIMONELLI 09000016

Microswitches

3240123 MICROSWITCH 16A 250V



NUOVA SIMONELLI 15000041

NUOVA SIMONELLI 15020003

OR and ORM gaskets

3186014 O-RING GASKET 06225 EPDM ø 67 mm



NUOVA SIMONELLI 18010746

1186411 O-RING 02031 EPDM



NUOVA SIMONELLI 02280001

**3186860 OR GASKET 03056 EPDM
EX OR 0118**



NUOVA SIMONELLI 18010208

Relays

**3351154 BASE OCTAL ES8 10A 400V
8 poles**



NUOVA SIMONELLI 09000011

**3351007 MINI RELAY 55.32 10A 240V 50/60Hz
2 switching contacts
manual push-button**



NUOVA SIMONELLI 15010055

**3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts**



NUOVA SIMONELLI 04200046



Suitable for:

Suitable for:

Solenoid valves

3120033 COIL PARKER ZB09 9W 24V 50/60Hz
width 34 mm - height 33 mm
depth 43.5 mm



NUOVA SIMONELLI

3120034 FEMALE LARGE CONNECTOR
for coils



NUOVA SIMONELLI

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



NUOVA SIMONELLI 18010079

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



NUOVA SIMONELLI 18010938

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



NUOVA SIMONELLI 18010751

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



NUOVA SIMONELLI 18010078

1120310 2-WAY SOLENOID VALVE SIRAI 230V 50Hz
L121V02 - connections \varnothing 1/4"FF - max 20 bar
VITON seal - orifice \varnothing 2.5 mm
coil ZA30A 9W 230V 50Hz 14VA



NUOVA SIMONELLI 04100012

Springs

3250029 LEFTHAND SPRING \varnothing 20x40 mm
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



NUOVA SIMONELLI 15320007

NUOVA SIMONELLI 15320066

NUOVA SIMONELLI 15320072

3250001 LEFTHAND SPRING \varnothing 20x42 mm
 for ELECTRIC PLATE all models
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



NUOVA SIMONELLI 15320007

3250028 RIGHTHAND SPRING \varnothing 20x40 mm
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



NUOVA SIMONELLI 15320008

NUOVA SIMONELLI 15320067

3250002 RIGHTHAND SPRING \varnothing 20x42 mm
 for ELECTRIC PLATE all models
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



NUOVA SIMONELLI 15320008

Switches

3319154 BLACK BIPOLAR SWITCH 16A 250V
 with push-button cover
 0-1 silk-screen printing
 max temperature 120°C
 mounting hole 22x30 mm
 for Hot cupboard (LAINOX) - Series AC



NUOVA SIMONELLI 16200027

NUOVA SIMONELLI 16300119

3319468 BLACK SINGLE POLE SWITCH 16A 250V
 silk-screen printing 0 - 1
 max temperature 120°C
 mounting hole 11x30 mm
 for CAB FAST COLD 1-2-3/NEW FABY 1-2-3
 for COFRIMELL FRIGO DRINK COF-COLDREAM-JETCOF-
 MEGA25-MEGA40-NEWCOF



NUOVA SIMONELLI 16300121

3319030 GREEN CHANGE OVER SWITCH 16A 250V
 with indicator lamp
 max temperature 120°C
 mounting hole 22x30 mm



NUOVA SIMONELLI 18010053

3319934 ORANGE BIPOLAR SWITCH 16A 250V
 with indicator lamp
 0-1 silk-screen printing
 max temperature 120°C
 mounting hole 22x30 mm



NUOVA SIMONELLI 15010045



Suitable for:

3319019 RED BIPOLAR SWITCH 16A 250V
with indicator lamp
max temperature 120°C
mounting hole 22x30 mm



NUOVA SIMONELLI 04200011

Suitable for:

3319948 RED BIPOLAR SWITCH 16A 250V
with indicator lamp
max. temperature 120°C
mounting hole \varnothing 25 mm



NUOVA SIMONELLI 04200039

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary 1500 mm
bulb \varnothing 6x26 mm



NUOVA SIMONELLI 18010767

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



NUOVA SIMONELLI 04000310

Terminals and electrical connectors

3120034 FEMALE LARGE CONNECTOR
for coils



NUOVA SIMONELLI

Thermocouples and accessories

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



NUOVA SIMONELLI 09600013

3440051 THERMOCOUPLE SIT M8x1 32 cm .THREAD M8x1



NUOVA SIMONELLI 09600013

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



NUOVA SIMONELLI 09600013

Thermostats

3444008 BLACK KNOB \varnothing 41 mm 0-90°C

D-shaped pin \varnothing 6x4.6 mm
for thermostat TR/2



NUOVA SIMONELLI 18010388

3444514 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 660 mm - 16A 240V
bulb \varnothing 4x100 mm



NUOVA SIMONELLI 15320005

Timers

3446100 MECHANICAL TIMER 15 MINUTES

manually set mechanical timer
manually set cycle 15 minutes
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



NUOVA SIMONELLI



Suitable for:

Suitable for:

Tools

3394272 PLATES BRUSH



NUOVA SIMONELLI 15320044