




Spare parts for:

## Cooking equipment



Suitable for:

# ROSINOX



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# ROSINOX

Suitable for:



## Alarms

**3397302 ALARM BELL 220V**



ROSINOX RX94027794

## Burners, flame spreaders and accessories

**3025168 BURNER  $\varnothing$  75 mm 3.5 KW**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



ROSINOX RX94800125

**3025171 BURNER  $\varnothing$  95 mm 5.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



ROSINOX RX94800166

**3025713 BURNER ASSEMBLY MOUNTING DISTANCE 325 mm**  
with central flame  
15000-20000 Kcal/h  
height 80 mm -  $\varnothing$  200 mm - pipe  $\varnothing$  34 mm  
for Fryer gas (SOFINOR) TURB08



ROSINOX RX94008463

**3025811 BURNER BASE  $\varnothing$  100 mm 7kW**  
for Pot stove gas (ROSINOX)  
since 1/02/03




ROSINOX RX94044421

**3025810 BURNER BASE  $\varnothing$  120 mm 10kW**  
for Pot stove gas (ROSINOX)  
since 1/02/03




ROSINOX RX94044422

**3025179 BURNER RING  $\varnothing$  90 mm**  
for Pot stove gas (LOTUS) - Series 650



ROSINOX RX94805595

**3025809 FLAME SPREADER  $\varnothing$  120 mm 10kW**  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94044420

**3025810 BURNER BASE  $\varnothing$  120 mm 10kW**  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94044422



Suitable for:

**3025808 VENTURI 100 mm 4.5kW**  
inlet  $\varnothing$  3/8" - height 45 mm  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94044469

# ROSINOX



Suitable for:

**3025169 FLAME SPREADER  $\varnothing$  75 mm 4.3Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



ROSINOX RX94800182

**3025176 FLAME SPREADER  $\varnothing$  80 mm**  
for Kitchen gas (WHIRLPOOL) AGB579 - AGB580  
AGB581 - AGB583 - AGB584  
for Pot stove gas (GIGA) - Series 650



ROSINOX RX94805553

**3025172 FLAME SPREADER 6.4Kw  $\varnothing$  95 mm**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



ROSINOX RX94800174

**3025679 GAS BURNER SUPPORT GR5  $\varnothing$  27 mm**



ROSINOX RX94007267

**3025807 MIXER GROUP 7-10kW**  
mounting distance 180 mm - lateral outlet  $\varnothing$  3/8"  
pipe fixing - internal  $\varnothing$  35 mm  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94044423

**3025312 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900  
for Pot stove gas (SILKO) - Series 900



ROSINOX RX94806049

**3025313 THERMOCOUPLE SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900  
for Pot stove gas (SILKO) - Series 900



ROSINOX RX94806411

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



ROSINOX RX94806841



Suitable for:

# ROSINOX



**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**  
for Kitchen gas (ROSINOX) SI766E  
for Pot stove gas (SILKO) - Series 700  
Series 900



ROSINOX RX94806437

Suitable for:

**3025808 VENTURI 100 mm 4.5kW**  
inlet  $\varnothing$  3/8" - height 45 mm  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94044469

## Capacitors

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ROSINOX RX94814010

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ROSINOX RX94801305

## Castors, rollers and accessories

**3738016 SWIVELLING WHEEL**  
dimension  $\varnothing$  100 mm - load 150 kg  
pin hole  $\varnothing$  13 mm  
red polyurethane wheel case



ROSINOX RX94051265


**3738017 SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  100 mm - load 150 kg  
pin hole  $\varnothing$  12 mm  
red polyurethane wheel case



ROSINOX RX94051273

## Contactors

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



ROSINOX RX94804408

ROSINOX RX94813830

**3351221 CONTACTOR AEG LS15K 32A 230V 16Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact




ROSINOX RX27400282



Suitable for:


**3351222 CONTACTOR AEG LS22K 50A 230V 22Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact



ROSINOX RX27400290

Suitable for:

**3351223 CONTACTOR AEG LS30K 65A 230V 30Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact



ROSINOX RX27400308

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



ROSINOX RX27400324

**3454066 CONTACTOR SCHNEIDER LC1D25P7**  
coil 25A 230V 50/60Hz 11Kw  
3 normally open contacts  
1 normally open auxiliary contact  
1 normally closed auxiliary contact  
for Bratt pan electric (ROSINOX) MBM80E



ROSINOX RX94019155

**3050195 DIFFERENTIAL SWITCH MERLIN GERIN**  
TETRA  
model C60N - 4P - 32A - C - 30MA



ROSINOX RX94814062

## Cooking baskets and accessories

**3055282 PASTA COOKER BASKET 135x280x160 mm**  
in STAINLESS steel  
for Pasta cooker electric (GIGA) CCPE4 - CCPE6  
ICPE4 - ICPE6 - SKPC40E - SKPC60E  
for Pasta cooker gas (GIGA) TCP60G



ROSINOX RX94812611

**3055362 PASTA COOKER BASKET 300x150x220 mm**  
made of stainless steel  
for Pasta cooker (SILKO) - Series 700 - Series 900



ROSINOX RX94044348



Suitable for:

# ROSINOX



Suitable for:

## Drain assembly

- 3316150 DRAIN ASSEMBLY 3/4"**  
with nut and gasket  
for Warm table (MARENO) SVAC16 - SVAC20 - SVCG08  
SVCG12 - SVCG16 - SVCG20



ROSINOX RX94806775

## Drain taps and accessories

- 3356116 DRAIN TAP  $\varnothing$  1"1/2F**  
fixed connection  $\varnothing$  1"1/2"F - folding handle  
for Boiling pan (CAPIC)  
for Boiling pan (CHARVET)  
for Boiling pan (ROSINOX)  
for Boiling pan (SOLYMAC)  
for Boiling pan (THIRODE)



ROSINOX RX94020237

- 3356143 EXTENSION FOR TAP**  
rod length 46 mm - square pin 8 mm  
tap fitting external  $\varnothing$  21 mm  
tap fitting internal  $\varnothing$  10 mm  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94005402

## Electric hot plates

- 3311168 ELECTRIC HOT PLATE  $\varnothing$  140 mm 1200W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top



ROSINOX RX94806171

- 3311092 ELECTRIC HOT PLATE  $\varnothing$  145 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Kitchen electric (FAGOR) CE-740 - CE-741



ROSINOX

- 3311096 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ROSINOX RX94012804

- 3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Hot plate electric (BONNET) B-B7.PE800  
for Kitchen electric (FAGOR) CE-741 - CE7-40  
for Pot stove electric (FAGOR) CE-720



ROSINOX RX94012796



Suitable for:

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Hot plate electric (MORICE) RE40010003  
 for Kitchen electric (FAGOR) CE-741 - CE7-20  
 CE7-40



ROSINOX

**3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



ROSINOX

Suitable for:

**3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for Pot stove (MBM) - Series DOMINA900



ROSINOX RX94012770

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
 dimensions 220x220 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



ROSINOX RX94806866

## Electrical gas valves and accessories

**3523081 COIL mV**  
 for UNITROL GAS VALVE 7000 BMV



ROSINOX

**3526090 ELETROSIT VALVE ø 3/4"FF**  
 inlet ø 3/4" F - outlet ø 3/4" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3 ÷ 18 mbar  
 ambient temperature 0 ÷ 60°C  
 power supply 230V 50Hz  
 long buttons  
 pilot connection and LATERAL thermocouple  
 for Bratt pan gas (BONNET)  
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM  
 94KBG  
 for Fryer gas (BONNET)



ROSINOX RX94024965



Suitable for:

# ROSINOX



**3523073 GAS VALVE UNITROL 7000 BER ROBERTSHAW**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
with pressure regulator 17cm CE  
power supply 240V



ROSINOX

Suitable for:

**3523076 GAS VALVE UNITROL 7000 BER S7C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/4" F  
with pressure regulator 17cm CE  
slow opening  
power supply 24V  
for Fryer gas (FRYMASTER) MJ45



ROSINOX

**3523079 GAS VALVE UNITROL 7000 BGOR-S7B**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/4" F  
without pressure regulator



ROSINOX

**3523082 MICRO SWITCH VALVE**  
length 415 mm  
for gas valve UNITROL 7000 BER



ROSINOX

**3523074 UNITROL GAS VALVE 7000 BMV ROBERTSHAW**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
without pressure regulator  
power supply 350mV(thermopile)



ROSINOX RX24867038

**3440128 THERMOGENERATOR 900 mm**  
fitting M10x1  
bulb  $\varnothing$  10x60 mm  
for gas valve Unitrol Robertshaw mod. BMV  
for Fryer (PITCO FRIALATOR)



ROSINOX RX24802365

**3241707 VALVE KNOB**  
for USA MARKET



ROSINOX RX26645069





Suitable for:

**3526096 VALVE MICROSWITCH**  
 maximum load 0.2 A  
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ROSINOX RX94034683

Suitable for:

**3526079 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series OMEGA  
 for Fryer gas (CAPIC)



ROSINOX 94023744

## Electronic printed-circuit boards

**3390356 CONTROL ELECTRONIC BOARD 130x80 mm**  
 model SERSA n° 940310  
 for Fryer gas (ROSINOX) FR25G



ROSINOX RX94035029

**3390359 LEVEL ELECTRONIC BOARD**  
 model SERSA n° 921216a - 13 poles  
 for Bratt pan electric (ROSINOX) MBM80E  
 for Bratt pan gas (ROSINOX) MBM80G



ROSINOX RX94023587

## Energy regulators

**3350024 ENERGY ADJUSTER**  
 contact capacity 240V 12A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M  
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M  
 for Grill electric (BERTO'S) E6PL60B - E6PL60M  
 E9PL40M - E9PL80M - PLE40BE - PLE40ME  
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M  
 for Salamander electric (BERTO'S) SA/E48 - SA/E60  
 SA/E60-E - SA/E68M - SA/E68M-E



ROSINOX RX94045299

**3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Boiling pan (MORICE)  
 for Boiling pan (THIRODE)  
 for Bratt pan (MORICE)  
 for Bratt pan (THIRODE)  
 for Fry top (LOTUS) - Series 60 - Series 65  
 Series 70  
 for Grill (THIRODE)  
 for Hot plate (EMMEPI) - Series 650 - Series 700  
 for Hot plate (GICO) - Series 110 - Series 700  
 Series 920  
 for Pasta cooker electric (BONNET)



ROSINOX RX94812641



Suitable for:

# ROSINOX



**3350065 ENERGY REGULATOR**  
contact capacity 230V 12A  
D-shaped pin  $\varnothing$  6x4.6 mm



ROSINOX RX94027786

**3350066 ENERGY REGULATOR**  
contact capacity 400V 7A  
D-shaped pin  $\varnothing$  6x4.6 mm



ROSINOX RX24848012

**3350067 ENERGY REGULATOR**  
contact capacity 24V 16A  
D-shaped pin  $\varnothing$  6x4.6 mm



ROSINOX

## Feet

**3313061 ADJUSTABLE PLASTIC FOOT  $\varnothing$  1" x h 78 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 78÷100 mm  
max capacity 800 Kg



ROSINOX

**3313005 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with fixed screw M12x25 mm



ROSINOX RX94809563

## Filters

**3160007 WATER FILTER 3/4"FF**



ROSINOX RX94024528

## Fittings

**3349346 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4" M  $\varnothing$  12**



ROSINOX RX94813991

**3349337 NICHEL-PL.T-FITTING  $\varnothing$  1/4" F-1/4" F-1/4" F**



ROSINOX RX94814314



Suitable for:

Suitable for:

**3349330 NICHEL-PLATED FITTING  $\varnothing$  1/4" M-1/8" F**



ROSINOX RX94814405

## Fryer baskets and accessories

**3055197 FRYER BASKET 290x165x120 mm**  
in chromium plated iron  
for Fryer electric (GIORIK) F220CL - F220L - F940N  
for Fryer gas (GIORIK) FG217L



ROSINOX RX94806247

**3055360 FRYER BASKET 290x230x120 mm**  
made of chrome plated iron  
for Fryer (EMMEPI) FR704EB1  
for Fryer (MACFRIN)  
for Fryer (SILKO)  
for Fryer electric (GIORIK) F15L - F215L  
for Fryer gas (GIORIK) FG13L - FG213L



ROSINOX RX94806221

## Fuses

**3049020 DELAY FUSE 5x20 - 10 PCS**  
250V 6.3A



ROSINOX RX27630086

**3049052 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 4A



ROSINOX RX27630268

## Gas burners

**3023341 BURNER  $\varnothing$  40x190 mm**  
for Fry top gas (ROSINOX) GR20G  
for Pot stove gas (ROSINOX) 120MFNDET



ROSINOX LF-5042169

ROSINOX RX94561040



Suitable for:

# ROSINOX



Suitable for:

## Gas burners

**3023339 BURNER  $\varnothing$  40x510 mm**  
644D42RK  
for Bratt pan gas (ROSINOX) MBM80G  
for Pot stove gas (ROSINOX) 121G



ROSINOX RX94006715

**3023338 JET HOLDER FOR BURNER WITH FITTING**  
for pipe  $\varnothing$  12 mm - thread  $\varnothing$  16 mm  
for Bratt pan gas (ROSINOX) MBM80G - SBM50G  
for Fry top gas (ROSINOX) GR20G  
for Pot stove gas (ROSINOX) 120MFMDDET



ROSINOX RX94018736

**3023340 BURNER  $\varnothing$  40x510 mm**  
for Bratt pan gas (ROSINOX) SBM50G - SBM80G



ROSINOX RX94494564

**3023230 BURNER 525x205 mm**  
made of stainless steel  
for Lava rock grill gas (MARENO) GL7-4G - GL7-8G



ROSINOX RX94814483

**3023338 JET HOLDER FOR BURNER WITH FITTING**  
for pipe  $\varnothing$  12 mm - thread  $\varnothing$  16 mm  
for Bratt pan gas (ROSINOX) MBM80G - SBM50G  
for Fry top gas (ROSINOX) GR20G  
for Pot stove gas (ROSINOX) 120MFMDDET



ROSINOX RX94018736

**3023236 VERTICAL BURNER LH 300x55 mm**  
NICKEL PLATED  
for Fryer gas (BARON) - Series 700 - Series 900



ROSINOX RX94805710

## Gas control boxes

**3054034 PRESSURE GAUGE  $\varnothing$  60 mm**  
coupling  $\varnothing$  1/8" M  
range 0-1 bar  
for Boiling pan (ZANUSSI) - Series HD900



ROSINOX RX94812660



Suitable for:

# ROSINOX

Suitable for:



## Gas taps and accessories

### 3348149 GAS COCK

clamp connection for pipe  $\varnothing$  15 mm  
outlet fitting  $\varnothing$  1/2" F - pilot fitting  $\varnothing$  1/8" F  
pin length 38 mm  
square pin 8x8 mm  
for Bratt pan gas (ROSINOX) SB50G  
for Kitchen gas (ROSINOX) 121GTS



ROSINOX RX94019932

### 3348014 GAS COCK 20/S

without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm



ROSINOX RX94805017

### 3348016 GAS COCK 21/SV

with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple connection M9x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



ROSINOX RX94805868

### 3348002 GAS COCK 22/O

with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm  
for Boiling pan (THIRODE)  
for Bratt pan gas (THIRODE) SA30 - SA41  
for Grill (FAGOR) - Series 900



ROSINOX RX94805298

### 3348012 GAS COCK 23/O

with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm



ROSINOX RX94805462

### 3348159 GAS TAP

clamp connection for pipe  $\varnothing$  8 mm  
outlet fitting  $\varnothing$  1/4" M  
pin length 35 mm  
D-shaped pin  $\varnothing$  7x4,6 mm  
for Kitchen gas (ROSINOX) 121GTS



ROSINOX RX94019874



Suitable for:

# ROSINOX



## 3348191 GAS TAP 21/N

without security - with fittings  $\varnothing$  10 mm  
D-shaft pin  $\varnothing$  6x4.6 mm  
for Pot stove gas (ROSINOX) 020G - 040G  
120MFNDET - 121GFNC - 121GFND



ROSINOX RX94020500

## 3348158 GAS TAP 22S

inlet-outlet fittings  $\varnothing$  1/2" M  
pin length 48 mm - mounting distance 114 mm  
pilot connection  $\varnothing$  1/8" F  
square pin 8x8 mm  
for Bratt pan gas (ROSINOX) SBM35G - SBM50G



ROSINOX RX94020484

## 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE

for model PEL 21-22



ROSINOX RX94812588

Suitable for:

## 3348190 GAS TAP 21/S

with pilot flame - with fittings  $\varnothing$  10 mm  
thermocouple fitting M9x1  
D shaft  $\varnothing$  6x4.6 mm, pin length 40 mm  
for Fry top gas (ROSINOX) GR20G  
for Pot stove gas (ROSINOX) 120MFNDET - 121GFNC  
121GFND



ROSINOX RX94020518

## 3348192 GAS TAP 23/S

with pilot flame, with horizontal flange  
with fittings - square pin 8x8 mm  
pin length 46 mm, distance 121 mm  
gas inlet fitting M28x1,5 mm  
outlet fitting M24x1,5 mm  
thermocouple fitting M9x1  
for Bratt pan gas (ROSINOX) SBM80G



ROSINOX RX94020492



## Gas valves and accessories

### 3526134 EUROSIT VALVE FOR FRY TOP 40÷280°C

inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 for Fry top gas (ZANUSSI) - Series N700  
 Series PR700  
 for Oven under cooktop gas (ZANUSSI)  
 Series HD700 - Series HD900



ROSINOX RX94805660

### 3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x200 mm  
 for Fryer gas (ELFRAMO) GBD10 - GB10



ROSINOX RX94812670

### 3526130 EUROSIT VALVE FOR OVEN 100÷340°C

inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series BIFRONTI - Series DELTA  
 Series GAMMA - Series OMEGA



ROSINOX 94044054

### 3523035 KNOB FOR MINISIT VALVE


for Fry top gas (FAGOR) FTG-705 - FTG-710  
 FTG-905 - FTG-910



ROSINOX RX26645036

### 3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900  
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
 Series 900



ROSINOX

### 3523093 MINISIT VALVE FOR FRYER 70÷210°C

inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1300 mm  
 bulb  $\varnothing$  4x122 mm  
 without cover. knob and flanges  
 for Fryer gas



ROSINOX



Suitable for:

**3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
supplied without lid knob and flanges  
for Fryer gas (ZANUSSI) - Series R701



ROSINOX RX94805793

Suitable for:

**3523091 MINISIT VALVE FOR OVEN 70÷310°C**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1300 mm  
bulb  $\varnothing$  4x75 mm  
without cover, knob and flanges  
for Fry top gas (FAGOR) - Series 900  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
Series 900



ROSINOX RX94024916

**3523060 OIL SEAL FITTING  $\varnothing$  14 mm**  
for Fry top gas (FAGOR) - Series 900  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
Series 900



ROSINOX RX94008893

## Gaskets and seals

**3186297 FLAT GASKET 18x10x2 mm**



ROSINOX RX94802659

## Gearmotors

**3340138 LIFTING COMPLETE GEARMOTOR**  
LEROY SOMER model WR60  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94007606





Suitable for:

# ROSINOX



Suitable for:

## Glues

**3392012 SPECIAL SILICONE 310 ml**  
for COOKING GLASSES -PYROCERAMIC



ROSINOX RX94032679

## Handles

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



ROSINOX LF-3242042

**3242579 RH-LH CATCH WITHOUT LOCK 570 CR**  
straight handgrip  
length 230x23 mm  
mounting distance 110 mm



ROSINOX RX94026184

**3242922 STRIKE FOR DOOR CATCH**



ROSINOX

**3242945 RH/LH LOCKING HANDLE WITH KEY LOCK 571CR**  
base length 230x23 mm  
distance between holes 110 mm



ROSINOX

**3242922 STRIKE FOR DOOR CATCH**



ROSINOX



Suitable for:

# ROSINOX



Suitable for:

## Heating elements

**3355286 BUSH FOR HEATING ELEMENT**



ROSINOX RX94812604

**3355829 CERAMIC HEATING ELEMENT 650W 230V**  
length 245 mm - width 60 mm  
for Potato heater electric (ZANUSSI) SCCE350



ROSINOX RX94805876

**3355066 HEATING ELEMENT 1000W 220V**  
length 295 mm - width 90 mm  
connection  $\varnothing$  14 mm  
for Bain-marie electric (MARENO) BME-40M - BME-60M  
BME-80M



ROSINOX RX94812669

**3755856 HEATING ELEMENT 10200W 230/400V**  
length 300 mm - width 180 mm  
coupling M54x1.5 mm - complete with cables  
complete with OR gaskets  
for Fryer electric (GIORIK) F15



ROSINOX RX94805397

**3186697 O-RING 0159 EPDM**



ROSINOX RX94806155

**3186601 O-RING 04200 EPDM**



ROSINOX RX94806924

ROSINOX RX94812565

**3755652 RING NUT 2" FOR HEATING ELEMENT**  
for Fryer (SILKO) FE72206



ROSINOX RX94805330

ROSINOX RX94812677



Suitable for:

Suitable for:

**3755649 HEATING ELEMENT 10500W 230V**  
 length 320 mm - width 253 mm  
 with two holes for bulb - complete with cables  
 for Fryer electric (MARENO) F7-4E12 - F7-8E12  
 F9-4E12 - F9-8E12 - F9S-4E12 - F9S-8E12

**3786459 O-RING 04200 VITON**



ROSINOX RX94812639

ROSINOX RX94812518

**3755652 RING NUT 2" FOR HEATING ELEMENT**  
 for Fryer (SILKO) FE72206



ROSINOX RX94805330

ROSINOX RX94812677

**3355888 HEATING ELEMENT 1100W 240V**  
 length 375 mm - width 95 mm.  
 fittings  $\varnothing$  10 mm  
 for Hot cupboard electric (SILKO)  
 Series SNACK650

**3355441 HEATING ELEMENT 1135W 220/240V**  
 length 425 mm - width 65 mm  
 height 80 mm  
 for Fry top electric (GIGA) SKT40E - SKT40EC  
 SKT40ER - SKT60E - SKT60EC - SKT60EC2  
 SKT60ELR - SKT60ER - SKT60ER2 - SKT60E2  
 SKT80EC2 - SKT80ELR - SKT80ER2 - SKT80E2



ROSINOX RX94805223

ROSINOX RX94805678

**3455380 HEATING ELEMENT 1200W 240V**  
 length 535 mm - width 75 mm  
 couplings  $\varnothing$  14 mm  
 for Pot stove gas (ROSINOX) 120MFNDET

**3755488 HEATING ELEMENT 1580W 230V**  
 length 455 mm - width 65 mm  
 height 70 mm  
 for Fry top electric (SILKO) CGE7021 - CGE7021C  
 CGE7021R - CGE7022 - CGE7022C - CGE7022R



ROSINOX RX94004264

ROSINOX RX94814020



Suitable for:

# ROSINOX



**3755004 HEATING ELEMENT 1650W 240V**  
length 490 mm - largeur 43 mm  
height 45 mm - connections  $\varnothing$  13 mm  
for Bratt pan electric (SILKO) BR1E



ROSINOX RX94800224

**3455382 HEATING ELEMENT 2000/2600W 220/240V**  
length 430 mm - width 120 mm  
overall height 80 mm  
for Fry top electric (ROSINOX) GR20E



ROSINOX RX94001930

**3455137 HEATING ELEMENT 2000W 220V**  
length 270 mm width 190 mm  
for Fry top electric (ROSINOX) ERACHEF 200E  
ERACHEF 400E - ROYALCHEF PL25E  
ROYALCHEF SPM25E



ROSINOX RX94001807

**3755490 HEATING ELEMENT 3400W 230V**  
length 305 mm - width 190 mm  
height 80 mm



ROSINOX RX94806718

Suitable for:

**3755487 HEATING ELEMENT 1840W 230V**  
length 280 mm - width 70 mm  
fittings  $\varnothing$  1/4"



ROSINOX ROSINOX

**3455136 HEATING ELEMENT 2000W 220V**  
length 265 mm width 160 mm  
overall height 73 mm - fittings  $\varnothing$  12 mm  
for OVEN-PLATE SNACK ROYAL CHEF PL25E-SPM25E  
for Fry top electric (ROSINOX) ROYALCHEF PL25E  
ROYALCHEF SPM25E



ROSINOX RX94001872

**3755482 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  193 mm - total height 75 mm  
flange 70x22 mm  
for Oven under cooktop electric (SILKO)



ROSINOX RX94806387

**3455383 HEATING ELEMENT 4200W 240V**  
length 580 mm - width 170 mm  
overall height 100 mm  
for Bratt pan electric (ROSINOX) SBM35E



ROSINOX RX94030558



Suitable for:

Suitable for:

**3455381 HEATING ELEMENT 4500/5400W 220/240V**

length 540 mm - width 30 mm  
fittings  $\varnothing$  1/4"  
for Bratt pan electric (ROSINOX) MBM80E



ROSINOX RX94004629

**3755468 HEATING ELEMENT 5670W 230V**

length 295 mm - width 225 mm  
fitting  $\varnothing$  40 mm  
with gaskets and cables  
with cables - with bulb sheath  
for Pasta cooker electric (MARENO) CP70-4E



ROSINOX RX94812607

**3186580 OR GASKET 04131 VITON**



ROSINOX RX94803079

ROSINOX RX94803616

ROSINOX RX94812605

**3355445 HEATING ELEMENT 6000W 230V**

length 310 mm - width 250 mm  
total height 265 mm - with cables  
for Bain-marie electric (BERTO'S) E7F10  
for Fryer electric (GIGA) SKF10E - SKF20E



ROSINOX RX94812636

**3755491 HEATING ELEMENT 6000W 240V**

immersed length 310 mm  
threaded connection  $\varnothing$  2"  
with bulb sheath  
complete with cap and teflon gasket



ROSINOX RX94806106

**3755489 HEATING ELEMENT 6800W 230V**

length 300 mm - width 110 mm  
connection M54x1.5 mm - with cables  
with O-rings  
for Fryer electric (SILKO) CFE72210 - CFE90210



ROSINOX RX94806916

**3186697 O-RING 0159 EPDM**




ROSINOX RX94806155



Suitable for:

**3186601 O-RING 04200 EPDM**



ROSINOX RX94806924

ROSINOX RX94812565

# ROSINOX



Suitable for:

**3755652 RING NUT 2" FOR HEATING ELEMENT**  
for Fryer (SILKO) FE72206



ROSINOX RX94805330

ROSINOX RX94812677

**3355887 HEATING ELEMENT 800W 230V**  
length 385 mm - width 110 mm  
2 flanges 55x17 mm  
for Oven under cooktop electric (SILKO)  
Series SNACK650



ROSINOX RX94805777

**3755486 HEATING ELEMENT 990W 240V**  
length 470 mm - width 105 mm  
height 25 mm - 2 flanges 55x18 mm  
for Oven under cooktop electric (SILKO) CCG7046/P  
CCG70662/P - CCG7246 - CCG72662 - CCG72663  
CCQ7246 - CCT7246 - CCT7246/V - CE84EPQ  
CG84EPS



ROSINOX RX94806460

**3755101 MIDDLE HEATING ELEMENT 2500W 220V**  
immersed length 490 mm - body  $\varnothing$  30 mm  
threaded connection  $\varnothing$  47 mm  
with thermostat probe receptacle - with cables  
for Pasta cooker electric (DESCO) CPE1 - CPE2  
CPE7



ROSINOX RX94800273

**3755652 RING NUT 2" FOR HEATING ELEMENT**  
for Fryer (SILKO) FE72206



ROSINOX RX94805330

ROSINOX RX94812677

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ROSINOX RX94805280



## Hinges, catches and accessories

### 3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



ROSINOX RX94805272

### 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ROSINOX RX94805280

### 3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



ROSINOX RX94805264

### 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ROSINOX RX94805280

## Injectors

### 3500194 CONICAL GAS NOZZLE M17x1 ø 2,10 mm



ROSINOX RX94033859

### 3500024 GAS JET M10x1 ø 1.15 mm



ROSINOX RX94806874

### 3500061 GAS JET M7x1 ø 0.80 mm



ROSINOX RX94812640

### 3500063 GAS JET M7x1 ø 0.95 mm



ROSINOX RX94806668



Suitable for:

# ROSINOX



Suitable for:

## Interference suppression filters

**3160479 INTERFERENCE SUPPRESSION FILTER 0,47µF**



ROSINOX RX94808409

## Ironmongery (screws,nuts,washers)

**3060069 S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588**



ROSINOX

## Knobs

**3241725 BLACK KNOB ø 45 mm**  
D shaft hole 6x4.6 mm  
for energy regulator



ROSINOX

**3241724 INDEXED PLATE ø 70 mm 0-100**  
for energy regulator



ROSINOX

**3241573 BLACK KNOB ø 65 mm 0-295°C**  
D shaft hole 6x4.6 mm



ROSINOX RX94812578

**3241574 BLACK KNOB ø 73 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (SILKO) - Series 700 - Series 900



ROSINOX RX94806189





Suitable for:

Suitable for:

**5035322 BUSHING KIT CHROME PLATED F/KNOB  $\varnothing$  72 mm**  
for Bain-marie (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Boiling pan (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Bratt pan (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Fry top (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Fryer (MARENO) - Series 900 PROTAGONISTA NUOVA  
for Oven under cooktop (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Pasta cooker (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Pot stove (MARENO)  
Series 1100 PROTAGONISTA NUOVA



ROSINOX RX94812686

**3241910 GAS TAP KNOB**  
square hole 16x16 mm  
for Bratt pan electric (ROSINOX) MBM80E - SBM50E  
for Bratt pan gas (ROSINOX) MBM80G - SBM50G  
for Fry top gas (ROSINOX) GR20G  
for Pot stove gas (ROSINOX) 120MFNDET - 121G



ROSINOX RX94030939

**3241914 KNOB CAP FOR WATER TAP**  
square cap 16x16 mm  
 $\varnothing$  hole 8 mm  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94006871

**3241909 KNOB CAP FOR GAS TAP**  
square cap 16x16 mm  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) SBM50G  
for Bratt pan electric (ROSINOX) MBM80E - SBM50E  
for Bratt pan gas (ROSINOX) MBM80G  
for Fry top electric (ROSINOX) GR20E  
for Fry top gas (ROSINOX) GR20G  
for Pot stove (ROSINOX) 120M FNDET  
for Pot stove gas (ROSINOX) 121G



ROSINOX RX94006830

**3241916 KNOB CAP RING NUT  $\varnothing$  46 mm**  
for Bratt pan gas (ROSINOX) MBM80G  
for Pot stove (ROSINOX) 120M FNDET



ROSINOX RX94030277



Suitable for:

# ROSINOX



**3241724 INDEXED PLATE  $\varnothing$  70 mm 0-100**  
for energy regulator



ROSINOX

Suitable for:

**3241909 KNOB CAP FOR GAS TAP**  
square cap 16x16 mm  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) SBM50G  
for Bratt pan electric (ROSINOX) MBM80E - SBM50E  
for Bratt pan gas (ROSINOX) MBM80G  
for Fry top electric (ROSINOX) GR20E  
for Fry top gas (ROSINOX) GR20G  
for Pot stove (ROSINOX) 120M FNDET  
for Pot stove gas (ROSINOX) 121G



ROSINOX RX94006830

**3241914 KNOB CAP FOR WATER TAP**  
square cap 16x16 mm  
 $\varnothing$  hole 8 mm  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94006871

**3241916 KNOB CAP RING NUT  $\varnothing$  46 mm**  
for Bratt pan gas (ROSINOX) MBM80G  
for Pot stove (ROSINOX) 120M FNDET



ROSINOX RX94030277

**3241707 VALVE KNOB**  
for USA MARKET



ROSINOX RX26645069

## Lamps

**3221052 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  57 mm**  
for OVEN-PIZZA OVEN



ROSINOX RX27610112

**3221166 GREEN INDICATOR LAMP 400V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  11.5 mm - 120°C  
universal application



ROSINOX RX94806346



Suitable for:

**3221194 GREEN NEON INDICATOR LAMP 220V**  
ø head 9 mm



ROSINOX RX94813811

Suitable for:

**3221192 LAMP SUPPORT**



ROSINOX RX94813812

**3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass ø 42 mm  
mounting hole ø 38 mm  
max temperature 300°C  
for Kitchen electric (TECNOEKA) KCV96P-M



ROSINOX RX27610104

**3221192 LAMP SUPPORT**



ROSINOX RX94813812

**3221067 NEON LAMP FOR OVEN E10 2W 230V**  
dimensions ø 10x28 mm  
for OVEN



ROSINOX RX27610179

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C



ROSINOX RX94801073

ROSINOX RX94809845

**3221025 ORANGE INDICATOR LAMP 230V**  
hole ø 13 mm - head ø 15 mm - 120°C  
universal application



ROSINOX RX94801529

ROSINOX RX94801537

**3221095 ORANGE INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ROSINOX RX94812468

**3221165 ORANGE INDICATOR LAMP 400V**  
head ø 14.5 mm - hole ø 11.5 mm - 120°C  
universal application



ROSINOX RX94806353

**3221166 GREEN INDICATOR LAMP 400V**  
head ø 14.5 mm - hole ø 11.5 mm - 120°C  
universal application



ROSINOX RX94806346



Suitable for:

Suitable for:

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ROSINOX RX27610120

**3221024 RED INDICATOR LAMP 230V**  
head ø 15 mm - hole ø 13 mm - 120°C  
universal application



ROSINOX RX94801511

**3221025 ORANGE INDICATOR LAMP 230V**  
hole ø 13 mm - head ø 15 mm - 120°C  
universal application



ROSINOX RX94801529

ROSINOX RX94801537

## Level gauges

**3201001 WATER LEVEL GAUGE HCX127 162x32 mm**  
distance between holes 130 mm  
for PANS



ROSINOX RX94800216

## Level sensors

**3341068 LEVEL PROBE ø 1/4" M-350 mm**  
for Boiling pan electric (SILKO) CPE90100  
CPE90100A - CPE90150 - CPE90150A - PE9AI10  
PE9AI15 - PE9NI10 - PE9NI15



ROSINOX RX94812665

**3397192 LEVEL PROBE ø 4x250 mm**  
overall length 330 mm  
for Bratt pan electric (ROSINOX) MBM80E  
for Bratt pan gas (ROSINOX) MBM80G



ROSINOX RX94023512



## Lever ball valves

- 3526632 GAS/WATER BALLCOCK VALVE  $\varnothing$  3/4" FF**  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium throttle



ROSINOX RX94032687

ROSINOX RX94812688

- 3359535 2-WAY BALL TAP**  
coupling  $\varnothing$  1/2" FF = 15/21  
with brass case  
operating pressure 20 bar



ROSINOX RX94020443

## Magnet groups

- 3182010 MAGNETIC UNIT PEL**  
 $\varnothing$  head 24 mm -  $\varnothing$  end 18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



ROSINOX 244761276

- 3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
for PEL tap model 22-24



ROSINOX 244761275

- 3182003 MAGNETIC UNIT SIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT  
for Fry top gas (FAGOR) - Series 900  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
for Pot stove gas (FAGOR) - Series 900



ROSINOX

## Microswitches

- 3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels  
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14  
H17 - H22  
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35  
MJ45E



ROSINOX RX94810935

- 3240189 MICRO SWITCH M1DX20 10A 250V**  
for Bain-marie (BONNET)  
for Boiling pan (BONNET)  
for Fryer (BONNET)



ROSINOX RX94806130



Suitable for:

**3240927 MICRO SWITCH XGG2 88 S21 16A 250V**  
lever with roller  $\varnothing$  4.8 mm  
length 25.9 mm - 6.6 mm width



ROSINOX RX94805348

Suitable for:

**3240820 MICROSWITCH 16A 250V**



ROSINOX RX94812476

**3240181 PROTECTED MAGNET 62x18x10 mm**



ROSINOX RX94809266

## OR and ORM gaskets

**3186143 GASKET OR 04093 EPDM**



ROSINOX RX94807351

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ROSINOX RX94807781

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



ROSINOX RX94807294

**3186697 O-RING 0159 EPDM**



ROSINOX RX94806155

**1186411 O-RING 02031 EPDM**



ROSINOX RX94809761

**3243266 O-RING 02081 EPDM**



ROSINOX RX94807450

**1186238 O-RING 04081 EPDM**



ROSINOX RX94801172

**3186601 O-RING 04200 EPDM**



ROSINOX RX94806924

ROSINOX RX94812565



Suitable for:

**3786459 O-RING 04200 VITON**



ROSINOX RX94812518

Suitable for:

**3186340 OR GASKET 03037 EPDM**



ROSINOX RX94807765

ROSINOX RX94812680

ROSINOX RX94813760

**3186580 OR GASKET 04131 VITON**



ROSINOX RX94803079

ROSINOX RX94803616

ROSINOX RX94812605

## Piezo ignitors

**3001005 PIEZO IGNITER**

a  $\varnothing$  18 mm hole is needed for the assembly  
male faston  $\varnothing$  2.4 mm  
for Bain-marie gas (SILKO) BMG40 - BMG60  
for Fry top gas (SILKO) SKT



ROSINOX RX94805009

## Pilot burners and accessories

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



ROSINOX RX94812587

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ROSINOX RX94805082

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



ROSINOX RX94810978



Suitable for:

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bratt pan gas (ZANUSSI) - Series R700  
for Kitchen gas (ZANUSSI)



ROSINOX ROSINOX LF-3020434

Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ROSINOX RX94034642 ROSINOX 94805207

**3020117 PILOT DEFLECTOR**



ROSINOX RX94034634

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



ROSINOX 822140380

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



ROSINOX RX94806072

**3500385 PILOT GAS JET  $\varnothing$  0.30 mm**  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94814110

**3500386 PILOT GAS JET  $\varnothing$  0.40 mm**  
for Pot stove gas (ROSINOX)  
since 1/02/03



ROSINOX RX94814111

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ROSINOX RX94812644

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting  
for Boiling pan gas (ZANUSSI) - Series HD900  
for Fry top gas (ZANUSSI) - Series HD900  
Series PR700  
for Pasta cooker gas (ZANUSSI) - Series HD900  
for Solid top range gas (ZANUSSI) - Series HD900



ROSINOX RX94805041

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



ROSINOX 822140380





Suitable for:

Suitable for:

## 3020200 THERMOCOUPLE NUT

## 3020289 THREE-FLAME PILOT BURNER

supplied without sparking plug, nozzle  
with thermocouple fitting  
with sparking plug fitting  
with pilot pipe fitting  
for Grill gas (GICO) - Series 500 - Series 600  
Series 700 - Series 900



ROSINOX RX94805090

ROSINOX RX94034485

## 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket  
for Bain-marie gas (FAGOR)  
for Bain-marie gas (GIGA) - Series 650  
Series 700 - Series 900  
for Boiling pan gas (FAGOR)  
for Fry top gas (GIGA) - Series 650 - Series 700  
Series 900  
for Lava rock grill gas (GIGA) - Series 650  
Series 700 - Series 900  
for Oven under cooktop gas (FAGOR)

## 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
total length 65 mm



ROSINOX

ROSINOX RX94034659

ROSINOX 94034659

ROSINOX RX94034642

ROSINOX 94805207

## 3020002 TWO-FLAME PILOT BURNER SIT

multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bain-marie gas (FAGOR)  
for Boiling pan gas (FAGOR)  
for Grill gas (ZANUSSI)  
for Oven under cooktop gas (FAGOR)

## 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
total length 65 mm



ROSINOX

ROSINOX RX94034642

ROSINOX 94805207



Suitable for:

# ROSINOX



Suitable for:

## Pressure switches

**3320225 ADJUSTABLE PRESSUR SWITCH 0,2-1 KG**  
 HONEYWELL PA404 1025  
 fitting 8/13"F  
 for Bratt pan electric (ROSINOX) MBM80E  
 for Bratt pan gas (ROSINOX) MBM80G



ROSINOX RX94014891

## Probes

**3397193 TEMPERATURE PROBE  $\varnothing$  3x440 mm**  
 cable 600 mm  
 for Fryer gas (ROSINOX) FR25G



ROSINOX RX94035813

## Relays

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
 2 switching contacts



ROSINOX RX94804291


**3351021 RELAY 62.82 16A 230V 50/60Hz**  
 2 switching contacts



ROSINOX RX94807054

ROSINOX RX94813866

**3351102 TIME LIMIT RELAY 80.11 16A 240V 50/60Hz**  
 1 switching contact  
 slow release on excitation



ROSINOX RX27470236



## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



ROSINOX RX94002813

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat




ROSINOX RX94805892

**3057015 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm



ROSINOX RX94805256

**3057082 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°  
D-shaft 6x4.6 mm  
for Fryer (BARON) - Series 700 - Series 900  
for Fryer (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fryer (GIORIK) - Series 700 - Series 900  
for Fryer (OFFCAR) - Series 700 - Series 900  
for Pasta cooker (BARON) - Series 700 - Series 900  
for Pasta cooker (EMMEPI) - Series 650  
Series 700 - Series 750 - Series 900  
for Pasta cooker (GIORIK) - Series 700  
Series 900



ROSINOX RX94805405

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Bain-marie (EMMEPI) - Series 700 - Series 750  
Series 900  
for Bain-marie (OLIS) - Series 700 - Series 900  
for Fry top (ALPENINOX)  
for Fry top (EMMEPI) - Series 700 - Series 750  
Series 900  
for Fry top (OLIS) - Series 700  
for Fry top (ZANUSSI) - Series N700 - Series PR700  
for Fryer (ALPENINOX)  
for Fryer (OLIS) - Series 700 - Series 900  
for Grill (ZANUSSI) - Series 700  
for Kitchen electric (ZANUSSI) - Series 900  
for Oven under cooktop (ALPENINOX)



ROSINOX RX94806098

**3057255 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
for Bratt pan (CAPIC)  
for Fryer gas (CAPIC) AB20 - A20 - CA10 - C10  
2045 - 3085  
for Grill (CAPIC)



ROSINOX RX94015070



Suitable for:

# ROSINOX



**3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



ROSINOX RX27334937

**3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm



ROSINOX RX94014842

**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
for Pot stove gas (ZANUSSI) JUN90002 - JUN90012  
JUN90022 - JUN90042 - JUN90069 - JUN92012  
JUN92032




ROSINOX RX273349196

**3057180 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (MARENO) - Series 700  
Series 900  
for Pasta cooker electric (BERTO'S) CPE40 - E9CP40



ROSINOX RX94806478

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Bratt pan electric (COMETTO)  
for Hot plate electric (COMETTO)  
for Kitchen electric (EMMEPI) - Series 900  
for Pot stove electric (COMETTO)



ROSINOX RX94015021

**3057024 SELECTOR SWITCH 0-7 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (EMMEPI) - Series 650  
Series 700 - Series 750  
for Kitchen electric (GICO) - Series 700  
for Kitchen electric (GIGA) - Series 600  
Series 700 - Series 800 - Series 900  
for Kitchen electric (OFFCAR) - Series 700  
Series 900  
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT  
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT  
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE  
94/04CE - 94/04TCE



ROSINOX RX94015013

ROSINOX RX94806010

**3122785 SILICONE GASKET F. SELECTOR SWITCH**  
dimensions 50x20 mm  
for Bratt pan electric (ROSINOX) MBM80E - SBM35E  
for Bratt pan gas (ROSINOX) MBM80G  
for Pot stove gas (ROSINOX) 120MFNDT



ROSINOX RX94013471



## Safety groups for pans and spare parts

**3184011 DEPRESSION VALVE  $\varnothing$  1/4" M**  
 in chrome plated brass  
 for safety group  $\varnothing$  3/4"  
 for safety group  $\varnothing$  1" 1/4



ROSINOX RX94806056

**3184018 SAFETY VALVE  $\varnothing$  1" 1/4 M**  
 max pressure 0.5 atm  
 for safety group 1" 1/4  
 ISPEL approved



ROSINOX RX94812663

## Solenoid valves

**3120546 SOLENOID VALVE 220V  $\varnothing$  1/4" FF**  
 for water  
 COIL LUCIFER 121K0103 14W - 7 bar  
 dimensions of the body 35 mm - height 80 mm  
 for Bratt pan electric (ROSINOX) MBM80E  
 for Bratt pan gas (ROSINOX) MBM80G



ROSINOX RX94016201

ROSINOX 9401620

**3120404 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
 solenoid valve 90° - 230V 50/60Hz - max 90°C  
 3/4" inlet - 1 outlet  $\varnothing$  10.5 mm



ROSINOX RX94813749

**3120407 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
 solenoid valve 180° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - 2 outlets  $\varnothing$  10.5 mm



ROSINOX RX94807480

**3120004 SOLENOID VALVE 319 220/240V  $\varnothing$  10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



ROSINOX RX94805520

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm



ROSINOX RX94050168

**3120507 SOLENOID VALVE 349 24V  $\varnothing$  10 mm**  
 solenoid valve 180° - 24V 50Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm



ROSINOX RX94804671



Suitable for:

**3120009 SOLENOID VALVE 351 220/240V  $\varnothing$  14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



ROSINOX RX94809282

Suitable for:

**3120010 SOLENOID VALVE 352 220/240V  $\varnothing$  14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  14 mm



ROSINOX RX94809795

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz  
for Boiling pan gas (CHARVET)  
for Fryer gas (CAPIC) CTI - CTIB - C10 - TI - TIB  
for Kitchen (THIRODE) B7.FV.CF.FG



ROSINOX RX94027802

ROSINOX RX94805108

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz  
for Kitchen (THIRODE) B7.FV.CF.FG



ROSINOX RX94039229

ROSINOX RX94805116

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



ROSINOX RX94805124

## Sparking and detection plugs

**3806021 ROUND DETECTOR ELECTRODE**  
with flange



ROSINOX RX94051521

**3020126 ROUND IGNITION ELECTRODE  $\varnothing$  6.5x55 mm**  
with silicone lead 1760 mm  
overall length 1830 mm



ROSINOX RX94805157

**3020127 ROUND IGNITION ELECTRODE  $\varnothing$  6.5x55 mm**  
with silicone lead 625 mm  
overall length 680 mm  
for Pot stove gas (GIGA) - Series 700 - Series 800



ROSINOX RX94805132

**3020138 ROUND IGNITION ELECTRODE  $\varnothing$  6.5x55 mm**  
with silicone lead 970 mm  
overall length 1030 mm



ROSINOX RX94805140



Suitable for:

**3020073 ROUND IGNITION ELECTRODE  $\varnothing$  7/10x52 mm**  
model 1/B  
female connection  
overall length 54 mm  
for Kitchen gas (WHIRLPOOL) AGB351 - AGB579  
AGB580 - AGB581 - AGB582 - AGB583 - AGB584



Suitable for:

**3020124 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm**  
female connection  
overall length 58 mm  
for Fryer gas (ELFRAMO) GBD10 - GB10  
for Fryer gas (KOMEL) KBGD10 - KGB10  
for Pot stove (ROSINOX) RCS2X2FV



ROSINOX RX94805033

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ROSINOX RX94027729

ROSINOX 94027729

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ROSINOX RX94034642

ROSINOX 94805207

**3020230 ROUND SPARKING PLUG  $\varnothing$  7x54 mm**  
male faston M4x1 mm  
overall length 63 mm  
for COOKING RANGE series 700 PROTAGONISTA NUOVA  
for COOKING RANGE series 900 PROTAGONISTA NUOVA  
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



ROSINOX RX94805066

ROSINOX RX94805306

ROSINOX RX94805686

**3806003 ROUND SPARKING PLUG  $\varnothing$  9.5x48 mm**  
total length 97 mm  
for HONEYWELL BURNER  
for Fryer gas (CAPIC) TURBOFRIT



ROSINOX RX94034493

ROSINOX RX94051513

## Springs

**3250233 LID SPRING  $\varnothing$  24x240 mm**  
length without hooks 195 mm  
for BRATT PAN SBM50G-SBM35E  
for BOILING PAN MBM80G-MBM80E



ROSINOX RX94024791



Suitable for:

# ROSINOX



Suitable for:

## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
mounting hole  $\varnothing$  25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701 Series 700



ROSINOX RX94805173

**3319090 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator lamp and switch cover  
max temperature 120°C  
mounting hole 22x30 mm



ROSINOX RX94809514

**3319944 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator light  
0-I silk-screen printing  
temperature max 120°C  
mounting hole 22x30 mm



ROSINOX RX94805496

**3319091 GREEN CHANGE OVER SWITCH 250V 16A**  
with indicator lamp and button protection cap  
max temperature 120°C  
mounting hole 22x30 mm



ROSINOX RX94809506

**1319082 SINGLE-POLE PUSH BUTTON 16A 250V**



ROSINOX RX94810898

ROSINOX RX94813820

**3319714 TWO-POLE LEVER SWITCH 16A 250V**  
threaded coupling  $\varnothing$  12 mm  
ON-OFF function  
for Bain-marie electric (ROSINOX) BME1/1



ROSINOX RX94026036

## Telethermometers

**3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C**  
plastic case  
capillary 1500 mm  
bulb  $\varnothing$  6x26 mm



ROSINOX RX94807252

**3441007 WHITE TELETHERMOMETER  $\varnothing$  60 mm 0-120°C**  
metal case  
PVC covered capillary 3000 mm  
spring bulb  $\varnothing$  8x32 mm  
bulb fitting M10x1



ROSINOX RX94803038





Suitable for:

# ROSINOX



Suitable for:

## Terminal blocks

**3247011 6-POLE TERMINAL BLOCK FV122 40A 600V**

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ROSINOX RX94810223

## Thermocouples and accessories

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ROSINOX RX94015112

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



ROSINOX RX94015112

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ROSINOX RX94015112

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ROSINOX RX94805025

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**



ROSINOX RX94805025

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ROSINOX RX94805025



Suitable for:

Suitable for:

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ROSINOX RX94024973

**3440836 THERMOCOUPLE SIT M9x1 85 cm .**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ROSINOX RX94024973

ROSINOX RX94024973

**3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING with fitting M11x1**

**3440128 THERMOGENERATOR 900 mm**  
fitting M10x1  
bulb  $\varnothing$  10x60 mm  
for gas valve Unitrol Robertshaw mod. BMV  
for Fryer (PITCO FRIALATOR)



ROSINOX

ROSINOX RX24802365

## Thermostatic gas valves

**3345006 THERMOSTATIC GAS COCK PEL24ST**  
temperature range 120-320°C  
fitting inlet/outlet M20x1.5 mm  
capillary 900 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
D-shaped pin  $\varnothing$  10x8mm  
for Bratt pan  
for Fry top  
for Oven under cooktop

**3348170 THERMOSTATIC VALVE ROBERTSHAW BJWA**  
adjustment temperature 95-288°C  
outlet fitting  $\varnothing$  3/8"  
inlet fitting  $\varnothing$  10 mm  
bulb  $\varnothing$  5x290 mm



ROSINOX RX94806536

ROSINOX



## Thermostats

**3444012 BLACK KNOB  $\varnothing$  41 mm SILK-SCREEN PRINTED**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for thermostat TR/2



ROSINOX RX94800935

**3444771 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  3.1x120 mm



ROSINOX RX94805231

**3444239 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 860 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm - with stuffing gland M10x1  
complete with wiring 330mm for thermocouple  
for Fryer (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fryer (OFFCAR) - Series 700 - Series 900  
for Fryer gas (GIORIK) - Series FRG



ROSINOX RX94805702

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 800  
for Fryer electric (GIGA) SKF2E  
for Fryer electric (WHIRLPOOL) AGB433 - AGB435  
AGB437 - AGB439 - AGB441 - AGB443 - AGB447  
AGB514 - AGB515 - AGB516 - AGB521 - AGB522  
AGB523 - AGB524 - AGB525  
for Fryer gas (WHIRLPOOL) AGB513



ROSINOX RX94804986

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



ROSINOX RX94805249

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary 1500 mm - 3 contacts 16A 250V  
bulb  $\varnothing$  4x110 mm  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series JUNIOR - Series OMEGA - Series SENIOR  
Series SUMMIT  
for Oven under cooktop (SILKO)



ROSINOX RX94800158

ROSINOX RX94812622



Suitable for:

**3444774 SINGLE-PHASE THERMOSTAT 45-295°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  4x95 mm



ROSINOX RX94812577

Suitable for:

**3444467 SINGLE-PHASE THERMOSTAT 55-180°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Boiling pan (MARENO) - Series 700  
 Series 900 PROTAGONISTA  
 for Fryer (MARENO) - Series 700 - Series 900



ROSINOX RX94812560

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6  
 for Fryer electric (MBM) EF45 - EF90  
 for Fryer electric (ZANUSSI) QFE300 - QFE600



ROSINOX RX94805371

**3444479 THREE-PHASE THERMOSTAT 120°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 CPE2-7 - CPE7



ROSINOX RX94800505

**3444769 THREE-PHASE THERMOSTAT 132°C**  
 with automatic reset  
 capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
 for Pasta cooker (MARENO)  
 Series 900 PROTAGONISTA NUOVA



ROSINOX RX94812642

**3444770 THREE-PHASE THERMOSTAT 157°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm  
 for Pasta cooker (EMMEPI) - Series 650  
 Series 700 - Series 750 - Series 900



ROSINOX RX94805413



Suitable for:

**3444775 THREE-PHASE THERMOSTAT 159°C**  
 with manual reset  
 capillary length 1100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x185 mm  
 for Boiling pan (EMMEPI) - Series 700 - Series 750  
 Series 900



ROSINOX RX94812646

Suitable for:

**3444375 THREE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (GIORIK) - Series FT  
 for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7  
 for Fryer electric (MBM) EF45 - EF46 - EF47  
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99



ROSINOX RX94812594

**3444307 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer electric (BARON) - Series 900



ROSINOX RX94016599

ROSINOX RX94046363

**3444466 THREE-PHASE THERMOSTAT 230°C**  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  4x115 mm  
 for Boiling pan electric (MARENO)  
 Series 900 PROTAGONISTA  
 for Fryer (MARENO) - Series 700 - Series 900



ROSINOX RX94812559

**3444088 THREE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 with adapter nipple band M9x1  
 for Bain-marie (ZANUSSI)



ROSINOX

**3444620 THREE-PHASE THERMOSTAT 45-120°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 380V  
 bulb  $\varnothing$  6x140 mm  
 for Pasta cooker electric (GIORIK) - Series 700  
 Series 900



ROSINOX RX94805421

**3444694 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm  
 bulb  $\varnothing$  6x77 mm  
 for Fry top electric (REPAGAS) E-35 - E-65 - E-95



ROSINOX

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm  
 for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1  
 RG/E2



ROSINOX RX94805645



Suitable for:

# ROSINOX



## 3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP  
RF8DSP - RF8SP



ROSINOX RX24845588

Suitable for:

## 3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 800 - Series 900  
for Fryer electric (GIGA) SKF2E  
for Fryer electric (WHIRLPOOL) AGB515 - AGB516  
AGB521 - AGB523 - AGB597 - AGB598



ROSINOX RX94804978

## 3444779 THREE-PHASE THERMOSTAT 75-295°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x92 mm



ROSINOX RX94812621

## Timers

### 3446159 TIMER 120 MINUTES C53

manually set mechanical timer  
manually set cycle 120 minutes  
contact capacity 16A 250V  
max temperature 125°C  
2 normally closed contacts  
complete with silkscreen printed plate and knob  
dimensions 49.5x58 mm depth 52 mm



ROSINOX RX94027836

### 3446155 TIMER 120 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 120 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm



ROSINOX

### 3446157 TIMER 30 MINUTES C53

manually set mechanical timer  
manually set cycle 30 minutes  
contact capacity 16A 250V  
max temperature 125°C  
2 normally closed contacts  
complete with silkscreen printed plate and knob  
dimensions 49.5x58 mm depth 52 mm



ROSINOX RX94027869

### 3446150 TIMER 30 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 30 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm



ROSINOX



Suitable for:

Suitable for:

## 3446154 TIMER 60 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 60 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm



ROSINOX

## Water filling taps

### 3359129 WATER INLET TAP $\varnothing$ 1/2"FF

for Bain-marie (SILKO) - Series 900  
for Bratt pan (SILKO) - Series 700  
for Pasta cooker (SILKO) - Series 700 - Series 800  
Series 900



ROSINOX RX94806338

## Wheels and accessories

### 3063110 COMPLETE BEARING

NTN TYPE M-ASPF204  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94008091

### 3522050 CRANK FOR LID LIFTING ELESÁ

hole for shaft  $\varnothing$  16 mm - key 5x37 mm  
pliable handle  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94030517

### 3063110 COMPLETE BEARING

NTN TYPE M-ASPF204  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94008091



Suitable for:

**3122786 GASKET F. CRANK**

external  $\varnothing$  36 mm - internal  $\varnothing$  19 mm  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94012457

ROSINOX RX94030640

# ROSINOX



Suitable for:

**3122786 GASKET F. CRANK**

external  $\varnothing$  36 mm - internal  $\varnothing$  19 mm  
for Bratt pan electric (ROSINOX) SBM35E  
for Bratt pan gas (ROSINOX) SBM50G



ROSINOX RX94012457

ROSINOX RX94030640

**3522045 WHEEL  $\varnothing$  200 mm**

hole  $\varnothing$  16 mm - with place for key 5 mm  
with TECNOPOLIMERO handle



ROSINOX RX94030871

## Wire pan supports

**3354001 GRID REDUCER FOR MOKA 265x265 mm**

in stainless steel



ROSINOX RX94806759