




Spare parts for:

## Cooking equipment



Suitable for:

# SAMMIC



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# SAMMIC



Suitable for:

## Capacitors

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2050610

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2302620

## Feet

**3313040 ADJUSTABLE S/STEEL FOOT  $\varnothing$  1"1/2 x h 95mm**  
with fixed screw M10x25 mm  
adjustable height  $95\div 150$  mm



SAMMIC 2310659

## Fuses

**3049013 DELAY FUSE 5x20 - 10 PCS**  
250V 1A



SAMMIC 2149131

## Gastronorm pans

**3015023 S/STEEL DRIP TRAY GN 1/1 530x325xH20 mm**



SAMMIC 9051020

**3015024 S/STEEL DRIP TRAY GN 1/1 530x325xH40 mm**



SAMMIC 9051040

**3015025 S/STEEL DRIP TRAY GN 1/1 530x325xH65 mm**



SAMMIC 9051050

**3015029 S/STEEL DRIP TRAY GN 1/2 325x265xH20 mm**



SAMMIC 9053020



# SAMMIC



Suitable for:

Suitable for:

**3015031 S/STEEL DRIP TRAY GN 1/2 325x265xH65 mm**

**3015021 S/STEEL DRIP TRAY GN 2/1 650x530xH40 mm**



SAMMIC 9053050

SAMMIC 9050040

**3015022 S/STEEL DRIP TRAY GN 2/3 650x530xH65 mm**

**3015026 S/STEEL DRIP TRAY GN 2/3 355x325xH20 mm**



SAMMIC 9050050

SAMMIC 9052020

**3015027 S/STEEL DRIP TRAY GN 2/3 355x325xH40 mm**

**3015028 S/STEEL DRIP TRAY GN 2/3 355x325xH65 mm**



SAMMIC 9052040

SAMMIC 9052050

**3015020 S/STEEL DRIP TRAY 2/1 GN 650x530x20 mm**



SAMMIC 9050020

## Grids for refrigerator-oven

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm

**3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



SAMMIC 9771700

SAMMIC 9770700



Suitable for:


# SAMMIC



Suitable for:

## Heating elements

**3755677 HEATING ELEMENT 1150W 240V**  
length 210 mm - width 225 mm  
height 30 mm  
for Panini grill electric (SAMMIC) GLD - GRD - GRL  
GRS



SAMMIC 6100053

**3755676 HEATING ELEMENT 850W 240V**  
length 210 mm - width 220 mm  
height 25 mm  
for Panini grill electric (SAMMIC) GLD - GRD - GRL  
GRS



SAMMIC 6100051

**3755675 WIRE HEATING ELEMENT**  
length 100 mm



SAMMIC 6100414

## Knobs

**3241586 BLACK KNOB  $\varnothing$  42 mm**  
D shaft hole 6x4.6 mm



SAMMIC 6100412

## Lamps

**3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  54 mm  
mounting hole  $\varnothing$  45 mm  
max temperature 300°C



SAMMIC 6126073

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C  
for OVEN



SAMMIC PORTALAM290



Suitable for:

**3221337 ORANGE INDICATOR LAMP 250V**  
head  $\varnothing$  12 mm - hole  $\varnothing$  9 mm - 125°C  
wire connection length 200 mm



SAMMIC 6100026

Suitable for:

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C



SAMMIC 6126042

**3221024 RED INDICATOR LAMP 230V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
universal application



SAMMIC 2309960

## Microswitches

**3240151 MICROSWITCH 16A 250V**  
for ZANUSSI TRAINO RT  
for BIANCHI LEVEL TANK



SAMMIC 6420114

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm  
for Hot cupboard  
for Warm table



SAMMIC VEN046



Suitable for:

# SAMMIC



Suitable for:

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm  
for Toaster



SAMMIC 6100413

## Solenoid valves

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



SAMMIC 8100265

**3120008 SOLENOID VALVE 350 220/240V  $\varnothing$  14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



SAMMIC 2304941

## Springs

**3250140 SPRING  $\varnothing$  27x110 mm**  
for SANDWICH PLATE GRS-GRD-GLD-GRL



SAMMIC 6100203

## Switches

**3319380 DOUBLE SINGLE POLE SWITCH 16A 250V**  
mounting hole 28x53 mm  
for Toaster (SAMMIC) TP-10



SAMMIC 6100408

**3319088 ORANGE BIPOLAR SWITCH 250V 16A**  
with indicator lamp and push-button cover  
temperature max 120°C  
mounting hole 22x30 mm



SAMMIC 2306538



Suitable for:

## 3319379 TRIPLE SINGLE POLE SWITCH 16A 250V

mounting hole 28x77 mm  
for Toaster (SAMMIC) TP-20



SAMMIC 6100410

Suitable for:

## 1319210 WHITE BIPOLAR SWITCH 16A 250V

with indicator light and push-button cap  
silk-screen print 0-1  
temperature max 120°C  
mounting hole 22x30



SAMMIC 2310416

## Thermostats

## 3444009 BLACK KNOB $\varnothing$ 41 mm 0-120°C

D-shaped pin  $\varnothing$  6x4.6 mm  
for thermostat TR/2



SAMMIC 2309065

## 3444008 BLACK KNOB $\varnothing$ 41 mm 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
for thermostat TR/2



SAMMIC 2309065

## 3444628 SINGLE-PHASE THERMOSTAT 50-250°C

complete with knob and nut  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 800 mm  
bulb  $\varnothing$  3x180 mm  
for Panini grill electric (SAMMIC) GLD - GRD - GRL  
GRS



SAMMIC 6100070

## 3444004 THERMOSTAT TR2 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



SAMMIC 2309068

## Timers

## 3446117 TIMER 15 MINUTES

manually set mechanical timer  
manually set cycle 15 minutes  
contact capacity 16(4)A 250V  
max temperature 85°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with knob  
for Panini grill (SAMMIC)  
for Toaster (SAMMIC)



SAMMIC 6100420