




Spare parts for:

Cooking equipment



Suitable for:

SIT



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

SIT

Suitable for:



Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

Cables for piezo igniters

3001027 IGNITION CABLE 500 mm
with faston terminal \varnothing 2 mm for ignition
with faston terminal \varnothing 2 mm for plug
for Pot stove gas (MBM) - Series MINIMA
Series OMNIA



SIT 0.028.515

3001028 SIT CABLE 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



SIT 0.028.510

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



SIT 0.028.398

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



SIT 0.028.513

3001019 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



SIT 0.028.512

3001017 SIT IGNITION LEAD 600 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



SIT 0.028.399

Suitable for:

Suitable for:

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



SIT 0.028.509

SIT 0.028.521

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3030001 ELECTRIC COUPLING WITH CABLE
for valve sit 824 NOVA-826 NOVA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



SIT 0.960.018

SIT 0.960.118



Suitable for:

SIT



Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

2110743 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 50 mbar
setting range of the regulator
pressure 3÷18 mbar
room temperature 0÷60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SIT 0.810.156

3526108 ELBOW FLANGE \varnothing 1/2"FF
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526100 COIL 220V
for VALVE ELETROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4"FF
with screws and "O" ring
for ELETROSIT VALVE



SIT



Suitable for:

3526084 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SIT 0.810.130

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

SIT



Suitable for:

3526100 COIL 220V
for VALVE ELETROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETROSIT VALVE



SIT



Suitable for:

SIT



3526089 ELETTROSIT VALVE \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



SIT 0.810.136

3526108 ELBOW FLANGE \varnothing 1/2"F
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526100 COIL 220V
 for VALVE ELETTROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4"F
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT



Suitable for:

SIT



3526092 ELETTROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 220/240V 50Hz
long buttons
pilot connection and LATERAL thermocouple



SIT 0.810.126

3526108 ELBOW FLANGE \varnothing 1/2"F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4"F
with screws and "O" ring
for ELETTROSIT VALVE



SIT



Suitable for:

3526085 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 pilot connection and LATERAL thermocouple



SIT 0.810.122

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

SIT



Suitable for:

3526100 COIL 220V
 for VALVE ELETROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETROSIT VALVE



SIT



Suitable for:

SIT



3526086 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SIT 0.810.138

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT



Suitable for:

SIT



3526087 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



SIT 0.810.171

Suitable for:

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



SIT 0.810.175

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526091 ELETROSIT VALVES 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range of
 pressure 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 pilot connection and LATERAL thermocouple



SIT 0.810.123

3526100 COIL 220V
 for VALVE ELETROSIT



SIT 0.967.041



Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

SIT



Suitable for:

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526188 KNOB EXTENSION 87 mm long
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094



Suitable for:

3526112 SIMPLOSIT VALVE \varnothing 3/8"FF
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷80°C



SIT 0.500.015

SIT



Suitable for:

3182005 MAGNETIC UNIT SIT
 \varnothing head 19 mm - \varnothing end 14,5 mm - length 47 mm
 for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229

3526075 STRAIGHT FLANGE \varnothing 1/2"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3526076 STRAIGHT FLANGE \varnothing 3/4"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3440200 TWIN LEAD THERMOPILE 580 mm



SIT 0.240.002

SIT 0.940.002

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012



Suitable for:

3526145 VALVE NOVASIT \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection 9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 for Bratt pan gas (ANGELO PO) - Series ALPHA
 Series DELTA



SIT 0.824.011

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3526188 KNOB EXTENSION 87 mm long
 for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

SIT



Suitable for:

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3030001 ELECTRIC COUPLING WITH CABLE
 for valve sit 824 NOVA-826 NOVA
 for Bratt pan gas (ANGELO PO) - Series ALPHA
 Series DELTA



SIT 0.960.018

SIT 0.960.118

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



SIT 0.006.245



Suitable for:

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

SIT



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series OMEGA
 for Fryer gas (CAPIC)



SIT 0.820.010

SIT 0.820.012

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz
 for Boiling pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (OLIS) - Series 700 - Series 900
 for Fryer (BARON) 9FRI/G420
 for Fryer gas (OLIS) - Series 900
 for Pasta cooker gas (MARENO)



SIT 0.820.018

SIT



Suitable for:

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013



Suitable for:

3182008 **MAGNETIC UNIT SIT**
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 **NUT & OLIVE ø 6 mm**



SIT 0.958.031

3526179 **VALVE 820 NOVA ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



SIT 0.820.031

3020083 **NUT & OLIVE ø 4 mm**



SIT 0.958.030

SIT



Suitable for:

3020083 **NUT & OLIVE ø 4 mm**



SIT 0.958.030

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm ø male faston connector



SIT 0.073.953

3182008 **MAGNETIC UNIT SIT**
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 **NUT & OLIVE ø 6 mm**



SIT 0.958.031



Suitable for:

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm ø male faston connector



SIT 0.073.953

40C2408 **VALVE 820 NOVA ø 1/2"FF**
inlet ø 1/2" F - outlet ø 1/2" F
thermocouple connection M9x1
gas max. inlet pressure 60 mbar
outlet pressure range setting
5÷50 mbar
room temperature 0÷70°C
power supply 24V 50Hz
for Bratt pan gas (ZANUSSI) CRN15G - CRN20G
for Pasta cooker gas (ZANUSSI) CR40G - CR42G



SIT 0.820.037

3526099 **COIL 24V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 **ELBOW FLANGE ø 3/4" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526124 **KNOB EXTENSION LENGTH 65 mm**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

SIT

Suitable for:



3526098 **COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 **ELBOW FLANGE ø 1/2" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 **ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

3526188 **KNOB EXTENSION 87 mm long**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

SIT 0.960.103



Suitable for:

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE ø 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

2111851 VALVE 820 NOVA mV ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
pressure calibration range of
outlet 5÷50 mbar
room temperature 0÷70°C
power supply through double wire thermopile
(TPTH-TP terminal)
slow ignition level 3-5 mbr



SIT 0.820.303

SIT



Suitable for:

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm ø male faston connector



SIT 0.073.953

3526075 STRAIGHT FLANGE ø 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526077 ELBOW FLANGE ø 1/2"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260



Suitable for:

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526188 KNOB EXTENSION 87 mm long
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

SIT

Suitable for:

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3440200 TWIN LEAD THERMOPILE 580 mm



SIT 0.240.002

SIT 0.940.002





Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526300 VALVE 820 NOVA mV ø 1/2"FF
inlet ø 1/2" F - outlet ø 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5 ÷ 50 mbar
room temperature 0 ÷ 70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



SIT 0.820.301

3526078 ELBOW FLANGE ø 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526188 KNOB EXTENSION 87 mm long
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

SIT

Suitable for:



3526077 ELBOW FLANGE ø 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3-30 mbar
room temperature 0-60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



SIT 0.822.110

SIT

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3440200 TWIN LEAD THERMOPILE 580 mm



SIT 0.240.002

SIT 0.940.002

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064





Suitable for:

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

SIT



Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

3020084 NUT & OLIVE \varnothing 6 mm

SIT 0.960.103



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261



Suitable for:

3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
gas inlet max. pressure 60 mbar
outlet pressure range
3 ÷ 30 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



SIT 0.822.114

SIT 0.822.144

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

SIT



Suitable for:

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261



Suitable for:

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3523098 VALVE 824 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
2÷50 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (AMBASSADE) DBRG



SIT 0.824.010

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

SIT

Suitable for:



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



SIT 0.830.034

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

SIT

Suitable for:

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031





Suitable for:

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3-50 mbar
room temperature 0-60°C
power supply 230V 50Hz



SIT 0.830.040

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3526268 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3-50 mbar
power supply 24V 60Hz
for Pasta cooker gas (ZANUSSI) CR40G - CR41G
CR42G



SIT 0.830.100

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

SIT



Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031



Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



SIT 0.836.010

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

2101305 CONTROL BOX EFD 503 FOR TANDEM
model SIT - 220/240V 50/60Hz 9VA



SIT 0.503.702

SIT

Suitable for:



3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

Electronic boxes

3091040 CONTROL BOX 503 EFD FOR TANDEM
model SIT - 220/240V 50/60Hz 7VA
for Fryer (HOBART) SFR18G



SIT 0.503.204



Suitable for:

SIT



Suitable for:

Gas taps and accessories

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

Gas valves and accessories

3526260 EUROSIT VALVE CAP



SIT 0.972.061

3526258 EUROSIT VALVE FOR FRYER 110÷190°C
with new knob
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm
RoHS certificated
for Fryer gas (ANGELO PO) - Series GAMMA



SIT 0.630.321

SIT 0.630.337

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3526146 EUROSIT VALVE FOR FRY TOP 40-250°C
inlet ø 3/8" F - outlet ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb ø 4x72 mm
for Fry top gas (AMBACH) GBP/45V - GBP/90V



SIT 0.630.316

SIT 0.630.335

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

SIT

Suitable for:

3001111 PIEZO IGNITER EUROSIT
male faston ø 2.4 mm



SIT 0.073.954

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
male faston ø 2.4 mm



SIT 0.073.954





Suitable for:

SIT



3526134 EUROSIT VALVE FOR FRY TOP 40 ÷ 280°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 80°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Fry top gas (ZANUSSI) - Series N700
Series PR700
for Oven under cooktop gas (ZANUSSI)
Series HD700 - Series HD900



SIT 0.630.312

SIT 0.630.328

SIT

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3526133 EUROSIT VALVE FOR FRY TOP 60 ÷ 300°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 80°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Fry top gas (GIGA) - Series 650
for Fry top gas (TECNOINOX) FTC70G
for Fry top gas (WHIRLPOOL) AGB455 - AGB457
AGB459 - AGB461 - AGB463 - AGB465 - AGB467
AGB470
for Fry top gas (ZANUSSI) MRV/G1CL
for Kitchen (ZANUSSI) ACF/G810



SIT 0.630.330

SIT 0.630.318

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

**3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm**



SIT 0.073.954

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb \varnothing 4x200 mm
for Fryer gas (ELFRAMO) GBD10 - GB10



SIT 0.630.313

SIT 0.630.332

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

SIT

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



SIT 0.073.954

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



SIT 0.073.954





Suitable for:

SIT



3526250 EUROSIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
thermocouple fitting M9x1
gas max inlet pressure 50 mbar
outlet pressure range setting
outlet 3÷18 mbar
room temperature 0÷80°C
capillary length 1050 mm
bulb \varnothing 4x200 mm
for Fryer gas (EMMEPI)
for Fryer gas (MARENO)



SIT 0.630.314

SIT 0.630.334

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

2110435 EUROSIT VALVE FOR OVEN 100÷340°C

inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
max inlet gas pressure 50 mbar
pressure range setting
outlet 3÷18 mbar
ambient temperature 0÷120°C
capillary length 1000 mm
bulb \varnothing 4x72 mm
for OVEN series 900 PROTAGONISTA NUOVA
for FRYTOP series 900 PROTAGONISTA NUOVA
for SOLID TOP NT9FG-8G



SIT 0.630.315

SIT 0.630.331

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT male faston \varnothing 2.4 mm



SIT 0.073.954

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3526260 EUROSIT VALVE CAP



SIT 0.972.061

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3526130 EUROSIT VALVE FOR OVEN 100÷340°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series BIFRONTI - Series DELTA
Series GAMMA - Series OMEGA



SIT 0.630.310

SIT 0.630.326

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

SIT

Suitable for:

3526127 FLANGE FOR KNOB EXTENSION



SIT 0.997.209

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

**3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm**



SIT 0.073.954

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031





Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3526177 EUROSIT VALVE FOR OVEN 100÷340°C
 inlet ø 3/8" F - outlet ø 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb ø 4x74 mm
 for Bratt pan gas (ANGELO PO) - Series GAMMA
 for Fry top gas (ANGELO PO) - Series ALPHA
 Series GAMMA - Series OMEGA
 for Oven under cooktop gas (ANGELO PO)
 Series ALPHA - Series DELTA
 for Solid top range gas (ANGELO PO) - Series ALPHA
 Series DELTA



SIT 0.630.345

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

SIT



Suitable for:

3001111 PIEZO IGNITER EUROSIT
male faston ø 2.4 mm



SIT 0.073.954

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
male faston ø 2.4 mm



SIT 0.073.954



Suitable for:

3526139 EUROSIT VALVE FOR OVEN 80÷320°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 capillary length 1000 mm
 bulb \varnothing 4x72 mm
 for Oven under cooktop gas (ANGELO PO)
 Series ALPHA - Series DELTA



SIT 0.630.311

SIT 0.630.327

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3526113 EUROSIT VALVE FOR STOVE 13÷38°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 outlet 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 8x124 mm
 for STOVE



SIT 0.630.001

SIT



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



SIT 0.073.954

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3526127 FLANGE FOR KNOB EXTENSION



SIT 0.997.209

3523100 FRYER VALVE MINISIT 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple fitting M9x1
gas max inlet pressure 50 mbar
room temperature 0÷80°C
capillary length 1200 mm
bulb \varnothing 5x105 mm
with plate, piezo igniter, fittings, plug,
and plug cable
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL)



SIT 0.710.758

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

SIT



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



SIT 0.073.954

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900




SIT 0.006.443



Suitable for:

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523044 MINISIT SENSING ELEMENT 120÷200°C
capillary length 1050 mm
bulb ø 6x105 mm
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL)



SIT 0.928.086

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008





Suitable for:

SIT



Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523018 MANUAL MINISIT VALVE FOR PASTA COOKER

inlet outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
supplied with an elbow flange \varnothing 3/8" F
for Pasta cooker gas



SIT

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT



Suitable for:

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3523918 MANUAL MINISIT VALVE FOR PASTA COOKER
inlet outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
supplied without cover, knob and flanges
for Pasta cooker gas



SIT 0.710.106

SIT

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

3523060 OIL SEAL FITTING \varnothing 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.073.015

SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm

for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"

in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025





Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

3523060 OIL SEAL FITTING \varnothing 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900

SIT 0.073.015



SIT 0.974.502



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE ø 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

SIT

Suitable for:

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523038 MINISIT ELBOW FLANGE ø 1/2"F
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT



Suitable for:

SIT



2110930 MINISIT FOOD-WARMER 40÷110°C
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 room temperature 0÷60°C
 with outlet pressure adjustment screw
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 supplied with an elbow flange \varnothing 3/8" F
 for BAIN MARIE




SIT 0.710.817

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 for Pot stove gas (FAGOR) - Series 900




SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015



Suitable for:

3523039 MINISIT SENSING ELEMENT 30÷100°C
capillary length 1050 mm
bulb ø 5x125 mm
for Bain-marie gas
for Pasta cooker gas



SIT 0.928.567

3523060 OIL SEAL FITTING ø 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523040 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1050 mm
bulb ø 5x70 mm
for Fry top gas
for Oven under cooktop gas



SIT 0.928.561

SIT



Suitable for:

3523061 NUT ø 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523041 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1800 mm
bulb ø 5x70 mm
for Oven under cooktop gas



SIT 0.928.563



Suitable for:

SIT



3523048 MINISIT SENSING ELEMENT 100÷340°C
 stainless steel capillary length 1050 mm
 bulb ø 4x72 mm
 for Oven under cooktop gas (OM GAS)
 for Oven under cooktop gas (WHIRLPOOL)
 for Oven under cooktop gas (ZANUSSI)



SIT 0.928.582

3523043 MINISIT SENSING ELEMENT 110÷190°C
 capillary length 1050 mm
 button bulb ø 14.4x26 mm
 for Fryer gas (GICO)



SIT 0.928.102

3523051 MINISIT SENSING ELEMENT 110÷190°C
 capillary length 1050 mm
 bulb ø 6x105 mm
 for Fryer gas



SIT 0.928.586

SIT 83102008000

3523044 MINISIT SENSING ELEMENT 120÷200°C
 capillary length 1050 mm
 bulb ø 6x105 mm
 for Fryer gas (ELFRAMO)
 for Fryer gas (KOMEL)



SIT 0.928.086

3523039 MINISIT SENSING ELEMENT 30÷100°C
 capillary length 1050 mm
 bulb ø 5x125 mm
 for Bain-marie gas
 for Pasta cooker gas



SIT 0.928.567

3523042 MINISIT SENSING ELEMENT 50÷190°C
 capillary length 1200 mm
 bulb ø 5x95 mm
 for Fryer gas



SIT 0.928.566

3523096 MINISIT SENSING ELEMENT 50÷190°C
 stainless steel capillary 1200 mm
 bulb ø 4x120 mm
 for Fryer gas (SOFINOR)
 for Fryer gas (WHIRLPOOL)



SIT 0.928.581



Suitable for:

3523025 MINISIT VALVE FOR BAIN MARIE 20÷90°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 button bulb \varnothing 14.5x19 mm
 for Bain-marie gas (ANGELO PO) - Series SENIOR
 Series SUMMIT




SIT 0.710.852

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

SIT



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3526115 MINISIT VALVE FOR BOILER 30÷90°C
inlet \varnothing 1/4"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
copper capillary length 1050 mm
bulb \varnothing 8x100 mm
with two elbow flanges \varnothing 1/2"F
for BOILER



SIT

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900

SIT 0.073.015



SIT 0.974.502



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb ø 5x125 mm
with an elbow flange ø 3/8"F
for Bain-marie gas



SIT

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

SIT

Suitable for:

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443





Suitable for:

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523039 MINISIT SENSING ELEMENT 30÷100°C
capillary length 1050 mm
bulb \varnothing 5x125 mm
for Bain-marie gas
for Pasta cooker gas



SIT 0.928.567

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

SIT



Suitable for:

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

3523061 NUT \varnothing 1/4"x6 mm

SIT 0.073.015



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008



Suitable for:

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT

Suitable for:



3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x125 mm
without cover. knob and flanges
for Hot cupboard gas (ZANUSSI) - Series H900




SIT 0.710.850

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"F
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT



Suitable for:

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523039 MINISIT SENSING ELEMENT $30 \div 100^{\circ}\text{C}$
capillary length 1050 mm
bulb \varnothing 5x125 mm
for Bain-marie gas
for Pasta cooker gas



SIT 0.928.567

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008





Suitable for:

SIT



3523921 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
max. steam inlet pressure 50 mbar
room temperature 0÷60°C
with outlet pressure adjustment screw
capillary length 1050 mm
bulb \varnothing 5x125 mm
supplied without lid, knob and flanges
for PASTA COOKER model BMG



SIT 0.710.851

3523035 KNOB FOR MINISIT VALVE


for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F


with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3523092 MINISIT VALVE FOR FOOD-WARMER 40÷110°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x125 mm
without cover. knob and flanges
for Pasta cooker gas (LOTUS)



SIT 0.710.819

SIT

Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025





Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523039 MINISIT SENSING ELEMENT $30 \div 100^{\circ}\text{C}$

capillary length 1050 mm
bulb \varnothing 5x125 mm
for Bain-marie gas
for Pasta cooker gas



SIT 0.928.567

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523093 MINISIT VALVE FOR FRYER 70 \div 210 $^{\circ}$ C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60 $^{\circ}$ C
length capillary 1300 mm
bulb \varnothing 4x122 mm
without cover. knob and flanges
for Fryer gas



SIT 0.710.741

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

SIT

Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

3523060 OIL SEAL FITTING \varnothing 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900

SIT 0.073.015



SIT 0.974.502





Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523026 MINISIT VALVE FOR FRYER 110÷190°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb ø 14.4x26 mm
with an elbow flange ø 3/8"F
for Fryer gas (ANGELO PO) - Series SENIOR



SIT

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

SIT

Suitable for:

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443





Suitable for:

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE ø 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523043 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm
button bulb ø 14.4x26 mm
for Fryer gas (GICO)



SIT 0.928.102

3523060 OIL SEAL FITTING ø 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE ø 10 mm

for model PEL 20 - 21



SIT 0.957.004

SIT



Suitable for:

3523038 MINISIT ELBOW FLANGE ø 1/2"F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

3523061 NUT ø 1/4"x6 mm

SIT 0.073.015



SIT 0.992.032

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm

for model PEL 23



SIT 0.957.008



Suitable for:

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523027 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1200 mm
bulb \varnothing 6x105 mm
with an elbow flange \varnothing 3/8"F
for Fryer gas




SIT

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

SIT

Suitable for:



3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"F
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT



Suitable for:

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523044 MINISIT SENSING ELEMENT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL)



SIT 0.928.086

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008





Suitable for:

3523033 MINISIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 with an elbow flange \varnothing 3/8"F
 for Fryer gas (MARENO) FQC-40 - FQC-60




SIT

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

SIT



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 for Pot stove gas (FAGOR) - Series 900




SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015



Suitable for:

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas



SIT 0.928.586

SIT 83102008000

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523049 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
with an elbow flange \varnothing 3/8"F
for Fryer gas (EMMEPI)



SIT

SIT



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas



SIT 0.928.586

SIT 83102008000

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523926 MINISIT VALVE FOR FRYER 110÷190°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb ø 14.4x26 mm
without cover, knob and flanges
for Fryer gas (ANGELO PO) - Series JUNIOR
Series SENIOR



SIT 0.710.752

SIT 0.710.754

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

SIT



Suitable for:

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443



Suitable for:

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523043 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
button bulb \varnothing 14.4x26 mm
for Fryer gas (GICO)



SIT 0.928.102

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

SIT

Suitable for:

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008





Suitable for:

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT



Suitable for:

3523933 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 6x105 mm
without cover, knob and flanges
for Fryer gas (MARENO) FQG-40 - FQG-60




SIT 0.710.757

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"F
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT



Suitable for:

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas



SIT 0.928.586

SIT 83102008000

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008





Suitable for:

3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges
for Fryer gas (ZANUSSI) - Series R701



SIT 0.710.756

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

SIT



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015



Suitable for:

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas



SIT 0.928.586

SIT 83102008000

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT

Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008





Suitable for:

SIT



Suitable for:

3523927 MINISIT VALVE FOR FRYER 110÷200°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1200 mm
 bulb \varnothing 6x105 mm
 without cover. knob and flanges
 for Fryer gas (ELFRAMO) FG125 - FG157 - FG159
 FG307 - FG309 - GWD12 - GWD20 - GW12 - GW20



SIT 0.710.758

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 for Pot stove gas (FAGOR) - Series 900




SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015



Suitable for:

3523044 MINISIT SENSING ELEMENT 120÷200°C

capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL)



SIT 0.928.086

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

2110288 MINISIT VALVE FOR FRYER 120÷200°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm with stuffing gland M14X1.5 mm
supplied with an elbow flange \varnothing 3/8" F
for FRYER



SIT 0.710.743

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

SIT

Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

3523060 OIL SEAL FITTING \varnothing 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900

SIT 0.073.015



SIT 0.974.502





Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523068 MINISIT VALVE FOR FRYER 120÷200°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
capillary length 1200 mm
bulb ø 6x95 mm
with plate, thermostat, piezo igniter,
knob, fittings, plug, bulb sheath
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL) FG125 - FG157 - FG159
FG307 - FG309



SIT 0.710.756

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910




SIT 0.916.124

SIT



Suitable for:

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443



Suitable for:

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"

in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT



Suitable for:

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523044 MINISIT SENSING ELEMENT 120÷200°C

capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL)



SIT 0.928.086

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008



Suitable for:

SIT



3523023 MINISIT VALVE FOR FRYER 50÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb \varnothing 5x95 mm
 with an elbow flange \varnothing 3/8"F
 for Fryer gas



SIT

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 for Pot stove gas (FAGOR) - Series 900




SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
 with screws and "O" ring
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015



Suitable for:

3523042 MINISIT SENSING ELEMENT 50÷190°C

capillary length 1200 mm
bulb ø 5x95 mm
for Fryer gas



SIT 0.928.566

3523060 OIL SEAL FITTING ø 14 mm

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE ø 10 mm

for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"

in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523024 MINISIT VALVE FOR FRYER 50÷190°C

inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
length capillary 1200 mm
bulb ø 5x95 mm
with an elbow flange ø 1/2"F
for Fryer gas



SIT

SIT



Suitable for:

3523061 NUT ø 1/4"x6 mm



SIT 0.992.032

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm

for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523042 MINISIT SENSING ELEMENT $50 \div 190^{\circ}\text{C}$

capillary length 1200 mm
bulb \varnothing 5x95 mm
for Fryer gas



SIT 0.928.566

SIT

Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F


with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032





Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523923 MINISIT VALVE FOR FRYER 50÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
length capillary 1200 mm
bulb \varnothing 5x95 mm
without cover. knob and flanges
for Fryer gas (ZANUSSI) - Series R701



SIT 0.710.750

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523042 MINISIT SENSING ELEMENT $50 \div 190^{\circ}\text{C}$

capillary length 1200 mm
bulb \varnothing 5x95 mm
for Fryer gas



SIT 0.928.566

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2" F

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523020 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8"F
for Fry top gas
for Oven under cooktop gas



SIT

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523040 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
for Fry top gas
for Oven under cooktop gas



SIT 0.928.561

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT


3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523022 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1800 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8"F
for Oven under cooktop gas



SIT

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523041 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1800 mm
bulb \varnothing 5x70 mm
for Oven under cooktop gas



SIT 0.928.563

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523031 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8"F
for Oven under cooktop gas



SIT

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523040 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
for Fry top gas
for Oven under cooktop gas



SIT 0.928.561

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523032 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm
with an elbow flange \varnothing 3/8"F
for Oven under cooktop gas



SIT

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE

for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER

for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523048 MINISIT SENSING ELEMENT 100÷340°C

stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (OM GAS)
for Oven under cooktop gas (WHIRLPOOL)
for Oven under cooktop gas (ZANUSSI)



SIT 0.928.582

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"

with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER


male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523920 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
without cover, knob and flanges
for Fry top gas
for Oven under cooktop gas



SIT 0.710.650

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523040 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
for Fry top gas
for Oven under cooktop gas



SIT 0.928.561

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523922 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1800 mm
bulb \varnothing 5x70 mm
without cover. knob and flanges
for Oven under cooktop gas



SIT 0.710.652

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523041 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1800 mm
bulb \varnothing 5x70 mm
for Oven under cooktop gas



SIT 0.928.563

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523931 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 5x70 mm
without cover, knob and flanges
for Oven under cooktop gas



SIT 0.710.651

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523040 MINISIT SENSING ELEMENT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
for Fry top gas
for Oven under cooktop gas



SIT 0.928.561

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523932 MINISIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm
without cover. knob and flanges
for Oven under cooktop gas (ZANUSSI)
Series P1000



SIT 0.710.654

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523048 MINISIT SENSING ELEMENT 100÷340°C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (OM GAS)
for Oven under cooktop gas (WHIRLPOOL)
for Oven under cooktop gas (ZANUSSI)



SIT 0.928.582

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032



Suitable for:

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3523091 MINISIT VALVE FOR OVEN 70÷310°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1300 mm
bulb \varnothing 4x75 mm
without cover. knob and flanges
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.710.647

SIT



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

SIT



Suitable for:

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900

SIT 0.073.015



SIT 0.974.502



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3523021 MINISIT VALVE FOR PASTA COOKER 30÷100°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb ø 5x125 mm
with two elbow flanges ø 1/2"F
for Bain-marie gas (MARENO) BMG40 - BMG60



SIT

3523035 KNOB FOR MINISIT VALVE
for Fry top gas (FAGOR) FTG-705 - FTG-710
FTG-905 - FTG-910



SIT 0.916.124

SIT

Suitable for:

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SIT 0.957.004

3523036 STRAIGHT REDUCTION ø 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443





Suitable for:

3523047 MINISIT COVER
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.903.052

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT

3523039 MINISIT SENSING ELEMENT 30÷100°C
capillary length 1050 mm
bulb \varnothing 5x125 mm
for Bain-marie gas
for Pasta cooker gas



SIT 0.928.567

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SIT 0.957.004

SIT



Suitable for:

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT


3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



SIT 0.073.006

3523061 NUT \varnothing 1/4"x6 mm

SIT 0.073.015



SIT 0.992.032

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008



Suitable for:

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074

SIT



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



SIT 0.992.032

3523006 NUT M12x1 FOR M1 VALVE



SIT 0.992.007

3523008 NUT M14x1 FOR B3-B3/C VALVE



SIT 0.992.005

3523060 OIL SEAL FITTING \varnothing 14 mm
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SIT 0.974.502

3523007 RING NUT M12x1 FOR M1 VALVE



SIT 0.991.005

3523009 RING NUT M14x1 FOR B3-B3/C VALVE



SIT 0.991.008

3523036 STRAIGHT REDUCTION \varnothing 1/2"x3/8"
in brass with internal and external thread
for MINISIT flange



SIT 0.974.074



Suitable for:

3526111 VALVE AC3/ECO 40÷70°C ø 1/2" FF
 inlet ø 1/2" F - inlet ø 1/2" F
 boiler connection 3/4" M
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 safety thermostat inside actuation at 92°C
 ambient temperature 0÷80°C
 bulb length 112 mm
 for BOILERS



SIT 0.610.001

3523005 VALVE B3/C ø 3/8"MM



SIT 0.420.040

3523003 VALVE B3B ø 3/8"MM
 with pilot outlet
 inlet ø 3/8" M - outlet ø 3/8" M
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷80°C
 with thread under the button for ring nut



SIT 0.420.025

3523008 NUT M14x1 FOR B3-B3/C VALVE



SIT 0.992.005

SIT



Suitable for:

3182004 MAGNETIC UNIT SIT
 ø head 27 mm - ø end 11 mm - length 44 mm
 for valve SIT AC3



SIT 0.006.236

3182005 MAGNETIC UNIT SIT
 ø head 19 mm - ø end 14,5 mm - length 47 mm
 for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229

3182005 MAGNETIC UNIT SIT
 ø head 19 mm - ø end 14,5 mm - length 47 mm
 for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229

3523009 RING NUT M14x1 FOR B3-B3/C VALVE



SIT 0.991.008



Suitable for:

3523004 VALVE B3C \varnothing 3/8" M 1/4" F
with pilot outlet
inlet \varnothing 3/8" M - outlet \varnothing 1/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
90° inlet and outlet for valves



SIT 0.420.038

3523008 NUT M14x1 FOR B3-B3/C VALVE



SIT 0.992.005

3523010 VALVE D3 \varnothing 1/2" FF
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
with thread under the button for ring nut



SIT 0.440.013

3523011 VALVE D3 \varnothing 3/4" FF
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
with thread under the button for ring nut



SIT 0.440.005

SIT



Suitable for:

3182005 MAGNETIC UNIT SIT
 \varnothing head 19 mm - \varnothing end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229

3523009 RING NUT M14x1 FOR B3-B3/C VALVE



SIT 0.991.008

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030



Suitable for:

2101038 VALVE EUROSIT OVEN 100÷340°C
 with knob new type
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 max gas inlet pressure 50 mbar
 pressure range setting
 outlet 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm



SIT 0.630.317

SIT 0.630.336

3526260 EUROSIT VALVE CAP



SIT 0.972.061

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3523002 VALVE M1 \varnothing 1/4" MM
 inlet \varnothing 1/4" M - outlet \varnothing 1/4" M
 thermocouple connection M8x1
 maximum gas inlet pressure 150 mbar
 room temperature 0÷80°C
 with thread under the button for ring nut



SIT 0.400.006

SIT



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3526127 FLANGE FOR KNOB EXTENSION



SIT 0.997.209

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3001111 PIEZO IGNITER EUROSIT
 male faston \varnothing 2.4 mm



SIT 0.073.954

3182002 MAGNETIC UNIT SIT
 \varnothing head 15 mm - \varnothing end 10 mm - length 43 mm
 for valve SIT M1



SIT 0.006.099



Suitable for:

3523006 NUT M12x1 FOR M1 VALVE



SIT 0.992.007

3523001 VALVE M1 \varnothing 1/8"MF
inlet \varnothing 1/8"M - outlet \varnothing 1/8"M
thermocouple connection M8x1
maximum gas inlet pressure 150 mbar
room temperature 0÷80°C
with thread under the button for ring nut



SIT 0.400.088

3523006 NUT M12x1 FOR M1 VALVE



SIT 0.992.007

SIT

Suitable for:

3523007 RING NUT M12x1 FOR M1 VALVE



SIT 0.991.005

3182002 MAGNETIC UNIT SIT
 \varnothing head 15 mm - \varnothing end 10 mm - length 43 mm
for valve SIT M1



SIT 0.006.099

3523007 RING NUT M12x1 FOR M1 VALVE



SIT 0.991.005

Ironmongery (screws,nuts,washers)

3528039 SREW MINIMUM BABYSIT WITHOUT HOLE



SIT 0.945.151

Magnet groups

3182001 MAGNETIC UNIT MICRO MIDGET
 \varnothing head 13 mm - \varnothing end 9 mm - length 35 mm



SIT 3010400010

3182018 MAGNETIC UNIT MINISIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
thermocouple connection M10x1



SIT 0.006.442





Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



SIT G6037020

SIT G6037032

SIT



Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEADED
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



SIT G6037019

SIT G6037033

3182002 MAGNETIC UNIT SIT
ø head 15 mm - ø end 10 mm - length 43 mm
for valve SIT M1




SIT 0.006.099

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
for Pot stove gas (FAGOR) - Series 900



SIT 0.006.443

3182004 MAGNETIC UNIT SIT
ø head 27 mm - ø end 11 mm - length 44 mm
for valve SIT AC3



SIT 0.006.236

3182005 MAGNETIC UNIT SIT
ø head 19 mm - ø end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229

3182007 MAGNETIC UNIT SIT
ø head 33 mm - ø end 22 mm - length 56 mm
for valve SIT MODUSIT - OP575



SIT 0.006.419

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3182016 MAGNETIC UNIT SIT
ø head 15 mm - ø end 11 mm - length 44 mm
in metal for high temperatures
for PEL tap models 20-21



SIT 0.006.002

3182017 MAGNETIC UNIT SIT
ø head 15 mm - ø end 14 mm - length 43 mm
in metal for high temperatures
for PEL tap model 22



SIT 0.006.017



Suitable for:

SIT

Suitable for:



OR and ORM gaskets

1186759 O-RING 03106 EPDM



SIT 0.925.026

Piezo igniters

3001071 **MINISIT PIEZO IGNITER WITH COVER**
male faston 2.4 mm



SIT 0.073.006

SIT 0.073.015

3001070 **NEW MINISIT PIEZO IGNITER**
a \varnothing 22 mm hole is needed for the assembly
male faston \varnothing 2.4 mm



SIT 0.073.005

3001070 **NEW MINISIT PIEZO IGNITER**
a \varnothing 22 mm hole is needed for the assembly
male faston \varnothing 2.4 mm



SIT 0.073.005

3001007 **PIEZO IGNITER**
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector
for Lava rock grill gas (FAGOR)



SIT 0.073.952

3001111 **PIEZO IGNITER EUROSIT**
male faston \varnothing 2.4 mm



SIT 0.073.954

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm \varnothing male faston connector



SIT 0.073.953

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm \varnothing male faston connector



SIT 0.073.953

3001029 **SIT PIEZO IGNITER**
for mounting a hole \varnothing 22 mm is required
male faston \varnothing 2.4 mm
for SERIES SNACK



SIT 0.073.960

Pilot burners and accessories

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020280 FIXED PILOT BURNER SIT 1 FLAME
vertical connection \varnothing 6 mm
with nozzle \varnothing 0.35 mm
for Kitchen gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series OMNIA



SIT GK803MBM

3020058 PILOT GAS JET \varnothing 0.35 mm
for Oven under cooktop gas (MBM) - Series OMNIA



SIT G6057035

3020285 GASKET FOR TARGET PILOT



SIT 0.948.050

3020343 LH TARGET PILOT BURNER SIT 1 FLAME
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



SIT 0.145.007

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT



Suitable for:

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.915.024

SIT 0.958.011



Suitable for:

3020460 MOLDED THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle and gasket
for Boiling pan gas (THIRODE) SA41BEG LX
for Kitchen gas (THIRODE) B9FV800FG



SIT 0.160.075

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm Ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET Ø 0.25 mm



SIT 0.977.123

3020041 PILOT JET Ø 0.41 mm



SIT 0.977.118

SIT



Suitable for:

3020077 FITTING FOR PIPE Ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION




SIT 0.974.037

3020112 OLIVE FOR 6 mm Ø PIPE



SIT 0.957.015

3020557 PILOT JET Ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET Ø 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE Ø 0.51 mm



SIT 0.977.119



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

SIT



Suitable for:

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020111 OLIVE FOR 4 mm \varnothing PIPE



SIT 0.957.014

3020112 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.015

3020108 ONE-FLAME DEFLECTOR



SIT 0.975.015

3020007 ONE-FLAME FIXED PILOT BURNER SIT
multigas with nozzle \varnothing 0.20 mm
fixed without bracket



SIT 0.190.025

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020115 PILOT CAP



SIT 0.976.001

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

5015516 PILOT NOZZLE \varnothing 0.40 mm



SIT 0.977.032



Suitable for:

3500269 PILOT NOZZLE \varnothing 0.45 mm



SIT 0.977.033

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210

3020271 ONE-FLAME FIXED PILOT BURNER SIT
multigas with nozzle \varnothing 0.20 mm
fixed without bracket



SIT 0.190.061

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

SIT

Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm \varnothing JET



SIT

SIT 0.901.404

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020115 PILOT CAP



SIT 0.976.001

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051





Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3500269 PILOT NOZZLE \varnothing 0.45 mm



SIT 0.977.033

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bratt pan gas (ZANUSSI) - Series R700
for Kitchen gas (ZANUSSI)



SIT G1824122

SIT 0.100.013

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

SIT

Suitable for:

5015516 PILOT NOZZLE \varnothing 0.40 mm



SIT 0.977.032

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm \varnothing JET



SIT

SIT 0.901.404

3020079 PIPE FITTING \varnothing 12 mm




SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001





Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.915.044

SIT 0.958.011

3020004 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Kitchen gas (BERTO'S) - Series 600
Series 700 - Series 900



SIT G1801132

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

SIT



Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020115 PILOT CAP



SIT 0.976.001

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

SIT

Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020108 ONE-FLAME DEFLECTOR



SIT 0.975.015

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210





Suitable for:

3020107 PILOT WITH 0.35 mm Ø JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE Ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG Ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020103 THREE-POSITION BRACKET



SIT 0.978.003

3020078 TUBING NUT FOR 6 mm Ø PIPE



SIT 0.958.011

SIT



Suitable for:

3020124 ROUND IGNITION ELECTRODE Ø 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004



Suitable for:

3020008 ONE-FLAME PILOT BURNER SIT
with NG nozzle \varnothing 0.30 mm
for Kitchen gas (ZANUSSI) - Series H900
Series P1000



SIT 0.190.904

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020057 PILOT GAS JET \varnothing 0.30 mm



SIT 0.977.163

3020016 ONE-FLAME PILOT BURNER SIT
with LPG nozzle \varnothing 0.20 mm
for Kitchen gas (ZANUSSI) - Series H900
Series P1000



SIT 0.190.901

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020057 PILOT GAS JET \varnothing 0.30 mm



SIT 0.977.163

SIT



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020056 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.151

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020056 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.151



Suitable for:

SIT



3020025 ONE-FLAME PILOT BURNER SIT
multigas type with nozzle \varnothing 0.25 mm
with 2 positions bracket



SIT

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020102 SCREW



SIT 0.953.007

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009

3020033 ONE-FLAME PILOT BURNER SIT
multigas nozzle
external regulation with 7 mm nut
for Oven under cooktop gas (MBM) - Series CLASSICA
Series MAGISTRA - Series MEDIUM 70



SIT G1807002

SIT G2001004

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210

3020100 TWO-POSITION BRACKET



SIT 0.978.021

3020108 ONE-FLAME DEFLECTOR



SIT 0.975.015



Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020102 SCREW



SIT 0.953.007

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009

3020250 ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle
for Pot stove gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



SIT 0.140.102

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

SIT

Suitable for:

3020115 PILOT CAP



SIT 0.976.001

3020100 TWO-POSITION BRACKET



SIT 0.978.021

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113





Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020286 ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Boiling pan gas (MARENO)
Series 900 PROTAGONISTA NUOVA
for Lava rock grill gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA
for Oven under cooktop gas (MARENO)
Series 900 PROTAGONISTA NUOVA
for Pasta cooker gas (MARENO)
Series 900 PROTAGONISTA NUOVA



SIT 0.160.002

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

SIT

Suitable for:

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.915.024

SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037





Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET ø 0.25 mm



SIT 0.977.123

3020041 PILOT JET ø 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT



Suitable for:

3020112 OLIVE FOR 6 mm ø PIPE



SIT 0.957.015

3020557 PILOT JET ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET ø 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE ø 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.915.024

SIT 0.958.011



Suitable for:

SIT



Suitable for:

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020424 PILOT BURNER OXYPILOT SIT 2 FLAMES
supplied without sparking plug
with LPG nozzle
with thermocouple fitting
with sparking plug fitting



SIT 84009212000

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020462 PILOT BURNER OXYPILOT SIT 2 FLAMES
supplied without sparking plug
with NATURAL GAS nozzle



SIT 84009020000

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030



Suitable for:

3020151 PILOT BURNER SIT
supplied without sparking plug, head and gasket
with thermocouple fitting
with fitting and olive



SIT 0.190.102

3020153 PILOT GASKET



SIT 0.948.058

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3500269 PILOT NOZZLE \varnothing 0.45 mm



SIT 0.977.033

3020115 PILOT CAP



SIT 0.976.001

SIT



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020152 PILOT HEAD



SIT 0.975.054

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

5015516 PILOT NOZZLE \varnothing 0.40 mm



SIT 0.977.032

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020058 PILOT GAS JET \varnothing 0.35 mm
for Oven under cooktop gas (MBM) - Series OMNIA



SIT G6057035

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020153 PILOT GASKET



SIT 0.948.058

SIT



Suitable for:

3020056 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.151

3020279 PILOT GAS JET \varnothing 0.21 mm
for Oven under cooktop gas (MBM) - Series OMNIA



SIT G6057036

3020057 PILOT GAS JET \varnothing 0.30 mm



SIT 0.977.163

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020086 PILOT GASKET



SIT 0.948.060

3020152 PILOT HEAD



SIT 0.975.054



SIT



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

Suitable for:

3020557 PILOT JET \varnothing 0.20 mm




SIT 0.977.156

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020157 PILOT JET \varnothing 0.25 mm



SIT 0.977.123

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

5015516 PILOT NOZZLE \varnothing 0.40 mm



SIT 0.977.032

3500269 PILOT NOZZLE \varnothing 0.45 mm



SIT 0.977.033

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010



Suitable for:

3020105 PILOT WITH 0.20 mm ø JET



SIT 0.901.067

SIT



Suitable for:

3020106 PILOT WITH 0.25 mm ø JET



SIT

SIT 0.901.210

3020107 PILOT WITH 0.35 mm ø JET



SIT

SIT 0.901.404

3020015 PRINTED PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, gasket
with thermocouple fitting
with NATURAL GAS nozzle ø 0.41 mm



SIT 0.160.017

SIT 0.160.101

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm ø PIPE



SIT 0.957.014

3020557 PILOT JET ø 0.20 mm



SIT 0.977.156

3020077 FITTING FOR PIPE ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020112 OLIVE FOR 6 mm ø PIPE



SIT 0.957.015

3020157 PILOT JET ø 0.25 mm



SIT 0.977.123



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020338 RH TARGET PILOT BURNER SIT 1 FLAME

supplied without nozzle, gasket
with sparking plug
with thermocouple fitting
with sparking plug fitting
with pilot pipe fitting



SIT

SIT

Suitable for:

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm

female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013





Suitable for:

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET ø 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET ø 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET ø 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET ø 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT

Suitable for:

3020201 PILOT GAS JET ø 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET ø 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET ø 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET ø 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011





Suitable for:

3020339 RH TARGET PILOT BURNER SIT 1 FLAME
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



SIT 0.145.010

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

SIT



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024



Suitable for:

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT



Suitable for:

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011

3020102 SCREW



SIT 0.953.007

3020146 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Bain-marie gas (ZANUSSI) - Series N900
for Fry top gas (ZANUSSI) - Series N700
Series N900
for Pot stove gas (ZANUSSI) - Series N700
Series N900



SIT 0.140.104

3020077 FITTING FOR PIPE ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020201 PILOT GAS JET ø 0.14 mm



SIT 0.977.115

3020042 PILOT GAS JET ø 0.19 mm



3020542 PILOT GAS JET ø 0.20 mm



SIT 0.977.092

3020202 PILOT GAS JET ø 0.27 mm



SIT 0.977.106

3020043 PILOT GAS JET ø 0.36 mm



SIT 0.977.113

SIT 0.977.091



Suitable for:

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020229 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Oven under cooktop gas (BARON) - Series 110
Series 700 - Series 900



SIT 0.140.018

3020285 GASKET FOR TARGET PILOT



SIT 0.948.050

SIT

Suitable for:

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.915.024

SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037





Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

SIT

Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036





Suitable for:

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Boiling pan gas (MBM) - Series MAGISTRA
for Bratt pan gas (MBM) - Series MAGISTRA
for Lava rock grill gas (MARENO) - Series PLG
for Solid top range gas (LOTUS) - Series 700
Series 900



SIT 0.140.026

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

SIT



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009



Suitable for:

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020257 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 700 - Series 900 - Series 920



SIT 0.150.086

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

SIT

Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106





Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020283 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (MARENO) - Series PLG



SIT 0.140.028

SIT

Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.915.024

SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013





Suitable for:

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT

Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011





Suitable for:

3020226 TARGET PILOT BURNER SIT 1 FLAME
without plug, nozzle and gasket
thermocouple fitting included
for Pot stove gas (BARON) - Series 110
Series 140 - Series 700 - Series 900



SIT

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

SIT



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024



Suitable for:

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020295 TARGET PILOT BURNER SIT 1 FLAME
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
with pilot pipe fitting
for Pot stove gas (GIGA) - Series 600 - Series 700
Series 800 - Series 900



SIT 0.150.082

3020285 GASKET FOR TARGET PILOT



SIT 0.948.050

3020201 PILOT GAS JET ø 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET ø 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET ø 0.36 mm



SIT 0.977.091

SIT



Suitable for:

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011

3020077 FITTING FOR PIPE ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET ø 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET ø 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET ø 0.38 mm



SIT 0.977.047



Suitable for:

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

40C7102 TARGET PILOT BURNER SIT 1 FLAME

without sparking plug, gas nozzle and gasket
for Bain-marie gas (ZANUSSI) - Series N700
Series N900
for Bratt pan gas (ZANUSSI) - Series N700
Series N900
for Fry top gas (ZANUSSI) - Series HD900
Series N700 - Series N900
for Pot stove gas (ZANUSSI) - Series HD900
Series N700 - Series N900
for Solid top range gas (ZANUSSI) - Series N700
Series N900



SIT 0.140.106

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

SIT

Suitable for:

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115





Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

2100476 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket



SIT 0.150.085

SIT



Suitable for:

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013



Suitable for:

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT

Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011





Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



SIT 0.140.015

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET ø 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET ø 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET ø 0.38 mm



SIT 0.977.047

SIT



Suitable for:

3020077 FITTING FOR PIPE ø 4 mm



SIT 0.958.013

3020201 PILOT GAS JET ø 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET ø 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET ø 0.36 mm



SIT 0.977.091

3020086 PILOT GASKET



SIT 0.948.060



Suitable for:

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020270 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with pilot pipe fitting



SIT 0.140.020

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

SIT

Suitable for:

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106





Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020288 TARGET TWO-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pasta cooker gas (DESCO) CPG1 - CPG2



SIT 0.140.020

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

SIT

Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.915.024

SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115





Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020003 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Fryer gas (ZANUSSI) - Series H900
for Lava rock grill gas (ZANUSSI)
for Pasta cooker gas (ZANUSSI)



SIT G1824325

SIT 0.100.025

SIT

Suitable for:

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

SIT 0.915.024



SIT 0.958.011

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025





Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

SIT



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210



Suitable for:

3020107 PILOT WITH 0.35 mm ϕ JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE ϕ 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG ϕ 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020100 TWO-POSITION BRACKET



SIT 0.978.021

SIT

Suitable for:

3020124 ROUND IGNITION ELECTRODE ϕ 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3001003 ROUND SPARKING PLUG ϕ 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007

3020078 TUBING NUT FOR 6 mm ϕ PIPE



SIT 0.958.011

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009





Suitable for:

SIT



3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)



SIT G1801332

SIT 0.100.001

3020077 FITTING FOR PIPE \varnothing 4 mm




SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR
 internal \varnothing 7 mm - external \varnothing 9 mm
 height 10 mm



SIT 0.912.001

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030



Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm \varnothing JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

SIT

Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007





Suitable for:

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004

3020036 THREE-FLAME PILOT BURNER SIT

with NG nozzle \varnothing 0.35 mm
with 3 positions bracket
for Fry top gas (ZANUSSI) - Series H900
Series R701
for Grill gas (ZANUSSI) - Series R701
for Kitchen gas (ZANUSSI) - Series P1000
for Oven under cooktop gas (ZANUSSI) - Series H900
for Solid top range gas (ZANUSSI) - Series H900



SIT G1801339

SIT

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

SIT

Suitable for:

3020103 THREE-POSITION BRACKET



SIT 0.978.003

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007





Suitable for:

3020081 OLIVE FOR 6 mm ø PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



SIT 0.901.405

3020156 PILOT JET ø 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm ø JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm ø JET



SIT

SIT 0.901.404

SIT

Suitable for:

3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



SIT 0.912.001

3020054 PILOT JET ø 0.20 mm



SIT 0.977.030

3020055 PILOT JET ø 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm ø JET



SIT

SIT 0.901.210

3020124 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037





Suitable for:

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004

3020039 THREE-FLAME PILOT BURNER SIT
multigas with nozzle \varnothing 0.35 mm
with 2 positions bracket



SIT

SIT



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007

3020103 THREE-POSITION BRACKET



SIT 0.978.003

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

SIT

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210





Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020100 TWO-POSITION BRACKET



SIT 0.978.021

SIT

Suitable for:

3020124 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009





Suitable for:

3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket



SIT 0.190.603

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020111 OLIVE FOR 4 mm \varnothing PIPE



SIT 0.957.014

3020557 PILOT JET \varnothing 0.20 mm



SIT 0.977.156

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

SIT



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020085 NUT FOR SPARKING PLUG CONNECTION




SIT 0.974.037

3020112 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.015

3020157 PILOT JET \varnothing 0.25 mm



SIT 0.977.123

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118



Suitable for:

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020297 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.25 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Boiling pan gas (FAGOR)
for Oven under cooktop gas (FAGOR)
for Pot stove gas (FAGOR)



SIT

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

SIT



Suitable for:

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020102 SCREW



SIT 0.953.007

3020103 THREE-POSITION BRACKET



SIT 0.978.003

SIT

Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR

internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



SIT 0.915.036

3020110 THREE-FLAME DEFLECTOR



SIT 0.915.044

SIT 0.975.004

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004





Suitable for:

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011

3020352 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket
with sparking plug fitting



SIT 0.190.613

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3020111 OLIVE FOR 4 mm ø PIPE



SIT 0.957.014

3020557 PILOT JET ø 0.20 mm



SIT 0.977.156

SIT

Suitable for:



3020077 FITTING FOR PIPE ø 4 mm



SIT 0.958.013

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020112 OLIVE FOR 6 mm ø PIPE



SIT 0.957.015

3020157 PILOT JET ø 0.25 mm



SIT 0.977.123



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020037 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Bratt pan gas (ZANUSSI) - Series H900



SIT 0.160.042

SIT



Suitable for:

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013



Suitable for:

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET ø 0.25 mm



SIT 0.977.123

3020041 PILOT JET ø 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

SIT

Suitable for:

3020085 NUT FOR SPARKING PLUG CONNECTION




SIT 0.974.037

3020112 OLIVE FOR 6 mm ø PIPE



SIT 0.957.015

3020557 PILOT JET ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET ø 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE ø 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024





Suitable for:

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (ANGELO PO) - Series SNACK



SIT 0.160.032

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm Ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET Ø 0.25 mm



SIT 0.977.123

SIT



Suitable for:

3020078 TUBING NUT FOR 6 mm Ø PIPE



SIT 0.958.011

3020077 FITTING FOR PIPE Ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020112 OLIVE FOR 6 mm Ø PIPE




SIT 0.957.015

3020557 PILOT JET Ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET Ø 0.30 mm



SIT 0.977.122



Suitable for:

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020238 THREE-FLAME ST. STEEL PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Boiling pan gas (ZANUSSI) - Series N900
for Kitchen gas (ZANUSSI) - Series N900



SIT 0.160.501

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

SIT

Suitable for:

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

SIT 0.915.024



SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037





Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE



SIT 0.957.014

3020557 PILOT JET ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET ø 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE ø 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020103 THREE-POSITION BRACKET



SIT 0.978.003

SIT



Suitable for:

3020112 OLIVE FOR 6 mm ø PIPE



SIT 0.957.015

3020157 PILOT JET ø 0.25 mm



SIT 0.977.123

3020041 PILOT JET ø 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004



Suitable for:

3020078 TUBING NUT FOR 6 mm Ø PIPE



SIT 0.958.011

3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting
for Pasta cooker gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA



SIT 0.160.022

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm Ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET Ø 0.25 mm



SIT 0.977.123

SIT



Suitable for:

3020109 TWO-FLAME DEFLECTOR



SIT 0.975.016

3020077 FITTING FOR PIPE Ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020112 OLIVE FOR 6 mm Ø PIPE



SIT 0.957.015

3020557 PILOT JET Ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET Ø 0.30 mm



SIT 0.977.122



Suitable for:

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020013 TWO-FLAME PILOT BURNER RH
without sparking plug, gas jet and gasket
with thermocouple fitting
for Boiling pan gas (ANGELO PO) - Series ALPHA
Series DELTA



SIT 0.160.012

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

SIT

Suitable for:

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

SIT 0.915.024



SIT 0.958.011

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037





Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET ø 0.25 mm



SIT 0.977.123

3020041 PILOT JET ø 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT



Suitable for:

3020112 OLIVE FOR 6 mm ø PIPE




SIT 0.957.015

3020557 PILOT JET ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET ø 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE ø 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.915.024

SIT 0.958.011



Suitable for:

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bain-marie gas (FAGOR)
for Boiling pan gas (FAGOR)
for Grill gas (ZANUSSI)
for Oven under cooktop gas (FAGOR)



SIT G1824222

SIT 0.100.020

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

SIT



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030



Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm \varnothing JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

SIT

Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KBGD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007





Suitable for:

3020078 TUBING NUT FOR 6 mm ø PIPE



SIT 0.958.011

3020100 TWO-POSITION BRACKET



SIT 0.978.021

3020005 TWO-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket
for Fryer gas (TECNOINOX) - Series FR



SIT G1801232

SIT

3020077 FITTING FOR PIPE ø 4 mm



SIT 0.958.013

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm ø PIPE



SIT 0.957.001

SIT

Suitable for:

3020109 TWO-FLAME DEFLECTOR



SIT 0.975.016

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009

3020079 PIPE FITTING ø 12 mm



SIT 0.958.025

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm ø PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



SIT 0.912.001





Suitable for:

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm \varnothing JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

SIT

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm
for Fryer gas (ELFRAMO) GBD10 - GB10
for Fryer gas (KOMEL) KGBD10 - KGB10
for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044





Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020103 THREE-POSITION BRACKET



SIT 0.978.003

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020296 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.35 mm
with 2 positions bracket
for Fryer gas (GIGA) - Series 700 - Series 900



SIT

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

SIT

Suitable for:

3020102 SCREW



SIT 0.953.007

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004

3020109 TWO-FLAME DEFLECTOR



SIT 0.975.016

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031





Suitable for:

3020107 PILOT WITH 0.35 mm Ø JET



SIT

SIT 0.901.404

3020102 SCREW



SIT 0.953.007

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009

3020313 TWO-FLAME PILOT BURNER SIT
multigas type with nozzle \varnothing 0.20 mm
with 3 positions bracket
for Fryer gas (FAGOR) - Series 700



SIT

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

SIT

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020100 TWO-POSITION BRACKET



SIT 0.978.021

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031





Suitable for:

3020105 PILOT WITH 0.20 mm Ø JET



SIT 0.901.067

3020102 SCREW




SIT 0.953.007

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



SIT 0.160.046

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm Ø PIPE



SIT 0.957.014

SIT

Suitable for:

3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm



SIT 0.915.036

3020103 THREE-POSITION BRACKET



SIT 0.978.003

SIT 0.915.044



3020077 FITTING FOR PIPE Ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020112 OLIVE FOR 6 mm Ø PIPE



SIT 0.957.015



Suitable for:

3020557 PILOT JET \varnothing 0.20 mm



SIT 0.977.156

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

SIT



Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



SIT 0.977.123

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
 without sparking plug, gas nozzle and gasket
 thermocouple fitting included
 for Bain-marie gas (MBM) GBM45 - GMB90
 for Bratt pan gas (ZANUSSI) - Series H900



SIT 0.160.103

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020111 OLIVE FOR 4 mm Ø PIPE



SIT 0.957.014

3020086 PILOT GASKET



SIT 0.948.060

3020157 PILOT JET Ø 0.25 mm



SIT 0.977.123

3020041 PILOT JET Ø 0.41 mm



SIT 0.977.118

SIT



3020077 FITTING FOR PIPE Ø 4 mm



SIT 0.958.013

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020112 OLIVE FOR 6 mm Ø PIPE



SIT 0.957.015

3020557 PILOT JET Ø 0.20 mm



SIT 0.977.156

3020040 PILOT JET Ø 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE Ø 0.51 mm



SIT 0.977.119



Suitable for:

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020100 TWO-POSITION BRACKET



SIT 0.978.021

SIT



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

SIT 0.915.024



SIT 0.958.011

3020101 TWO-POSITION BRACKET CLAMP



SIT 0.978.009

Spark generators

3181502 SPARK GENERATOR 2 OUTLETS
1.5V battery powered



SIT 72606525000

3181501 SPARK GENERATOR 4 OUTLETS
1.5V battery powered



SIT 72606524000

3181503 SPARK GENERATOR 6 OUTLETS
1.5V battery powered



SIT 72606523000



Sparking and detection plugs

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 female connection
 overall length 58 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10
 for Fryer gas (KOMEL) KBGD10 - KGB10
 for Pot stove (ROSINOX) RCS2X2FV



SIT 0.915.037

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 female connection
 overall length 52 mm



SIT 0.915.025

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



SIT 0.915.036

SIT 0.915.044

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



SIT 0.915.015

SIT 0.915.024

Thermocouples and accessories

3440076 CIRCUIT BREAK CONTACT M10x1



SIT 0.974.403

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



SIT 0.974.070

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
 cut-off contact with cables 100 cm



SIT

3440065 CUT-OFF THERMOCOUPLE M9x1 32 cm
 cut-off contact with terminals



SIT 0.270.407




Suitable for:

3440103 CUT-OFF THERMOCOUPLE M9x1 60 cm
cut-off contact with cables 60 cm



SIT 0.270.410

3440174 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm
cut-off contact with terminals
for Fryer gas (ELFRAMO) GSDT12 - GST12 - GST20
GWDT12 - GWDT20 - GWM35T - GWT12 - GWT20



SIT 0.270.427

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



SIT 0.926.106

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



SIT 0.270.408

3440014 INTERRUPTION CONNECTOR M8x1



SIT 0.974.401

SIT



Suitable for:

3440158 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm
cut-off contact with faston
for Bratt pan gas (WHIRLPOOL) AGB404 - AGB406
AGB408 - AGB410 - AGB412 - AGB414 - AGB416
AGB418 - AGB420 - AGB422 - AGB424 - AGB426
AGB428 - AGB430
for Fry top gas (WHIRLPOOL) AGB455 - AGB457
AGB459 - AGB461 - AGB463 - AGB467 - AGB470




SIT 0.270.411

3440104 CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm
cut-off contact with cables 60 cm



SIT 0.270.422

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



SIT G1902221

SIT 0.270.400

3440016 INTERRUPTION CONNECTOR ASA M11x32



SIT 0.974.404

3440015 INTERRUPTION CONNECTOR M9x1



SIT 0.974.402



SIT



Suitable for:

3440112 MILLED DOUBLE FITTING M10x1-11/32 ASA



SIT 0.974.090

Suitable for:

3440111 MILLED DOUBLE FITTING M8x1-M9x1



SIT 0.974.089

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



SIT G6049023

3440064 NUT FOR THERMOCOUPLE M8x1



SIT 0.992.014

3440013 SLOTTED FITTING ASA M11x32



SIT G6032012

SIT G7032012

3440012 SLOTTED FITTING M10x1



SIT G6032009

SIT G7032009

3440010 SLOTTED FITTING M8x1



SIT G6032011

SIT G7032011

3440011 SLOTTED FITTING M9x1



SIT G6032010

SIT G7032010

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS



SIT 0.290.019

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm - 10 PCS



SIT 0.290.021

SIT 0.290.022

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



SIT 0.290.016

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



SIT 0.290.018

SIT 0.290.172



Suitable for:

3440043 THERMOCOUPLE ASA SIT 100 cm



SIT 0.200.039

3440040 THERMOCOUPLE ASA SIT 40 cm



SIT 0.200.036

3440042 THERMOCOUPLE ASA SIT 85 cm



SIT 0.200.038

3440325 THERMOCOUPLE GASCO M10x1 60 cm



SIT G1040305

3440251 THERMOCOUPLE GASCO M8x1 32cm THREAD M8x1



SIT G1041113

3440047 THERMOCOUPLE M8X1 75 cm



SIT 0.260.138

SIT



Suitable for:

3440045 THERMOCOUPLE ASA SIT 150 cm



SIT G1040415

SIT 0.200.040

3440041 THERMOCOUPLE ASA SIT 60 cm



SIT 0.200.037

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1**



SIT G1707205

SIT 0.218.101

3440231 THERMOCOUPLE GASCO M8x1 120 cm



SIT G1040109

3440228 THERMOCOUPLE GASCO M8x1 60 cm



SIT G1040105

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



SIT 0.260.138



SIT



Suitable for:

3440087 THERMOCOUPLE M9x1 50 cm COUPLING M6x0.75
complete with nut M6x0.75
for Kitchen (MBM) - Series OMNIA



SIT G1712214

SIT G1712215

Suitable for:

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



SIT G6049023

3440243 THERMOCOUPLE P.ASA GASCO 100 cm



SIT G1040407

3440133 THERMOCOUPLE SIT M10x1 100 cm



SIT 0.200.031

3440134 THERMOCOUPLE SIT M10x1 120 cm



SIT 0.200.034

3440135 THERMOCOUPLE SIT M10x1 150 cm



SIT 0.200.035

3440143 THERMOCOUPLE SIT M10x1 150 cm COUPLING M



SIT 0.200.072

3440132 THERMOCOUPLE SIT M10x1 40 cm



SIT 0.200.025

3440141 THERMOCOUPLE SIT M10x1 40 cm COUPLING M8



SIT G1041311

SIT 0.200.064

3440126 THERMOCOUPLE SIT M10x1 75 cm



SIT 0.200.029

3440142 THERMOCOUPLE SIT M10x1 75 cm COUPLING M8



SIT 0.200.067

3440006 THERMOCOUPLE SIT M10x1 32 cm



SIT G1040313

SIT 0.006.151

SIT 0.200.024



Suitable for:

SIT



3440030 THERMOCOUPLE SIT M8x1 100 cm



SIT 0.200.127

Suitable for:

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.127

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.127

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.047

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



SIT 0.200.047

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.047

3440031 THERMOCOUPLE SIT M8x1 120 cm



SIT 0.200.129

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



SIT 0.200.129

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



SIT 0.200.129

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



SIT G1041115

SIT 0.200.049

3440032 THERMOCOUPLE SIT M8x1 150 cm



SIT 0.200.130

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.130



SIT



Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.130

Suitable for:

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.050

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



SIT 0.200.050

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.050

3440027 THERMOCOUPLE SIT M8x1 32 cm



SIT 0.200.121

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS



SIT 0.200.121

3440068 THERMOCOUPLE SIT M8x1 32 cm



SIT 0.260.139

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS



SIT 0.200.121

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SIT 0.200.042

3440051 THERMOCOUPLE SIT M8x1 32 cm .THREAD M8x1



SIT 0.200.042

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SIT 0.200.042



Suitable for:

SIT



Suitable for:

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS



SIT 0.200.043

3440028 THERMOCOUPLE SIT M8x1 60 cm



SIT 0.200.124

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.124

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.124

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.260.137

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.044

SIT 0.290.031

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



SIT 0.200.044

SIT 0.290.031

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.044

SIT 0.290.031

3440075 THERMOCOUPLE SIT M8x1 75 cm



SIT 0.290.209

3440875 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



SIT 0.290.209



SIT



Suitable for:

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



SIT 0.260.138

Suitable for:

3440875 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



SIT 0.290.209

3440029 THERMOCOUPLE SIT M8x1 85 cm



SIT 0.200.126

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



SIT 0.200.126

5034845 THERMOCOUPLE SIT M8x1 85 cm



SIT 0.290.168

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



SIT 0.200.126

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



SIT 0.200.046

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



SIT 0.200.046

SIT 0.200.046

3440052 THERMOCOUPLE SIT M8x1 45 cm COUPLING M8x



SIT 0.200.043

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS



SIT 0.200.043



Suitable for:

SIT



3440046 THERMOCOUPLE SIT M8x1 60 cm



SIT 0.260.137

Suitable for:

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.260.137

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.402

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT G1040207

SIT 0.200.015

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.058

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1



SIT 0.200.058

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.058

3440037 THERMOCOUPLE SIT M9x1 100 cm.



SIT G1040207

SIT 0.200.015

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT G1040207

SIT 0.200.015

3440038 THERMOCOUPLE SIT M9x1 120 cm



SIT G1040209

SIT 0.200.019

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



SIT G1040209

SIT 0.200.019



SIT



Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



SIT G1040209

SIT 0.200.019

Suitable for:

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



SIT 0.200.060

3440039 THERMOCOUPLE SIT M9x1 150 cm



SIT 0.200.021

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT 0.200.021

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT 0.200.021

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT G1041208

SIT 0.200.061

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1



SIT G1041208

SIT 0.200.061

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT G1041208

SIT 0.200.061

3440033 THERMOCOUPLE SIT M9x1 32 cm



SIT G1040213

SIT 0.200.003

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT G1040213

SIT 0.200.003

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT G1040213

SIT 0.200.003

3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT 0.200.052



Suitable for:

3440058 THERMOCOUPLE SIT M9x1 32 cm THREAD M8x1



SIT 0.200.052

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



SIT 0.200.005

3440080 THERMOCOUPLE SIT M9x1 40 cm.



SIT 0.200.005

**3440034 THERMOCOUPLE SIT M9x1 50 cm
for Fry top gas (SILKO) BG74TLC**



SIT 0.200.007

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



SIT 0.200.007

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.055

SIT



Suitable for:

3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT 0.200.052

**3440131 THERMOCOUPLE SIT M9x1 40 cm COUPL. M8x1
for Rotisserie gas (ROTISOL) ECO-SM**



SIT 0.200.053

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



SIT 0.200.005

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



SIT 0.200.007

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.009



SIT



Suitable for:

Suitable for:

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.055

SIT 0.200.055

3440035 THERMOCOUPLE SIT M9x1 60 cm .

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.009

SIT 0.200.009

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT 0.200.011

SIT 0.200.013

SIT 0.290.017

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT G1041214

SIT 0.200.057

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT G1041214

SIT 0.200.057

SIT G1041214

SIT 0.200.057

3440036 THERMOCOUPLE SIT M9x1 85 cm .

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT 0.200.013

SIT 0.290.017

SIT 0.200.013

SIT 0.290.017



Suitable for:

3440009 THERMOCOUPLE SIT M9X1 100 cm M8x1



SIT 0.200.402

3440049 THERMOCOUPLE SIT M9X1 75 cm



SIT 0.200.011

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



SIT 0.290.010

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



SIT 0.290.004

3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm



SIT 0.290.019

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



SIT 0.290.021

SIT 0.290.022

SIT



Suitable for:

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.402

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



SIT 0.200.011

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm



SIT 0.290.003

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS



SIT 0.290.019

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm - 10 PCS



SIT 0.290.021

SIT 0.290.022



SIT



Suitable for:

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



SIT 0.290.012

Suitable for:

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



SIT 0.290.015

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



SIT 0.290.016

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



SIT 0.290.016

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



SIT 0.290.018

SIT 0.290.172

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



SIT 0.290.018

SIT 0.290.172

3440144 THERMOCOUPLE SIT 9x1 400 mm



SIT 0.290.083

3440127 THERMOCOUPLE TARGET M9x1 60 cm
with fixing connection M10x1 - model T46 48"
for pilot burner Robertshaw model 9B
for gas valve Unitrol 7000



SIT 0.290.085

SIT 0.290.150

3440277 UNIV.THERMOCOUPLE M9x1 120 cm M6x0.75
kit with 6 milled components



SIT G1724003

3440077 UNIV.THERMOCOUPLE M9x1 90 cm M6x0.75
kit with 6 milled components



SIT G1724002

3440177 UNIV.THERMOCOUPLE M9x1 60cm M6x0,75
kit with 6 milled components



SIT G1724001

3440002 UNIVERSAL THERMOCOUPLE SIT 90 cm
this kit is composed of 10 slotted elements



SIT 0.208.002



Suitable for:

Suitable for:

3440099 UNIVERSAL THERMOCOUPLE 120 cm
10 slotted elements kit



SIT 0.208.004