




Spare parts for:

Cooking equipment



Suitable for:

SOLYMAC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

SOLYMAC



Suitable for:

Burners, flame spreaders and accessories

3025598 BURNER \varnothing 106 mm



SOLYMAC

3025632 BURNER \varnothing 108 mm



SOLYMAC

3025629 BURNER \varnothing 119 mm




SOLYMAC

3025633 BURNER \varnothing 135 mm




SOLYMAC

3025634 BURNER \varnothing 143 mm



SOLYMAC

3025595 BURNER \varnothing 83 mm



SOLYMAC


3025797 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm

with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm



SOLYMAC

3025595 BURNER \varnothing 83 mm



SOLYMAC

3025596 FLAME SPREADER \varnothing 80 mm



SOLYMAC



SOLYMAC



Suitable for:

3025756 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm




SOLYMAC

3025596 FLAME SPREADER \varnothing 80 mm



SOLYMAC

3025769 BURNER ASSEMBLY MOUNTING DISTANCE 185 mm
with vertical flame
7000-9000 Kcal/h
height 100 mm - \varnothing 100 mm - pipe \varnothing 34 mm



SOLYMAC

3025627 FLAME SPREADER \varnothing 100 mm



SOLYMAC P2

SOLYMAC P2A


3025799 BURNER ASSEMBLY MOUNTING DISTANCE 240 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm



SOLYMAC

Suitable for:

3025595 BURNER \varnothing 83 mm



SOLYMAC

3025598 BURNER \varnothing 106 mm



SOLYMAC

3025595 BURNER \varnothing 83 mm



SOLYMAC



Suitable for:

3025596 FLAME SPREADER \varnothing 80 mm



SOLYMAC

SOLYMAC

Suitable for:



3025768 BURNER ASSEMBLY MOUNTING DISTANCE 245 mm
with vertical flame
5000-7000 kcal/h
height 100 mm - \varnothing 80 mm - pipe \varnothing 34 mm



SOLYMAC

3025624 FLAME SPREADER \varnothing 80 mm



SOLYMAC P1

SOLYMAC P1A

3025770 BURNER ASSEMBLY MOUNTING DISTANCE 245 mm
with vertical flame
7000-9000 Kcal/h
height 100 mm - \varnothing 100 mm - pipe \varnothing 34 mm



SOLYMAC

3025627 FLAME SPREADER \varnothing 100 mm



SOLYMAC P2

SOLYMAC P2A

3025595 BURNER \varnothing 83 mm



SOLYMAC

3025598 BURNER \varnothing 106 mm



SOLYMAC



SOLYMAC



Suitable for:

3025707 BURNER ASSEMBLY MOUNTING DISTANCE 265 mm
with central flame
15000-20000 Kcal/h
height 80 mm - \varnothing 200 mm - pipe \varnothing 34 mm
for Boiling pan gas (CAPIC)
for Fryer gas (SOFINOR) TURB08



SOLYMAC P760

Suitable for:

3025693 BURNER CAP \varnothing 135 mm
internal \varnothing 91 mm - total height 58 mm



SOLYMAC P1171

SOLYMAC P1171D

3025695 BURNER CAP \varnothing 170 mm
internal \varnothing 117 mm - overall height 58 mm



SOLYMAC P1172

SOLYMAC P1172D

3025627 FLAME SPREADER \varnothing 100 mm



SOLYMAC P2

SOLYMAC P2A

3025613 FLAME SPREADER \varnothing 120 mm



SOLYMAC P5A

3025596 FLAME SPREADER \varnothing 80 mm



SOLYMAC

3025624 FLAME SPREADER \varnothing 80 mm



SOLYMAC P1

SOLYMAC P1A

Cast iron hot plates

3311067 RIBBED PLATE 330x310 mm



SOLYMAC P164

3311068 RIBBED PLATE 550x350 mm



SOLYMAC P166



Suitable for:

SOLYMAC



Suitable for:

3311077 SMOOTH PLATE 550x350 mm
for Grill (SOLYMAC) - Series 800



SOLYMAC P167

Complement accessories

3394315 IGNITER 365 mm



SOLYMAC P204

Drain taps and accessories

3356116 DRAIN TAP \varnothing 1"1/2F
fixed connection \varnothing 1"1/2"F - folding handle
for Boiling pan (CAPIC)
for Boiling pan (CHARVET)
for Boiling pan (ROSINOX)
for Boiling pan (SOLYMAC)
for Boiling pan (THIRODE)



SOLYMAC P61

3356115 DRAIN TAP \varnothing 1"1/4F
fixed connection \varnothing 1"1/4"F - folding handle
for Boiling pan (CAPIC)
for Boiling pan (CHARVET)
for Boiling pan (SOLYMAC)



SOLYMAC 3315A

Electric hot plates

3311096 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SOLYMAC P49C

3311097 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SOLYMAC P49



Suitable for:

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Hot plate electric (BONNET) B-B7.PE800
 for Kitchen electric (FAGOR) CE-741 - CE7-40
 for Pot stove electric (FAGOR) CE-720



SOLYMAC P49B

Suitable for:

3311071 ELECTRIC HOT PLATE 2500W 400V
 dimensions 300x300 mm
 tilting plate
 electric screw couplings
 for electric cooking top




SOLYMAC P50E

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



SOLYMAC P50F

3311105 ELECTRIC HOT PLATE 3500W 230V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for pyroceramic cooking range CE841VRT
 for Pot stove electric (AMBASSADE) CE841VRT



SOLYMAC P55

3311074 ELECTRIC HOT PLATE 4000W 230V
 dimensions 300x300 mm
 tilting plate
 terminal block electric connections
 for electric cooking top



SOLYMAC P50D

3311075 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 tilting plate
 terminal block electric connections
 for electric cooking top



SOLYMAC P50C

SOLYMAC P50G

Electrical gas valves and accessories

3526086 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 pilot connection and LOWER thermocouple



SOLYMAC P71



Suitable for:

SOLYMAC



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



SOLYMAC P82

3350067 ENERGY REGULATOR

contact capacity 24V 16A
 D-shaped pin ø 6x4.6 mm



SOLYMAC 160210

Fryer baskets and accessories

3055186 FRYER BASKET 290x110x120 mm

for Fryer electric (ELFRAMO) EB12 - EB12+12 - EM12
 EM12+12
 for Fryer electric (KOMEL) KEB12 - KEB12+12
 KEM12 - KEM12+12
 for Fryer gas (ELFRAMO) GM12 - GM12+12 - GW12
 for Fryer gas (KOMEL) KGM12 - KGM12+12 - KGW12



SOLYMAC P101

3055499 FRYER BASKET 310x240x160 mm

for Fryer



SOLYMAC P100

Gas burners

3025646 BURNER ASSEMBLY 400 mm

made of stainless steel
 total length 465 mm
 with fitting - gas jet M5x75 not included
 6kW
 for Boiling pan gas (COMETTO)
 for Boiling pan gas (SOLYMAC)
 for Grill gas (COMETTO)
 for Grill gas (SOLYMAC)



SOLYMAC

Gas taps and accessories

3348133 GAS COCK WITHOUT SAFETY DEVICE
 fittings \varnothing 3/8" M
 pin length 60 mm - mounting distance 90 mm
 D-shaped pin \varnothing 10x8 mm



SOLYMAC P66B

3348014 GAS COCK 20/S
 without pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple fitting M8x1
 D-shaped pin \varnothing 8x6.5mm



SOLYMAC P67E

3348016 GAS COCK 21/SV
 with pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



SOLYMAC P67C

3348002 GAS COCK 22/O
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M8x1
 D-shaped pin \varnothing 10x8 mm
 for Boiling pan (THIRODE)
 for Bratt pan gas (THIRODE) SA30 - SA41
 for Grill (FAGOR) - Series 900



SOLYMAC P67B

3348010 GAS COCK 22/O
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm



SOLYMAC P66C

3348132 GAS TAP WITHOUT SAFETY DEVICE
 fittings \varnothing 3/8" M
 pin length 30 mm - mounting distance 70 mm
 D shaft \varnothing 10x8 mm



SOLYMAC P66A

3348015 GAS TAP 20/N
 without pilot flame
 fittings \varnothing M16x1.5 mm
 D-shaped pin \varnothing 8x6.5 mm



SOLYMAC P66D



Suitable for:

SOLYMAC



Suitable for:

Gas valves and accessories

3523092 MINISIT VALVE FOR FOOD-WARMER 40÷110°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x125 mm
without cover. knob and flanges
for Pasta cooker gas (LOTUS)



SOLYMAC

3523093 MINISIT VALVE FOR FRYER 70÷210°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
length capillary 1300 mm
bulb \varnothing 4x122 mm
without cover. knob and flanges
for Fryer gas



SOLYMAC P69

3523091 MINISIT VALVE FOR OVEN 70÷310°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1300 mm
bulb \varnothing 4x75 mm
without cover. knob and flanges
for Fry top gas (FAGOR) - Series 900
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
Series 900



SOLYMAC P68A

Grids for kitchen

3185211 PAN SUPPORT GRID 290x464 mm for Pot stove (SOLYMAC) - Series 650



SOLYMAC P162

SOLYMAC P162EM

3185212 PAN SUPPORT GRID 350x400 mm for Pot stove (SOLYMAC) - Series 1000



SOLYMAC P163

Handles

3242718 DOOR HANDLE STRIKE for high temperatures mounting distance 43 mm for OVEN



SOLYMAC LF-3242042

3398021 OVEN DOOR CATCH distance between holes 47 mm catch distance 27 mm



SOLYMAC



Suitable for:

SOLYMAC



Suitable for:

Heating elements

3455082 HEATING ELEMENT 1165W 230V
length 395 mm - width 75 mm
for Salamander electric (SOLYMAC) SG3



SOLYMAC P35

3455086 HEATING ELEMENT 12000W 230/400V
length 350 mm - width 250 mm
height 205 mm
for Fryer electric (SOLYMAC) GN47E - GN747E
GN747T - Series 650 - Series 800



SOLYMAC P41

3455053 HEATING ELEMENT 1666W 230 V
length 450 mm - width 55 mm
for GRIDDLE -SNACK 800
for Grill electric (SOLYMAC) - Series 700
Series 800



SOLYMAC P37

3455083 HEATING ELEMENT 2000W 230V
length 540 mm - width 55 mm
height 150 mm
for Grill electric (SOLYMAC) - Series 1000
Series 900



SOLYMAC P39

3455054 HEATING ELEMENT 3000W 230V
length 320 mm - width 340 mm
height 140 mm - fittings \varnothing 5 mm
for Bain-marie electric (SOLYMAC)
for Boiling pan electric (SOLYMAC)



SOLYMAC P47

3455055 HEATING ELEMENT 650W 230V
length 340 mm - width 50 mm
fittings \varnothing 12 mm
for Bain-marie electric (SOLYMAC)



SOLYMAC

3455085 HEATING ELEMENT 7000W 230/400V
length 335 mm - width 250 mm
height 205 mm
for Fryer electric (SOLYMAC) GN47E - GN747E
GN747T - Series 650 - Series 800



SOLYMAC P40

3455050 HEATING ELEMENT 900W 230V
overall length 580 mm
width 75 mm - fittings \varnothing 14 mm
for OVEN-PIZZA OVEN
for Oven under cooktop electric (SOLYMAC)
Series 800 - Series 900



SOLYMAC P30



Suitable for:

SOLYMAC



Suitable for:


3455084 HEATING ELEMENT 900W 230V
length 415 mm - width 40 mm
fittings \varnothing 12 mm
for Bain-marie electric (SOLYMAC)



SOLYMAC P34

Hinges, catches and accessories

3053391 CHROME PLATED HINGE 361
length 140 mm - mounting distance 30-35 mm
for door thickness from 37 mm gasket included
for Oven under cooktop (SOLYMAC) - Series 650
Series 800 - Series 900



SOLYMAC FS14

3053386 CHROME PLATED HINGE 402
length 96 mm - mounting distance 64-32 mm



SOLYMAC FS14A

Injectors

3500178 CONICAL GAS NOZZLE M17x1 \varnothing 0,80 mm



SOLYMAC P75D080

3500181 CONICAL GAS NOZZLE M17x1 \varnothing 0,95 mm



SOLYMAC P75D09

SOLYMAC P75D095

3500182 CONICAL GAS NOZZLE M17x1 \varnothing 1,00 mm



SOLYMAC P75D100

3500184 CONICAL GAS NOZZLE M17x1 \varnothing 1,15 mm



SOLYMAC P75D115

3500185 CONICAL GAS NOZZLE M17x1 \varnothing 1,20 mm



SOLYMAC P75D120

3500186 CONICAL GAS NOZZLE M17x1 \varnothing 1,30 mm



SOLYMAC P75D130



SOLYMAC



Suitable for:

Suitable for:

3500187 CONICAL GAS NOZZLE M17x1 \varnothing 1,40 mm

3500188 CONICAL GAS NOZZLE M17x1 \varnothing 1,50 mm



SOLYMAC P75D140

SOLYMAC P75D150

3500190 CONICAL GAS NOZZLE M17x1 \varnothing 1,70 mm

3500191 CONICAL GAS NOZZLE M17x1 \varnothing 1,80 mm



SOLYMAC P75D170

SOLYMAC P75D180

3500192 CONICAL GAS NOZZLE M17x1 \varnothing 1,90 mm

3500193 CONICAL GAS NOZZLE M17x1 \varnothing 2,00 mm



SOLYMAC P75D190

SOLYMAC P75D200

3500194 CONICAL GAS NOZZLE M17x1 \varnothing 2,10 mm

3500195 CONICAL GAS NOZZLE M17x1 \varnothing 2,20 mm



SOLYMAC P75D210

SOLYMAC P75D220

3500196 CONICAL GAS NOZZLE M17x1 \varnothing 2,30 mm

3500197 CONICAL GAS NOZZLE M17x1 \varnothing 2,40 mm



SOLYMAC P75D230

SOLYMAC P75D240

3500198 CONICAL GAS NOZZLE M17x1 \varnothing 2,50 mm

3500199 CONICAL GAS NOZZLE M17x1 \varnothing 2,60 mm



SOLYMAC P75D250

SOLYMAC P75D260



SOLYMAC



Suitable for:

Suitable for:

3500202 CONICAL GAS NOZZLE M17x1 ø 2,90 mm

3500203 CONICAL GAS NOZZLE M17x1 ø 3,00 mm



SOLYMAC P75D290

SOLYMAC P75D300

3500204 CONICAL GAS NOZZLE M17x1 ø 3,10 mm

3500205 CONICAL GAS NOZZLE M17x1 ø 3,20 mm



SOLYMAC P75D310

SOLYMAC P75D320

3500206 CONICAL GAS NOZZLE M17x1 ø 3,30 mm

3500207 CONICAL GAS NOZZLE M17x1 ø 3,50 mm



SOLYMAC P75D330

SOLYMAC P75D350

3500208 CONICAL GAS NOZZLE M17x1 ø 3,60 mm

3500209 CONICAL GAS NOZZLE M17x1 ø 3,80 mm



SOLYMAC P75D360

SOLYMAC P75D380

Knobs

3241755 BLACK KNOB
square hole 5x5 mm
for selector switch

3241566 BLACK KNOB ø 50 mm 0-1-2-3
D shaft hole 6x4.6 mm
for EGO energy regulator



SOLYMAC P72Q

SOLYMAC P82A

3444126 BLACK KNOB ø 50 mm 30-110°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat

3444441 BLACK KNOB ø 50 mm 50-300°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat



SOLYMAC P76B

SOLYMAC P79B



SOLYMAC



Suitable for:

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C
D shaft hole 6x4.6 mm
for EGO thermostat



SOLYMAC P80A

Suitable for:

3241754 BLACK KNOB \varnothing 70 mm
with red pointer
D shaft hole 10x8 mm
for PEL valve



SOLYMAC

3241400 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 10x8 mm



SOLYMAC P72G

3241450 SELF-STICK DISK WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot



SOLYMAC P72GA

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



SOLYMAC P72L

SOLYMAC P72M

3241450 SELF-STICK DISK WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot



SOLYMAC P72GA

3241875 BLACK KNOB \varnothing 70 mm 1-2-3-4-5-6-7-8
D-shaped hole 10x8 mm
for GAS TAP



SOLYMAC P72C

3241757 BLACK KNOB \varnothing 80 mm
D-shaped hole 6x4.6 mm
for FRYER thermostat



SOLYMAC P72N

3241735 BLACK KNOB 2-3-4-5-6-7-8
for GAS VALVE GC1300



SOLYMAC P72D

3241734 RED KNOB STOP
for GAS VALVE GC1300



SOLYMAC P72J



Suitable for:

3241756 RING FOR KNOB \varnothing 92 mm



SOLYMAC P1033

SOLYMAC



Suitable for:

3241450 SELF-STICK DISK WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot



SOLYMAC P72GA

Lamps

3221085 GREEN INDICATOR LAMP 230V
head \varnothing 18 mm - hole \varnothing 11.5 mm - 120°C



SOLYMAC

3221258 NEON LAMP Ba9s 1.5mA 230V
dimensions \varnothing 10x28 mm
for Fryer electric (COMETTO) CCE14



SOLYMAC P91A

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C



SOLYMAC

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm
for Hot cupboard
for Warm table



SOLYMAC



Pilot burners and accessories

- 3020001 ONE-FLAME PILOT BURNER SIT**
 multigas with jet \varnothing 0.20 mm
 with 2 positions bracket
 for Bratt pan gas (ZANUSSI) - Series R700
 for Kitchen gas (ZANUSSI)



SOLYMAC LF-3020434

SOLYMAC P74

- 3020424 PILOT BURNER OXYPILOT SIT 2 FLAMES**
 supplied without sparking plug
 with LPG nozzle
 with thermocouple fitting
 with sparking plug fitting



SOLYMAC P74E

- 3020462 PILOT BURNER OXYPILOT SIT 2 FLAMES**
 supplied without sparking plug
 with NATURAL GAS nozzle



SOLYMAC P74D

- 3020006 THREE-FLAME PILOT BURNER SIT**
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)



SOLYMAC P74B

- 3020002 TWO-FLAME PILOT BURNER SIT**
 multigas with jet \varnothing 0.20 mm
 with 2 positions bracket
 for Bain-marie gas (FAGOR)
 for Boiling pan gas (FAGOR)
 for Grill gas (ZANUSSI)
 for Oven under cooktop gas (FAGOR)



SOLYMAC P74A

Rotary switches

- 3057267 SELECTOR SWITCH PR26 7207A4 25A**
 4 positions - square shaft 5x5 mm
 for Oven under cooktop (SOLYMAC)



SOLYMAC P85

- 3241755 BLACK KNOB**
 square hole 5x5 mm
 for selector switch



SOLYMAC P72Q



Suitable for:

3241756 RING FOR KNOB \varnothing 92 mm



SOLYMAC P1033

SOLYMAC



Suitable for:

3057268 SELECTOR SWITCH START/STOP
25 A - 220/380 V
square shaft 5x5 mm
for Fryer (SOLYMAC)
for Grill (SOLYMAC)



SOLYMAC P83

SOLYMAC P83B

3241756 RING FOR KNOB \varnothing 92 mm



SOLYMAC P1033

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Boiling pan (ALPENINOX)
for Bratt pan (ZANUSSI) - Series R700 - Series 700
for Fry top (ALPENINOX)
for Fryer (STAR 10)
for Fryer (ZANUSSI) - Series R700 - Series 700
for Kitchen (ALPENINOX)
for Solid top range (ALPENINOX)



SOLYMAC

3241755 BLACK KNOB
square hole 5x5 mm
for selectror switch



SOLYMAC P72Q

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
for Pot stove gas (ZANUSSI) JUN90002 - JUN90012
JUN90022 - JUN90042 - JUN90069 - JUN92012
JUN92032



SOLYMAC P86C



Suitable for:

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Bratt pan electric (COMETTO)
 for Hot plate electric (COMETTO)
 for Kitchen electric (EMMEPI) - Series 900
 for Pot stove electric (COMETTO)



SOLYMAC P87C

Suitable for:

3057024 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750
 for Kitchen electric (GICO) - Series 700
 for Kitchen electric (GIGA) - Series 600
 Series 700 - Series 800 - Series 900
 for Kitchen electric (OFFCAR) - Series 700
 Series 900
 for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
 for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
 74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
 94/04CE - 94/04TCE



SOLYMAC P87

Thermocouples and accessories

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SOLYMAC P73D

3440051 THERMOCOUPLE SIT M8x1 32 cm.THREAD M8x1



SOLYMAC P73D

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SOLYMAC P73D

3440039 THERMOCOUPLE SIT M9x1 150 cm



SOLYMAC P73B

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SOLYMAC P73B

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SOLYMAC P73B

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SOLYMAC P73C



Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



SOLYMAC P73C

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SOLYMAC P73C

Thermostatic gas valves

3345006 THERMOSTATIC GAS COCK PEL24ST

temperature range 120-320°C
fitting inlet/outlet M20x1.5 mm
capillary 900 mm
thermocouple connection M9x1
bulb ø 6x100 mm
D-shaped pin ø 10x8mm
for Bratt pan
for Fry top
for Oven under cooktop



SOLYMAC P70C

Thermostats

3241870 RING NUT ø 52 mm

chrome plated metal
for EGO thermostate knob



SOLYMAC P79A

3744002 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
capillary length 1500 mm
bulb ø 6x77 mm - with adapter nipple bland
for Bratt pan (COMETTO)
for Fryer (COMETTO)



SOLYMAC P78

3444698 SINGLE-PHASE THERMOSTAT 30-110°C


D-shaped pin ø 6x4.6 mm
capillary length 870 mm
bulb ø 6x113 mm - with adapter nipple bland M9x1
for Oven under cooktop (AMBASSADE) 1051
for Pasta cooker (JEMI) - Series 700 - Series 900



SOLYMAC P76UL

3444747 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin ø 6x4.6 mm
capillary length 1150 mm - 16A 230V
bulb ø 3.1x197 mm



SOLYMAC P79UL




SOLYMAC



Suitable for:

3744110 THREE-PHASE THERMOSTAT 100-350°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x80 mm



SOLYMAC P80

Suitable for:

3444088 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x130 mm
with adapter nipple band M9x1
for Bain-marie (ZANUSSI)



SOLYMAC P76

3444694 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm
for Fry top electric (REPAGAS) E-35 - E-65 - E-95



SOLYMAC P79

3444594 THREE-PHASE THERMOSTAT 65-200°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
RF8DSP - RF8SP



SOLYMAC P77A

Water filling taps

3359330 4-WAYS WATER INLET TAP \varnothing 1/2"MM
fittings \varnothing 1/2"MM
for Bain-marie (BONNET) B-MA-BM150G
for Boiling pan (BONNET)
for Boiling pan (THIRODE)



SOLYMAC P127

Wheels and accessories

3522037 DISTRIBUTOR FOR BRATT PAN SWING LEVER
4 ways - thread 12/17 mm - \varnothing 85 mm



SOLYMAC P99

3522038 LEVER DISTRIBUTOR FOR BRATT PAN SWING
5 fittings 1/4"
lever 90°



SOLYMAC



Suitable for:

Suitable for:

3522039 LEVER DISTRIBUTOR FOR BRATT PAN SWING

3 fittings 1/4" and 2 fittings 1/8"
lever 90°



SOLYMAC P99A