




Spare parts for:

Cooking equipment



Suitable for:

THIRODE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

THIRODE



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



THIRODE 304194

Bulb sheaths

3394326 THERMOSTAT SHEATH



THIRODE 901019

Burners, flame spreaders and accessories

3025595 BURNER ø 83 mm



THIRODE 310138

3025797 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - ø 80 mm - pipe ø 27 mm



THIRODE 308404

3025595 BURNER ø 83 mm



THIRODE 310138

3025596 FLAME SPREADER ø 80 mm



THIRODE 303001



THIRODE



Suitable for:

3025756 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm
with vertical flame
4000-7000 Kcal/h
height 90 mm - \varnothing 80 mm - pipe \varnothing 27 mm

Suitable for:

3025595 BURNER \varnothing 83 mm



THIRODE

3025596 FLAME SPREADER \varnothing 80 mm

THIRODE 310138



THIRODE 303001

3025656 FLAME SPREADER \varnothing 100 mm

3025658 FLAME SPREADER \varnothing 110 mm



THIRODE 311039

3025635 FLAME SPREADER \varnothing 76 mm

THIRODE 130625

THIRODE 141952



3025596 FLAME SPREADER \varnothing 80 mm



THIRODE 311038

3025666 FLAME SPREADER \varnothing 85 mm
for Pot stove gas (THIRODE) - Series 700
Series 900

THIRODE 303001

3025806 INJECTOR ASSEMBLY FOR BURNER 50x40 mm
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 141951

THIRODE 980462724

THIRODE 381335



Suitable for:

THIRODE



Suitable for:

Cables for piezo igniters

- 3001002 SIT IGNITION LEAD 1000 mm**
 with faston 6.35x0.8 mm ignition
 with faston \varnothing 4 mm for electrode
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



THIRODE

Capacitors

- 3123143 CAPACITOR μ F F 220 275V**
 for GEARMOTOR
 for Fryer gas (THIRODE) FR25G



THIRODE 304253

- 3068024 CAPACITOR μ F 16 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



THIRODE 2001118H

THIRODE 304259

- 3068027 CAPACITOR μ F 20 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



THIRODE 2001119H

- 3068008 CAPACITOR μ F 5 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



THIRODE 2001120H

Contact thermostats

- 3744012 DUOBLE CONTACT THERMOSTAT 225°C**
 capillary 900 mm
 bulb \varnothing 6x70 mm
 16A 250V
 for Fryer (BONNET) FR25MC
 for Fryer (THIRODE) FR25MC



THIRODE 301063



Suitable for:

THIRODE

Suitable for:



Drain taps and accessories

3356126 DRAIN EXTENSION
 length 295 mm - fitting 3/4"
 ø 18x1
 for Fryer electric (THIRODE) FR18 - FR25



THIRODE 039864N

3356116 DRAIN TAP ø 1"1/2F
 fixed connection ø 1"1/2"F - folding handle
 for Boiling pan (CAPIC)
 for Boiling pan (CHARVET)
 for Boiling pan (ROSINOX)
 for Boiling pan (SOLYMAC)
 for Boiling pan (THIRODE)



THIRODE 313001

Electric hot plates

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Hot plate electric (BONNET) B-B7.PE800
 for Kitchen electric (FAGOR) CE-741 - CE7-40
 for Pot stove electric (FAGOR) CE-720



THIRODE 303003

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Hot plate electric (MORICE) RE40010003
 for Kitchen electric (FAGOR) CE-741 - CE7-20
 CE7-40



THIRODE 303004

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for Pot stove (MBM) - Series DOMINA900



THIRODE 303009

3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



THIRODE 303008

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



THIRODE 303002



Suitable for:

THIRODE



Suitable for:

Electrical gas valves and accessories

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3-50 mbar
 room temperature 0-60°C
 power supply 230V 50Hz



THIRODE 310305

Electronic printed-circuit boards

3390342 LIFTING TEMPORARY BOARD
 for Fryer gas (THIRODE) FR25G



THIRODE 170745

THIRODE 309605

3390343 COMPLETE POTENTIOMETER WITH CABLE
 for Fryer gas (THIRODE) FR25G



THIRODE 170750

3390340 REGULATING ELECTRONIC BOARD 112x100mm
 for Fryer gas (THIRODE) FR25G



THIRODE 170743

3390341 COMPLETE POTENTIOMETER WITH CABLE
 D-shaped pin \varnothing 6x4.6 mm
 cable length 615 mm
 for Fryer gas (THIRODE) FR25G




THIRODE 170744



Energy regulators

3350076 ELECTRONIC ENERGY REGULATOR
with electronic board
D-shaft \varnothing 6x4.6 mm
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 170738

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Boiling pan (MORICE)
for Boiling pan (THIRODE)
for Bratt pan (MORICE)
for Bratt pan (THIRODE)
for Fry top (LOTUS) - Series 60 - Series 65
Series 70
for Grill (THIRODE)
for Hot plate (EMMEPI) - Series 650 - Series 700
for Hot plate (GICO) - Series 110 - Series 700
Series 920
for Pasta cooker electric (BONNET)



THIRODE 301200

Feet

3313074 ADJUSTABLE FOOT \varnothing 1/2" x h 65 mm
with plastic support for tubular foot 30x30 mm
adjustable height 65÷98 mm
max load capacity 90 kg



THIRODE 634147

Fuses

3049045 QUICK ACTING FUSE 5x20 - 10 PCS
250V 800mA



THIRODE 2001921H



Suitable for:

THIRODE



Suitable for:

Gas burners

3023335 BURNER 215x490 mm
flange 215x95 mm
for Fryer gas (THIRODE) FR25G



THIRODE 151326

3023336 BURNER 490 mm
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 141613

3025806 INJECTOR ASSEMBLY FOR BURNER 50x40 mm
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 381335

Gas taps and accessories

3348150 GAS COCK
without pilot connection
clamp connection
outlet fitting \varnothing 3/8" M
pin length 26 mm - mounting distance 60 mm
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm
for Kitchen (THIRODE) - Series 1000 - Series 750
Series 900



THIRODE 310069

3348016 GAS COCK 21/SV
with pilot flame
fittings \varnothing M16x1.5mm
thermocouple connection M9x1 mm
D-shaped pin \varnothing 8x6.5 mm



THIRODE 310139

3348002 GAS COCK 22/0
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm
for Boiling pan (THIRODE)
for Bratt pan gas (THIRODE) SA30 - SA41
for Grill (FAGOR) - Series 900



THIRODE 310140

3348011 GAS TAP 23/0
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm
for Bain-marie (CHARVET)
for Boiling pan (CHARVET)
for Boiling pan (THIRODE)
for Bratt pan gas (THIRODE) SA65 - SA85
for Fryer (CHARVET)



THIRODE 310141



Suitable for:

THIRODE



Suitable for:

Gas valves and accessories

- 3523091 MINISIT VALVE FOR OVEN 70÷310°C**
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1300 mm
 bulb \varnothing 4x75 mm
 without cover, knob and flanges
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



THIRODE 7472031

Gaskets and seals

- 3786601 GASKET FOR PROBE \varnothing 14x8x1,5 mm**
 for temperature probe
 for Fryer gas (THIRODE) FR25G



THIRODE 366384

Gaskets for oven door

- 3786310 OVEN DOOR GASKET**
 made of silicone elastomer
 profile dimensions 22x11.5 mm
 COLOUR BLACK
 SOLD PER METRE
 for Oven under cooktop (BONNET) - Series 700
 Series 900
 for Oven under cooktop (THIRODE) - Series 700
 Series 900



THIRODE 366349

THIRODE 366386

- 3786311 OVEN DOOR GASKET KIT**
 made of silicone elastomer
 composed of 3 pcs:
 2 pcs 290 mm - 1 piece 690 mm
 profile dimensions 21.5x16.8 mm
 COLOUR BLACK



THIRODE 366371



Suitable for:

THIRODE

Suitable for:



Gearmotors

3240926 MOTOR SOLLEVAMENTO 11.5W 230V

CROUZET 80547019 - 2 rpm
dimensions 65x65x75h mm
for Fryer gas (THIRODE) FR25G



THIRODE 304252

Heating elements

3455131 HEATING ELEMENT BRACKET



THIRODE 302049

3455152 HEATING ELEMENT 1300W 230V

length 363 mm width 88 mm
for Bratt pan electric (THIRODE) PL.SN700



THIRODE 302196

3455135 HEATING ELEMENT 1500W 220V

length 695 mm width 60 mm



THIRODE 302039

3455153 HEATING ELEMENT 1800W 230V

length 553 mm - width 88 mm
overall height 140 mm - fittings \varnothing 5 mm
for BRATTPAN PL.SN900
for Bratt pan electric (THIRODE) PL.SN900



THIRODE 302197

3455155 HEATING ELEMENT 2000W 230V

length 302 mm width 32 mm
height 205 mm - fittings \varnothing 12 mm
for Fryer (BONNET) B-B9FR15DC
for Fryer electric (THIRODE) FR10



THIRODE 302214

3455161 HEATING ELEMENT 2500W 230V

length 465 mm - height 80 mm
for Boiling pan electric (BONNET)
for Boiling pan electric (THIRODE)



THIRODE 302195



THIRODE



Suitable for:

3455156 HEATING ELEMENT 2700W 230V
length 300 mm - width 55 mm
height 205 mm - fittings \varnothing 12 mm
for Fryer electric (THIRODE) FR10



THIRODE 302215

Suitable for:

3455298 HEATING ELEMENT 3300W 400V
length 530 mm - width 450 mm
flange 70x70 mm
for Oven under cooktop electric (THIRODE)
Series 1000 - Series 700 - Series 750 - Series 900



THIRODE 302191

3455157 HEATING ELEMENT 5000W 230V
length 288 mm - width 80 mm
height 295 mm - fittings \varnothing 12 mm
for Fryer electric (THIRODE) FR18



THIRODE 302221

3455159 HEATING ELEMENT 6000W 230V
immersed length 380 mm
flange external \varnothing 72 mm
with O-ring
for Bain-marie electric (BONNET)
for Bain-marie electric (THIRODE)



THIRODE 303123

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



THIRODE 318044

THIRODE 966001

3455158 HEATING ELEMENT 7500W 400V
length 495 mm - width 55 mm
height 300 mm - couplings \varnothing 1/4"
for Fryer electric (THIRODE) FR25



THIRODE 302222



Suitable for:

THIRODE



Suitable for:

Hinges, catches and accessories

3053567 HINGE POINT LH SUPPORT

external \varnothing 65 mm - point hole \varnothing 14 mm
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 134209

3053566 HINGE POINT RH SUPPORT

external \varnothing 65 mm - point hole \varnothing 14 mm
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 134208

Hydraulic plumbing

3600047 TRANSLUCENT SILICONE PIPE \varnothing 6/9 mm

length 1000 mm
for Pot stove gas (THIRODE) B9FV800FG



THIRODE 316134

Injectors

3500224 CONICAL GAS NOZZLE M12x1 \varnothing 1,60 mm

for Boiling pan gas (THIRODE)
for Bratt pan gas (THIRODE)
for Fryer gas (THIRODE) FR25G



THIRODE 311001

THIRODE 311001/160

THIRODE 980386540

3500163 GAS JET \varnothing 1.60 mm



THIRODE 311166

THIRODE 680948

Knobs

3241749 BLACK KNOB

D shaft hole 10x8 mm
for gas tap PEL 22-23
for Boiling pan (THIRODE)



THIRODE 132744

3241750 BLACK KNOB \varnothing 49 mm

D shaft hole 6x4,6 mm
for Fryer (THIRODE)
for Fryer electric (THIRODE) FR25
for Grill (THIRODE)
for Hot plate (THIRODE)
for Pot stove (THIRODE) B9PE800 - GAME800 - 07BBC



THIRODE 132742

THIRODE 132843

THIRODE 381224



THIRODE



Suitable for:

3241566 BLACK KNOB \varnothing 50 mm 0-1-2-3
D shaft hole 6x4.6 mm
for EGO energy regulator



THIRODE 308091

Suitable for:

3241741 BLACK KNOB \varnothing 50 mm 100-350°C
D shaft hole 6x4.6 mm
for EGO thermostat



THIRODE 308078

3241319 BLACK KNOB \varnothing 50 mm 30°-85°C
D shaft hole 6x4.6 mm



THIRODE 308064

3444126 BLACK KNOB \varnothing 50 mm 30-110°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



THIRODE 163248

THIRODE 308067

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C
D shaft hole 6x4.6 mm
for EGO thermostat



THIRODE 308066

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



THIRODE 171475

3241828 BLACK KNOB SILK-SCREEN PRINTED
for GAS VALVE JUNKERS



THIRODE 310291

THIRODE 310292

3241751 BLACK KNOB 0-1-2-3
D shaft hole 6x4.6 mm
for selector switch



THIRODE 308075

3241883 FIXING KNOB CAP



THIRODE 381285

3241885 GASKET FOR SELECTOR SWITCH KNOB
 \varnothing external 39 mm - \varnothing internal 13 mm
for Fryer gas (THIRODE) FR25G



THIRODE 366369



Suitable for:

THIRODE



3241886 SELECTOR SWITCH KNOB \varnothing 51 mm
round hole \varnothing 6x4,6 mm - height 28 mm
for Bratt pan gas (THIRODE) B9PSA50G
for Pot stove (THIRODE) D9FR



THIRODE 134938

3241885 GASKET FOR SELECTOR SWITCH KNOB
 \varnothing external 39 mm - \varnothing internal 13 mm
for Fryer gas (THIRODE) FR25G



THIRODE 366369

3241884 WATER TAP KNOB \varnothing 33 mm
height 37 mm - \varnothing knob 10 mm
knob length 50 mm
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 313062

Suitable for:

3241883 FIXING KNOB CAP



THIRODE 381285

Lamps

3221617 RED INDICATOR LAMP 400V
head \varnothing 14 mm - hole \varnothing 10 mm
wire connection
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 308010



Microswitches

3240407 MECHANICAL MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14
H17 - H22
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35
MJ45E



THIRODE 300688

3240189 MICRO SWITCH M1DX20 10A 250V

for Bain-marie (BONNET)
for Boiling pan (BONNET)
for Fryer (BONNET)



THIRODE 1700340

THIRODE 900502

3240934 MICROSWITCH ABV16146131 0.1A 250V

lever length 32 mm
with cable length 290 mm
for Pot stove (BONNET) COMPACT - EMERAUDE



THIRODE 300668

THIRODE 300678

3240181 PROTECTED MAGNET 62x18x10 mm



THIRODE 2001868H

OR and ORM gaskets

3786580 O-RING \varnothing 68.10x57x7.04 mm



THIRODE 366185

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



THIRODE 2001827H

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



THIRODE 318044

THIRODE 966001



Suitable for:

THIRODE



Suitable for:

Pilot burners and accessories

3020414 LPG NOZZLE FOR PILOT BURNER
fitting M7x1



THIRODE 312126

3020460 MOLDED THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle and gasket
for Boiling pan gas (THIRODE) SA41 BEGLX
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 310272

3020415 NATURAL GAS NOZZLE FOR PILOT BURNER
fitting M7x1



THIRODE 312127

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bratt pan gas (ZANUSSI) - Series R700
for Kitchen gas (ZANUSSI)



THIRODE

THIRODE LF-3020434

3020456 PILOT BURNER
with sparking plug and ignition cable
for Fryer gas (THIRODE) FR25G




THIRODE 151329

3020457 PILOT BURNER BASE
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 368146

3020455 PILOT BURNER BRACKET
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 023258M

3020459 PILOT BURNER HEAD \varnothing 1/8" F
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 368234

3020457 PILOT BURNER BASE
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 368146



Suitable for:

3020458 PILOT BURNER SUPPORT
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 165527

3020421 PILOT BURNER HONEYWELL Q327
with NG jet



THIRODE 310092

3020458 PILOT BURNER SUPPORT
for Kitchen gas (THIRODE) B9FV800FG



THIRODE 165527

3500328 PILOT NOZZLE
forLPG - pilot Honeywell Q349



THIRODE 310150

5015516 PILOT NOZZLE \varnothing 0.40 mm



THIRODE 1040182

THIRODE



Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



THIRODE 310274

3020455 PILOT BURNER BRACKET
for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 023258M

3020157 PILOT JET \varnothing 0.25 mm



THIRODE 310274

3500329 PILOT NOZZLE
for NATURAL GAS - pilot Honeywell Q349



THIRODE 310152

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



THIRODE 2020124

THIRODE 311022



Suitable for:

THIRODE



Suitable for:

- 3020002 TWO-FLAME PILOT BURNER SIT**
 multigas with jet \varnothing 0.20 mm
 with 2 positions bracket
 for Bain-marie gas (FAGOR)
 for Boiling pan gas (FAGOR)
 for Grill gas (ZANUSSI)
 for Oven under cooktop gas (FAGOR)



THIRODE

Potentiometers

- 3390341 COMPLETE POTENTIOMETER WITH CABLE**
 D-shaped pin \varnothing 6x4.6 mm
 cable length 615 mm
 for Fryer gas (THIRODE) FR25G



THIRODE 170744

- 3390343 COMPLETE POTENTIOMETER WITH CABLE**
 for Fryer gas (THIRODE) FR25G



THIRODE 170750

Probes

- 3397184 TEMPERATURE PROBE PT100**
 2-wire probe
 cable length 640 mm
 bulb \varnothing 3x13 mm
 for Fryer gas (BONNET) FR25G



THIRODE 301452

Rating-plates

- 3399135 CONTROL SILK-SCREEN PRINT 0-1-2-3-4-5-6**
 for Bratt pan gas (THIRODE) B9PSA50G




THIRODE 310586



Relays

3351085 MINI RELAY 40.31 48VDC 10A 250V
 1 cut-off contact
 for Bratt pan gas (THIRODE) B9PSA50G




THIRODE 309491

3351901 RELAY 60.62 10A 230V 50/60Hz
 2 switching contacts



THIRODE 2001867H

3351605 RELAY 60.63 10A 230V 50/60Hz
 3 switching contacts



THIRODE 2001887H

3351021 RELAY 62.82 16A 230V 50/60Hz
 2 switching contacts



THIRODE 2001873H

3351602 RELAY 65.31 30A 250V
 1 cut-off contact
 coil 230V 50/60Hz



THIRODE 2001929H

Rotary switches

3057015 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm



THIRODE 300002

3057027 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 rear hole for thermostat
 for Fryer (MORICE)
 for Fryer electric (GIGA) SKF2E - Series 600
 Series 700 - Series 800 - Series 900
 for Grill (MORICE)
 for Hot plate (MORICE)
 for Kitchen (OM GAS) - Series MERCURY
 Series SCORPION
 for Kitchen (THIRODE) - Series 700 - Series 900
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



THIRODE 300176



Suitable for:

THIRODE



3057023 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)



THIRODE 300010

3057024 SELECTOR SWITCH 0-7 POSITIONS


contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750
for Kitchen electric (GICO) - Series 700
for Kitchen electric (GIGA) - Series 600
Series 700 - Series 800 - Series 900
for Kitchen electric (OFFCAR) - Series 700
Series 900
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
94/04CE - 94/04TCE



THIRODE 300011

3057306 SELECTOR SWITCH 4 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Oven under cooktop electric (THIRODE)
Series 1000 - Series 700 - Series 900



THIRODE 300051

3057270 SELECTOR SWITCH 5 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



THIRODE 300178

Solenoid valves

3120404 SOLENOID VALVE 230V \varnothing 10.5 mm

solenoid valve 90° - 230V 50/60Hz - max 90°C
3/4" inlet - 1 outlet \varnothing 10.5 mm



THIRODE 634085

3120405 SOLENOID VALVE 230V \varnothing 10.5 mm

solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



THIRODE 634084

3120407 SOLENOID VALVE 230V \varnothing 10.5 mm

solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets \varnothing 10.5 mm



THIRODE 634086

3120408 SOLENOID VALVE 230V \varnothing 13.5 mm

solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet \varnothing 13.5 mm



THIRODE 23458



THIRODE



Suitable for:

3120409 SOLENOID VALVE 230V \varnothing 13.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet \varnothing 13.5 mm



THIRODE 904693

Suitable for:

3120415 SOLENOID VALVE 230V \varnothing 13.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4"- 3 outlets \varnothing 13.5 mm



THIRODE 634089

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



THIRODE 2001650H

3120010 SOLENOID VALVE 352 220/240V \varnothing 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 14 mm



THIRODE 241447

THIRODE 241754

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - TI - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



THIRODE 308465

Sparking and detection plugs

3806001 ROUND IGNITION ELECTRODE \varnothing 6x44 mm
fitting \varnothing 9 mm
overall length 75 mm
for Honeywell burner
for Fryer gas (CAPIC) CTI - CTIB - C10 - TI - TIB



THIRODE

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



THIRODE 308480



Suitable for:

THIRODE



Suitable for:

3806002 ROUND SPARKING PLUG \varnothing 7x45 mm
 with cable length 1300 mm
 overall length with cable 1366 mm
 fitting \varnothing 9.5 mm
 for Bratt pan gas (THIRODE) SA41BMFIG
 for Fryer electric (THIRODE) FR18 - FR25
 for Pot stove gas (BONNET) 35041A21-BB9FV800FG



THIRODE 308468

THIRODE 308469

Springs

3250230 LID SPRING \varnothing 30x200 mm
 for BRATT PAN B9PSA50G



THIRODE 385051

3027001 THREADED ROD \varnothing 8x330 mm
 for BRATT PAN B9PSA50G



THIRODE 368358

3250231 OVEN DOOR SPRING \varnothing 24x81 mm
 for OVEN B9FV800FG



THIRODE 385420

3027001 THREADED ROD \varnothing 8x330 mm
 for BRATT PAN B9PSA50G



THIRODE 368358

Switches

3319729 BIPOLAR PUSH-BUTTON COMPLETE
 \varnothing 26 mm - total length 49 mm
 for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 133409

3319730 UNIPOLAR PUSH-BUTTON COMPLETE
 \varnothing 26 mm - total length 45 mm
 for Bratt pan gas (THIRODE) B9PSA50G



THIRODE 133410



Suitable for:

THIRODE



Suitable for:

Tangential fans

- 3526160 TANGENTIAL BLOWER 180x180 mm**
230V 50/60Hz - ø 60 mm DOUBLE
operating temperature -30°+100°C



THIRODE 504365

Thermocouples and accessories

- 3440154 THERMOCOUPLE M9x1 90 cm**
bulb ø 10x54 mm - with fixing connection M11x1
for PILOT HONEYWELL Q349-Q327



THIRODE 310144

- 3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**



THIRODE 310193

- 3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING**
with fitting M11x1



THIRODE

Thermostatic gas valves

- 3345018 THERMOSTATIC GAS COCK PEL25ST**
temperature range 100-300°C
fitting inlet/outlet M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x100 mm
D-shaped pin ø 8x6.5 mm
for Fry top
for Oven under cooktop



THIRODE



Suitable for:

THIRODE



Suitable for:

Thermostats

3444929 SINGLE-PHASE THERMOSTAT 140°C

with manual reset
capillary length 900 mm
bulb \varnothing 6x90 mm
for Bain-marie (THIRODE)
for Boiling pan (THIRODE)
for Fryer electric (THIRODE) FR18 - FR25



THIRODE 301054

3444908 SINGLE-PHASE THERMOSTAT 210°C

with manual reset
capillary length 900 mm
bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
for Fryer (THIRODE)



THIRODE 301027

3744010 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1800 mm
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
for Bain-marie (THIRODE) - Series 700 - Series 900
for Boiling pan (THIRODE) - Series 700
Series 900



THIRODE

3444913 SINGLE-PHASE THERMOSTAT 30-85°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x100 mm - with stuffing gland fitting M9x1
for Oven under cooktop (THIRODE) - Series 700
Series 900



THIRODE 301048

3444004 THERMOSTAT TR2 0-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



THIRODE 901017

3444198 THREE-PHASE THERMOSTAT 100-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Fryer (BARON)
for Fryer (BERTO'S)
for Fryer (OLIS) - Series 700 - Series 900
for Fryer electric (FRI FRI) D6 - D8
for Fryer electric (THIRODE) FR10



THIRODE 301062

3444562 THREE-PHASE THERMOSTAT 100-350°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 16A 230V
bulb \varnothing 6x80 mm
for Bratt pan (CHARVET) 800ESBC/L33



THIRODE 301006

3444925 THREE-PHASE THERMOSTAT 140°C

with automatic reset
capillary length 900 mm
bulb \varnothing 6x80 mm



THIRODE 301055



THIRODE



Suitable for:

3444959 THREE-PHASE THERMOSTAT 220°C

with manual reset
capillary length 1000 mm
bulb \varnothing 6x90 mm
for Fryer electric (THIRODE) FR10



THIRODE 301061

Suitable for:

3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x130 mm
with adapter nipple band M9x1
for Bain-marie (ZANUSSI)



THIRODE 901007

3444592 THREE-PHASE THERMOSTAT 340°C

with manual reset
capillary length 1190 mm
bulb \varnothing 4x128 mm
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
RF8DSP - RF8SP



THIRODE 301053

3444561 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1740 mm - 16A 230V
bulb \varnothing 6x80 mm



THIRODE 301005

3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
RF8DSP - RF8SP



THIRODE 301004

Timers

3446161 TIMER 12 HOURS C53

manually set mechanical timer
manually set cycle 12 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



THIRODE

3446156 TIMER 15 MINUTES C53

manually set mechanical timer
manually set cycle 15 minutes
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



THIRODE



Suitable for:

THIRODE



3446162 TIMER 24 HOURS C53

manually set mechanical timer
manually set cycle 24 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



THIRODE

Suitable for:

3446160 TIMER 6 HOURS C53

manually set mechanical timer
manually set cycle 6 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



THIRODE

3446158 TIMER 60 MINUTES C53

manually set mechanical timer
manually set cycle 60 minutes
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



THIRODE

Water filling taps

3359330 4-WAYS WATER INLET TAP ø 1/2"MM

fittings ø 1/2"MM
for Bain-marie (BONNET) B-MA-BM150G
for Boiling pan (BONNET)
for Boiling pan (THIRODE)



THIRODE 313054