



Spare parts for:
Pizza ovens



Suitable for:

EGO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included





Suitable for:

EGO



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EGO 5017011000

EGO 5017021000

EGO 5037011000

EGO 5037021000

EGO 5057011000

EGO 5057021010

Heating elements

3455463 HEATING ELEMENT 1200W 230V

for CEILING-DECK
length 690 mm - width 250 mm
flange 270x25 mm
for Pizza oven electric (GAM) MD4 - MD44 - MD6
MD66 - ME4 - ME6 - ME9 - MS4 - MS44 - MS6
MS66 - M4 - M6



EGO 2040806000

3455164 HEATING ELEMENT 400W 230V

for CEILING-DECK
inner length 635 mm
width 40 mm - fittings \varnothing 12 mm
larghezza 40 mm - raccordi \varnothing 12 mm
for Pizza oven electric (MORICE) RUSTIQUE



EGO 2433912023

Knobs

3241338 BLACK KNOB \varnothing 42 mm

D-shaped hole 6x4.6 mm
for Pizza oven (OEM) 10 - 11 - 4 - 5 - 8
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
15/DS - 22 - 23 - 32 - 33 - 34 - 66 - 69 - 77
96 - 99



EGO 0000524060

3241363 BLACK KNOB \varnothing 50 mm

D-shaped hole 6x4.6 mm



EGO 0000524083



Suitable for:

3444129 BLACK KNOB \varnothing 50 mm
D shaft hole 6x4.6 mm
with symbol
for thermostats and timers



EGO 524413

EGO 8335612010

Suitable for:

3444125 BLACK KNOB \varnothing 50 mm 30-90°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 0000524401

EGO 524401

EGO 8335601010

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



EGO 0000524834

EGO 524834

3444587 BLACK KNOB \varnothing 50 mm 85-460°C
D-shaped hole 6x4.6 mm
for Pizza oven (FORNITALIA) BIJOU 40 - BIJOU 60



EGO 524411

EGO 8335628010

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



EGO 0000617079


EGO 617079

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Pizza oven (OEM)



EGO 4942915707


3057216 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm
for Pizza oven electric (FORNITALIA) BIJOU 40
BIJOU 60



EGO 4941015702

EGO 4942915704

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



EGO 4942015000



Suitable for:


EGO



Suitable for:

5030542 SELECTOR SWITCH 2 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Pizza oven (CUPPONE) BS430/1M
for Pizza oven electric (CUPPONE) BASE520
BASE620 - BASE720.4 - BRUTUS - TZ420/1M
TZ425/1M - TZ425/2M - TZ430/1M - TZ430/2M
TZ435/1M - TZ435/2M



EGO 420290000

Thermostats

3444124 PROTECTION CAP
for security thermostat



EGO 0000525020

EGO 525020

3444784 SINGLE-PHASE THERMOSTAT 100-175°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb ø 6x130 mm



EGO 5519034800

3444590 SINGLE-PHASE THERMOSTAT 250°C
with manual reset
covered capillary length 1470 mm - 16A 250V
bulb ø 6x87 mm



EGO 5510544802

EGO 5519544020

3744051 SINGLE-PHASE THERMOSTAT 40-500°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb ø 4x220 mm
for Pizza oven electric (MORETTI) PIZZY D105.105
PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105
PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60
PIZZY M65.105



EGO 5519084800

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm
for Pizza oven (ZANOLLI)
for Pizza oven (ZANUSSI)



EGO 5519062800

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 3x220 mm
for Pizza oven electric (CF CENEDESE) FP36 - FP66



EGO 5519062802

EGO 5519062806



Suitable for:

Suitable for:

3744116 SINGLE-PHASE THERMOSTAT 50-355°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 850 mm - 16A 250V
bulb \varnothing 3x153 mm
for Pizza oven electric (SAMMIC) FP6+6



EGO 5517072010

3444584 SINGLE-PHASE THERMOSTAT 50-360°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x172 mm
for Pizza oven electric (OEM) MF1 - MF2 - MF3
10/DS - 11/DS - 15/DS - 4/DS - 5/DS - 8/DS



EGO 5519072802

3241338 BLACK KNOB \varnothing 42 mm

D-shaped hole 6x4.6 mm
for Pizza oven (OEM) 10 - 11 - 4 - 5 - 8
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
15/DS - 22 - 23 - 32 - 33 - 34 - 66 - 69 - 77
96 - 99



EGO 0000524060

3444305 SINGLE-PHASE THERMOSTAT 50-500°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm
for Pizza oven electric (FIMAR) FMEW6 - FMEW66
FME4 - FME44 - FME6 - FME66 - FME9 - FME99
FMLW6 - FMLW66 - FML4 - FML44 - FML6 - FML66
FML9 - FML99 - FYE4 - FYE44 - FYE6 - FYE66
FYL4 - FYL44 - FYL6 - FYL66 - MINI



EGO 5519082802

3444301 SINGLE-PHASE THERMOSTAT 500°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x230 mm
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
22 - 23 - 32 - 33 - 34 - 66 - 69 - 77 - 96
99



EGO 5510582800

EGO 5519582030



Suitable for:

EGO



Suitable for:

3444585 SINGLE-PHASE THERMOSTAT 500°C
 with automatic reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x228 mm
 for Pizza oven gas (ITALFORNI) ECOGAS A - ECOGAS B
 ECOGAS C



EGO 5519182800

3444588 SINGLE-PHASE THERMOSTAT 500°C
 with manual reset
 covered capillary length 1470 mm - 16A 250V
 bulb \varnothing 4x228 mm
 for Pizza oven electric (MORETTI) AHB - AHC - AHK
 AMALFI B - AMALFI C - AMALFI K - ID105.65D
 ID105.65M - ID60.60D - ID60.60M - ID65.105D
 ID65.105M - MHB - MHC - MHK - P120EB - P120EC
 P120EK - P60EB - P60EC - P60EK - P80EB - P80EC
 P80EK - RHB - RHC - RHK
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
 ZMMDE4 - ZMMDE6
 for Pizza oven gas (MORETTI) PC110GAS
 for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4
 ZMMDG6 - ZMMDG8



EGO 5510584800

EGO 5519584010

3444580 SINGLE-PHASE THERMOSTAT 60-200°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x74 mm



EGO 5519034802

3444299 SINGLE-PHASE THERMOSTAT 60-500°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1150 mm - 16A 250V
 bulb \varnothing 4x310 mm
 for Pizza oven electric (ZANUSSI) FP/E18 - FP/E30
 FZ/E18
 for Pizza oven gas (ZANUSSI) FZ/G18



EGO 5173948130

EGO 6473948160

3444586 SINGLE-PHASE THERMOSTAT 75-450°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x228 mm
 for Pizza oven (ITALFORNI) TK2A
 for Pizza oven electric (MORETTI) PD105.105
 PD105.65 - PD60.60 - PD65.105 - PIZZY D105.105
 PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105
 PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60
 PIZZY M65.105 - PM105.105 - PM105.65 - PM60.60
 PM65.105



EGO 5519082805

3444787 SINGLE-PHASE THERMOSTAT 84-422°C
 D-shaft \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 4x163 mm
 for Pizza oven (ZANOLLI) - Series CITIZEN
 for Pizza oven electric (ZANOLLI) EP65



EGO 5519082812



Suitable for:

3444792 SINGLE-PHASE THERMOSTAT 85-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm
for Pizza oven (CUPPONE) BS430.1M



EGO 5519082808

3444191 THREE-PHASE THERMOSTAT 50-500°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm - 10A 400V
bulb \varnothing 4x310 mm
for Pizza oven (EGD)



EGO 5534089010

3444583 THREE-PHASE THERMOSTAT 500°C

with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm
for PIZZA OVEN BABY2-50/BABY2-60



EGO 5532582823

3444788 3-PHASE THERMOSTAT 500°C

with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm
for Pizza oven (ZANOLLI) - Series CITIZEN6
for Pizza oven electric (ZANOLLI) PLANET5
PLANET8 - SYNTHESIS05-40 - SYNTHESIS08-50
SYNTHESIS10-65V - SYNTHESIS10-75 - T2POLISM C18
T2POLISM C28 - T3POLISM C18 - T3POLISM C28
T4POLISM C18 - T4POLISM C28 - T6POLISM C18
T6POLISM C28
for Pizza oven gas (ZANOLLI) CITIZEN9



EGO 5532582800

EGO



Suitable for:

3444452 THREE-PHASE THERMOSTAT 50-450°C

D-shaped pin 6x4.6 mm
capillary length 1200 mm - 10A 400V
bulb \varnothing 4x228 mm
for Pizza oven electric (GAM) MD4 - MD44 - MD6
MD66 - MS4 - MS44 - MS6 - MS66 - M4 - M6



EGO 5534083802

3444714 THREE-PHASE THERMOSTAT 50-500°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1200 mm - 16A 380V
bulb \varnothing 4x228 mm
for Pizza oven electric (TORNATI FORNI) BABY2/50



EGO 5534093800

EGO 6373948000

3444399 THREE-PHASE THERMOSTAT 580°C

with manual reset
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 4x165 mm
for Pizza oven (CUPPONE)
for Pizza oven (ZANUSSI)



EGO 5532582814

EGO 5532583804