



Spare parts for:

Pizza ovens



Suitable for:

ELECTROLUX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11251502





Suitable for:

ELECTROLUX



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ELECTROLUX 0C1478
ELECTROLUX 0E2261
ELECTROLUX 058855

ELECTROLUX 0C4106
ELECTROLUX 002656

ELECTROLUX 0C4423
ELECTROLUX 002690

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



ELECTROLUX 006125

Cables for piezo igniters

3001019 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



ELECTROLUX 005559

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ELECTROLUX 004943


Contactors

3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



ELECTROLUX 004159


3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX 003027


ELECTROLUX 004206

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ELECTROLUX 086169

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX 048519

ELECTROLUX 075796



Suitable for:

ELECTROLUX



Suitable for:

Door glasses for oven and accessories

3519011 DOOR GLASS 385x135x5 mm
for Pizza oven (MORETTI)
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4
ZMMDG6 - ZMMDG8



ELECTROLUX 003450

3519012 DOOR GLASS 385x163x5 mm
for Pizza oven (ZANUSSI)
for Pizza oven electric (TORNATI FORNI) AHB - AHC
AHK



ELECTROLUX 003453

3519010 DOOR GLASS 697x135x5 mm
for Pizza oven (MORETTI)
for Pizza oven (ZANUSSI)



ELECTROLUX 003454

3520051 OVEN DOOR GLASS 320x100x5 mm
for Pizza oven electric (CUPPONE) BASE520
BASE620 - BASE720.4 - BASE720.6 - MICRO



ELECTROLUX 004135

Electrical gas valves and accessories

3440200 TWIN LEAD THERMOPILE 580 mm



ELECTROLUX 002607

3526406 VALVE VR4605A HONEYWELL
inlet - outlet \varnothing 18 mm not threaded
thermocouple connection pitch ASA
gas max. inlet pressure 60 mbar
room temperature 0÷60°C
power supply 220/240V 50Hz
for MORETTI PIZZA OVEN PC/GAS-TEVERE HI/TECH
TIVOLI GAS HI/TECH-TREVI GAS-R14G
for ZANUSSI PIZZA OVEN ZMMDG4-ZMMDG6-ZMBDG8-
ZMBDG12



ELECTROLUX 003473



Suitable for:

3526144 VALVE V4600A HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting pitch ASA
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Pizza oven gas (ZANUSSI) FZ/G18



ELECTROLUX 002178

Suitable for:

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Pizza oven gas



ELECTROLUX 002606

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Pizza oven gas (ZANUSSI) ZCBDG12 - ZCBDG18
 ZCBDG8



ELECTROLUX 002340

ELECTROLUX 005897

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834



ELECTROLUX



Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 max.gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min.2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified



ELECTROLUX 002714

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

Suitable for:

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

Electronic boxes

3526402 CONTROL BOX S4560A1008
 model HONEYWELL - 220/240V 50Hz 10VA
 for Pizza oven (TORNATI FORNI) ROTOR 5/7
 ROTOR 7/10
 for Pizza oven gas (TORNATI FORNI) TF60 - TF90
 TF99



ELECTROLUX 0E1499

ELECTROLUX 002351

3091012 CONTROL BOX 503 EDF FOR TANDEM
 model SIT - 220/240V 50/60Hz 7VA
 for Pizza oven (CUPPONE)
 for Pizza oven gas (ZANUSSI) ZCBDG12 - ZCBDG18
 ZCBDG8



ELECTROLUX 005898



Suitable for:


ELECTROLUX



Suitable for:

Electronic printed-circuit boards

3390116 CONTROL ELECTRONIC BOARD 175x65 mm
 for Pizza oven (CUPPONE) - Series VIP
 for Pizza oven electric (CUPPONE) TECHNO/30
 TECHNO/35



ELECTROLUX 004211

3390122 ELECTRONIC POWER CIRCUIT BOARD 200x180 m
 for Pizza oven electric (CUPPONE) VIP12 - VIP9



ELECTROLUX 004213

Electronic thermostats and controllers

3445073 THERMOSTAT EVK411 TCJ
 power supply 12Vca/dc 1.5VA
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 16A
 alarm buzzer
 access to configuration parameters through
 password - TTL serial port
 room temperature 0+60°C
 thermocouple TCJ type probe (not included)
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29mm



ELECTROLUX 004109

ELECTROLUX 053540

3445109 PROBE TCJ EC-SND-2312 3000 mm
 2 wires - temperature range -50+350°C
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm
 vetrotex cable



ELECTROLUX 004116

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELECTROLUX 0A2269

ELECTROLUX 004120

ELECTROLUX 082378

ELECTROLUX 083833



Suitable for:

ELECTROLUX



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ELECTROLUX 0A2482
ELECTROLUX 005270

ELECTROLUX 0C1605
ELECTROLUX 026861

ELECTROLUX 0K8611
ELECTROLUX 055016

Gas taps and accessories

3348062 CAP WITH PIN \varnothing 10x8 mm

pin length 35 mm
for model PEL 23



ELECTROLUX 059853

3348029 FITTING FOR PIPE \varnothing 4 mm

for model PEL 21-22



ELECTROLUX 052125

3348011 GAS TAP 23/0

with pilot flame
with horizontal flange
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX 054811

ELECTROLUX 059505

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



ELECTROLUX 003859

3348037 PILOT OLIVE FOR PIPE \varnothing 6 mm

for model PEL 21-22



ELECTROLUX 020992

3348034 PIPE FITTING \varnothing 16 mm

for model PEL 23



ELECTROLUX 054816



Suitable for:

3348035 PIPE FITTING \varnothing 20 mm
for model PEL 23



ELECTROLUX 054814

Suitable for:

3348042 PIPE OLIVE \varnothing 20 mm
for model PEL 23



ELECTROLUX 054815

Handles

3242343 HAND GUARD WASHER



ELECTROLUX 004195

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



ELECTROLUX 003010

ELECTROLUX 053990

3242217 PIN FOR OVEN DOOR HANDLE M6x1
dimensions \varnothing 12x66 mm
for OVEN



ELECTROLUX 053766

3242206 SPRING FOR DOOR HANDLE 176 mm



ELECTROLUX 054282

3526137 BUTTON FOR ELETTROSIT VALVE



ELECTROLUX 053820

ELECTROLUX 053992

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm



ELECTROLUX 053757



Suitable for:

3242337 OVEN DOOR HANDLE ø 26x80 mm M10
for Pizza oven electric (CUPPONE) BASE520
BASE620 - BASE720.4 - BASE720.6 - BRUTUS



ELECTROLUX 0KQ193

ELECTROLUX 004148

Suitable for:

3242343 HAND GUARD WASHER



ELECTROLUX 004195

3242336 OVEN DOOR HANDLE ø 29x90 mm M10
for Pizza oven electric (CUPPONE) MAX



ELECTROLUX 004107

3242343 HAND GUARD WASHER



ELECTROLUX 004195

3242592 OVEN DOOR HANDLE ø 50 mm M10x1 BLACK
for Pizza oven electric (MORETTI) AHB - AHK
AMALFI - BAKY5TE - BAKY5TM - MHB - MHC - MHK
P120EB - P120EC - P120EK - P60E - P80EB
P80EC - P80EK



ELECTROLUX 0KM993

Heating elements

3755781 HEATING ELEMENT 1000W 230V
for DECK
length 690 mm - width 185 mm
flange 220x30 mm
for Pizza oven electric (CUPPONE) PA26 - PA6



ELECTROLUX 004151

3755797 HEATING ELEMENT 1300W 115V
for CEILING
overall length 910 mm
inner length 800 mm
width 95 mm - flange 125x22 mm
for Pizza oven electric (MORETTI) MHB - MHC - MHK
P60E - P80EB - P80EC - P80EK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6



ELECTROLUX 003469



Suitable for:

ELECTROLUX



3355741 HEATING ELEMENT 1400W 230V
 for CEILING
 length 575 mm - width 160 mm
 flange 220x30 mm
 for Pizza oven electric (CUPPONE)
 for Pizza oven electric (ZANUSSI) ZCBME12
 ZCBME18 - ZCBME8 - ZCMME4 - ZCMME6 - ZCMME9



ELECTROLUX 004152

3755766 HEATING ELEMENT 1500W 230V
 for DECK
 overall length 990 mm
 inner length 895 mm
 width 250 mm - fittings \varnothing 12 mm
 for Pizza oven electric (CUPPONE)
 Series EXELSIOR - TECHNO/30 - Series VIP



ELECTROLUX 004201

3755763 HEATING ELEMENT 2000W 230V
 for CEILING
 length 870 mm - width 175 mm
 flange 220x30 mm
 width 175 mm - flange 220x30 mm
 for Pizza oven electric (CUPPONE) PA29 - PA9 - P9
 P99



ELECTROLUX 004154

3455285 HEATING ELEMENT 250W 220V
 length 240 mm - width 98 mm
 height 100 mm - fittings \varnothing 12 mm
 for Pizza oven electric (MORETTI) P60E - P80E



ELECTROLUX 0KM985

Suitable for:

3755762 HEATING ELEMENT 1500W 230V
 for DECK
 length 870 mm - width 150 mm
 flange 220x30 mm
 width 150 mm - flange 220x30 mm
 for Pizza oven electric (CUPPONE) PA29 - PA9



ELECTROLUX 004153

3755761 HEATING ELEMENT 2000W 230V
 for CEILING
 length 1000 mm - width 240 mm
 for Pizza oven electric (CUPPONE) TECHNO/30
 VIP29 - VIP9



ELECTROLUX 004202

3755786 HEATING ELEMENT 2150W 230V
 for CEILING-DECK
 length 760 mm - width 570 mm
 fittings \varnothing 13 mm
 for Pizza oven electric (MORETTI) PIZZY DUO 60.60
 PIZZY MONO 60.60



ELECTROLUX 0KM980

3755793 HEATING ELEMENT 450W 110V
 for DECK
 overall length 715 mm
 inner length 600 mm
 width 95 mm - flange 125x22 mm
 for Pizza oven electric (MORETTI) MHB - MHC - MHK
 P60E - P80EB - P80EC - P80EK
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
 ZMMDE4 - ZMMDE6



ELECTROLUX 003460



Suitable for:

3755799 HEATING ELEMENT 600W 110V

for DECK
overall length 915 mm
inner length 800 mm
width 95 mm - flange 125x22 mm
for Pizza oven electric (MORETTI) MHB - MHC - MHK
P60E - P80EB - P80EC - P80EK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6



ELECTROLUX 003462

Suitable for:

3755792 HEATING ELEMENT 650W 110V

for CEILING
overall length 720 mm
inner length 600 mm
width 95 mm - flange 125x22 mm
for Pizza oven electric (MORETTI) MHB - MHC - MHK
P60E - P80EB - P80EC - P80EK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6



ELECTROLUX 003459

3755791 HEATING ELEMENT 910W 115V

for CEILING
overall length 710 mm
inner length 600 mm
width 90 mm - flange 125x22 mm
for Pizza oven electric (MORETTI) MHB - MHC - MHK
P60E - P80E - P80EB - P80EK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6



ELECTROLUX 003468

Hinges, catches and accessories

3053514 ALUMINUM LEFT HINGE

for Pizza oven (ZANUSSI)
for Pizza oven electric (MORETTI) AHB - AHC - AHK
AMALFI - MHB - MHC - MHK - PIZZY DUO105.105
PIZZY DUO105.65 - PIZZY DUO65.105
PIZZY MONO105.105 - PIZZY MONO105.65
PIZZY MONO65.105 - P120EB - P120EK - P60E
P80EB - P80EC - P80EK - RHB - RHC - RHK
for Pizza oven gas (MORETTI) PC110GAS



ELECTROLUX 000005

3053513 BUSHING FOR LEFT DOOR HINGE

for Pizza oven electric (MORETTI) AHB - AHC - AHK
AMALFI - MHB - MHC - MHK - P120EB - P120EC
P120EK - P60E - P80EB - P80EC - P80EK - RHB
RHC - RHK
for Pizza oven gas (MORETTI) PC/GAS - PC110GAS



ELECTROLUX 0KN008



Suitable for:

ELECTROLUX



Suitable for:

3053509 PIN FOR LEFT HINGE

for Pizza oven electric (MORETTI) AHB - AHC - AHK
AMALFI - MHB - MHC - MHK - P120EB - P120EC
P120EK - P120PC - P60E - P80EB - P80EC - P80EK
RHB - RHC - RHK
for Pizza oven gas (MORETTI) P110GAS - P120GAS



ELECTROLUX 0KN001

Knobs

3241825 BLACK KNOB \varnothing 42 mm 0-65°C

for thermostat+switch
D-shaped hole \varnothing 6x4.6 mm



ELECTROLUX 003501

3241517 BLACK KNOB \varnothing 45 mm

D-shaped hole 6x4.6 mm
for thermostat
for Pizza oven electric (ZANUSSI) ZCBME12
ZCBME18 - ZCBME8 - ZCMME4 - ZCMME6 - ZCMME9



ELECTROLUX 004146

3241810 BLACK KNOB \varnothing 53 mm 0-10

D-shaped hole 6x4.6 mm
for Pizza oven (MORETTI) PIZZY D - PIZZY M
105.105 - 105.65 - 60.60 - 65.105



ELECTROLUX 0KM996

3241400 BLACK KNOB \varnothing 70 mm UNIVERSAL

D shaft hole 10x8 mm



ELECTROLUX 059062

3241516 RED KNOB \varnothing 33 mm

square hole 5x5 mm
for selector switch
for Pizza oven electric (CUPPONE) TECHNO/30
TECHNO/35



ELECTROLUX 004147

Lamps**3221349 GLASS F.OVEN RECEPTACLE LAMP ø 72 mm**

for Pizza oven electric (MORETTI) PIZZY D105.65
PIZZY D60.60 - PIZZY D65.105 - PIZZY M105.65
PIZZY M60.60 - PIZZY M65.105 - P120EB - P120EC
P60E - P80EB - P80EC - P80EK - RHB - RHC - RHK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6
for Pizza oven gas (MORETTI) PC/GAS - P110GAS
for Pizza oven gas (ZANUSSI) ZMBDG12 - ZMBDG8
ZMMDG4 - ZMMDG6



ELECTROLUX 003451

ELECTROLUX 004163

3221132 GREEN INDICATOR LAMP 230V

head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX 004169

ELECTROLUX 058544

3221034 GREEN INDICATOR LAMP 400V

head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX 004157

3221469 LAMP RECEPTACLE FOR LAMP G9 33W 230V

mounting hole ø 50 mm
for Pizza oven electric (MORETTI) PIZZY D105.65
PIZZY D60.60 - PIZZY D65.105 - PIZZY M105.65
PIZZY M60.60 - PIZZY M65.105 - P120EB - P120EC
P120EK - P60E - P80EB - P80EC - P80EK - RHB
RHC - RHK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6
for Pizza oven gas (MORETTI) PC/GAS - P110/GAS
for Pizza oven gas (ZANUSSI) ZMBDG12 - ZMBDG8
ZMMDG4 - ZMMDG6



ELECTROLUX 003464

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Pizza oven electric (CUPPONE) PA24



ELECTROLUX 054319

ELECTROLUX 054840



Suitable for:

3221351 LAMP RECEPTACLE GASKET ø 70 mm
for Pizza oven (CUPPONE)
for Pizza oven (ZANUSSI)



ELECTROLUX 005875

Suitable for:

3221649 LAMP RECEPTACLE WITH GLASS E14
WITHOUT BULB
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C
for Pizza oven (CUPPONE)
for Pizza oven (PIZZA GROUP)
for Pizza oven (WHIRLPOOL)
for Pizza oven (ZANUSSI)



ELECTROLUX 004160

3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 54 mm
mounting hole ø 45 mm
max temperature 300°C
for Pizza oven electric (ZANUSSI) FP/E18 - FP/E30
FZ/E18
for Pizza oven gas (ZANUSSI) FZ/G18



ELECTROLUX 056708

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C
for Pizza oven (ZANUSSI)



ELECTROLUX 004160

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Pizza oven electric (MORETTI) M130C - M90C



ELECTROLUX 0C2803

ELECTROLUX 002956

ELECTROLUX 007056

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C



ELECTROLUX 004895
ELECTROLUX 048832

ELECTROLUX 046241

ELECTROLUX 048488

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX 005215

ELECTROLUX 058522



Suitable for:


3221014 ORANGE INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



ELECTROLUX 0KM981

Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Pizza oven electric (CUPPONE) PA24



ELECTROLUX 054319

ELECTROLUX 054840

Leak detektors for gas

3394009 GAS LEAK FINDER SE151NM
for natural gas and lpg leaks finding.
standard 4 batteries 1.5V power supply
battery life 7 hours of continuous working
with imitation leather case
calibration is reached through sensitivity adjustm
in no polluting gas air so that
the buzzer gives one pulse every second.
As soon as the sensor is in a polluted
environment the pulses frequency
increases.



ELECTROLUX 0S2023

Microswitches

3240407 MECHANICAL MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



ELECTROLUX 069484

3240123 MICROSWITCH 16A 250V
for Pizza oven electric (MORETTI) M130C - M90C



ELECTROLUX 0KI505



Suitable for:

ELECTROLUX



Suitable for:

Piezo ignitors

3001007 PIEZO IGNITER

a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



ELECTROLUX 0H6070

ELECTROLUX 058497

Pilot burners and accessories

3020199 THREE-FLAME PILOT BURNER SIT

supplied without sparking plug, nozzle and gasket



ELECTROLUX 002783

3020077 FITTING FOR PIPE \varnothing 4 mm



ELECTROLUX 046755

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

3020085 NUT FOR SPARKING PLUG CONNECTION



ELECTROLUX 057960

3020111 OLIVE FOR 4 mm \varnothing PIPE



ELECTROLUX 053665

3020040 PILOT JET \varnothing 0.30 mm



ELECTROLUX 053667

ELECTROLUX 057388

3020041 PILOT JET \varnothing 0.41 mm



ELECTROLUX 053670



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ELECTROLUX 052610
ELECTROLUX 059380

ELECTROLUX 056720
ELECTROLUX 059988

ELECTROLUX 057410

ELECTROLUX



Suitable for:

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



ELECTROLUX 003859

Probes

3445109 PROBE TCJ EC-SND-2312 3000 mm
2 wires - temperature range $-50+350^{\circ}\text{C}$
error limits $\pm 0.75\%$ below 0°C
30 seconds response time
bulb \varnothing 6x100 mm
vetrotex cable



ELECTROLUX 004116

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ELECTROLUX 050302

ELECTROLUX 083583

3397116 TEMPERATURE PROBE TCK
2 wires
probe length 240 mm - \varnothing probe 3 mm
cable length 1460 mm
for Pizza oven electric (CUPPONE) TECHNO30
TECHNO35



ELECTROLUX 004209

3440147 THERMOCOUPLE SENSOR 100 mm FOR "UL"
supplied with olive
terminal block connection
for Pizza oven electric (MORETTI) MHB - MHC - MHK
M130C - M90C - P120EB - P120EC - P120EK - P60E
P80EB - P80EK - RHB - RHC - RHK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6



ELECTROLUX 003439

Rating-plates

3390117 ADHESIVE ELECTRONIC PLATE 80x180 mm
for Pizza oven electric (CUPPONE) TECHNO/30
TECHNO/35VIP



ELECTROLUX 004196



Suitable for:


ELECTROLUX



Suitable for:

Relays

3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



ELECTROLUX 0PE302

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



ELECTROLUX 0A2205
ELECTROLUX 054376

ELECTROLUX 0KT779

ELECTROLUX 006712

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Pizza oven (OEM)



ELECTROLUX 032677

3057131 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 20A 500V - max 75°C
square pin 5x5 mm
for Pizza oven electric (CUPPONE) TECHNO/35
TECHNO/40
for Pizza oven electric (ZANUSSI) ZCBME12 - ZCBME8
ZCBM18 - ZCMME4 - ZCMME6 - ZCMME9



ELECTROLUX 004156

Shock absorbers

4033241 SHOCK ABSORBER FOR COVER 0150N
186/11 HC13
overall length 280 mm



ELECTROLUX 033241



Suitable for:

Suitable for:

Sparking and detection plugs

3020445 ROUND DETECTION PLUG \varnothing 7x36 mm

with cable length 1650 mm
overall length with cable 1940 mm
for Pizza oven gas (MORETTI) PC/GAS
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4
ZMMDG6 - ZMMDG8



ELECTROLUX 003472

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm

female connection
overall length 58 mm



ELECTROLUX 054336

ELECTROLUX 056754

3020442 SPARKING PLUG 82x15 mm

with cable length 570 mm
overall length with cable 660 mm
for Pizza oven gas (MORETTI) PC/GAS
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4
ZMMDG6 - ZMMDG8



ELECTROLUX 003471

Springs

3250206 SPRING FASTENING BUSHING

for MORETTI OVEN AHK-AHC-AHB-AMALFI K-AMALFI C-
AMALFI B-MHK-MHC-MHB-P60E-P80EK-P80EC-P80EB-
P110/GAS-P120EK-P120EC-P120EB-PC/GAS-
PIZZY MONO/DUO 65.105-105.105-105.65-RHK-RHC-RHB



ELECTROLUX 0KM998



Suitable for:

ELECTROLUX



Suitable for:

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light and switch cover
 screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm
 for Pizza oven electric (ZANUSSI)



ELECTROLUX 053810

3319533 GREEN BIPOLAR SWITCH 16A 250V
 with indicator lamp
 "lamp" silk-screen print
 max temperature 120°C
 mounting hole 22x30 mm
 for Pizza oven electric (MORETTI) PIZZY D105.105
 PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105
 PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60
 PIZZY M65.105



ELECTROLUX 0KM977

3319944 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light
 0-I silk-screen printing
 temperature max 120°C
 mounting hole 22x30 mm



ELECTROLUX 056703

3319175 GREEN CHANGE OVER SWITCH 16A 24V
 with indicator lamp
 max temperature 120°C
 mounting hole 22x30 mm
 for Pizza oven electric (CUPPONE)



ELECTROLUX 004158

3319967 GREEN SINGLE-POLE SWITCH 16A 250V
 max temperature 120°C
 mounting hole 11x30 mm



ELECTROLUX 004110

1319202 GREEN TWO-POLE SWITCH 16A 250V
 with indicator lamp
 silk-screen printing 0 - I
 temperature max 120°C
 mounting hole 22x30 mm
 for Pizza oven electric (MORETTI) AHB - AHC - AHK
 AMALFI B - AMALFI C - AMALFI K - BAKY - MHB
 MHC - MHK - PIZZY DUO105.105 - PIZZY DUO105.65
 PIZZY DUO65.105 - PIZZY D105.105
 PIZZY D105.65 - PIZZY D65.105
 PIZZY MONO105.105 - PIZZY MONO105.65
 PIZZY MONO65.105 - PIZZY M105.105
 PIZZY M105.65 - PIZZY M65.105 - RHB - RHC
 RHK
 for Pizza oven gas (MORETTI) PC/GAS - P110GAS



ELECTROLUX 056703

ELECTROLUX 081680

Suitable for:

Suitable for:

3319015 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp
silk-screen print 0 - I
max temperature 120°C
mounting hole 22x30 mm



ELECTROLUX 005899

Telethermometers

3441058 WHITE TELETHERMOMETER ø 60 mm 0-500°C

metal sheath
capillary length 700 mm
bulb ø 9x50 mm
for Pizza oven electric (CUPPONE) BASE520
BASE620 - BASE720.4 - BASE720.6



ELECTROLUX 004162

Terminal blocks

3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ELECTROLUX 0W3543

3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ELECTROLUX 053805

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ELECTROLUX 054042



Suitable for:

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX 046347

Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX 005420

ELECTROLUX 058613

Thermocouples and accessories

3440038 THERMOCOUPLE SIT M9x1 120 cm



ELECTROLUX 0K3464

ELECTROLUX 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELECTROLUX 0K3464

ELECTROLUX 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELECTROLUX 0K3464

ELECTROLUX 020094

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX 052814

ELECTROLUX 058386

3440036 THERMOCOUPLE SIT M9x1 85 cm.



ELECTROLUX 052814

ELECTROLUX 058386

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX 052814

ELECTROLUX 058386

Thermostats

3444124 PROTECTION CAP
for security thermostat



ELECTROLUX 0A2187

3744050 SINGLE-PHASE THERMOSTAT TR2 9325 0-65°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb \varnothing 6x90 mm
for Pizza oven (ZANUSSI) ZAFZ/75
for Pizza oven electric (ZANUSSI) AFP75 - AFZ50
AFZ75



ELECTROLUX 056725



Suitable for:

3744051 SINGLE-PHASE THERMOSTAT 40-500°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb \varnothing 4x220 mm
for Pizza oven electric (MORETTI) PIZZY D105.105
PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105
PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60
PIZZY M65.105



ELECTROLUX 056701

Suitable for:

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Pizza oven (ZANOLLI)
for Pizza oven (ZANUSSI)



ELECTROLUX 005421

3444588 SINGLE-PHASE THERMOSTAT 500°C

with manual reset
covered capillary length 1470 mm - 16A 250V
bulb \varnothing 4x228 mm
for Pizza oven electric (MORETTI) AHB - AHC - AHK
AMALFI B - AMALFI C - AMALFI K - ID105.65D
ID105.65M - ID60.60D - ID60.60M - ID65.105D
ID65.105M - MHB - MHC - MHK - P120EB - P120EC
P120EK - P60EB - P60EC - P60EK - P80EB - P80EC
P80EK - RHB - RHC - RHK
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
ZMMDE4 - ZMMDE6
for Pizza oven gas (MORETTI) PC110GAS
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4
ZMMDG6 - ZMMDG8



ELECTROLUX 003456

3444299 SINGLE-PHASE THERMOSTAT 60-500°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 16A 250V
bulb \varnothing 4x310 mm
for Pizza oven electric (ZANUSSI) FP/E18 - FP/E30
FZ/E18
for Pizza oven gas (ZANUSSI) FZ/G18



ELECTROLUX 056701

3444792 SINGLE-PHASE THERMOSTAT 85-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm
for Pizza oven (CUPPONE) BS430.1M



ELECTROLUX 004108

ELECTROLUX 004155

3444399 THREE-PHASE THERMOSTAT 580°C

with manual reset
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 4x165 mm
for Pizza oven (CUPPONE)
for Pizza oven (ZANUSSI)



ELECTROLUX 004205



Suitable for:

ELECTROLUX



Suitable for:

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ELECTROLUX 0A2269
ELECTROLUX 083833

ELECTROLUX 004120

ELECTROLUX 082378