



Spare parts for:
Pizza ovens



Suitable for:

OEM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2013-11251545





Suitable for:

OEM



Suitable for:

Axial motors

3240505 AXIAL VENTILATOR 92x92x25 mm
2.1W 24V
for Pizza oven electric (OEM) TL/105L



OEM ES278

Bearings

3063052 BEARING 6003
ø ext. 35 mm- ø int. 17 mm - thickness 10 mm
for Pizza oven (OEM)



OEM AB154

3063051 BEARING 6200
external ø 30 mm-internal ø 10 mm-thickness 9 mm
for Pizza oven (OEM) CM1/1000



OEM AB119

Contact thermostats

3443061 CONTACT THERMOSTAT 175°C 10A 250V



OEM ED064

Contactors


3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



OEM EN005

OEM EN082

3446582 CONTACTOR LOVATO BF1810A
coil 18A 230V 50/60Hz 7.5Kw
3 normally open contacts
1 normally open auxiliary contact



OEM EN007



Suitable for:

OEM



Suitable for:

Door glasses for oven and accessories

3520036 OVEN DOOR GLASS 410x131x4 mm
 for Pizza oven electric (OEM) DOMITO ELECTRO1
 DOMITOR - DS430E - DS430M - DS435E - DS435M
 DS830E - DS830M - MF10S - MF11S - MF15S - MF4S
 MF5S - MF8S - MILLENIUM - MM2/TL - MM2/TS
 MM435 - MM635L - MM635S - MM935 - 10/DS - 109
 11/DS - 111 - 15/DS - 4/DS - 5/DS - 66 - 77
 8/DS - 96 - 99



OEM AL276

OEM AL27600

3786089 DOOR GLASS GASKET 420x155 mm
 COLOUR WHITE
 for Pizza oven electric (OEM) MF10 - MF11 - MF15
 MF4 - MF5 - MF8



OEM AL278

Electrical gas valves and accessories

3526017 VALVE VK4115V HONEYWELL ø 18 mm
 inlet-outlet ø 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature -15 ÷ 70°C
 power supply 220/240V 50Hz
 for Pizza oven gas (OEM) - Series GHIBLI



OEM GA286

Electronic thermostats and controllers

3442012 THERMOREGULATOR PIXSYS ATR171 -200+600°C
 power supply 24/115/230Vac 50/60Hz
 plastic body
 black dial 72x72 mm
 contact capacity 8A 250V
 supplied without probe PT100
 mounting hole 66.5x66.5 mm
 for Pizza oven electric (OEM)
 ELECTRONIC
 22 - 23 - 32 - 33 - 34



OEM ED018

3442013 TEMPERATURE PROBE TYPE J
 2 wires
 bulb ø 2x280 mm
 cable length 1500 mm
 for Pizza oven electric (OEM) MF10 - MF11 - MF15
 MF4 - MF5 - MF8 - 109 - 111 - 22 - 23 - 32
 33 - 34 - 66 - 69 - 77 - 96 - 99



OEM ED019

OEM ED065



Suitable for:

OEM



Suitable for:

3445140 THERMOSTAT IC912/H PT100/TCJ
 power supply 250V
 thermostat setting range 0°+600°C
 ON-OFF control with one actuation point
 1 exchange relay output 8(3)A 250V
 display of error messages
 room temperature -5+65°C
 TCJ-PT100 type probe (not included)
 connections by screwed terminal block
 front dimension 74x32x67 mm
 mounting hole 71x29 mm
 for Pizza oven electric (OEM) MF10S - MF11S
 MF15S - MF4S - MF5S - MF8S - 109 - 111 - 66
 69 - 77 - 96 - 99



OEM ED051

OEM ED077

Gaskets for oven door

3786089 DOOR GLASS GASKET 420x155 mm
 COLOUR WHITE
 for Pizza oven electric (OEM) MF10 - MF11 - MF15
 MF4 - MF5 - MF8



OEM AL278

Guard grids

3240506 FAN PROTECTION 160x160x25 mm
 for Pizza oven electric (OEM) TL/105L



OEM QAL26

Handles

3242426 OVEN DOOR HANDLE ø 30x110 mm M7x1
 for Pizza oven electric (OEM) MF1 - MF10 - MF11
 MF15 - MF2 - MF22 - MF23 - MF3 - MF32 - MF33
 MF34 - MF4 - MF5 - MF8 - 109 - 111 - 66 - 69
 77 - 96 - 99

3242427 WASHER FOR HANDLE



OEM AC066

OEM AC071



Suitable for:

OEM



Suitable for:

3242427 WASHER FOR HANDLE



OEM AC071

Heating elements

3355776 HEATING ELEMENT 1100W 400V

for CEILING-DECK
overall length 990 mm
inner length 890 mm
width 120 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) MF10S - MF5S - S-R69
23



OEM EE110

3355799 HEATING ELEMENT 1150W 230V


for CEILING
length 610 mm - width 223 mm
fittings \varnothing 12 mm - complete with cables
for Pizza oven electric (OEM) TL - 105L



OEM EE255

3355778 HEATING ELEMENT 1300W 400V

for CEILING-DECK
overall length 990 mm
inner length 890 mm
width 120 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) MF10S - MF5S - S-R69
23



OEM EE149

3355781 HEATING ELEMENT 1100W 400V

for CEILING-DECK
overall length 680 mm
inner length 580 mm
width 160 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) MF11S - S-R96 - 32



OEM EE106

3355796 HEATING ELEMENT 1300W 230V

for CEILING-DECK
overall length 670 mm
inner length 580 mm
width 170 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) DOMITOR
DOMITOR ELECTRO1 - MF11S - S-R96 - S-R96E



OEM EE247

3755250 HEATING ELEMENT 1500W 230V

UPPER-LOWER
length 390 mm - width 234 mm



OEM EE028



Suitable for:

OEM



3755251 HEATING ELEMENT 1500W 400V
UPPER-LOWER
length 390 mm - width 234 mm



OEM EE181

Suitable for:

3355794 HEATING ELEMENT 1600W 230V
for CEILING-DECK
overall length 985 mm
inner length 890 mm
width 240 mm - fittings \varnothing 12 mm
for Pizza oven electric (OEM) 10/DS



OEM EE244

3355786 HEATING ELEMENT 1600W 400V
for CEILING-DECK
overall length 990 mm
inner length 890 mm
width 165 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) MF15S - MF33 - S-R99



OEM EE114

3355797 HEATING ELEMENT 2000W 230V
for CEILING-DECK
overall length 970 mm
inner length 870 mm
width 165 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) DOMITOR
DOMITOR ELECTRO1 - MF15S - S-R99 - S-R99E



OEM EE248

3355795 HEATING ELEMENT 2200W 230V
for CEILING-DECK
overall length 600 mm - width 580 mm
fittings \varnothing 12 mm - complete with cables
for Pizza oven electric (OEM) DOMITOR
DOMITOR ELECTRO1 - DS430E - DS430M - DS830E
DS830M - MF3CS - 4/DS - 5/DS - 8/DS



OEM EE177

OEM EE28200

3355800 HEATING ELEMENT 2700W 230V
for DECK
length 661 mm - width 223 mm
fittings \varnothing 12 mm - complete with cables
for Pizza oven electric (OEM) TL - 105L



OEM EE254

3355798 HEATING ELEMENT 300W 115V
length 330 mm - \varnothing heating element 8 mm
fittings \varnothing 12 mm



OEM EE201

3755252 HEATING ELEMENT 3000W 230V
UPPER-LOWER
length 520 mm - width 345 mm



OEM EE030

OEM EE163



Suitable for:

3755253 HEATING ELEMENT 3000W 400V
UPPER-LOWER
length 520 mm - width 345 mm



OEM EE162

3755255 HEATING ELEMENT 700W 380V
for CEILING
overall length 605 mm
inner length 575 mm
width 120 mm - fittings \varnothing 13 mm
complete with cables
for Pizza oven electric (OEM) MF4 - MF8



OEM EE134

3355782 HEATING ELEMENT 900W 400V
for DECK
overall length 680 mm
inner length 580 mm
width 160 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) 32



OEM EE107

OEM



Suitable for:

3755254 HEATING ELEMENT 600W 400V
for DECK
overall length 605 mm
inner length 575 mm
width 120 mm - fittings \varnothing 13 mm
complete with cables
for Pizza oven electric (OEM) MF4CLS - MF4S
MF8CLS - MF8S



OEM EE135

3355777 HEATING ELEMENT 900W 400V
for DECK
overall length 990 mm
inner length 890 mm
width 120 mm - fittings \varnothing 16 mm
for Pizza oven electric (OEM) 23 - 24



OEM EE111

Knobs

3241338 BLACK KNOB \varnothing 42 mm
D-shaped hole 6x4.6 mm
for Pizza oven (OEM) 10 - 11 - 4 - 5 - 8
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
15/DS - 22 - 23 - 32 - 33 - 34 - 66 - 69 - 77
96 - 99



OEM AC062

3241339 BLACK KNOB \varnothing 50 mm
square hole 5x5 mm
for Pizza oven electric (OEM) 22 - 23 - 32 - 33
34




OEM AC039



Suitable for:

3241400 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 10x8 mm



OEM GA051

3241513 OVAL BLACK KNOB \varnothing 25x55 mm PITCH M8
for Pizza oven (OEM)



OEM AC074

3241160 POTENTIOMETER BLACK KNOB \varnothing 18 mm
round hole \varnothing 6 mm
for Pizza oven (OEM) 22 CHEFMATIC - 23 CHEFMATIC
32 CHEFMATIC - 33 CHEFMATIC - 34 CHEFMATIC



OEM AC051

OEM



Suitable for:

3241450 SELF-STICK DISK WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot



OEM GA051

3241511 OVAL BLACK KNOB \varnothing 31x66 mm PITCH M9
for Pizza oven electric (OEM) 10/DS - 11/DS
15/DS - 4/DS - 5/DS - 8/DS



OEM AC203

3241450 SELF-STICK DISK WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot



OEM GA051

Lamps

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
for OVEN-PIZZA OVEN



OEM AL201



Lamps

3221415 HALOGEN LAMP RECEPTACLE
wires connection length 150 mm
for Pizza oven electric (OEM) MF10 - MF11 - MF15
MF4 - MF5 - MF8 - 10/DS - 109 - 11/DS - 111
15/DS - 4/DS - 5/DS - 66 - 77 - 8/DS - 96 - 99
for Pizza oven gas (OEM) SG/69 - SG/99



OEM EL031

OEM EL056

3221418 LAMP RECEPTACLE GASKET ø 32.5 mm
for Pizza oven (OEM)



OEM AL266

3221419 OVEN LAMP FASTENING BRACKET
for Pizza oven electric (OEM) MF10 - MF11 - MF15
MF4 - MF5 - MF8 - 109 - 111 - 66 - 69 - 77
96 - 99
for Pizza oven gas (OEM) SG/69 - SG/99



OEM HAT64

3221418 LAMP RECEPTACLE GASKET ø 32.5 mm
for Pizza oven (OEM)



OEM AL266

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
for OVEN-PIZZA OVEN



OEM AL201

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V
for Pizza oven (OEM)
for Pizza oven (ZANOLLI)



OEM EL062

3221417 OVEN LAMP RECEPTACLE
for Pizza oven electric (OEM) DOMITOR - DS430E
DS430M - DS435E - DS435M - DS830E - DS830M
MF10 - MF11 - MF15 - MF4 - MF5 - MF8
MILLENIUM - ZENITH - ZENITH1 - ZENITH2
ZENITH3 - ZENITH4 - 10/DS - 109 - 11/DS - 111
4/DS - 5/DS - 66 - 69 - 77 - 8/DS - 96 - 99
for Pizza oven gas (OEM) SG/69 - SG/99



OEM QAT22

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V
for Pizza oven (OEM)
for Pizza oven (ZANOLLI)



OEM EL062



Suitable for:

OEM



3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



OEM EL003

Suitable for:

3221420 ORANGE INDICATOR LIGHT 400V
mounting hole 30x11 mm - 120°C



OEM EL035

3221127 ORANGE LAMP RECEPTACLE
head 14x14 mm - hole \varnothing 11 mm
for 6.2P
for Pizza oven electric (OEM) 10/DS - 11/DS
15/DS - 4/DS - 5/DS - 8/DS



OEM EL002

3221059 OVEN LAMP E27 40W 230V
max temperature 300°C
for OVEN-PIZZA OVEN
for REFRIGERATORS



OEM EL020

3221419 OVEN LAMP FASTENING BRACKET
for Pizza oven electric (OEM) MF10 - MF11 - MF15
MF4 - MF5 - MF8 - 109 - 111 - 66 - 69 - 77
96 - 99
for Pizza oven gas (OEM) SG/69 - SG/99



OEM HAT64

3221417 OVEN LAMP RECEPTACLE
for Pizza oven electric (OEM) DOMITOR - DS430E
DS430M - DS435E - DS435M - DS830E - DS830M
MF10 - MF11 - MF15 - MF4 - MF5 - MF8
MILLENNIUM - ZENITH - ZENITH1 - ZENITH2
ZENITH3 - ZENITH4 - 10/DS - 109 - 11/DS - 111
4/DS - 5/DS - 66 - 69 - 77 - 8/DS - 96 - 99
for Pizza oven gas (OEM) SG/69 - SG/99



OEM QAT22

Microswitches

3240850 LOWER MICROSWITCH 15A 400V
with cable length 2000 mm



OEM EG040

3240416 MAGNETIC MICROSWITCH \varnothing 10x33 mm
0.04A 250V - contact NO
with cable length 1500 mm
for Pizza oven (OEM)



OEM



OEM



Suitable for:

3240852 **MAGNETIC MICROSWITCH** \varnothing 12x52 mm
200mA 240V - contact NO
with cable length 2000 mm



OEM EN068

Suitable for:

3240419 **MICROSWITCH MF9 16A 250V**



OEM EG031

1240120 **MICROSWITCH MKV11D15 16A 250V**



OEM EG032

3240851 **UPPER MICROSWITCH 15A 400V**
with cable length 2000 mm



OEM EG041

OEM EG044

Potentiometers

3350100 **COMPLETE POTENTIOMETER**
with cable length 620 mm
pin \varnothing 6x35 mm



OEM HE092

Probes

3442013 **TEMPERATURE PROBE TYPE J**
2 wires
bulb \varnothing 2x280 mm
cable length 1500 mm
for Pizza oven electric (OEM) MF10 - MF11 - MF15
MF4 - MF5 - MF8 - 109 - 111 - 22 - 23 - 32
33 - 34 - 66 - 69 - 77 - 96 - 99



OEM ED019

OEM ED065

3445200 **THERMOCOUPLE PROBE TYPE J**
2 wires
probe length 250 mm - \varnothing probe 2 mm
cable length 2500 mm



OEM ED062

OEM ED066

OEM E0232



Suitable for:


OEM



Suitable for:


Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles




OEM EC027

3351007 MINI RELAY 55.32 10A 240V 50/60Hz
2 switching contacts
manual push-button



OEM EN016

3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



OEM EN125

Rotary switches

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Pizza oven (OEM)



OEM EH018

3057070 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 400V - max 75°C
square pin 5x5 mm
for MECHANICAL models
for Pizza oven electric (OEM) MF10 - MF11 - MF15
MF4 - MF5 - MF8 - SE109 - SE111 - SE66 - SE69
SE77 - SE96 - SE99 - S109 - S111 - S66 - S69
S77 - S96 - S99 - 22 - 23 - 32



OEM EH009

3057071 SELECTOR SWITCH 1-0-2 POSITIONS
contact capacity 25A 500V - max 75°C
square pin 5x5 mm
for MECHANICAL models
for Pizza oven electric (OEM) 33 - 34



OEM EH010

OEM EH010+AC040

Sparking and detection plugs

- 5032757 ROUND SPARKING PLUG \varnothing 9.5 mm**
 overall length 180 mm
 for Pizza oven gas (OEM) GHIBLI



OEM GA299

Springs

- 3250101 OVEN DOOR SPRING \varnothing 17x50 mm**
 for PIZZA OVEN 4-5-8-10-11-15/DS-SG23-SG33-SG69-SG99



OEM MD049

OEM 515002

- 5010757 PROTECTION DEVICE SPRING LH**
 external \varnothing 30 mm
 internal \varnothing 25 mm
 height 70 mm - width 50 mm
 for PIZZAFORM PF45/MT-E



OEM KD019

- 5010756 PROTECTION DEVICE SPRING RH**
 external \varnothing 30 mm
 internal \varnothing 25 mm
 height 70 mm - width 50 mm
 for PIZZAFORM PF45/MT-E



OEM KD018

Switches

- 3319466 BLACK MONOP.CHANGE OVER SWITCH 16A 250V**
 with indicator light
 max temperature 120°C
 mounting hole 11x30 mm
 for Pizza oven electric (OEM) MF10 - MF11 - MF15
 MF4 - MF5 - MF8 - S-R109 - S-R111 - S-R66
 S-R69 - S-R77 - S-R96 - 10/DS - 11/DS - 15/DS
 4/DS - 5/DS - 8/DS
 for Pizza oven gas (OEM) SG23 - SG33



OEM EF023



Suitable for:

OEM



Suitable for:

Switches

3319300 BLACK START PUSH-BUTTON
silk-screen printing "start"
mounting hole \varnothing 22 mm



OEM EF054

OEM EF100

3319301 START PUSH-BUTTON BLOCK
1 normally closed contact
1 normally open contact



OEM EF040

OEM EF096

3319465 ORANGE BIPOLAR SWITCH 10A 400V
with indicator light
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



OEM EF004

3319301 START PUSH-BUTTON BLOCK
1 normally closed contact
1 normally open contact



OEM EF040

OEM EF096

Telethermometers

3441056 BLACK TELETHERMOMETER \varnothing 60 mm 0-500°C
metal sheath
capillary length 900 mm
bulb \varnothing 8x155 mm
for Pizza oven electric (OEM) 10/DS - 11/DS
15/DS - 4/DS - 5/DS - 8/DS



OEM ED075

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



OEM EP106

OEM EP135R0



Thermoregulators

3442014 THERMOREGULATOR \varnothing 60 mm 0-500°C

plastic body
white dial 72x72 mm
capillary length 1000 mm
bulb \varnothing 8x147 mm
contact capacity 5(1.5)A 250V
mounting hole \varnothing 60 mm
for Pizza oven electric (OEM)
MECHANICAL
22 - 23 - 32 - 33 - 34



OEM ED022

Thermostats

3444784 SINGLE-PHASE THERMOSTAT 100-175°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb \varnothing 6x130 mm



OEM ED048

3444590 SINGLE-PHASE THERMOSTAT 250°C

with manual reset
covered capillary length 1470 mm - 16A 250V
bulb \varnothing 6x87 mm



OEM ED049

3444584 SINGLE-PHASE THERMOSTAT 50-360°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x172 mm
for Pizza oven electric (OEM) MF1 - MF2 - MF3
10/DS - 11/DS - 15/DS - 4/DS - 5/DS - 8/DS



OEM ED007

3241338 BLACK KNOB \varnothing 42 mm

D-shaped hole 6x4.6 mm
for Pizza oven (OEM) 10 - 11 - 4 - 5 - 8
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
15/DS - 22 - 23 - 32 - 33 - 34 - 66 - 69 - 77
96 - 99



OEM AC062



Suitable for:

OEM



Suitable for:

3444301 SINGLE-PHASE THERMOSTAT 500°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x230 mm
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
22 - 23 - 32 - 33 - 34 - 66 - 69 - 77 - 96
99



OEM ED023

Timers

3446088 TIMER TF024 230V/400V 50/60Hz 17VA
6 seconds



OEM EC039

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



OEM EH032