



Spare parts for:
Pizza ovens



Suitable for:

ZANOLLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
*Suitable **universal spare parts** may not be included*

Rel. 2013-11251553





Suitable for:

ZANOLLI



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANOLLI VENT0012

Cables for piezo igniters

3001021 SWITCH-ON CABLE 1400 mm
with faston and loop
for Pizza oven (ZANOLLI) - Series CITIZEN



ZANOLLI AGAS0022

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANOLLI ELET0002

Door glasses for oven and accessories

3520028 OVEN CHAMBER LIGHT GLASS 100x100x6 mm
for Pizza oven electric (ZANOLLI) POLIS - TEU



ZANOLLI CRIS0027

3520027 OVEN CHAMBER LIGHT GLASS 180x90x5 mm
for Pizza oven electric (ZANOLLI) CITIZENN - EP65
PIZZITALY



ZANOLLI CRIS0006



Suitable for:

Suitable for:

- 3520026 OVEN DOOR GLASS 325x92x6 mm**
for Pizza oven (ZANOLLI) - Series CITIZEN6
for Pizza oven electric (ZANOLLI) CITIZEN4L
CITIZEN6L - EP65 - POLIS



ZANOLLI CRIS0026

Electrical gas valves and accessories

- 3526140 VALVE 836 TANDEM \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified



ZANOLLI GAS10007

Electronic boxes

- 3054031 IGNITION CONTROL BOX SM11PMIX**
model BRAHMA - 230V 50/60Hz 7VA
for Pizza oven (ZANOLLI) - Series CITIZEN
for Pizza oven gas (ZANOLLI) SYNTHESIS



ZANOLLI ELET0134

Electronic printed-circuit boards

- 3390046 9 PROGRAMS CIRCUIT BOARD 160x100 mm**
for Pizza oven (ZANOLLI) - Series POLIS
Series TEOREMA



ZANOLLI ELET0148

- 3319241 9 PROGRAMS PUSH-BUTTON PANEL 305x85 mm**
for Pizza oven (ZANOLLI) - Series POLIS



ZANOLLI ELET0149



Suitable for:

ZANOLLI



Suitable for:

Electronic thermostats and controllers

3445291 THERMOSTAT EVK411 TCJ/TCK/PT100

power supply 230V 50Hz
 thermostat setting range 0+250°C
 with free parameters setting
 room temperature -5+65°C
 TCJ-TCK-PT100 type probe (not included)
 connections by screwed terminal block
 front dimension 74x32x67 mm
 mounting hole 71x29 mm
 for Pizza oven (ZANOLLI) - Series CITIZEN
 Series SYNTHESIS



ZANOLLI TERM0012

ZANOLLI TERM0060

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ZANOLLI TERM0014

Heating elements

3755753 HEATING ELEMENT 1000W 220V

for CEILING
 overall length 845 mm
 inner length 810 mm
 width 110 mm - fittings \varnothing 14 mm
 complete with cables
 for Pizza oven electric (ZANOLLI) T2POLISM18
 T4POLISM18



ZANOLLI RESI0068

3755754 HEATING ELEMENT 1000W 220V

for DECK
 overall length 845 mm
 inner length 805 mm
 width 190 mm - fittings \varnothing 14 mm
 complete with cables
 for Pizza oven electric (ZANOLLI) T2POLISM18
 T4POLISM18



ZANOLLI RESI0051



Suitable for:

Suitable for:

- 3755751 HEATING ELEMENT 1200W 230V**
for CEILING
overall length 1145 mm
internal part length 1040 mm
width 70 mm - flange 110x25 mm
for Pizza oven electric (ZANOLLI) - Series CITIZEN



ZANOLLI RESI0077

Knobs

- 3444129 BLACK KNOB \varnothing 50 mm**
D shaft hole 6x4.6 mm
with symbol
for thermostats and timers



ZANOLLI MANI0021

Lamps

- 3221042 GREEN INDICATOR LAMP 230V**
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C
PVC cables
wires connection length 200 mm



ZANOLLI LAMP0007

- 3221012 GREEN INDICATOR LIGHT 220V**
mounting hole 30x22 mm - 125°C
universal application



ZANOLLI LAMP0006

- 3221246 NEUTRAL HALOGEN LAMP GU10 50W 230V**
 \varnothing 51 mm - 3000h
for Pizza oven (ZANOLLI)



ZANOLLI ELET0226

ZANOLLI LAMP0037

- 3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V**
for Pizza oven (OEM)
for Pizza oven (ZANOLLI)



ZANOLLI LAMP0045



Suitable for:

3221014 ORANGE INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



ZANOLLI LAMP002

Suitable for:

3221059 OVEN LAMP E27 40W 230V
max temperature 300°C
for OVEN-PIZZA OVEN
for REFRIGERATORS



ZANOLLI LAMP003

Probes

3397067 THERMOCOUPLE PROBE
2 wires
probe length 200 mm - \varnothing probe 6 mm
cable length 800 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
Series TEOREMA POLIS
for Pizza oven electric (ZANOLLI) SYNTHESIS08/50



ZANOLLI TERM020

Sparking and detection plugs

3020221 ROUND SPARKING PLUG \varnothing 7x44 mm
overall length 172 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
for Pizza oven gas (ZANOLLI) PLANET - SYNTHESIS



ZANOLLI AGAS0014

ZANOLLI ELET0359



Switches

1319202 GREEN TWO-POLE SWITCH 16A 250V

with indicator lamp
silk-screen printing 0 - I
temperature max 120°C
mounting hole 22x30 mm
for Pizza oven electric (MORETTI) AHB - AHC - AHK
AMALFI B - AMALFI C - AMALFI K - BAKY - MHB
MHC - MHK - PIZZY DUO105.105 - PIZZY DUO105.65
PIZZY DUO65.105 - PIZZY D105.105
PIZZY D105.65 - PIZZY D65.105
PIZZY MONO105.105 - PIZZY MONO105.65
PIZZY MONO65.105 - PIZZY M105.105
PIZZY M105.65 - PIZZY M65.105 - RHB - RHC
RHK
for Pizza oven gas (MORETTI) PC/GAS - P110GAS



ZANOLLI INTE0010

3319934 ORANGE BIPOLAR SWITCH 16A 250V

with indicator lamp
0-1 silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



ZANOLLI INTE0009

3319015 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp
silk-screen print 0 - I
max temperature 120°C
mounting hole 22x30 mm



ZANOLLI INTE0012

3319016 RED BIPOLAR SWITCH 16A 250V

with indicator lamp
silk-screen print 0 - I
max temperature 120°C
mounting hole 22x30 mm



ZANOLLI INTE0004

Thermostats

3744051 SINGLE-PHASE THERMOSTAT 40-500°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb \varnothing 4x220 mm
for Pizza oven electric (MORETTI) PIZZY D105.105
PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105
PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60
PIZZY M65.105



ZANOLLI TERM0003

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Pizza oven (ZANOLLI)
for Pizza oven (ZANUSSI)



ZANOLLI TERM0013



Suitable for:

ZANOLLI



3444787 SINGLE-PHASE THERMOSTAT 84-422°C
D-shaft \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 250V
bulb \varnothing 4x163 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
for Pizza oven electric (ZANOLLI) EP65



ZANOLLI TERM0038

ZANOLLI TERM0072

Suitable for:

3444788 3-PHASE THERMOSTAT 500°C
with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm
for Pizza oven (ZANOLLI) - Series CITIZEN6
for Pizza oven electric (ZANOLLI) PLANET5
PLANET8 - SYNTHESIS05-40 - SYNTHESIS08-50
SYNTHESIS10-65V - SYNTHESIS10-75 - T2POLISMC18
T2POLISMC28 - T3POLISMC18 - T3POLISMC28
T4POLISMC18 - T4POLISMC28 - T6POLISMC18
T6POLISMC28
for Pizza oven gas (ZANOLLI) CITIZEN9



ZANOLLI TERM0005

Transformers

3221248 TRANSFORMER 0-230-400V/12-0-12V 63VA
primary voltage 0-230-400V 50/60Hz
secondary voltage 12-0-12V 63VA
room temperature 0÷40°C
screw terminal box
for Pizza oven (ZANOLLI) - Series CITIZEN
Series POLIS - Series TEOREMA



ZANOLLI ELET0144