



Spare parts for:

**Ovens**



Suitable for:

**BARON**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211332





Suitable for:

# BARON



Suitable for:

## Air regulators

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



BARON BN6A013104

BARON 6A013104

## Cables for piezo igniters

**3001002 SIT IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode



BARON 85326050065

**3001016 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



BARON 85326050610

**3001019 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



BARON 826690011

**3001017 SIT IGNITION LEAD 600 mm**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode



BARON BN6A013000

BARON 6A013000

## Contactors

**3454038 AUXILIARY CONTACT GE**  
10A  
1 normally open contact  
1 normally closed contact  
for Convection oven electric (OLIS) - Series CV  
Series CVM - Series CVP  
for Convection oven gas (OLIS) - Series CV  
Series CVM - Series CVP



BARON BN6A047038

BARON 6A047038

**3446201 CONTACTOR AEG CL00A301T06 25A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact  
for Convection oven electric (OLIS) - Series CV  
Series CVM - Series CVP - Series ECVM  
for Convection oven gas (OLIS) - Series CV  
Series CVM - Series CVP - Series ECVM



BARON BN6A047034

BARON 6A047034




# BARON



Suitable for:

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



BARON A047037

Suitable for:

**3351211 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact  
for Convection oven (FRIMA)  
since 1/06/97  
for Convection oven (RATIONAL)  
since 1/06/97



BARON BN6A047034


BARON 6A047034

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



BARON 853310065

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



BARON BN826630300

BARON 826630300

## Electrical gas valves and accessories

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and "O" ring  
for ELETTROSIT VALVE



BARON 6A049900

**3526090 ELETTROSIT VALVE  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



BARON 6A050000

**3526124 KNOB EXTENSION LENGTH 65 mm**  
for VALVE 820 NOVA-824 NOVASIT



BARON 824710350

**3440200 TWIN LEAD THERMOPILE 580 mm**



BARON 41826920100



Suitable for:

Suitable for:

**3526096 VALVE MICROSWITCH**  
 maximum load 0.2 A  
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



BARON BN6A050003

BARON 6A050003

**3523084 VALVE 826 NOVA  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 2÷50 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz  
 for Convection oven gas (MBM) FGMD107 - FGMD107SC  
 FGMD109 - FGMD67 - FGMD69 - FGM107 - FGM107SC  
 FGM109 - FGM110 - FGM610 - FGM610/L - FGM67  
 FGM67SC - FGM69

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



BARON BN3103650

BARON 3103650

BARON 6A011608

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



BARON 6A011607

## Energy regulators

**3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Convection oven (KELVIN)  
 for Convection oven electric (GIERRE) FEV106M  
 FEV166E - FEV166M - FEV166P - FEV168E  
 FEV168M - FEV56M  
 for Convection oven electric (SMEG) ALFA30V  
 ALFA31V  
 for Convection oven gas (GIERRE) FEV107M - FEV167E  
 FEV167M - FEV167P - FEV57M



BARON 41853400180

BARON 6A049320

BARON 826630140

BARON 853310063

BARON 853400010



Suitable for:

# BARON



Suitable for:

## Gas taps and accessories

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22



BARON BN6A016110

BARON 41822450110

BARON 6A016110

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



BARON 41822450120

BARON 6A016120

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
for model PEL 23



BARON 6A016401

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



BARON 6A016500

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



BARON 826410050

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



BARON BN6A035920

BARON 6A035920

BARON 826410070

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



BARON 826410050

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



BARON BN6A035910

BARON 6A035910

BARON 826410060

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



BARON 826410050



Suitable for:

# BARON



Suitable for:

## Lamps

**3221162 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



BARON 6A038501

## Magnet groups

**3182010 MAGNETIC UNIT PEL**  
 $\varnothing$  head 24 mm -  $\varnothing$  end 18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



BARON BN6A014200

BARON 6A014200

**3182003 MAGNETIC UNIT SIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



BARON 6A015200

## Microswitches

**3803028 MAGNETIC MICROSWITCH E5201V**  
0.04A 250V - NO contact - head 40x13x8 mm  
with cable length 700 mm  
for Convection oven electric (OLIS) - Series CV  
Series CVM - Series CVP  
for Convection oven gas (OLIS) - Series CV  
Series CVM - Series CVP



BARON BN6A047085

BARON 6A047085

**3240181 PROTECTED MAGNET 62x18x10 mm**  
for Convection oven (MARENO)



BARON LF-5016318



# BARON




Suitable for:

Suitable for:

**3240410 MICRO SWITCH 16A 250V**  
 for ANGELO PO OLD OVENS FC-FCV  
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
 FC1211G-FC1211E  
 for ANGELO PO FRYER 030FE1-030FE1B-70FE  
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
 30FES2-30FES2B-091FE28  
 for IMESA DRYER ES10-ES55-ES75  
 for IMESA WASHING MACHINE  
 LM30-LM40-LM55-LM70-LM85  
 RC30-RC40-RC55-RC70  
 for SIRMAN CUTTER C4-C6-C6VV-C9  
 for GRANDIMPIANTI DRYER EMS10-EMS15  
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
 for IPSO CALENDER RI1600/30-RI1600/30AV

**3240820 MICROSWITCH 16A 250V**



BARON BN6A039800

BARON 6A039800

BARON 85326043085

**3240181 PROTECTED MAGNET 62x18x10 mm**  
 for Convection oven (MARENO)



BARON LF-5016318

## Motors

**3340068 MOTOR ST80/4 0.55Kw 230/400V 50/60Hz**  
 1.9/1.1A 1420/1700rpm  
 distance between holes 185 mm  
 for Convection oven electric (OLIS) - Series CV  
 Series CVM - Series CVP  
 for Convection oven gas (OLIS) - Series CV  
 Series CVM - Series CVP

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
 fan  $\varnothing$  150 mm  
 for Convection oven  
 for Convection oven electric (COVEN) C6E - TEC10  
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H  
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6  
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6 - SOLYP10 - SOLYP6



BARON

BARON BN6A036410

BARON 6A036410

## Pilot burners and accessories

**3020079 PIPE FITTING  $\varnothing$  12 mm**

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**





Suitable for:  
BARON 6A011620

# BARON

BARON 6A011625

Suitable for:  
BARON MA673500

BARON 822450040







# BARON



Suitable for:

Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



BARON 6A011608

BARON 6A011607

**3020085 NUT FOR SPARKING PLUG CONNECTION**

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



BARON 6A011707

BARON BN6A016300

BARON 6A016300

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



BARON 6A013109

BARON BN822140380

BARON 41822140380

BARON 822140380

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**

**3020452 PILOT GAS JET  $\varnothing$  0.32 mm**



BARON MA1887800

BARON 6A013107

BARON 822140120

BARON BN6A013240

BARON 6A013240

**3020449 PILOT GAS JET  $\varnothing$  0.54 mm**

**3020557 PILOT JET  $\varnothing$  0.20 mm**



BARON BN6A013230

BARON 6A013230

BARON 41822140440

**3020040 PILOT JET  $\varnothing$  0.30 mm**

**3020055 PILOT JET  $\varnothing$  0.35 mm**



BARON 41822140360

BARON BN6A013103

BARON 6A013103



# BARON



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



BARON 41822140430

Suitable for:

**3020113 PILOT OLIVE TARGET  $\varnothing$  4 mm**



BARON BN822450050

**3020114 PILOT OLIVE TARGET  $\varnothing$  6 mm**



BARON BN6A011706

BARON 6A011706

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket  
with thermocouple fitting  
for Convection oven gas (ZANUSSI)



BARON BN826920030

BARON 826920030

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



BARON BN822140380

BARON 41822140380

BARON 822140380

**3020200 THERMOCOUPLE NUT**



BARON 6A011708

**3020011 THREE-FLAME PILOT BURNER**

without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting  
for Convection oven gas (ZANUSSI)



BARON 85327090026

**3020269 THREE-FLAME PILOT BURNER**

without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with sparking plug fitting



BARON BN6A013220

BARON 6A013220



# BARON



Suitable for:

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



BARON BN6A013200

BARON 6A013200

BARON 85327090022

Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm  
for Convection oven electric (SOLYMAC) SOLYP10  
for Convection oven gas (SOLYMAC) SOLYMIX  
SOLYP6G



BARON 6A013300

BARON 85326010046

BARON 853310150

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



BARON BN6A011705

BARON 6A011705

BARON 822450450

## Probes

**3397175 CHAMBER TEMPERATURE PROBE**  
2 wires - bulb  $\varnothing$  6x130 mm  
cable length 800 mm  
for Convection oven (OLIS) - Series CV  
Series CVM



BARON

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



BARON 6A011607

**3445352 TEMPERATURE PROBE PT100**  
2-wire probe  
bulb  $\varnothing$  4/6x100 mm - cable length 800 mm  
for Convection oven (OLIS)



BARON



Suitable for:

# BARON



Suitable for:

## Relays

**3351007 MINI RELAY 55.32 10A 240V 50/60Hz**  
2 switching contacts  
manual push-button



BARON BN6A047070

BARON 6A047070

## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



BARON 6A045900

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat




BARON 6A044800

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Convection oven electric (INOXTREND) CRCA107E  
CRCA111E



BARON 6A046000

**3057295 SELECTOR SWITCH 6 POSITIONS**  
contact capacity 18A 240V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (OLIS) - Series CV  
Series CVM - Series CVP  
for Convection oven gas (OLIS) - Series CV  
Series CVM - Series CVP



BARON BN6A046015

BARON 6A046015

## Solenoid valves

**3120004 SOLENOID VALVE 319 220/240V  $\varnothing$  10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



BARON 826630220

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



BARON BN3103610

## Spark generators

### 3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz  
for Convection oven (COVEN)  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6



BARON BN6A050100

BARON 6A050100

BARON 6A050105

### 3181003 SPARK GENERATOR 4 OUTLETS

220/240V 50/60Hz



BARON 826630040

## Sparking and detection plugs

### 3020124 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm

female connection  
overall length 58 mm



BARON BN6A013302

BARON 6A013302

### 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
total length 65 mm  
for Convection oven electric (SOLYMAC) SOLYP10  
for Convection oven gas (SOLYMAC) SOLYMIX  
SOLYP6G



BARON 6A013300

BARON 85326010046

BARON 853310150

### 3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



BARON BN6A013301

BARON 6A013301

## Switches

### 3319949 YELLOW BIPOLAR SWITCH 16A 250V

with indicator lamp  
mounting hole  $\varnothing$  25 mm  
for Convection oven electric (SOGECO) CM10-S  
CM20-S - CM56-S - CM6-S - CM810-S - MX10  
Series MX20 - Series MX56 - Series MX6  
Series MX810



BARON 626630200

BARON 826630200



Suitable for:


# BARON



Suitable for:

## Thermocouples and accessories

**3440065 CUT-OFF THERMOCOUPLE M9x1 32 cm**  
cut-off contact with terminals



BARON 826920130

**3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.**  
interrupted contact with terminals



BARON BN6A011910

BARON 6A011910

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



BARON 826920050

BARON 85326010055

**3440015 INTERRUPTION CONNECTOR M9x1**



BARON 6A013603

**3440064 NUT FOR THERMOCOUPLE M8x1**



BARON BN6A012300

BARON 6A012300

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



BARON 41826920080

BARON 6A011904

**3440135 THERMOCOUPLE SIT M10x1 150 cm**



BARON 853310070

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



BARON BN6A011905

BARON 6A011905

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**



BARON BN6A011905

BARON 6A011905

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



BARON BN6A011905

BARON 6A011905

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



BARON BN6A011800

BARON 6A011800

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



BARON BN6A011800

BARON 6A011800



# BARON



Suitable for:

Suitable for:

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



BARON BN6A011800

BARON 6A011800

**3440033 THERMOCOUPLE SIT M9x1 32 cm**



BARON 6A011906

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



BARON 6A011906

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



BARON 6A011906

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



BARON BN6A015900

BARON 6A015900

**3440058 THERMOCOUPLE SIT M9x1 32 cm THREAD M8x1**



BARON BN6A015900

BARON 6A015900

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



BARON BN6A015900

BARON 6A015900

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



BARON BN6A011901

BARON 6A011901

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



BARON BN6A011901

BARON 6A011901

BARON BN6A011901

BARON 6A011901



# BARON



Suitable for:

Suitable for:

**3440034 THERMOCOUPLE SIT M9x1 50 cm**

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



BARON BN6A011902

BARON 6A011902

BARON BN6A011902

BARON 6A011902

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BARON BN6A011902

BARON 6A011902

BARON BN6A011903

BARON 6A011903

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BARON BN6A012000

BARON 6A012000

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BARON BN6A012000

BARON 6A012000

BARON BN6A012000

BARON 6A012000

**3440035 THERMOCOUPLE SIT M9x1 60 cm .**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BARON BN6A011903

BARON 6A011903

BARON BN6A011903

BARON 6A011903

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



BARON 6A011900

BARON 85326010057





Suitable for:

Suitable for:

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



BARON 6A011900

BARON 85326010057

BARON 6A011900

BARON 85326010057

**3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm**

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



BARON 41826920080

BARON 6A011904

BARON 41826920080

BARON 6A011904

## Thermostats

**3444339 SINGLE-PHASE THERMOSTAT 30-110°C**

D-shaped pin 6x4.6 mm  
capillary length 880 mm - 16A 250V  
bulb ø 6x130 mm  
for Convection oven (FOINOX) - Series MM

**3444120 SINGLE-PHASE THERMOSTAT 320°C**

with manual reset  
capillary length 900 mm - 16A 250V  
bulb ø 6x80 mm  
for Convection oven (BARON)  
for Convection oven (ERRE 2)  
for Convection oven (LAINOX)  
for Convection oven (OLIS)  
for Convection oven (SILKO)



BARON BN6A046100

BARON 6A046100

BARON BN6A049500

BARON 6A049500

**3444770 THREE-PHASE THERMOSTAT 157°C**

with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb ø 6x80 mm  
for Convection oven electric (GIORIK) VE06EC  
VE06MX - VE10EC - VE10MX  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX

**3444354 THREE-PHASE THERMOSTAT 350°C**

with manual reset  
capillary length 1120 mm - 10A 400V  
bulb ø 3x190 mm  
for Convection oven electric (SMEG) ALFA135X  
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



BARON 41826630350

BARON 826630350

BARON 85326010002

BARON BN6A046150

BARON 6A046150



# BARON



Suitable for:

## 3444713 THREE-PHASE THERMOSTAT 40-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  3x219 mm  
for Convection oven (OLIS)



BARON 6A038400

Suitable for:

## 3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm



BARON BN826630123

BARON 826630123

BARON 826630161

## 3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm  
for Convection oven



BARON 6A044900

## 3744102 3-PHASE THERMOSTAT 300°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
button bulb  $\varnothing$  14x16 mm  
for Convection oven electric (OLIS) - Series CV  
Series CVM - Series CVP - Series ECVME  
Series ECVPE  
for Convection oven gas (OLIS) - Series CV  
Series CVM - Series CVP - Series ECVMG  
Series ECVPG



BARON BN6A046190

BARON 6A046190

## Timers

## 3446059 PROGRAMMER P45 2 CAMS 230V 50Hz

120 minutes cycle - D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven (OLIS)



BARON BN6A047080

BARON 6A047080



Suitable for:

# BARON



Suitable for:

## Transformers

### 3739022 TRANSFORMER 230V/11.5V

primary voltage 230V 50/60Hz

secondary voltage 11.5V

room temperature 0÷45°C

screw terminal box

for Convection oven electric (OLIS) - Series CV

Series CVM - Series CVP - Series ECVM

Series ECVP

for Convection oven gas (OLIS) - Series CV

Series CVM - Series CVP - Series ECVM

Series ECVP



BARON BN6A047060

BARON 6A047060