



Spare parts for:

**Ovens**



Suitable for:

**BERTO'S**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211339





Suitable for:

**BERTO'S**



Suitable for:

## Alarms

- 3397302 ALARM BELL 220V**  
for Convection oven (CONVOTHERM)



BERTO'S 25079300

## Ball valves and accessories

- 3526632 GAS/WATER BALLCOCK VALVE  $\varnothing$  3/4" FF**  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium throttle



BERTO'S 32686300

BERTO'S 32831900

## Contactors

- 3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



BERTO'S 23105800

## Drain pumps

- 3122000 DRAIN ELECTROPUMP 296005 34W 230/240V**  
0.2A 50Hz  
for Convection oven electric (BERTO'S) FME10M  
for Convection oven electric (FOINOX)



BERTO'S 25115600



Suitable for:

**BERTO'S**

Suitable for:



## Electrical gas valves and accessories

**3526090 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



BERTO'S 23270900

**3526181 VALVE VK4105C HONEYWELL  $\varnothing$  1/2"**  
inlet-outlet  $\varnothing$  1/2" unthreaded  
maximum gas inlet pressure 60 mbar  
room temperature -15 ÷ 60°C  
power supply 220/240V 50Hz  
for Convection oven gas (FOINOX) J00611G - J01011G  
J01021G - J02011G - J02021G



BERTO'S 25685500

**3526079 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3 ÷ 30 mbar  
room temperature 0 ÷ 70°C  
power supply 230V 50Hz  
for Convection oven electric (MBM) FCE6  
for Convection oven gas (ANGELO PO) - Series FC  
Series FCV  
for Convection oven gas (MBM) FFM061 - FGC060  
FGC065 - FGC100 - FGC20 - FGC200 - FGDM066  
FGMD060 - FGMD061 - FGMD065 - FGMD100  
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101  
FGM200 - FGM201 - FGP050 - FGP080 - FGP160



BERTO'S 32271300

**3526140 VALVE 836 TANDEM  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
maximum gas inlet pressure 60 mbar  
max.gas outlet pressure adjustment range 7 ÷ 50 mbar  
outlet gas pressure setting range min.2 ÷ 45 mbar  
room temperature 0 ÷ 60°C  
power supply 230V 30A rectified  
for Convection oven gas (ZANUSSI) - Series ACV  
Series ECV - Series FCS - Series FDV - Series NCV  
Series RCV - Series ZCV



BERTO'S 25271500



Suitable for:

**BERTO'S**



Suitable for:

## Electronic boxes

### 3526182 CONTROL BOX S4565A2092

model HONEYWELL - 220/240V 50/60Hz 4VA  
 for Convection oven (FOINOX) FC05G - MIDI005GM  
 for Convection oven gas (FOINOX) FC100GM - FC200GM  
 FC201GM - FC401GM - FC60GM - FM100GM  
 FM100GTD - FM200GM - FM200GTD - FM201GM  
 FM201GTD - FM401GM - FM60GM - FM60GTD  
 FP100GM - FP50GM - JO0611G - JO1011G - JO1021G  
 JO2011G - JO2021G - MM100GTD - MM200GTD  
 MM201GTD - MM60GTD  
 for Convection oven gas (INOXTREND) FBA110G00  
 FBA120G00 - FBA210G00 - FBA220G00 - FBE110G00  
 FBE120G00 - FBE210G00 - FBE220G00 - FBP110G00  
 FBP120G00 - FBP210G00 - FBP220G00 - FDA120G00  
 FDA220G00 - FDE120G00 - FDE220G00 - FDP120G00  
 FDP220G00 - FUA120G00 - FUA220G00 - FUE120G00



BERTO'S 25271700

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 12A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for Convection oven electric (UNOX) XV202 - XV301  
 XV401 - XV501



BERTO'S 27114900

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Convection oven (KELVIN)  
 for Convection oven electric (GIERRE) FEV106M  
 FEV166E - FEV166M - FEV166P - FEV168E  
 FEV168M - FEV56M  
 for Convection oven electric (SMEG) ALFA30V  
 ALFA31V  
 for Convection oven gas (GIERRE) FEV107M - FEV167E  
 FEV167M - FEV167P - FEV57M



BERTO'S 24114800



## Fans for motors

**3240030 FAN  $\varnothing$  180 mm**  
 thickness 60 mm  
 total blades 16 -  $\varnothing$  tapered hole 11.5-16.5 mm  
 for Convection oven (LAINOX)  
 for Convection oven electric (FOINOX) FC06SE  
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA  
 MM06EB - MM06EBM  
 for Convection oven electric (GIORIK) EF5GM  
 for Convection oven gas (FOINOX) FC06G - FC06GA  
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB  
 for Convection oven gas (GIORIK) GF5GM - G6VGEC



BERTO'S 24646500

**3240392 FAN  $\varnothing$  300 mm**  
 thickness 100 mm  
 total blades 24 -  $\varnothing$  tapered hole 19-24 mm  
 for Convection oven (FOINOX) - Series FC  
 Series FM - Series MM



BERTO'S 24646900

## Gas burners

**3023155 BURNER  $\varnothing$  40x420 mm**  
 made of STAINLESS steel  
 for Convection oven gas (FOINOX) FC06G - FC06GA  
 FM06GDA - FP05G - FP05GA - MM06GA - MM06GB



BERTO'S 23277100

**3023158 BURNER  $\varnothing$  50x325 mm**  
 made of STAINLESS steel  
 for Convection oven gas (FOINOX) FM06GDG - FM10GB  
 FM10GDG - FM100GEP - FM100GM - FM100GTD  
 FM20GDG - FM200GEP - FM200GM - FM200GTD  
 FM201GEP - FM201GM - FM60GEP - FM60GM  
 FM60GTD - JO1011G - JO1021G - JO611G



BERTO'S 25278700

**3023159 BURNER  $\varnothing$  50x485 mm**  
 made of STAINLESS steel  
 for Convection oven gas (FOINOX) FC12G - FC12GA  
 FM10GB - FP10G - FP10GA - MM10GA - MM10GB



BERTO'S 25277500

## Gas taps and accessories

**3348042 PIPE OLIVE  $\varnothing$  20 mm**  
 for model PEL 23



BERTO'S



Suitable for:

**BERTO'S**

Suitable for:



## Gaskets and seals

### 3186173 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 93x79 mm  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)



BERTO'S 24597700

## Gaskets for oven door

### 3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer  
profile dimensions 14x12 mm  
BLACK COLOR  
for Convection oven (ANGELO PO)  
for Convection oven (BERTO'S)  
for Convection oven (GIGA)  
for Convection oven (LAINOX)



BERTO'S 23601400

BERTO'S 23602100

### 3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer  
profile dimensions 14x12 mm  
BLACK COLOR  
for Convection oven (ANGELO PO)  
for Convection oven (BERTO'S)  
for Convection oven (GIGA)  
for Convection oven (LAINOX)



BERTO'S 23601400

BERTO'S 23602100

### 3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer  
profile dimensions 14x12 mm  
BLACK COLOR  
for Convection oven (ANGELO PO)  
for Convection oven (BERTO'S)  
for Convection oven (GIGA)  
for Convection oven (LAINOX)



BERTO'S 23601400

BERTO'S 23602100



Suitable for:

Suitable for:

**3286030 OVEN DOOR GASKET 04880 - 15 m**

made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (GIORIK)  
for Convection oven (LAINOX)



BERTO'S 23595200  
BERTO'S 23595800

BERTO'S 23595400  
BERTO'S 24596800

BERTO'S 23595600  
BERTO'S 25596700

**3286084 OVEN DOOR GASKET 04880 - 3 m**

made of silicone elastomer  
profile dimensions  
BLACK COLOUR  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (GIORIK)  
for Convection oven (LAINOX)



BERTO'S 23595200  
BERTO'S 23595800

BERTO'S 23595400  
BERTO'S 24596800

BERTO'S 23595600  
BERTO'S 25596700

**3286030 OVEN DOOR GASKET 04880 - 15 m**

made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (GIORIK)  
for Convection oven (LAINOX)



BERTO'S 23595200  
BERTO'S 23595800

BERTO'S 23595400  
BERTO'S 24596800

BERTO'S 23595600  
BERTO'S 25596700

**3286029 OVEN DOOR GASKET 04880 - 6 m**

made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (GIORIK)  
for Convection oven (LAINOX)



BERTO'S 23595200  
BERTO'S 23595800

BERTO'S 23595400  
BERTO'S 24596800

BERTO'S 23595600  
BERTO'S 25596700



Suitable for:

Suitable for:

## 3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (GIORIK)  
for Convection oven (LAINOX)




BERTO'S 23595200  
BERTO'S 23595800

BERTO'S 23595400  
BERTO'S 24596800

BERTO'S 23595600  
BERTO'S 25596700

## 3186344 OVEN GLASS GASKET 1100 mm

made of silicone elastomer  
profile dimensions 15x12 mm  
COLOUR BLACK  
for Convection oven (FOINOX) - Series MM



BERTO'S 25594000

## Handles

### 3242255 CENTRAL LOCK MECHANISM RIGHT

for OVEN  
for Convection oven electric (COVEN) TEC10  
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
TEC15MX - TEC20 - TEC20MD  
for Convection oven electric (SOLYMAC) SOLYMIX 10  
SOLYP10  
for Convection oven gas (COVEN) TEC10G - TEC10GMD  
TEC10GP - TEC15G - TEC15GMD - TEC20G  
TEC20GMD  
for Electric oven (CAPIC) R220



BERTO'S 25878100

### 3242718 DOOR HANDLE STRIKE

for high temperatures  
mounting distance 43 mm  
for OVEN



BERTO'S 23579700

### 3242254 HANDLE LOCK FOR OVEN DOOR

for Convection oven (FOINOX)  
since 1/01/95  
Series FM6



BERTO'S 25779200

### 3398021 OVEN DOOR CATCH

distance between holes 47 mm  
catch distance 27 mm  
for Convection oven (COVEN) - Series TEC5 - TEC8  
TEC9P  
for Convection oven electric (COVEN) TEC10MX  
TEC4MX  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYP10  
for Convection oven gas (COVEN) TEC6G - TEC7G



BERTO'S 24577700

BERTO'S 24579500





Suitable for:

## 3242110 OVEN DOOR HANDLE

for Convection oven (FOINOX) MIDI005GM  
for Convection oven (SOLYMAC) SOLY 5P - SOLYMIX 6  
SOLYP 6  
for Convection oven electric (COVEN) N5P - N5PMEC  
N6MD - N6MX - TEC3MD - TEC3MX - TEC4MX - TEC5P  
TEC5PMEC - TEC6 - TEC6EMD - TEC6EMX - TEC6MD  
TEC6MX - TEC7  
for Convection oven electric (FOINOX) FC05EU  
MIDI005EEP - MM06EBM  
for Convection oven gas (COVEN) N6GMD - TEC5GP  
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G  
for Convection oven gas (FOINOX) MIDI005GEP



BERTO'S 25884400

Suitable for:

## 3242250 OVEN DOOR HANDLE

for Convection oven (FOINOX) - Series FC  
Series FD - Series FM - Series FP - Series MM



BERTO'S 25605100

## 3242144 OVEN DOOR HANDLE 260x30 mm

with strike mounting distance 45 mm  
handle mounting distance 133 mm  
for Convection oven electric (COVEN) TEC3MD  
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC  
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7  
for Convection oven electric (LAINOX) A10PES  
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC  
TEC6G - TEC6GMD - TEC6GMX - TEC7G



BERTO'S 23579700+23604400

BERTO'S 23604400

## 3242253 PIN FOR DOOR HANDLE

for Convection oven (BERTO'S) WAVE6TURBO  
for Convection oven (FOINOX) MM2/3EA - MM2/3EB  
MM2/3EM  
for Convection oven gas (BERTO'S) FMG6EP - FMG6M



BERTO'S 25906400

## 3242251 SPRING FOR DOOR HANDLE $\varnothing$ 16x37 mm for OVEN



BERTO'S 25884200

## 3242059 STRIKE FOR DOOR HANDLE distance between mounting holes 21 mm for OVEN



BERTO'S 25760000

## 3242252 WASHER FOR DOOR HANDLE for Convection oven electric (FOINOX) MM06EB



BERTO'S 25938600



Suitable for:

# BERTO'S



Suitable for:

## Heating elements

**3355055 HEATING ELEMENT 2500W 220V**  
 external  $\varnothing$  190 mm - overall height 93 mm  
 flange 70x22 mm  
 for Convection oven electric (ZANUSSI)



BERTO'S 23021800

**3355889 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  190 mm - total height 70 mm  
 flange 70x22 mm  
 for Convection oven electric (GARBIN) 12GX - 23MX  
 23MXUMI - 43MX - 43MXUMI



BERTO'S 22015500

**3755207 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  200 mm - overall height 78 mm  
 flange 100x22 mm  
 for Convection oven electric (FOINOX) FE1/2  
 FE2/3



BERTO'S 23019200

**3755092 HEATING ELEMENT 3000/3266W 230/240V**  
 external  $\varnothing$  190 mm - overall height 70 mm  
 flange 100x22 mm  
 for Convection oven electric (FOINOX) FC06  
 FC06EA - FC12E - FC12EA-EDG  
 for Electric oven electric (FOINOX) SPEEDY MW  
 SPEEDY UMU



BERTO'S 23020500

**3355433 HEATING ELEMENT 3500W 240V**  
 length 115 mm - width 625 mm  
 flange 70x22 mm  
 for Convection oven electric (BERTO'S) FME10  
 FME10EP - FPE12TURBO - WAV-E12TURBO  
 for Convection oven electric (FOINOX) FC12SE  
 FC12SEA - FC20E - FC20EA - FM10E - FM10EB  
 FM10EDG - FM20EB - FP10E - FP10EA - MM10EA  
 MM10EB - MM20EA - MM20EB



BERTO'S 25040600

**3355431 HEATING ELEMENT 4360/3660W 220/240V**  
 immersed length 310 mm  
 flange external  $\varnothing$  63 mm  
 with bulb sheath  $\varnothing$  6 mm  
 complete with O-RING  
 nut and washer upon request  
 for boiler  
 for Convection oven electric (BERTO'S) FME10M  
 for Convection oven electric (FOINOX) FM06EB  
 FM06EDG - FM10E - FM10EB - FM10EDG - FM20EB  
 FM20EDG



BERTO'S 25021600



Suitable for:

**3755206 HEATING ELEMENT 6000W 240V**  
 external  $\varnothing$  230 mm - height 130 mm  
 flange 140x25 mm  
 for Convection oven electric (FOINOX) FC05EU  
 FC05EUM - FC06E - FC50EM - MIDI005EEP  
 MIDI005EM  
 for Convection oven electric (LAINOX) A10PES



BERTO'S 23021300

Suitable for:

**3355432 HEATING ELEMENT 8000W 240V**  
 external  $\varnothing$  260 mm - height 80 mm  
 flange 140x25 mm  
 for Convection oven electric (BERTO'S) FME6  
 for Convection oven electric (FOINOX) FC06SE  
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA  
 MM06EB - M06EBM



BERTO'S 25021400

**3755208 HEATING ELEMENT 920W 230V**  
 length 260 mm - width 210 mm  
 total height 120 mm - couplings  $\varnothing$  13 mm  
 for Convection oven electric (FOINOX) FC06  
 FC06EA - FC12E - FC12EA-EDG - FP05EA



BERTO'S 23016600

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118  
 height 23 mm



BERTO'S 31802500

**3053019 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 25 mm  
 for Convection oven  
 for Convection oven electric (GIERRE) BRIOBRG600  
 BRIOMIDIBRG400



BERTO'S 22608200

BERTO'S 22609200

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
 distance between holes 175 mm - overall length 205  
 height 160 mm



BERTO'S 31802100

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118  
 height 23 mm



BERTO'S 31802500



Suitable for:

# BERTO'S



## 3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm  
height 160 mm



BERTO'S 31802000

Suitable for:

## 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm  
height 23 mm



BERTO'S 31802500

## Knobs

### 3241402 BLACK KNOB $\varnothing$ 70 mm

D shaft hole 6x4.6 mm  
for thermostat. selector switch. timer.  
program switch. energy regulator



BERTO'S 31876000

### 3241336 GREY KNOB $\varnothing$ 51 mm

D-shaped hole 6x4.6 mm  
for Convection oven (BERTO'S) FMG25 - FMG95  
for Convection oven (FOINOX) - Series MM



BERTO'S 24653900

### 3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8

external  $\varnothing$  63 mm  
for thermostatic gas taps PEL



BERTO'S 31952300

## Lamps

### 3221172 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x80 mm  
for Convection oven



BERTO'S 24289500

### 3221255 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 140x72 mm  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (INOXTREND)  
for Convection oven (MBM)  
for Convection oven (WHIRLPOOL)  
for Convection oven (ZANUSSI)



BERTO'S 25806900



Suitable for:

### 3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



BERTO'S 23602800

Suitable for:

### 3221173 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 73x58 mm  
for Convection oven electric (FAGOR) COE-061  
COE-101



BERTO'S 24589900

### 3221256 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 112x65 mm  
max temperature 500°C  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (INOXTREND)  
for Convection oven (JUNO-RÖDER-SENKING)  
for Convection oven (MBM)  
for Convection oven (WHIRLPOOL)  
for Convection oven (ZANUSSI)



BERTO'S 25589200

### 3221052 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 57 mm

for OVEN-PIZZA OVEN



BERTO'S 23160700

### 3221032 GREEN INDICATOR LAMP 230V

head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



BERTO'S 30168800

### 3221132 GREEN INDICATOR LAMP 230V

head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



BERTO'S 30168800

### 3221194 GREEN NEON INDICATOR LAMP 220V

$\varnothing$  head 9 mm



BERTO'S 30169100

### 3221120 LAMP RECEPTACLE E14 25W 230V

for Convection oven electric (GEMINI FORNI)  
Series 2/M - 2/M1  
for Convection oven electric (MBM) FCE10 - FCE6  
FEMD107SC - FEMD109 - FEMD207SC - FEMD209  
FEMD67SC - FEMD69 - FEM107SC - FEM109  
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050  
FEP080 - FEP160  
for Convection oven gas (MBM) FCG10 - FCG6  
FGMD107SC - FGMD109 - FGMD207 - FGMD209  
FGMD67SC - FGM107SC - FGM109 - FGM207SC  
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080  
FGP160



BERTO'S 25159500



Suitable for:

# BERTO'S



## 3221311 LAMP RECEPTACLE E14 25W 230V

mounting hole  $\varnothing$  36 mm  
max temperature 300°C  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (INOXTREND)  
for Convection oven (MBM)



BERTO'S 23158600

## 3221052 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 57 mm for OVEN-PIZZA OVEN



BERTO'S 23160700

## 3221061 OVEN LAMP E14 25W 230V

max temperature 300°C  
for Convection oven electric (EMMEPI) F2011GT-SP  
for Convection oven electric (KELVIN) NKE234  
NKE234S  
for Convection oven electric (SOGECO)  
Series MBS10.21 - Series MDS10.21  
Series MDS20.21  
for Convection oven gas (CONVOTHERM) OGS6.10



BERTO'S 23155300

## 3221095 ORANGE INDICATOR LAMP 230V


head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



BERTO'S 30168500

## 3221041 OVEN LAMP E14 15W 230V

max temperature 300°C  
for OVEN - PIZZA OVEN



BERTO'S 23155100

## 3221061 OVEN LAMP E14 25W 230V

max temperature 300°C  
for Convection oven electric (EMMEPI) F2011GT-SP  
for Convection oven electric (KELVIN) NKE234  
NKE234S  
for Convection oven electric (SOGECO)  
Series MBS10.21 - Series MDS10.21  
Series MDS20.21  
for Convection oven gas (CONVOTHERM) OGS6.10



BERTO'S 23155300

## 3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE

external dimensions 140x75 mm  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)  
for Convection oven (GIORIK)  
for Convection oven (INOXTREND)  
for Convection oven (KELVIN)  
for Convection oven (MBM)  
for Convection oven (WHIRLPOOL)  
for Convection oven (ZANUSSI)



BERTO'S 25597400



**Level regulators**

**3341026 LEVEL ADJUSTER RL30/3ES/F/G**  
 230V 50/60Hz  
 for Convection oven electric (FOINOX) FM100EM  
 FM200EM - FM201EM - FM401EM - FM60EM  
 for Convection oven gas (FOINOX) FM100GM - FM200GM  
 FM201GM - FM401GM - FM60GM



BERTO'S 25048900

**Microswitches**

**3240724 MAGNET FOR MICROSWITCH ø 23x10 mm**  
 for Convection oven electric (GIORIK) JO1011E  
 JO1021E - JO611E  
 for Convection oven gas (GIORIK) JO1011G - JO1021G  
 JO611G



BERTO'S 25850400

**3240498 MAGNETIC MICROSWITCH ø 10x33 mm**  
 1A 250V 50W - NO contact  
 with cable length 2000 mm  
 for Convection oven electric (GIORIK) JO1011E  
 JO1021E - JO611E  
 for Convection oven gas (GIORIK) JO1011G - JO1021G  
 JO611G



BERTO'S 25850200

**3240189 MICRO SWITCH M1DX20 10A 250V**  
 for Convection oven (ANGELO PO)  
 till 31/12/99  
 for Convection oven electric (ANGELO PO)  
 till 13/11/99  
 FCV101E - FCV101EDM - FCV101EDS - FCV141E  
 FCV141EDM - FCV141EDS - FCV241E - FCV241EDM  
 FCV241EDS - FCV401EDM - FCV61E - FCV61EDM  
 FCV61EDS - FC101E - FC241E - FC61E  
 for Convection oven gas (ANGELO PO)  
 till 13/11/99  
 FCV101 - FCV141DM - FCV141DS - FCV241 - FCV241G  
 FCV61 - FC101 - FC61



BERTO'S 22060300

**3240410 MICRO SWITCH 16A 250V**  
 for ANGELO PO OLD OVENS FC-FCV  
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
 FC1211G-FC1211E  
 for ANGELO PO FRYER 030FE1-030FE1B-70FE  
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
 30FES2-30FES2B-091FE28  
 for IMESA DRYER ES10-ES55-ES75  
 for IMESA WASHING MACHINE  
 LM30-LM40-LM55-LM70-LM85  
 RC30-RC40-RC55-RC70  
 for SIRMAN CUTTER C4-C6-C6VV-C9  
 for GRANDIMPIANTI DRYER EMS10-EMS15  
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
 for IPSO CALENDER RI1600/30-RI1600/30AV



BERTO'S 23060600



Suitable for:

# BERTO'S



Suitable for:

## Motors

**3240319 MOTOR LM50/2 0.04Kw 220/240V 50Hz**  
 0.6A capacitor 4 µF  
 for Convection oven electric (FOINOX) BLUPASTRYVIP



BERTO'S 25118000

**3240277 MOTOR ST80/4 50/60Hz**  
 220/240/346/415V 50Hz 0.75Kw 3.3-1.9A  
 200/277/346/480V 60Hz 0.75Kw 3.3-1.9A  
 1350-1650rpm  
 for Convection oven electric (GIORIK) CE10MX  
 CE102MX - CE20MX - DE10MX - DE102MX - EF10GM  
 EF7GM - VE10M - VE102EC - VE102M - VE20MX  
 for Convection oven electric (LAINOX) - Series ME  
 Series MES - Series VE - Series VES  
 for Convection oven gas (GIORIK) CG10MX - CG102MX  
 CG20MX - DG10MX - DG102MX - VG10MX - VG102MX  
 VG20MX



BERTO'S 24119100

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
 fan ø 150 mm  
 for Convection oven  
 for Convection oven electric (COVEN) C6E - TEC10  
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H  
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6  
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6 - SOLYP10 - SOLYP6



BERTO'S 23117700

BERTO'S 23118000

**3240029 MOTOR 1057 0.5/0.10HP 220/240V 50Hz**  
 2/4 poles 2/0.7A 1400rpm - capacitor 20 µF  
 for Convection oven (LAINOX)



BERTO'S 23118300

BERTO'S 24118700

**3240391 MOTOR 1057.2157 0.37Kw 220/240V 50Hz**  
 2700rpm - capacitor 12.5 µF  
 for Convection oven (FOINOX) - Series FC  
 Series FM - Series MM  
 for Convection oven electric (NOSEM) FM60EM



BERTO'S 24118500





**OR and ORM gaskets**

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**  
 for Convection oven electric (CAPIC) AC150 - AC50  
 R50



BERTO'S 35859500

**Penetration probes**

**3397006 PENETRATION PROBE**  
 connector fitting  
 probe length 180 mm  
 compartment internal cable length 680 mm  
 compartment external cable length 1400 mm  
 for Convection oven electric (FOINOX) FC12EA  
 FC12SEA - FC20E - FC20EA - MM10EA - MM10EB  
 MM20EA - MM20EB  
 for Convection oven gas (FOINOX) FC12G - FC12GA  
 FC20G - FC20GA - MM10GA - MM10GB - MM20GA  
 MM20GB



BERTO'S 25919300

**3397040 PENETRATION PROBE PT100**  
 connector fitting  
 probe length 185 mm  
 compartment internal cable length 445 mm  
 compartment external cable length 1440 mm  
 for Convection oven electric (FOINOX) FM06EB  
 MM2ED - MM2EEP - MM2EM - MM3ED - MM3EEP  
 MM3EM



BERTO'S 25919100

**3397041 PENETRATION PROBE PT100**  
 2 wires  
 probe length 185 mm  
 chamber internal cable length 730 mm  
 chamber external cable length 1440 mm  
 for Convection oven electric (FOINOX) FM10EDG  
 for Convection oven gas (FOINOX) FM10GDG



BERTO'S 25919500

**Pilot burners and accessories**

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



BERTO'S 32365300

**3020449 PILOT GAS JET ø 0.54 mm**



BERTO'S 40902700



Suitable for:

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



BERTO'S 32366900

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



BERTO'S 25291400

# BERTO'S



Suitable for:

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket  
with thermocouple fitting  
for Convection oven gas (ZANUSSI)



BERTO'S 22291200

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M4x1 mm  
total length 65 mm  
for Convection oven electric (SOLYMAC) SOLYP10  
for Convection oven gas (SOLYMAC) SOLYMIX  
SOLYP6G



BERTO'S 23297400

## Probes

**3445117 PROBE PT100 VETROTEX 3000 mm**  
3-wire probe temperature range 0+350°C  
bulb  $\varnothing$  6x100 mm



BERTO'S 24076500

**3397088 TEMPERATURE PROBE**  
2 wires - temperature probe f/boiler and chamber  
probe length 225 mm  
cable length 1000 mm  
for ALL MODELS  
for Convection oven (BERTO'S)  
for Convection oven (FOINOX)



BERTO'S 25076800

## Relays

**3351007 MINI RELAY 55.32 10A 240V 50/60Hz**  
2 switching contacts  
manual push-button



BERTO'S 25080600



## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



BERTO'S 22699200

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Convection oven electric (INOXTREND) CRCA107E  
CRCA111E



BERTO'S 22051000

**3057097 SELECTOR SWITCH 0-2 POSITIONS**  
6 cams - contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.0 6 mm  
for Convection oven electric (FOINOX) FE1/2  
FE2/3



BERTO'S 23050600

**3057010 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.0 6 mm  
for Convection oven (FOINOX) - Series FC  
for Convection oven electric (LAINOX) CES24M  
CES40M - CE041M - CE051M - CE071M - CE100M  
CE106M - CE110M - CE200M - CE210M - MCE051M  
MCE071M - MCE101M - MCE102M - MCE201M  
MCE202M  
for Convection oven gas (LAINOX) CGS24M - CGS40M  
CG051M - CG071M - CG100M - CG106M - CG110M  
CG200M - CG210M - FG105M - FG105X - FG110M  
FG110X - MCG051M - MCG071M - MCG101M - MCG102M  
MCG201M - MCG202M - PG040M - PG040X - PG080M  
PG080X



BERTO'S 23050900

**3057047 SELECTOR SWITCH 5 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.0 6 mm  
for Convection oven (FOINOX) - Series FM  
Series MIDI - Series MM



BERTO'S 25051700



Suitable for:

# BERTO'S



Suitable for:

## Solenoid valves

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



BERTO'S 23116200

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm



BERTO'S 23116900

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz  
 for Convection oven (COVEN)  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6



BERTO'S 31002600

BERTO'S 32164200

**3181004 SPARK GENERATOR 6 OUTLETS**  
 220/240V - 50/60Hz



BERTO'S 31002400

## Sparking and detection plugs

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm  
 for Convection oven electric (SOLYMAC) SOLYP10  
 for Convection oven gas (SOLYMAC) SOLYMIX  
 SOLYP6G



BERTO'S 23297400

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm



BERTO'S 22296800

BERTO'S 22296900



Suitable for:

Suitable for:

## 3020065 ROUND SPARKING PLUG $\varnothing$ 9.5x77 mm

overall length 125 mm  
 for Convection oven gas (FOINOX) FC100GEP  
 FC200GEP - FC200GM - FC201GEP - FC401GEP  
 FC401GM - FC60GEP - FC60GM - FDG55EP - FDG55TD  
 FM06GDG - FM10GB - FM10GDG - FM100GEP  
 FM100GM - FM100GTD - FM200GEP - FM200GTD  
 FM201GEP - FM201GM - FM401GEP - FM401GM  
 FM401GTD - FM60GEP - FM60GM - FM60GTD  
 FP100GEP - FP100GM - FP100GTD - FP50GEP  
 JO0611G - JO1011G - JO1021G - JO2011G  
 JO2021G - MIDIO05GEP - MM06GA - MM10GA  
 MM10GB - MM100GEP - MM100GM - MM100GTD  
 MM20GA - MM200GEP - MM200GM - MM200GTD  
 MM201GM - MM201GTD - MM401GEP - MM401GM  
 MM401GTD - MM60GEP - MM60GM - MM60GTD



BERTO'S 25297600

## Switches

### 3319168 BIPOLAR SWITCH 16A 250V

for Convection oven (FOINOX) - Series FC  
 Series FD - Series FM - Series MM



BERTO'S 25058400

BERTO'S 25850000

### 3319617

### DOUBLE CONTACT SWITCH 16A 250V

for Convection oven (FOINOX)



BERTO'S 25061800

### 3319012 GREEN BIPOLAR SWITCH 16A 250V

with indicator light and switch cover  
 screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm  
 for Convection oven electric (ZANUSSI)  
 for Convection oven gas (ZANUSSI)



BERTO'S 22056600



Suitable for:

**BERTO'S**



Suitable for:

## Telethermometers

### 3441037 WHITE TELETHERMOMETER ø 52 mm 50-350°C

plastic sheath  
capillary length 970 mm  
bulb ø 6x40mm  
for Convection oven electric (BERTO'S) FME10N  
for Convection oven electric (FOINOX) FP05E



BERTO'S 24575600

## Terminal blocks

### 3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



BERTO'S 30184500

### 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



BERTO'S 30183800

### 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



BERTO'S 30184200

## Thermocouples and accessories

### 3440150 DISPLAY DEVICE FOR THERMOCOUPLES



BERTO'S 25326200

### 3440064 NUT FOR THERMOCOUPLE M8x1



BERTO'S 22290900



Suitable for:

Suitable for:

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



BERTO'S 23288900

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



BERTO'S 23288900

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



BERTO'S 23288900

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



BERTO'S 31289000

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



BERTO'S 31289000

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



BERTO'S 31289000

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BERTO'S 22289200

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BERTO'S 22286900

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**



BERTO'S 22286900

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BERTO'S 22286900



Suitable for:

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**



BERTO'S 22289200

**BERTO'S**



Suitable for:

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



BERTO'S 22289200

## Thermostats

**3444352 SINGLE-PHASE THERMOSTAT 130°C**

with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm  
for Convection oven electric (FOINOX) J01011E  
J01021E - J02011E - J02021E - J0611E  
for Convection oven gas (FOINOX) J00611G - J01011G  
J01021G - J02011G - J02021G



BERTO'S 25070000

**3444339 SINGLE-PHASE THERMOSTAT 30-110°C**

D-shaped pin 6x4.6 mm  
capillary length 880 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for Convection oven (FOINOX) - Series MM



BERTO'S 85040800

**3444552 SINGLE-PHASE THERMOSTAT 30-120°C**

D-shaped pin 6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x115 mm  
for Convection oven electric (BERTO'S) FC200EA  
FC200EB  
for Convection oven gas (BERTO'S) FC200GA  
FC200GB



BERTO'S 25064500

**3444676 SINGLE-PHASE THERMOSTAT 335°C**

with manual reset  
covered capillary length 920 mm - 16A 250V  
bulb  $\varnothing$  3x150 mm  
for Convection oven (BERTO'S)  
for Convection oven electric (BAKE OFF)  
BISTROT1064 - BISTROT434 - BISTROT434/05  
BISTROT464 - BISTROT464/05 - BISTROT664  
6TTR05  
for Convection oven electric (FOINOX) J01011E  
J01021E - J02021E - J0611E  
for Convection oven gas (FOINOX) J01011G - J01021G  
J02011G - J02021G - J0611G



BERTO'S 24069900

**3444114 SINGLE-PHASE THERMOSTAT 50-250°C**

D-shaped pin 6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven electric (GIERRE) FEV024  
FEV106M - FEV166M - FEV60M  
for Convection oven gas (GIERRE) FEV57M - FEV61M



BERTO'S 22061900

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven (LAINOX)  
for Convection oven (ZANUSSI)



BERTO'S 23063300

BERTO'S 24063323





Suitable for:

### 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven (BONNET)  
for Convection oven (BOURGEOIS)  
for Convection oven (ZANUSSI)



BERTO'S 23063600

Suitable for:

### 3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



BERTO'S 22062600

BERTO'S 30064900

### 3444291 THREE-PHASE THERMOSTAT 132°C

with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
for old series  
for Convection oven electric (MARENO)



BERTO'S 25070100

### 3444333 THREE-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  4x310 mm  
for Convection oven (FOINOX) - Series MM



BERTO'S 25069800

## Timers

### 3446057 FOOT FOR 90.26 TIMER

8 feet - 10A 250V  
for Convection oven (FOINOX) - Series MM



BERTO'S 25998400

### 3446004 TIMER 120 MINUTES

complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
manual left hand positioning possible  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven (ANGELO PO)  
for Convection oven (ZANUSSI)



BERTO'S 25078600



Suitable for:

# BERTO'S



Suitable for:

**3446056 TIMER 120 MINUTES M2**  
 mechanical timer with acoustic alarm  
 manual left position possible  
 manually set cycle 120 minutes  
 contact capacity 16(4)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (FOINOX) - Series BLUPASTRY  
 Series FC - Series FM - Series FP - Series SPEEDY  
 for Convection oven electric (FOINOX) MM06EB  
 for Convection oven electric (GAYC) G2  
 for Convection oven electric (ROLLER GRILL) FC110  
 FC60



BERTO'S 23078700

**3241336 GREY KNOB  $\varnothing$  51 mm**  
 D-shaped hole 6x4.6 mm  
 for Convection oven (BERTO'S) FMG25 - FMG95  
 for Convection oven (FOINOX) - Series MM



BERTO'S 24653900

**3446053 TIMER 6 SECONDS 5A 250V**  
 for Convection oven (FOINOX) - Series MM



BERTO'S 25081400

**3446057 FOOT FOR 90.26 TIMER**  
 8 feet - 10A 250V  
 for Convection oven (FOINOX) - Series MM



BERTO'S 25998400

**3446054 TIMER 60 SECONDS 5A 230V**  
 for Convection oven (FOINOX) - Series MM



BERTO'S 25081600

**3446057 FOOT FOR 90.26 TIMER**  
 8 feet - 10A 250V  
 for Convection oven (FOINOX) - Series MM



BERTO'S 25998400

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



BERTO'S 25164500