



Spare parts for:

Ovens

Suitable for:

CAPIC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CAPIC



Suitable for:

Cables for piezo igniters

3001215 LF IGNITION LEAD - 10 m
thickness \varnothing 1 mm
temperature $-60^{\circ}+200^{\circ}\text{C}$



CAPIC E351610

3001115 LF IGNITION LEAD - 100 m
thickness \varnothing 1 mm
temperature $-60^{\circ}+200^{\circ}\text{C}$



CAPIC E351610

3001002 SIT IGNITION LEAD 1000 m m
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



CAPIC

Capacitors

3068027 CAPACITOR μF 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



CAPIC L452027

3068008 CAPACITOR μF 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



CAPIC L452005

Contactors

3454060 CONTACTOR SCHNEIDER LC1D09B7
coil 9A 24V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact
for Convection oven electric (CAPIC) R300



CAPIC E050901

3454017 CONTACTOR SCHNEIDER LC1D09V7
coil 25A 400V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact



CAPIC E050904

Suitable for:

Suitable for:

- 3454015 CONTACTOR SCHNEIDER LC1D18P7**
 coil 18A 230V 50/60Hz 7,5Kw
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact
 for Convection oven electric (BOURGEOIS) CP0612



CAPIC E050932

Electrical gas valves and accessories

- 3526077 ELBOW FLANGE \varnothing 1/2" F**
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G652031

- 3526078 ELBOW FLANGE \varnothing 3/4" F**
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653032

- 3526075 STRAIGHT FLANGE \varnothing 1/2"**
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653033

- 3526079 VALVE 820 NOVA \varnothing 1/2" FF**
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160



CAPIC G653030

Electronic printed-circuit boards

- 3390276 LEVEL DETECTION BOARD**
 for Convection oven electric (CAPIC) AC150 - AC220



CAPIC E054060



Suitable for:

CAPIC



Suitable for:

Electronic printed-circuit boards

3390278 THERMOSTAT BOARD

for probe PT100 - temperature 0-270°C
for Convection oven electric (CAPIC) AC150 - AC220
AC50 - 150N - 220N - 240N - 350 - 50N



CAPIC E050560

3397151 TEMPERATURE PROBE PT100

3 wires - bulb \varnothing 5x104 mm
cable length 2000 mm
for Convection oven electric (CAPIC) AC150 - AC220
AC50 - 150N - 220N - 240N - 350N - 50N



CAPIC E403525

Electronic thermostats and controllers

3445383 THERMOSTAT SSA96J2S

SERSA n° 10023422
power supply 24V
thermostat setting range 0+270°C
for Convection oven electric (CAPIC) R300



CAPIC E403036

3397149 TEMPERATURE PROBE

2 wires - bulb \varnothing 5x90 mm
cable length 2120 mm
with fixing fitting M8 and doublecone M5
for Convection oven (CAPIC)



CAPIC E403514

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for Convection oven electric (UNOX) XV202 - XV301
XV401 - XV501



CAPIC E402540

Fans for motors

3340006 FAN \varnothing 180 mm


thickness 35 mm
8 blades - hole \varnothing 8 mm
for Convection oven electric (CAPIC) R50



CAPIC Q302005

3240957 STAINLESS STEEL FAN \varnothing 300 mm

thickness 60 mm
total blades 8 - \varnothing hole 15 mm
for Convection oven electric (CAPIC) R300



CAPIC Q302011



Suitable for:

CAPIC

Suitable for:



Gas hoses

3449229 COPPER TUBE 1x6 mm - 25 mt



CAPIC B400106

3449629 COPPER TUBE 1x6 mm - 5 mt



CAPIC B400106

3449229 COPPER TUBE 1x6 mm - 25 mt



CAPIC B400106

Gas valves and accessories

3523069 GAS VALVE FOR OVEN GC1300 310°C
bulb \varnothing 6x120 mm



CAPIC G652012

3241735 BLACK KNOB 2-3-4-5-6-7-8
for GAS VALVE GC1300



CAPIC G652221

3241734 RED KNOB STOP
for GAS VALVE GC1300



CAPIC G652220

Gaskets and seals

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)



CAPIC E202048

CAPIC E204048



Suitable for:


CAPIC



Suitable for:


Gaskets for oven door

3786303 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimensions 18x17 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven (CAPIC)



CAPIC I304006

3786304 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimensions 25x12 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven (CAPIC)




CAPIC I304008

3786305 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimension 28x22 mm
 COLOUR GREY
 SOLD PER METRE
 for Convection oven electric (CAPIC) R240N - R350N



CAPIC I304016

3786306 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimensions 26x21 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven (CAPIC)




CAPIC I304018

3786307 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimensions 27x17 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven electric (CAPIC) AC150 - AC220
 AC50 - R100 - R150N - R220N - R240N - R250
 R300 - R350N - R50N




CAPIC I304024

3786312 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimensions 18x16 mm
 COLOUR BLACK
 SOLD PER METRE




CAPIC

3786302 OVEN GLASS GASKET
 made of silicone elastomer
 profile dimensions 13x6 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven (CAPIC)



CAPIC I304004

3786308 OVEN GLASS GASKET
 made of silicone elastomer
 profile dimensions 12x14 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven electric (CAPIC) AC150 - AC220
 AC50 - R150N - R220N - R240N - R350N - R50N



CAPIC I304026



Grids for refrigerator-oven

3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm



CAPIC A303005

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



CAPIC A303020

3185940 STAINLESS STEEL GRID 600x400 mm
thickness 7 mm



CAPIC A303015

Handles

3242255 CENTRAL LOCK MECHANISM RIGHT
for OVEN
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX 10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Electric oven (CAPIC) R220



CAPIC Q101007

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



CAPIC

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



CAPIC LF-3242042

3242291 DOOR LOCK CENTRAL FOOT
for OVEN



CAPIC



Suitable for:

CAPIC



3242593 KNOB ROLL HOLDER FOR LOCK.NUT



CAPIC T106488

Suitable for:

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



CAPIC Q105512

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



CAPIC

3242957 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR
straight handle
length 254x30 mm - mounting distance 133 mm
with adjustable strike from 9 to 22 mm
for high temperatures
for OVEN



CAPIC Q105510

3242922 STRIKE FOR DOOR CATCH



CAPIC

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



CAPIC

Heating elements

3455117 HEATING ELEMENT 1000W 230V
length 400 mm - width 85 mm
for Convection oven electric (CAPIC)



CAPIC E150596

3455118 HEATING ELEMENT 1000W 230V
length 750 mm - width 135 mm
for Convection oven electric (CAPIC) R250



CAPIC E150587



CAPIC



Suitable for:

3455098 HEATING ELEMENT 1500W 230V
length 393 mm width 75 mm
for Convection oven electric (CAPIC) AC50



CAPIC E150824

Suitable for:

3455119 HEATING ELEMENT 1500W 230V
length 725 mm - width 80 mm
mounting distance 80 mm
for Convection oven electric (CAPIC) R300-7PL



CAPIC E150852

3455176 HEATING ELEMENT 1500W 230V
length 495 mm width 60 mm
couplings \varnothing 1/8"
for Convection oven electric (CAPIC) R100



CAPIC E150840

3455177 HEATING ELEMENT 1500W 230V
length 575 mm - width 75 mm
couplings \varnothing 1/4"
for Convection oven electric (CAPIC) R200 - R250



CAPIC E150846

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



CAPIC E254001

3455102 HEATING ELEMENT 2000W 230V
length 1300 mm - width 65 mm
for Steam oven electric (CAPIC) AC240 - R240



CAPIC E150866

3455178 HEATING ELEMENT 2000W 230V
length 895 mm width 60 mm
couplings \varnothing 1/4"
for Convection oven electric (CAPIC) R300



CAPIC E150860

3455100 HEATING ELEMENT 2250W 230V
length 700 mm - width 88 mm
for Convection oven electric (CAPIC) AC150
for Steam oven electric (CAPIC) R150



CAPIC E151107

3455099 HEATING ELEMENT 3000W 230V
length 1290 mm - width 60 mm
for Convection oven electric (CAPIC) AC150



CAPIC E151170

3455101 HEATING ELEMENT 4000W 230V
length 850 mm - width 130 mm
fittings \varnothing 14 mm
for Convection oven electric (CAPIC) AC220



CAPIC E151465



Suitable for:

CAPIC



3455097 HEATING ELEMENT 4500W 220/380V
 immersion depth 390 mm
 flange external \varnothing 63 mm
 with O-ring
 for Convection oven electric (CAPIC) AC150 - AC50 R50



CAPIC E153010

Suitable for:

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50 R50



CAPIC E153011

CAPIC L554118

3455090 HEATING ELEMENT 700W 230V
 width 110 mm



CAPIC E150532

Hinges, catches and accessories

3053568 COMPLETE OVEN DOOR HINGE
 length 150 mm - width 30 mm
 for Convection oven electric (CAPIC) R300



CAPIC Q104508

3053569 LOCK CLAMP
 length 90 mm - width 50 mm - height 60 mm
 for Convection oven electric (CAPIC) R300



CAPIC Q102015

Hydraulic plumbing

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
 operating temperature $-40+100^{\circ}\text{C}$



CAPIC L155025



Knobs

3241363 BLACK KNOB \varnothing 50 mm
D-shaped hole 6x4.6 mm
for Convection oven (RATIONAL) - Series CD



CAPIC E401205

3444128 BLACK KNOB \varnothing 50 mm 50-300°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



CAPIC E401280

3241735 BLACK KNOB 2-3-4-5-6-7-8
for GAS VALVE GC1300



CAPIC G652221

3241734 RED KNOB STOP
for GAS VALVE GC1300



CAPIC G652220

Lamps

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm
for Convection oven



CAPIC E202049

3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
for Convection oven (COVEN)
for Convection oven (GARBIN)
for Convection oven (RATIONAL)



CAPIC E202056

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



CAPIC E202025

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for Convection oven (RATIONAL)
for Convection oven electric (TECNOEKA) KF1001GGAM
KF1001GIXALGAM - KF733 - KF912GA
KF912GRILLGA - KF912IXGA - KF913D - KF913DIX
KF9133DIX - KF933 - KF933U - KF937



CAPIC E202055



Suitable for:

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions \varnothing 10x28 mm
for OVEN



CAPIC E201005

Suitable for:

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



CAPIC L452515

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



CAPIC E202026

3221622 OVEN LAMP E10 1W 28V
dimensions \varnothing 10x28 mm
for Convection oven electric (CAPIC) R300
W211101



CAPIC E201001

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



CAPIC E201060

3221111 RED INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



CAPIC L452522

Level sensors

3341065 LEVEL PROBE \varnothing 3/8" M - 38 mm
for OVEN AC150-AC220
for Convection oven electric (CAPIC) AC150 - AC220



CAPIC E054062

Magnet groups

3182010 MAGNETIC UNIT PEL
 \varnothing head 24 mm - \varnothing end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



CAPIC G402065

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



CAPIC G402010

Microswitches

3803049 DOOR MICROSWITCH 20A 400V
 monopolar-threaded part dimensions \varnothing 12x40 mm
 for Convection oven electric (CAPIC) R100 - R250
 R300



CAPIC E053040

3240181 PROTECTED MAGNET 62x18x10 mm
 for Convection oven (MARENO)



CAPIC L453222

CAPIC L502009

Motors

3240991 MOTOR D29 0.37Kw 230/380V
 3-PHASES
 1500rpm
 for Convection oven electric (CAPIC) R150N - R220N
 R240N - R350N



CAPIC E254008

3240995 MOTOR LEROY SOMER D25T 0.25Kw 230/380V
 50/60Hz 2770rpm TRIFASE
 for Convection oven electric (CAPIC) R50



CAPIC E254005

3340006 FAN \varnothing 180 mm
 thickness 35 mm
 8 blades - hole \varnothing 8 mm
 for Convection oven electric (CAPIC) R50



CAPIC Q302005

3240982 MOTOR LEROY SOMER LS80L1SFT 0.37Kw
 230/380V - 1430rpm
 overall height 380 mm - mounting distance 115 mm
 shaft \varnothing 15.5 mm - shaft height 162 mm
 for Convection oven electric (CAPIC) R100 - R250
 R300



CAPIC E254010

3241888 MOTOR SHAFT GASKET 20x35x8 mm
 GARLOCK model PS-SEAL 2015
 for Convection oven electric (CAPIC) R300



CAPIC I506050



Suitable for:

3240957 STAINLESS STEEL FAN \varnothing 300 mm
thickness 60 mm
total blades 8 - \varnothing hole 15 mm
for Convection oven electric (CAPIC) R300



CAPIC Q302011

CAPIC



Suitable for:

3241888 MOTOR SHAFT GASKET 20x35x8 mm
GARLOCK model PS-SEAL 2015
for Convection oven electric (CAPIC) R300



CAPIC I506050

3240993 MOTOR WITH FAN R2D180AH06-10
100W 220/380V 50Hz THREE-PHASE
for Convection oven (CAPIC)



CAPIC 13390026

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



CAPIC E153011

CAPIC L554118

Pilot burners and accessories

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



CAPIC G207510

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



CAPIC G207511



Suitable for:

CAPIC



Suitable for:

Probes

3397149 TEMPERATURE PROBE
 2 wires - bulb \varnothing 5x90 mm
 cable length 2120 mm
 with fixing fitting M8 and doublecone M5
 for Convection oven (CAPIC)



CAPIC E403514


3397151 TEMPERATURE PROBE PT100
 3 wires - bulb \varnothing 5x104 mm
 cable length 2000 mm
 for Convection oven electric (CAPIC) AC150 - AC220
 AC50 - 150N - 220N - 240N - 350N - 50N



CAPIC E403525

Relays

3351008 RELAY 62.83 16A 230V 50/60Hz
 3 switching contacts



CAPIC L451725

Rotary switches

3057135 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 18A 240V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven electric (CAPIC) AC50
 for Convection oven electric (MBM) FEMD023



CAPIC E052535

Solenoid valves

3120405 SOLENOID VALVE 230V \varnothing 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



CAPIC L600505

3120407 SOLENOID VALVE 230V \varnothing 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 2 outlets \varnothing 10.5 mm



CAPIC L601005



Suitable for:

3120414 SOLENOID VALVE 230V \varnothing 10.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 3 outlets \varnothing 10.5 mm



CAPIC L601015

Suitable for:

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



CAPIC L601015

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



CAPIC L601005

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



CAPIC

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G




CAPIC G207511



Switches

3319627 DOUBLE CHANGE OVER SWITCH 16A 250V



CAPIC L451247

3319617 DOUBLE CONTACT SWITCH 16A 250V
for Convection oven (FOINOX)



CAPIC L451243

3319513 WHITE SINGLE-POLE PUSH-BUTTON
threaded connection \varnothing 12 mm
for Convection oven electric (BOURGEOIS) CP0612
CP1012 - CP1022



CAPIC E053052

Terminal blocks

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



CAPIC L450310

Thermocouples and accessories

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



CAPIC G401030

3440037 THERMOCOUPLE SIT M9x1 100 cm.



CAPIC G401030

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



CAPIC G401030



Suitable for:

CAPIC



Suitable for:

Thermostats

3444907 SINGLE-PHASE THERMOSTAT 365°C
with manual reset
capillary length 850 mm - 16A 250V
bulb \varnothing 3x166 mm
for Convection oven electric (BONNET) AC150
AC220 - AC50 - R150N - R220N - R240N - R350N
R50N



CAPIC E401003

3744063 THREE-PHASE THERMOSTAT 400°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb \varnothing 4x230 mm



CAPIC E401090

Timers

3446185 TIMER 2 CAMS 110 MINUTES
complete with cables
contact capacity 16A 240V 50Hz
for Convection oven electric (CAPIC) AC150 - AC220
AC50 - 150N - 220N - 240N - 350N - 50N



CAPIC E452092