



Spare parts for:

**Ovens**



Suitable for:

**EGO**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211408





Suitable for:

EGO



Suitable for:

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 12A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for Convection oven electric (UNOX) XV202 - XV301  
XV401 - XV501



EGO 5017071000

EGO 5057071010

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Convection oven (KELVIN)  
for Convection oven electric (GIERRE) FEV106M  
FEV166E - FEV166M - FEV166P - FEV168E  
FEV168M - FEV56M  
for Convection oven electric (SMEG) ALFA30V  
ALFA31V  
for Convection oven gas (GIERRE) FEV107M - FEV167E  
FEV167M - FEV167P - FEV57M



EGO 5017011000

EGO 5037021000

EGO 5017021000

EGO 5057011000

EGO 5037011000

EGO 5057021010

## Heating elements

### 3755238 CHAMBER HEATING ELEMENT 8000W 400V

external  $\varnothing$  580 mm - overall height 70 mm  
flange 80x45 mm  
for Convection oven electric (ZANUSSI) ACF/E10  
ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202  
ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202  
FCF/E10 - FCF/E20 - FCS101E - FCS102E  
FCS201E - FCS202E - FCV/E10 - FCV/E20  
FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10  
ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201  
ZCV/E202



EGO 2040400000

### 3355724 HEATING ELEMENT 1000W 230V

immersed length 450 mm - width 65 mm  
flange 70x22 mm  
for Convection oven electric (JUNO-RÖDER-SENKING)  
for Convection oven electric (ZANUSSI)



EGO 2434584023

### 3355366 HEATING ELEMENT 1500W 230V

length 105 mm - width 340 mm  
flange 70x22 mm  
for Convection oven electric (KELVIN) KE106  
KPE405 - NKE106  
for Convection oven electric (SOGECO) 5E - 56E  
6E



EGO 2410087310

### 3355710 HEATING ELEMENT 2000W 230V

length 520 mm - width 90 mm  
couplings  $\varnothing$  14 mm  
for Convection oven electric (RATIONAL) CD101  
CD201 - CM101 - CM201



EGO 2434268023



Suitable for:

**3755279 HEATING ELEMENT 2000W 230V**  
 external  $\varnothing$  195 mm - overall height 70 mm  
 flange 70x22 mm  
 for Convection oven electric (SMEG) ALFA10XA  
 ALFA15 - ALFA15A - ALFA15X - ALFA151X - ALFA20  
 ALFA31 - ALFA31X



EGO 2041235000

Suitable for:

**3355055 HEATING ELEMENT 2500W 220V**  
 external  $\varnothing$  190 mm - overall height 93 mm  
 flange 70x22 mm  
 for Convection oven electric (ZANUSSI)



EGO 2413881023

**3355533 HEATING ELEMENT 2500W 230V**  
 length 125 mm - width 655 mm  
 flange 70x22 mm  
 for Convection oven electric (ANGELO PO) FCA10E  
 for Convection oven electric (LAINOX) FE101M  
 FE101X - FE110M - FE110X - ME10 - ME21 - MME10  
 MME21 - PE08 - PE080M - PE080X - PE081M  
 PE081X - PE101M - PE101X - RE10



EGO 2410022710

**3355712 HEATING ELEMENT 2500W 230V**  
 length 510 mm - width 140 mm  
 couplings  $\varnothing$  14 mm  
 for Convection oven electric (RATIONAL) CD20  
 CM20



EGO 2434269023

**3755207 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  200 mm - overall height 78 mm  
 flange 100x22 mm  
 for Convection oven electric (FOINOX) FE1/2  
 FE2/3



EGO 2410007410

EGO 2410007430

**3355531 HEATING ELEMENT 2500W 240V**  
 length 125 mm - width 600 mm  
 flange 70x22 mm  
 for Convection oven electric (MBM) FCE10 - FEC100  
 FEMD101 - FEMD107 - FEMD107SC - FEMD109  
 FEM100 - FEM101 - FEM102 - FEM107 - FEM107SC  
 FEM109 - FEP080



EGO 2410090510

**3455366 HEATING ELEMENT 2500W 240V**  
 length 350 mm - width 405 mm  
 flange 100x22 mm  
 for Proving oven electric (COVEN) LIEVITATORE10  
 LIEVITATORE8



EGO 2081214540

**3455138 HEATING ELEMENT 2650W 230V**  
 external  $\varnothing$  215 mm - total height 80 mm  
 flange 70x22 mm



EGO 2413601023

EGO 2413900023



Suitable for:

EGO



**3355701 HEATING ELEMENT 3000W 230V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC6 - CD20  
 CD6 - CM20 - CM6



EGO 2040423030

**3355703 HEATING ELEMENT 3000W 400V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC20  
 CM20



EGO 2040423020

**3355534 HEATING ELEMENT 3500W 230V**  
 length 125 mm - width 655 mm  
 flange 70x22 mm  
 for Convection oven electric (ANGELO PO) FCA201E  
 for Convection oven electric (LAINOX) FE102M  
 FE102X - FE210M - FE210X - ME20 - ME24 - ME40  
 MME20 - MME24 - MME40 - RE20 - RE24 - RE40



EGO 2410022730

**3455097 HEATING ELEMENT 4500W 220/380V**  
 immersion depth 390 mm  
 flange external  $\varnothing$  63 mm  
 with O-ring  
 for Convection oven electric (CAPIC) AC150 - AC50  
 R50



EGO 2463345000

**3455094 HEATING ELEMENT 6000W 220V**  
 internal  $\varnothing$  300 mm - height 60 mm  
 flange 120x70 mm  
 for Convection oven electric (MORICE) 1 - 2



EGO 2413593000

**3355137 HEATING ELEMENT 6000W 230V**  
 external  $\varnothing$  230 mm - overall height 150 mm  
 flange 140x22 mm  
 for Convection oven electric (LAINOX) CE051M  
 HME061P - HME061X - MCE051M - ME05 - ME105L  
 ME105S - MME05 - MVE051P - VE051P - VE055P  
 VE105S



EGO 2413868023

**3355702 HEATING ELEMENT 6000W 230V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC6  
 CD101 - CD20 - CD201 - CD6 - CM02 - CM101  
 CM201 - CM6



EGO 2040423010

**3355708 HEATING ELEMENT 6000W 230V**  
 immersed length 365 mm - width 65 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC6  
 CD101 - CD20 - CD201 - CD6 - CM6



EGO 2040440000



Suitable for:

**EGO**



**3455342 HEATING ELEMENT 6000W 230V**  
 immersed length 355 mm - width 65 mm  
 flange 80x28 mm - complete with thermocouple probe  
 completa di sonda termocoppia  
 for Convection oven electric (RATIONAL) CC6  
 CD101 - CD20 - CD201 - CD6 - CM101 - CM20  
 CM201 - CM6



EGO 2040002100

**3355704 HEATING ELEMENT 6000W 400V**  
 immersed length 380 mm - width 60 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CC101  
 CC20 - CC201 - CM101 - CM20 - CM201



EGO 2040423000

**3355535 HEATING ELEMENT 7500W 220V**  
 external  $\varnothing$  265 mm - overall height 173 mm  
 flange 140x22 mm - fittings  $\varnothing$  4 mm  
 for Convection oven electric (LAINOX) CE071M  
 CE106M - ME061D - ME061H - ME061M - ME061P  
 ME061T - ME106D - ME106H - ME106L - ME106M  
 ME106P - ME106S - ME106T - ME106X - MME071P  
 VE061D - VE061M - VE061P - VE106D - VE106H  
 VE106L - VE106M - VE106P - VE106S - VE106T  
 VE106X



EGO 2413869023

**3755206 HEATING ELEMENT 6000W 240V**  
 external  $\varnothing$  230 mm - height 130 mm  
 flange 140x25 mm  
 for Convection oven electric (FOINOX) FC05EU  
 FC05EUM - FC06E - FC50EM - MIDI005EEP  
 MIDI005EM  
 for Convection oven electric (LAINOX) A10PES



EGO 2430055310

**3355709 HEATING ELEMENT 6000W 400V**  
 immersed depth 375 mm - width 65 mm  
 flange 80x28 mm  
 for Convection oven electric (RATIONAL) CCM101  
 CC101 - CC20 - CC201 - CM20 - CM201



EGO 2040440010

**3455093 HEATING ELEMENT 7500W 220V**  
 internal  $\varnothing$  300 mm  
 flange 120x70 mm  
 for Convection oven electric (MORICE) 2 - 3



EGO 2413592023





Suitable for:

EGO



Suitable for:

**3355707 HEATING ELEMENT 9000W 230V**

immersed length 200 mm  
flange 82x82 mm  
with bulb sheath - recommended probe 3397083  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD102 - CD201 - CD202 - CD61  
CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202  
CCD61 - CCM101 - CCM201 - CCM202 - CCM61  
CM101M - CM202N - CM61 - CPC102 - CPC201  
CPC202 - CPC61



EGO 87202904Q

**Knobs**

**3241338 BLACK KNOB ø 42 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (LAINOX)



EGO 0000524060

**3241363 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD



EGO 0000524083

**3444129 BLACK KNOB ø 50 mm**  
D shaft hole 6x4.6 mm  
with symbol  
for thermostats and timers



EGO 524413

EGO 8335612010

**3444128 BLACK KNOB ø 50 mm 50-300°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 524403

EGO 8335604010

**3444187 BLACK KNOB ø 50 mm 50-500°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 0000524834

EGO 524834

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole



EGO 0000607007

EGO 607007



**Rotary switches**

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



EGO 0000617079

EGO 617079

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle ø 6x4.6 mm  
back connection for thermostat



EGO 4922015500

EGO 4941015300

EGO 4941015700

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft ø 6x4.6 mm  
for Convection oven (COVEN)  
for Convection oven (SOLYMAC) - Series SOLYMAX  
for Convection oven electric (GIERRE) BRIOMAXI  
BRIOMIDI - FEV106M - FEV120M - FEV166E  
FEV166M - FEV166P - FEV168E - FEV168M  
FEV168P - FEV56M - FEV60M  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM  
EF5GM - EF6PM - EF7GM - EF8PM  
for Convection oven gas (GIERRE) FEV107M - FEV121M  
FEV167E - FEV167M - FEV167P - FEV169E  
FEV169M - FEV169P - FEV57M - FEV61M  
for Convection oven gas (GIORIK) CG06MX - CG10MX



EGO 4922015700

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm  
for Convection oven electric (INOXTREND) CRCA107E  
CRCA111E



EGO 4921015501

EGO 4921015600

**3057118 SELECTOR SWITCH 0-1 POSITIONS**  
4 cams - contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.ø 6 mm  
for Convection oven (CONVOTHERM)



EGO 4208400008

**3057137 SELECTOR SWITCH 0-1 POSITIONS**  
for cooking selection  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm  
for Convection oven electric (COVEN) TEC10MX  
TEC15MX - TEC4MX - TEC6MX  
for Convection oven electric (SOLYMAC) SOLYMAX10  
SOLYMAX6  
for Convection oven gas (COVEN) N6GMD - TEC10GMD  
TEC15GMD - TEC6GMD



EGO 4914915709




Suitable for:

**EGO**



**3057139 SELECTOR SWITCH 0-1 POSITIONS**

contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (MBM) FCE10 - FCE6  
FEP050 - FEP080 - FEP160  
for Convection oven gas (MBM) FCG10 - FCG6  
FGP050 - FGP080 - FGP160



EGO 4204400003

**3057178 SELECTOR SWITCH 0-1 POSITIONS**

contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm  
for Convection oven electric (GIORIK) EF4



EGO 4942915707

**3057226 SELECTOR SWITCH 0-1 POSITIONS**


contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven (KELVIN) KP405 - KP408 - K106  
K110 - K210 - NK106 - NK110 - NK210



EGO 4924915846

**3059057 SELECTOR SWITCH 0-1 POSITIONS**

ON-OFF-START  
16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (ANGELO PO) FC1011E  
FC1221E - FC611E  
for Convection oven gas (ANGELO PO) FC1011G  
FC1221G - FC611G



EGO 4926915769

**3057097 SELECTOR SWITCH 0-2 POSITIONS**

6 cams - contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (FOINOX) FE1/2  
FE2/3



EGO 4623968950

**2101527 SELECTOR SWITCH 0-3 POSITIONS**


contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4924015000

**3057009 SELECTOR SWITCH 0-3 POSITIONS**

contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (ZANUSSI)



EGO 4924915773

**3057138 SELECTOR SWITCH 0-3 POSITIONS**

for steam adjustment  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (COVEN) TEC10MX  
TEC15MX - TEC4MX - TEC6MX - 10EMX  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6  
for Convection oven gas (COVEN) TEC6GMX



EGO 4924915765





**3057214 SELECTOR SWITCH 0-3 POSITIONS**


contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (COVEN) TEC10MD  
 TEC20MD - TEC3MX - TEC6MD  
 for Convection oven electric (SOGECO) - Series MX  
 Series PMX56 - Series PMX810 - Series PVMX5  
 Series PVMX8 - Series VMX - VMX20N - VMX2011N  
 VMX40N



EGO 4924915744

**3057010 SELECTOR SWITCH 0-4 POSITIONS**

contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (FOINOX) - Series FC  
 for Convection oven electric (LAINOX) CES24M  
 CES40M - CE041M - CE051M - CE071M - CE100M  
 CE106M - CE110M - CE200M - CE210M - MCE051M  
 MCE071M - MCE101M - MCE102M - MCE201M  
 MCE202M  
 for Convection oven gas (LAINOX) CGS24M - CGS40M  
 CG051M - CG071M - CG100M - CG106M - CG110M  
 CG200M - CG210M - FG105M - FG105X - FG110M  
 FG110X - MCG051M - MCG071M - MCG101M - MCG102M  
 MCG201M - MCG202M - PG040M - PG040X - PG080M  
 PG080X



EGO 4924915800

**3057041 SELECTOR SWITCH 0-4 POSITIONS**

contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6  
 for Convection oven electric (LAINOX) ME061M  
 ME101M - ME102M - ME201M - ME202M - VES20X  
 VES24M - VES24X - VES40M - VES40X - VE004M  
 VE004X - VE061M - VE101M - VE102M - VE104M  
 VE104X - VE105M - VE105X - VE106M - VE106X  
 VE110M - VE110X - VE120M - VE120X - VE201M  
 VE202M - VE210M - VE210X - VE220M  
 for Convection oven gas (LAINOX) MG061M - MG101M  
 MG102M - MG201M - MG202M - VG061M - VG101M  
 VG102M - VG105M - VG105X - VG106M - VG106X  
 VG110M - VG110X - VG120M - VG120X - VG201M  
 VG202M - VG210M - VG210X - VG220M - VG220X



EGO 4926915770

**3057135 SELECTOR SWITCH 0-4 POSITIONS**


contact capacity 18A 240V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (CAPIC) AC50  
 for Convection oven electric (MBM) FEMD023



EGO 4925815703

**3057012 SELECTOR SWITCH 0-5 POSITIONS**

contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (ZANUSSI) - Series FCV



EGO 4926915757

**3057148 SELECTOR SWITCH 0-5 POSITIONS**

8 cams - contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (GIERRE) BRIOBRG200



EGO 4206000016



Suitable for:

**EGO**



**3057334 SELECTOR SWITCH 0-7 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (CONVOTHERM)



EGO 420800047

**3057091 SELECTOR SWITCH 0-8 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (LAINOX) ME110L  
 PE105M - PE108M - PE115M - PE188M



EGO 4929915750

**3057157 SELECTOR SWITCH 0-8 POSITIONS**  
 contact capacity 18A 240V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (GARBIN) 23MX  
 23MXUMI - 43MX - 43MXUMI



EGO 4200001001


**3057039 SELECTOR SWITCH 2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (ZANUSSI) ACF/E4  
 FCF/E4



EGO 4623966845


EGO 4923966845

**5030542 SELECTOR SWITCH 2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4202900000

**3057038 SELECTOR SWITCH 4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (ANGELO PO) FCV101E  
 FCV141E - FCV241E - FCV3EM - FCV4EM - FCV61E  
 for Convection oven gas (ANGELO PO) FCV101  
 FCV141 - FCV241 - FCV241G - FCV61



EGO 4924915736

**3057047 SELECTOR SWITCH 5 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (FOINOX) - Series FM  
 Series MIDI - Series MM



EGO 4925815505

EGO 4925815722

EGO 4925815803

**3057295 SELECTOR SWITCH 6 POSITIONS**  
 contact capacity 18A 240V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (OLIS) - Series CV  
 Series CVM - Series CVP  
 for Convection oven gas (OLIS) - Series CV  
 Series CVM - Series CVP




EGO 4926915792



Suitable for:

**3057315 SELECTOR SWITCH 6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (AMBASSADE) 1FRE08CV



EGO 420500034

## EGO




Suitable for:

**3057034 SELECTOR SWITCH 7 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (ZANUSSI)  
since 1/01/91  
FCF/E10 - FCF/E20  
for Convection oven gas (ZANUSSI)  
since 1/01/91  
FCF/G10 - FCF/G20  
since 1/01/87  
FCF/G40



EGO 4928915751

**2111991 SWITCH 0-9 POSITIONS**  
contacts 16A 250V - max 150°C  
D-Shaft 6x4.6 mm  
for Convection oven electric (LOTUS) 75GU  
for Convection oven electric (TECNOEKA) KF723M  
KF964ALM - KF964IM - KF965M



EGO 4929815733

## Terminal blocks

**3247010 2-POLES CERAMIC TERMINAL BLOCK**  
dimensions 32x46x15 mm



EGO 3805021000

## Thermostats

**3444253 BIPOLAR THERMOSTAT 340°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x195 mm  
for very old series  
for Convection oven (ZANUSSI)



EGO 5532562811

**3444616 BULB CONNECTION M12 HOLE  $\varnothing$  6 mm**  
stuffing gland M9x1



EGO 6706100100



Suitable for:

**3444122 MILLED GLAND FOR THERMOSTAT BULB 10x1**



EGO 2702130001

EGO 616085


**3444124 PROTECTION CAP**  
for security thermostat



EGO 0000525020

EGO 525020

**2111707 SINGLE PHASE THERMOSTAT 175°C**  
with automatic reset  
capillary length 600 mm - 16A 250V  
bulb  $\varnothing$  7,5x30 mm



EGO 5514139800

**3444406 SINGLE-PHASE THERMOSTAT +60+300°C**  
D-shaped pin 6x4.6 mm  
covered capillary length 1500 mm - 16A 230V  
bulb  $\varnothing$  4x120 mm - with stuffing gland nut M14x1  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101  
CD102 - CD201 - CD202 - CD61



EGO 5513254040

**EGO**



Suitable for:

**3444121 MILLED GLAND FOR THERMOSTAT 9x1**



EGO 0000270611

EGO 615121

**5024232 SINGLE PHASE THERMOSTAT 135°C**  
with manual reset  
capillary length 520 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm  
for Convection oven (CONVOTHERM)




EGO 5513529210

**3444411 SINGLE-PHASE BIPOLAR THERMOSTAT 90-102°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1440 mm - 16A 230V  
bulb  $\varnothing$  3x335 mm - with stuff.gland coupling M8x1  
with tank sealing coupling M14x1  
for Steam oven (JUNO-RÖDER-SENKING) - Series 55



EGO 5522214010

**3444407 SINGLE-PHASE THERMOSTAT 0-250°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3150 mm - 16A 230V  
bulb  $\varnothing$  4x102 mm  
for Convection oven electric (FRIMA) - Series CD  
for Convection oven electric (RATIONAL)  
Series CD



EGO 5513649010

Suitable for:

**3444410 SINGLE-PHASE THERMOSTAT 0-255°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1440 mm - 16A 230V  
 bulb  $\varnothing$  3x160 mm  
 for Steam oven (JUNO-RÖDER-SENKING) - Series 55



EGO 5513254020

EGO 5515244010

EGO 5519054804

Suitable for:

**3444402 SINGLE-PHASE THERMOSTAT 0-300°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD20 - CD201 - CD6 - CM101 - CM6



EGO 5513253010

**3444403 SINGLE-PHASE THERMOSTAT 0-300°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 830 mm - 16A 250V  
 bulb  $\varnothing$  4x100 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD20 - CD201 - CD6



EGO 5513052150

**3444401 SINGLE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2420 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuff.gland coupling M9x1  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101  
 CD20 - CD201 - CD6



EGO 5513032140  
 EGO 9755132398

EGO 5513239020

EGO 5513239040

**3744009 SINGLE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x75 mm  
 for Convection oven (BONNET)  
 for Convection oven (THIRODE)



EGO 5510072060


EGO 5519079201

**3444974 SINGLE-PHASE THERMOSTAT 100-645°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Convection oven (ROSINOX)  
 for Convection oven (SOLYMAC)




EGO 5534683010

**3443074 SINGLE-PHASE THERMOSTAT 110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm - with stuff.gland coupling M9x1  
 for Convection oven electric (AMBASSADE) 1RFEO8CV



EGO 5513022750

**3444809 SINGLE-PHASE THERMOSTAT 110°C**  
 with automatic reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x220 mm - with stuff.gland coupling M9x1  
 for Convection oven (INOXTREND)



EGO 5513322100

EGO 5519322805





Suitable for:

# EGO



**3444287 SINGLE-PHASE THERMOSTAT 120°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Convection oven electric (MBM) FEM060 - FEM061  
 FEM100 - FEM101 - FEM102 - FEM107SC - FEM109  
 FEM207SC - FEM209 - FEM62 - FEM67SC - FEM69  
 FEP080 - FEP160



EGO 5510522835

EGO 5519522090

**3444478 SINGLE-PHASE THERMOSTAT 120-400°C**  
 complete with knob and indexed ring nut  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Convection oven (UNOX) - Series XF  
 for Convection oven electric (UNOX) XB303G - XB403  
 XB403G - XB603 - XB803 - XB803G - XV202  
 XV703G  
 for Convection oven gas (UNOX) XG413G - XG613G



EGO 5519082806

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
 with manual reset  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x129 mm  
 for Convection oven electric (FOINOX) JO1011E  
 JO1021E - JO2011E - JO2021E - JO611E  
 for Convection oven gas (FOINOX) JO0611G - JO1011G  
 JO1021G - JO2011G - JO2021G




EGO 5510522802

EGO 5510522830

EGO 5519522020

**3444783 SINGLE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  4x80 mm  
 for Convection oven gas (CONVOTHERM) OGB10.10  
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20  
 OGB6.10 - OGS10.10 - OGS10.20 - OGS12.20  
 OGS20.10 - OGS20.20 - OGS6.10 - OGS6.20



EGO 5513529140

**3444267 SINGLE-PHASE THERMOSTAT 145°C**  
 with manual reset  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm  
 for Convection oven (LAINOX)



EGO 5510522801

EGO 5519522060

**3444295 SINGLE-PHASE THERMOSTAT 145°C**  
 with automatic reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm  
 for OVEN boiler  
 for Convection oven (LAINOX)



EGO 5534122828

EGO 5534122839

**3444924 SINGLE-PHASE THERMOSTAT 145°C**  
 with manual reset  
 covered capillary length 1160 mm - 16A 250V  
 bulb  $\varnothing$  4x100 mm - with stuff.gland coupling M9x1  
 for Convection oven (BONNET) EQ4.101/1.ECE  
 for Convection oven (THIRODE) - Series 1035  
 Series 1065 - Series 1256 - Series 1265  
 Series 1656 - Series 2035 - Series 2056  
 Series 635 - Series 665  
 for Convection oven electric (BONNET) ECEEQ3



EGO 5610523500

**3444495 SINGLE-PHASE THERMOSTAT 147°C**  
 with manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm  
 for Convection oven electric (KÜPPERSBUSCH) CCE106  
 CCE110 - CCE120 - CCE220 - CPE106 - CPE110  
 CPE120 - CPE220



EGO 5131995080

EGO 5610539550

**3444934 SINGLE-PHASE THERMOSTAT 15-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  3x200 mm  
 for Convection oven (FAGOR)  
 for Steam oven (FAGOR)



EGO 5513243010

**3444431 SINGLE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 880 mm - 20A 400V  
 bulb  $\varnothing$  6x85 mm  
 for Convection oven electric (LAINOX) HME061P  
 HME061T - HME061X - HME101P - HME101T  
 HME101X - HME102P - HME102T - HME102X  
 HME201P - HME201T - HME201X - HME202P  
 HME202T - HME202X  
 for Convection oven gas (LAINOX) HMG061P - HMG061T  
 HMG061X - HMG101P - HMG101T - HMG101X  
 HMG102P - HMG102T - HMG102X - HMG201P  
 HMG201T - HMG201X - HMG202P - HMG202T  
 HMG202X



EGO 5532522852

**3744005 SINGLE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm  
 for Convection oven (BOURGEOIS) TMN10 - TMN20  
 TMN40 - TMN6



EGO 5513524050

**3444616 BULB CONNECTION M12 HOLE  $\varnothing$  6 mm**  
 stuffing gland M9x1



EGO 6706100100



Suitable for:

# EGO



Suitable for:

**3444415 SINGLE-PHASE THERMOSTAT 176°C**  
 with manual reset  
 covered capillary length 1450 mm - 16A 380V  
 bulb  $\varnothing$  4x110 mm - with bulb coupling  $\varnothing$  8.6x32 mm  
 for Steam oven (JUNO-RÖDER-SENKING) - Series 50  
 Series 54 - Series 55



EGO 5513525010

**3444591 SINGLE-PHASE THERMOSTAT 183°C**  
 with manual reset  
 covered capillary length 1460 mm - 16A 250V  
 bulb  $\varnothing$  6x61 mm  
 for Convection oven (RATIONAL) - Series SCC



EGO 5610534510

**3444339 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin 6x4.6 mm  
 capillary length 880 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm  
 for Convection oven (FOINOX) - Series MM



EGO 5519022808

**3444059 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 2000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - gland stuffing fitting M10x1  
 for Convection oven electric (ANGELO PO) FCV101E  
 FCV141E - FCV241E - FCV3EM - FCV4EM  
 FCV401EDM - FCV61E - FC101E - FC1011E  
 FC1221E - FC241E - FC61E - FC611E  
 for Convection oven gas (ANGELO PO) FCV101  
 FCV141 - FCV241 - FCV241G - FCV61 - FC101  
 FC1011G - FC1221G - FC241 - FC241G - FC61  
 FC611G



EGO 5519219819

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1  
 for Convection oven (INOXTREND)



EGO 5519012801

**3444400 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  3x262 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CCD101 - CCD102 - CCD201 - CCD61 - CD101 - CD102  
 CD20 - CD201 - CD202 - CD6 - CD61 - CM101  
 CM20 - CM201 - CM6



EGO 5513214160



Suitable for:

**3444807 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm  
 for Convection oven (KELVIN)



EGO 5519219810

Suitable for:

**3444120 SINGLE-PHASE THERMOSTAT 320°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm  
 for Convection oven (BARON)  
 for Convection oven (ERRE 2)  
 for Convection oven (LAINOX)  
 for Convection oven (OLIS)  
 for Convection oven (SILKO)



EGO 5510562830

EGO 5519562020

**3444293 SINGLE-PHASE THERMOSTAT 320°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm - with oval coupling  $\varnothing$  10 mm  
 for Convection oven (LAINOX)



EGO

EGO 5532562820

**3444912 SINGLE-PHASE THERMOSTAT 320°C**  
 with manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  4x100 mm  
 for Convection oven (THIRODE) - Series 1035  
 Series 1065 - Series 1256 - Series 1265  
 Series 1656 - Series 2035 - Series 2056  
 Series 635 - Series 665



EGO 5610562500

**3444058 SINGLE-PHASE THERMOSTAT 325°C**  
 with manual reset  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm - with stuff.gland coupling M8x1  
 with tank sealing coupling  $\varnothing$  17 mm  
 for Convection oven electric (ANGELO PO) FCV141EDM  
 FCV3EM - FCV61E - FCV61EDS - FC1011E - FC1221E  
 FC611E - FM1011E1 - FM1011E2 - FM1011E3  
 FM1221E1 - FM1221E2 - FM1221E3 - FM611E1  
 FM611E2 - FM611E3 - FM721E1 - FM721E2  
 FM721E3  
 for Convection oven gas (ANGELO PO) FCV101  
 FCV101DM - FCV241DM - FCV61DS - FC101  
 FC1011G - FC1221G - FC241 - FC611G - FM1011G1  
 FM1011G2 - FM1011G3 - FM611G1 - FM611G2  
 FM611G3 - FM721G1 - FM721G2 - FM721G3



EGO 5532559805

EGO 5532569050

**3444460 SINGLE-PHASE THERMOSTAT 330°C**  
 with manual reset  
 covered capillary length 1230 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm  
 for Convection oven (FAGOR) - Series HMD  
 Series HME - Series HMI - Series HMM  
 for Convection oven (VAUBAN)



EGO 5513569010



Suitable for:

EGO



**3444266 SINGLE-PHASE THERMOSTAT 338°C**

with manual reset  
covered capillary length 830 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm  
for Convection oven (LAINOX)



EGO 5510562816

EGO 5510562903

EGO 5532562816

**3444417 SINGLE-PHASE THERMOSTAT 340°C**

with manual reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x145 mm - with stuff.gland coupling M9x1  
for Convection oven (INOXTREND)  
for Convection oven (WHIRLPOOL)



EGO 5514562803

**3444496 SINGLE-PHASE THERMOSTAT 340°C**

with manual reset  
covered capillary length 1900 mm - 16A 250V  
bulb  $\varnothing$  4x100 mm  
for Convection oven electric (KÜPPERSBUSCH) CBE106  
CCE106 - CCE110 - CCE120 - CCE220 - CPE106  
CPE110 - CPE120 - CPE220  
for Convection oven gas (KÜPPERSBUSCH) CBG120



EGO 5133995030

EGO 5610569500

**3444513 SINGLE-PHASE THERMOSTAT 340°C**


with automatic reset  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm  
for Convection oven electric (CONVOTHERM) OEB10.10  
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20  
OES10.10 - OES10.20 - OES12.20 - OES20.10  
OES20.20  
for Convection oven gas (CONVOTHERM) OGB10.10  
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10  
OGS10.20 - OGS20.10 - OGS20.20



EGO 5610563500

**3444671 SINGLE-PHASE THERMOSTAT 340°C**

with manual reset  
capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x200 mm  
for Convection oven electric (CONVOTHERM) OS10.10  
OS10.20 - OS12.20 - OS20.10 - OS20.20 - OS6.10



EGO 5513563020

**3444285 SINGLE-PHASE THERMOSTAT 350°C**

with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm  
for Convection oven electric (GIORIK) EF4 - EGE05  
EGE10 - EPE04 - EPE05 - EPE10  
for Convection oven gas (GIORIK) CG10MX - CG102MX  
DG06EC - DG06ES - DG06MX - DG10EC - DG10ES  
DG10MX - DG102EC - DG102MX - GF10GM - GF4PM  
GF5GM - GF6PM - GF7GM - GF8PM - VG06EC  
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX



EGO 5510562800

EGO 5510562811

EGO 5519562100

EGO 5519562110





Suitable for:

Suitable for:

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary 1500 mm - 3 contacts 16A 250V  
bulb ø 4x110 mm  
for Convection oven (ZANUSSI)

**3444405 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1170 mm - 16A 250V  
bulb ø 4x120 mm - with stuff.gland nut M14x1  
for Convection oven electric (RATIONAL) CCC101  
CCC102 - CCC201 - CCC202 - CCC61 - CCD101  
CCD102 - CCD201 - CCD202 - CCD61 - CCM101  
CCM102 - CCM102N - CCM201 - CCM202 - CCM61



EGO 5134955030  
EGO 5532574800

EGO 5532562835  
EGO 5532574801

EGO 5532572801  
EGO 5534955030

EGO 5164945020

EGO 9755325529

**3444509 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1170 mm - 16A 250V  
button bulb ø 15 mm  
for Convection oven (ELOMA)

**3444781 SINGLE-PHASE THERMOSTAT 360°C**  
with automatic reset  
covered capillary length 1170 mm - 16A 230V  
bulb ø 4x95 mm - with stuffing gland nut M14x1  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD102 - CD201 - CD202 - CD61  
CM101N - CM102N - CM201N - CM202N - CM61 - CPC101  
CPC102 - CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL) CM101G - CM61G  
CPC101G - CPC61G



EGO 5610573510

EGO 5610573500

**3444804 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 860 mm - 16A 250V  
button bulb ø 11x10 mm  
for Convection oven (KELVIN)  
for Convection oven electric (LAINOX) HME061P  
HME061T - HME061X - HME101P - HME101T  
HME101X - HME102P - HME102T - HME102X  
HME201P - HME201T - HME201X - HME202P  
HME202T - HME202X - HVE061P - HVE061T  
HVE061X - HVE101P - HVE101T - HVE101X  
HVE102P - HVE102T - HVE102X - HVE201P  
HVE201T - HVE201X - HVE202P - HVE202T  
HVE202X  
for Convection oven gas (LAINOX) HMG061P - HMG061T  
HMG061X - HMG101P - HMG101T - HMG101X

**3444816 SINGLE-PHASE THERMOSTAT 365°C**  
with manual reset  
covered capillary length 1200 mm - 16A 250V  
bulb ø 5x70 mm - with stuffing gland nut M9x1  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



EGO 5532572804

EGO 5610573530



Suitable for:

**3444907 SINGLE-PHASE THERMOSTAT 365°C**  
 with manual reset  
 capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  3x166 mm  
 for Convection oven electric (BONNET) AC150  
 AC220 - AC50 - R150N - R220N - R240N - R350N  
 R50N



EGO 5513572040

**3444337 SINGLE-PHASE THERMOSTAT 45-260°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x226 mm



EGO 5519052808

**3444114 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin 6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Convection oven electric (GIERRE) FEV024  
 FEV106M - FEV166M - FEV60M  
 for Convection oven gas (GIERRE) FEV57M - FEV61M



EGO 5510052820  
EGO 5519043850

EGO 5510052850  
EGO 5519052803

EGO 5519032803  
EGO 5519059805

**EGO**



Suitable for:

**3444936 SINGLE-PHASE THERMOSTAT 365°C**  
 with manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5513575020

**3444464 SINGLE-PHASE THERMOSTAT 50-100°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2200 mm - 16A 250V  
 bulb  $\varnothing$  3x200 mm - with stuff.gland coupling M9x1  
 for Convection oven (FAGOR) - Series HMI  
 Series HMM  
 for Convection oven (VAUBAN) - Series VEI



EGO 5513229060

**3444263 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm - 16A 250V  
 bulb  $\varnothing$  3x223 mm - with stuff.gland coupling M8x1  
 with tank sealing coupling  $\varnothing$  16.5x13 mm  
 for Convection oven electric (ANGELO PO) FCV101E  
 FCV141E - FCV241E - FCV61E - FC101E - FC1011E  
 FC1221E - FC241E - FC61E - FC611E  
 for Convection oven gas (ANGELO PO) FCV101  
 FCV141 - FCV241 - FCV241G - FCV61 - FC101  
 FC1011G - FC1221G - FC241 - FC241G - FC61  
 FC611G




EGO 5519059809



Suitable for:

**3444413 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2400 mm - 16A 230V  
 bulb  $\varnothing$  3x160 mm  
 for Steam oven (JUNO-RÖDER-SENKING) - Series 50  
 Series 54



EGO 5513249020

EGO 5513254030

Suitable for:

**3444414 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1430 mm - 16A 230V  
 bulb  $\varnothing$  3x160 mm - with adapter nipple band M9x1  
 for Steam oven (JUNO-RÖDER-SENKING) - Series 50  
 Series 54 - Series 55



EGO 5513244010

**3744013 SINGLE-PHASE THERMOSTAT 50-250°C**

D-shaped pin 6x4.6 mm  
 capillary length 2600 mm  
 bulb  $\varnothing$  3.1x200 mm  
 for Steam oven (PALUX)



EGO 5519049201

**3444459 SINGLE-PHASE THERMOSTAT 50-255°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x219 mm - with stuff.gland coupling M10x1  
 for Convection oven electric (GIERRE) FEV062M  
 FEV064M - FEV122M - FEV124M  
 for Convection oven gas (GIERRE) FEV123M - FEV63M  
 FEV65M - G423M



EGO 5519052842

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Convection oven (LAINOX)  
 for Convection oven (ZANUSSI)



EGO 5519059805

EGO 5519059808

EGO 5519259811

**3444289 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 16A 250V  
 bulb  $\varnothing$  3x210 mm - with adapter nipple band M9x1  
 for Convection oven electric (INOXTREND) BUA606E00  
 BUA610E00 - FBA120E00 - FBA210E00 - FDA120E00  
 FUA120E00 - RCA605E - RDA105E - RDA110E  
 RDA305E - RDA5E - RUA105E - RUA110E - RUA305E  
 RUA605E - SCA4E00 - SCA5E00 - SDA4E00  
 SDA5E00 - SUA4E00 - SUA5E00  
 for Convection oven gas (INOXTREND) BUA606G00  
 BUA610G00 - FBA120G00 - FBA210G00 - FDA120G00  
 FUA120G00



EGO 5519052832

EGO 5519256800



Suitable for:

# EGO



## 3444428 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  3x230 mm - with stuff.gland coupling M10x1  
for Convection oven electric (MBM) FCE10 - FCE20  
FCE6  
for Convection oven gas (MBM) FCG10 - FCG20 - FCG6



EGO 5519052897

## 3444455 SINGLE-PHASE THERMOSTAT 50-275°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1400 mm - 16A 250V  
bulb  $\varnothing$  3x130 mm  
for Convection oven electric (SMEG) ALFA15  
ALFA20 - ALFA21 - ALFA30



EGO 5519059826

## 3444429 SINGLE-PHASE THERMOSTAT 50-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1270 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm  
for Convection oven electric (ZANUSSI) ACF/E4  
ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4



EGO 5517053040

## 3444434 SINGLE-PHASE THERMOSTAT 50-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 950 mm - 16A 250V  
bulb  $\varnothing$  3x185 mm  
for Convection oven electric (GEMINI FORNI) 2M  
2M/1



EGO 5519052800

## 3444440 SINGLE-PHASE THERMOSTAT 50-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm  
for Convection oven electric (COVEN) TEC10  
TEC10P - TEC10PMEC - TEC15 - TEC2 - TEC20  
TEC3 - TEC4P - TEC5PMEC - TEC6  
for Convection oven gas (COVEN) TEC10G  
TEC10GPMEC - TEC15G - TEC20G - TEC5GPMEC



EGO 5519052805

## 5037893 SINGLE-PHASE THERMOSTAT 50-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x140 mm  
for Convection oven electric (TECNOEKA) KF1010AUD  
KF1010AUD/GA - KF725UD - KF733



EGO 5519052823

## 3444427 SINGLE-PHASE THERMOSTAT 50-285°C

D-shaped pin 6x4.6 mm  
covered capillary length 840 mm - 16A 250V  
bulb  $\varnothing$  3x230 mm  
for Convection oven electric (MBM) FEC023  
FEMD023



EGO 5519052817

## 3444454 SINGLE-PHASE THERMOSTAT 50-285°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  3x150 mm  
for Convection oven electric (SMEG) ALFA135  
ALFA161 - ALFA200 - ALFA41 - ALFA42 - ALFA43



EGO 5517052130

EGO 5517059310




Suitable for:

Suitable for:

**3444457 SINGLE-PHASE THERMOSTAT 50-290°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Convection oven electric (GIERRE) BRIOBRG200  
 BRIOBRG600 - BRIOMAXI - BRIOMIDI

**3444449 SINGLE-PHASE THERMOSTAT 50-295°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x219 mm  
 for Convection oven electric (SMEG) ALFA10  
 ALFA10XA - ALFA10XAB - ALFA10XAK - ALFA15  
 ALFA15X



EGO 5519054801

EGO

EGO 4623966868+...

EGO 5519052812+...

**3444432 SINGLE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Convection oven electric (LAINOX) CE041M  
 CE051M - CE071M - CE100M - CE200M - ME061M  
 ME101M - ME102M - ME201M - ME202M - VE061M  
 VE101M - VE102M - VE201M - VE202M  
 for Convection oven gas (LAINOX) CG051M - CG071M  
 CG100M - CG200M - MG061M - MG101M - MG102M  
 MG201M - MG202M - VG061M - VG101M - VG102M  
 VG201M - VG202M

**3444488 SINGLE-PHASE THERMOSTAT 50-300°C**  
 complete with knob and knob ring nut  $\varnothing$  60 mm  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  3x225 mm  
 for Convection oven electric (UNOX) XF011 - XF023  
 XF035-TG - XF043 - XF085 - XF090 - XF090P  
 XV202 - XV301 - XV401 - XV501  
 for Convection oven gas (UNOX) XG090 - XG310  
 XG410



EGO 5519059831

EGO 5519052861

**3444935 SINGLE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm

**3444145 SINGLE-PHASE THERMOSTAT 50-310°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1600 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for oven  
 for Convection oven (ANGELO PO)  
 for Convection oven (ROSINOX) S850RXN



EGO 5513062140

EGO 5519064010


EGO 5519064800





Suitable for:

**3444062 SINGLE-PHASE THERMOSTAT 50-320°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



EGO TT52011060

EGO 5519962809

**3444305 SINGLE-PHASE THERMOSTAT 50-500°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Electric oven (FIMAR) MICRO1C - MICRO2C



EGO 5519082802

**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1  
for Convection oven (ELOMA)



EGO 5510243010

EGO 5519243010

**5031404 SINGLE-PHASE THERMOSTAT 60-318°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  3x139 mm  
for EMMEPI OVEN FE900  
for Convection oven electric (TECNOEKA) KF412  
KF412U - KF620 - KF620IX - KF620U - KF620UIX  
KF622 - KF630UD - KF723 - KF723U - KF937  
KF937UD



EGO 5519062813

**EGO**



Suitable for:

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven (BONNET)  
for Convection oven (BOURGEOIS)  
for Convection oven (ZANUSSI)



EGO 5519062809

**3444465 SINGLE-PHASE THERMOSTAT 50-85°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x70 mm - with stuff.gland coupling M9x1  
for Convection oven (FAGOR) - Series HME  
Series HMM - Series HMP - Series HVG



EGO 5519219310

**3744072 SINGLE-PHASE THERMOSTAT 60°C**  
with manual reset  
covered capillary length 1500 mm - 16A 250V  
button bulb  $\varnothing$  11x28 mm - nut M14x1  
for Convection oven electric (OLIS) - Series CVM  
Series CVP  
for Convection oven gas (OLIS) - Series CVM  
Series CVP



EGO 5519314806

**3444294 SINGLE-PHASE THERMOSTAT 65°C**  
with automatic reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for OVEN capacitor  
for Convection oven (LAINOX)



EGO 5519222811



Suitable for:

## 5025542 SINGLE-PHASE THERMOSTAT 66-310°C

D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm  
 double bulb  $\varnothing$  3x120 mm  
 for EMMEPI OVEN FE900  
 for Convection oven electric (TECNOEKA) KF412GRILL  
 KF622GRILL - KF723M - KF911 - KF911IX - KF933  
 KF933U - KF964ALM - KF964IM - KF965  
 KF965AL/UD - KF965M - KF966UD - KF980DOUBLE  
 KF980DOUBLEV/A - KF980I - KF980V/A - KF981  
 KF981DOUBLE - KF981DOUBLE EV/UD  
 KF981DOUBLE UD



EGO 5519069859

Suitable for:

## 3444297 SINGLE-PHASE THERMOSTAT 70°C

with automatic reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm  
 for steam control in OVEN  
 for Convection oven (LAINOX)



EGO 5519222810

## 3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x228 mm



EGO 5519082805

## 3444753 SINGLE-PHASE THERMOSTAT 78°C

with automatic reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  3x230 mm  
 for Convection oven (ZANUSSI) - Series FCV  
 Series FCVA - Series FDV



EGO 5519312801

## 3744104 SINGLE-PHASE THERMOSTAT 97-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuff.gland coupling M9x1  
 with complete tank sealing coupling M12x1



EGO 5513034120

## 2102671 THERMOSTAT TRIPHASE 360°C

with manual reset  
 capillary length 1780 mm - 16A 400V  
 bulb  $\varnothing$  4x128 mm



EGO 5534175010

## 2000134 THERMOSTAT 3-PHASE 50-300°C

D-shaft  $\varnothing$  6x4.6 mm  
 covered capillary length 800 mm  
 bulb  $\varnothing$  6x77 mm



EGO 5534052110

## 3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



EGO 5534052804

EGO 5534059804

EGO 5534059806

EGO 5534059814



Suitable for:

**3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680**

2 temperatures  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 230V  
bulb  $\varnothing$  3.1x230 mm



EGO 5534683800

**EGO**



Suitable for:

**3444291 THREE-PHASE THERMOSTAT 132°C**

with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
for old series  
for Convection oven electric (MARENO)



EGO 5532522120

EGO 5532522810

EGO 5532524020

**3444589 THREE-PHASE THERMOSTAT 150°C**

with manual reset  
covered capillary length 1700 mm  
bulb  $\varnothing$  6x75 mm  
for Convection oven (ZANUSSI) - Series AOS  
Series ECV - Series EJN - Series FCV - Series FCZ  
Series RDR - Series ZCV



EGO 5532529819

**3444770 THREE-PHASE THERMOSTAT 157°C**

with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm  
for Convection oven electric (GIORIK) VE06EC  
VE06MX - VE10EC - VE10MX  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



EGO 5532522811

**3444752 THREE-PHASE THERMOSTAT 30-350°C**

D-shaped pin 6x4.6 mm  
covered capillary length 880 mm - 16A 230V  
bulb  $\varnothing$  4x128 mm  
for Convection oven (JUNO-RÖDER-SENKING)



EGO 5534062150

**3444175 THREE-PHASE THERMOSTAT 335°C**

with manual reset  
covered capillary length 1200 mm  
bulb  $\varnothing$  3x200 mm - with stuffing gland M10x1  
with tank seal fitting M16  
for Convection oven (SOGECO)



EGO 5532569809

EGO 5532569815

**3444298 THREE-PHASE THERMOSTAT 337°C**

with manual reset  
covered capillary length 850 mm - 10A 400V  
button bulb  $\varnothing$  14x10 mm  
for Convection oven electric (LAINOX) VE004D  
VE004H - VE004M - VE004X - VE104D - VE104H  
VE104M - VE104X



EGO 5532562804

**3444333 THREE-PHASE THERMOSTAT 350°C**

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  4x310 mm  
for Convection oven (FOINOX) - Series MM



EGO 5532562814

Suitable for:

**3444354 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length 1120 mm - 10A 400V  
 bulb  $\varnothing$  3x190 mm  
 for Convection oven electric (SMEG) ALFA135X  
 ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



EGO 5532562808  
 EGO 5564945010

EGO 5532569813

EGO 5532574040

Suitable for:

**2000135 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1710 mm - 10A 400v  
 bulb  $\varnothing$  4x120 mm



EGO 5532579010

**3444713 THREE-PHASE THERMOSTAT 40-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x219 mm  
 for Convection oven (OLIS)



EGO 5534062801

EGO 6303010010

**3744063 THREE-PHASE THERMOSTAT 400°C**  
 with manual reset  
 capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  4x230 mm



EGO 5532573030

**3444148 THREE-PHASE THERMOSTAT 50-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 10A 400V  
 bulb  $\varnothing$  6x78 mm



EGO 5534052010

**3444251 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm



EGO 5534052807  
 EGO 5534059802

EGO 5534052817

EGO 5534059801

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm  
 for Convection oven



EGO 5534052819

EGO 5534062807

**3444147 THREE-PHASE THERMOSTAT 50-320°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1400 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm



EGO 4923815792

EGO 5534063816

EGO 5534963817



Suitable for:

**3444452 THREE-PHASE THERMOSTAT 50-450°C**

D-shaped pin 6x4.6 mm  
capillary length 1200 mm - 10A 400V  
bulb ø 4x228 mm



EGO 5534083802

**EGO**



Suitable for:

**3444044 THREE-PHASE THERMOSTAT 60-260°C**

D-shaped pin ø 6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb ø 4x130 mm  
for Convection oven (ZANUSSI)



EGO 5534059805

**3444735 THREE-PHASE THERMOSTAT 60-300°C**

D-shaped pin 6x4.6 mm  
covered capillary length 3000 mm - 16A 230V  
bulb ø 6x80 mm  
for Convection oven (THERMA)  
for Pastry oven (MKN)



EGO 5534059060

EGO 5534256020

**3444038 THREE-PHASE THERMOSTAT 60-320°C**

D-shaped pin ø 6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb ø 4x130 mm



EGO 5534069804

**3444430 3-PHASE THERMOSTAT 150°C**

with manual reset  
covered capillary length 1650 mm - 16A 230V  
bulb ø 6x80 mm  
for Convection oven (ZANUSSI) - Series ACV  
Series ECV - Series FCS - Series FCV - Series FDV  
Series NCV - Series ZCV  
for Convection oven electric (ZANUSSI) ACF/E4  
FCF/E4



EGO 5532529815

**3444695 3-PHASE THERMOSTAT 160°C**

with manual reset  
covered capillary length 890 mm - 10A 400V  
bulb ø 6x87 mm - with stuffing gland fitting M10x1  
for Convection oven electric (INOXTREND) FBA106E01  
FBA110E00 - FBA110E01 - FBA120E00 - FBA210E00  
FBA220E00 - FBE106E01 - FBE110E00 - FBE110E01  
FBE120E00 - FBE210E00 - FBE220E00  
for Convection oven gas (INOXTREND) FBA106G01  
FBA110G00 - FBA110G01 - FBA120G00 - FBA210G00  
FBA220G00 - FBE106G01 - FBE110G00 - FBE110G01  
FBE120G00 - FBE210G00 - FBE220G00



EGO 5532532809





Suitable for:

### 3444927 3-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x170 mm  
for Convection oven (THIRODE)



EGO 5534012210

Suitable for:

### 3744102 3-PHASE THERMOSTAT 300°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
button bulb  $\varnothing$  14x16 mm  
for Convection oven electric (OLIS) - Series CV  
Series CVM - Series CVP - Series ECVME  
Series ECVPE  
for Convection oven gas (OLIS) - Series CV  
Series CVM - Series CVP - Series ECVMG  
Series ECVPG



EGO 5532552809

### 3444290 3-PHASE THERMOSTAT 325°C

with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x195 mm - with stuff.gland coupling M9x1  
for Convection oven (MARENO)



EGO 5532562810

### 3444446 3-PHASE THERMOSTAT 338°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x53 mm - nut coupling M10x1  
for Convection oven (ZANUSSI) - Series AOS  
Series EJM - Series FCZ - Series RDR



EGO 5532562847

### 3444458 3-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  4x120 mm - with stuff.gland coupling M10x1  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM  
EF7GM - EF8PM - VE06EC - VE06MX - VE10EC  
VE10M - VE102EC - VE102M - VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG20MX  
VG20EC - VG20MX



EGO 5532562807

### 3444404 3-PHASE THERMOSTAT 365°C

with manual reset  
covered capillary length 1170 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CC101 - CC20 - CC201 - CC6 - CD101 - CD20 - CD201  
CD6 - CM101 - CM20 - CM6  
CM201  
for Convection oven gas (RATIONAL) CM14G - CM62G



EGO 5164945010



Suitable for:

**EGO**



**3444937 3-PHASE THERMOSTAT 368°C**  
with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  3x160 mm



EGO 5532574080

**3444788 3-PHASE THERMOSTAT 500°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x310 mm



EGO 5532582800

Suitable for:

**3444926 3-PHASE THERMOSTAT 50-260°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1550 mm - 10A 400V  
bulb  $\varnothing$  6x140 mm - with stuff.gland coupling M9x1  
with complete tank sealing coupling M12x1  
for Convection oven (THIRODE)  
Series EMERAUDE COMPACT



EGO 5534054201

**3444952 3-PHASE THERMOSTAT 70-140-200°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x260 mm  
for Convection oven (AMBASSADE) - Series RT  
for Convection oven (COMETTO)



EGO 5534132201