



Spare parts for:

**Ovens**



Suitable for:

**ERRE 2**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211446





Suitable for:

## ERRE 2



Suitable for:

### Alarms

- 3397301 ALARM BELL AC00206 85x45x25 mm**  
 power supply 220/240V  
 for Convection oven electric (ANGELO PO) FCV101E  
 FCV141E - FCV241E - FCV3EM - FCV4EM - FCV61E  
 for Convection oven gas (ANGELO PO) FCV101  
 FCV141 - FCV241 - FCV241G - FCV61



ERRE 2 623002

### Axial motors

- 3240501 AXIAL FAN SUNON 120x120x38 mm**  
 ball bearings  
 230V 50/60Hz 22W 2850rpm  
 DP200A 2123XBT.GN



ERRE 2 607008

### Contactors

- 3446556 CONTACTOR LOVATO BG0910A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ERRE 2 6300240600



## Electrical gas valves and accessories

**3526090 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 long buttons  
 pilot connection and LATERAL thermocouple



ERRE 2 43300012

ERRE 2 4330122224

ERRE 2 790202500

**3526061 VALVE VR4605P HONEYWELL  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple connection ASA pitch  
 maximum gas inlet pressure 100 mbar  
 room temperature 0÷60°C  
 power supply 220V 50Hz  
 for Convection oven gas (LAINOX) - Series CGS  
 Series MG - Series MGS - Series PG - Series VG  
 Series VGS



ERRE 2 43330001

## Electronic boxes

**3526402 CONTROL BOX S4560A1008**  
 model HONEYWELL - 220/240V 50Hz 10VA  
 for Convection oven (LAINOX) PG  
 for Convection oven (ZANUSSI) FCVG6L4  
 for Convection oven gas (LAINOX) MG220T - VG105S  
 for Convection oven gas (ZANUSSI) FCVMG62



ERRE 2 43331001

## Electronic thermostats and controllers

**3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000**  
 power supply 12Vca/dc 1.5VA  
 thermostat setting range 99÷600°C  
 ON-OFF control with one actuation point  
 1 exchange relay output 6(3)A 250V  
 inbuilt alarm buzzer  
 access to configuration parameters through  
 password  
 serial port for data exchange  
 room temperature 0÷60°C  
 PTC/NTC/PT100/PT1000 type probe (not included)  
 connections by screwed terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29 mm



ERRE 2 629601

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0÷60°C  
 screw terminal block  
 IMQ approved



ERRE 2 639603



Suitable for:

# ERRE 2



Suitable for:

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Convection oven (KELVIN)  
 for Convection oven electric (GIERRE) FEV106M  
 FEV166E - FEV166M - FEV166P - FEV168E  
 FEV168M - FEV56M  
 for Convection oven electric (SMEG) ALFA30V  
 ALFA31V  
 for Convection oven gas (GIERRE) FEV107M - FEV167E  
 FEV167M - FEV167P - FEV57M



ERRE 2 539205

## Gaskets for oven door

### 3286004 OVEN DOOR GASKET - 24 m

made of silicone elastomer  
 profile dimensions 25.6x11 mm  
 BLACK COLOR  
 for Convection oven (ERRE 2)  
 for Convection oven (GICO)



ERRE 2 284201490  
ERRE 2 293201230

ERRE 2 284204130  
ERRE 2 293201400

ERRE 2 293200500  
ERRE 2 684201490

### 3286076 OVEN DOOR GASKET - 3 m

made of silicone elastomer  
 profile dimensions 25.6x11 mm  
 BLACK COLOUR  
 for Convection oven (ERRE 2)  
 for Convection oven (GICO)



ERRE 2 284201490  
ERRE 2 293201230

ERRE 2 284204130  
ERRE 2 293201400

ERRE 2 293200500  
ERRE 2 684201490

### 3286004 OVEN DOOR GASKET - 24 m

made of silicone elastomer  
 profile dimensions 25.6x11 mm  
 BLACK COLOR  
 for Convection oven (ERRE 2)  
 for Convection oven (GICO)



ERRE 2 284201490  
ERRE 2 293201230

ERRE 2 284204130  
ERRE 2 293201400

ERRE 2 293200500  
ERRE 2 684201490



Suitable for:

**3286003 OVEN DOOR GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 25.6x11 mm  
BLACK COLOR  
for Convection oven (ERRE 2)  
for Convection oven (GICO)



ERRE 2 284201490  
ERRE 2 293201230

ERRE 2 284204130  
ERRE 2 293201400

ERRE 2 293200500  
ERRE 2 684201490

## ERRE 2

Suitable for:



**3286003 OVEN DOOR GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 25.6x11 mm  
BLACK COLOR  
for Convection oven (ERRE 2)  
for Convection oven (GICO)



ERRE 2 284201490  
ERRE 2 293201230

ERRE 2 284204130  
ERRE 2 293201400

ERRE 2 293200500  
ERRE 2 684201490

## Handles

**3242051 OVEN DOOR HANDLE 176x28 mm**  
handle mounting holes distance 121 mm  
for OVEN



ERRE 2 419506186

## Heating elements

**3355430 HEATING ELEMENT 10500W 230V**  
immersed length 590 mm  
flange external  $\varnothing$  72 mm  
with bulb sheath  $\varnothing$  6 mm  
complete with O-RING  
upon demand nut and washer  
for boiler  
per FORNO 10-20 GRIGLIE  
for Convection oven electric (ERRE 2)  
for Convection oven electric (GICO)



ERRE 2 293200360

**3355428 HEATING ELEMENT 2000W 240V**  
external  $\varnothing$  190 mm - overall height 90 mm  
flange 70x22 mm  
for Convection oven electric (ERRE 2)  
for Convection oven electric (GICO)



ERRE 2 238200212

ERRE 2 284201560

ERRE 2 296201860



Suitable for:

## ERRE 2



Suitable for:

### 3355429 HEATING ELEMENT 7500W 230/400V

immersed length 390 mm  
flange external  $\varnothing$  72 mm  
with bulb sheath  $\varnothing$  6 mm  
complete with O-RING  
upon demand nut and washer  
for boiler  
for Convection oven electric (ERRE 2)  
for Convection oven electric (GICO)



ERRE 2 293200760

## Knobs

### 3241038 GREY KNOB $\varnothing$ 60 mm SILK-SCREEN PRINTED

D-shaped hole 10x8 mm  
for COOKING RANGE series 110



ERRE 2 790109350

## Lamps

### 3221132 GREEN INDICATOR LAMP 230V

head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ERRE 2 A00409

### 3221117 GREEN INDICATOR LAMP 400V

head  $\varnothing$  18 mm - hole  $\varnothing$  12 mm - 150°C  
for Convection oven (ERRE 2)  
for Convection oven (GICO)



ERRE 2 5229054

### 3221162 GREEN LAMP RECEPTACLE

head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



ERRE 2 6229044

### 3221194 GREEN NEON INDICATOR LAMP 220V

$\varnothing$  head 9 mm



ERRE 2 6229046





## ERRE 2



Suitable for:

**3221115 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
 wire connection length 130 mm  
 for Convection oven electric (BOURGEOIS) CP0612  
 CP1012 - CP1022 - C0612 - SE0612 - SE1012  
 SE1022 - SE2012 - SE2022 - SM0612 - SM1012  
 SM1022 - SM2012 - SM2022  
 for Convection oven electric (HOBART) CSL06E



ERRE 2 6242122002

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
 for Electric oven (ELOMA) 12-21 MULTIMAX



ERRE 2 6242122001

**3221095 ORANGE INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ERRE 2 A00410

**3221163 ORANGE LAMP RECEPTACLE**  
 head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



ERRE 2 6229043

Suitable for:

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
 lamp glass  $\varnothing$  42 mm  
 mounting hole  $\varnothing$  38 mm  
 max temperature 300°C  
 for OVEN  
 for Convection oven electric (SMEG) ALFA31V  
 ALFA51X - ALFA51XGN - ALFA55X



ERRE 2 6230001

**3221097 NEUTRAL INDICATOR LAMP 220V**  
 head  $\varnothing$  8 mm - 120°C



ERRE 2

**3221116 ORANGE INDICATOR LAMP 400V**  
 head  $\varnothing$  18 mm - hole  $\varnothing$  12 mm - max 150°C  
 for Convection oven (ERRE 2)  
 for Convection oven (GICO)



ERRE 2 5229052

## Level regulators

**3341000 LEVEL ADJUSTER RL30/3ES/F/G**  
 230V 50/60Hz  
 for Convection oven (ZANUSSI) ACV - ECV  
 Series FCS - Series FCV - FDV - ZCV



ERRE 2 639624051



Suitable for:

## ERRE 2

Suitable for:



### Level sensors

- 3341020 LEVEL PROBE  $\varnothing$  1/4" M - 220 mm**  
for versions 5-7-10-20 shelves  
for Convection oven (GICO)



ERRE 2 639314125

### Microswitches

- 3240196 MAGNETIC MICROSWITCH E5201V**  
0.04A 250V - NO contact - head 40x13x8 mm  
with cable length 1400 mm



ERRE 2 695001

### Motors

- 3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm  
for Convection oven  
for Convection oven electric (COVEN) C6E - TEC10  
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H  
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6  
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6 - SOLYP10 - SOLYP6



ERRE 2 507005

ERRE 2 507007

- 3240117 MOTOR 1571 0.25HP 220/240V 50Hz**  
1.2A 2800rpm - capacitor 5  $\mu$ f  
shaft  $\varnothing$  12x77 mm  
for Convection oven electric (MARENO) FC-5E  
for Convection oven gas (MARENO) FC-5G



ERRE 2 284204340

ERRE 2 684202570

### Outlet solenoid valves and accessories

- 3525026 BOILER MOTOR DRAIN VALVE TCR**  
230V 50/60Hz 5A  
fittings  $\varnothing$  1/2" FF  
for Convection oven electric (LAINOX) EM006H  
EM010H - Series ME - Series MES  
for Convection oven gas (LAINOX) GM020H - GM020M  
Series MG - Series MGC - Series MGS



ERRE 2 6441001





## Pilot burners and accessories

**3020157 PILOT JET  $\varnothing$  0.25 mm**



ERRE 2 43701025

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ERRE 2 43703030

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket  
with thermocouple fitting  
for Convection oven gas (ZANUSSI)



ERRE 2 790200900

**3020006 THREE-FLAME PILOT BURNER SIT**

multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



ERRE 2 A00132

ERRE 2 436006

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M4x1 mm  
total length 65 mm  
for Convection oven electric (SOLYMAC) SOLYP10  
for Convection oven gas (SOLYMAC) SOLYMIX  
SOLYP6G



ERRE 2 4398070

## Potentiometers

**3057314 SELECTOR SWITCH ENCODER COMPLETE W/CABLE**

D-shaped pin 6x4.6 mm  
for Convection oven electric (GICO) FM10-ED  
FM10-ED/2C  
for Convection oven gas (GICO) FM120-GD/2



ERRE 2 293203970



Suitable for:

# ERRE 2



Suitable for:

## Probes

**3445117 PROBE PT100 VETROTEX 3000 mm**  
3-wire probe temperature range 0+350°C  
bulb ø 6x100 mm



ERRE 2 A00317


## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



ERRE 2 5200995

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle ø 6x4.6 mm  
back connection for thermostat



ERRE 2 00423


ERRE 2 52004115

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm  
for Convection oven electric (INOXTREND) CRCA107E  
CRCA111E



ERRE 2 52002115

**3057010 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.ø 6 mm  
for Convection oven (FOINOX) - Series FC  
for Convection oven electric (LAINOX) CES24M  
CES40M - CE041M - CE051M - CE071M - CE100M  
CE106M - CE110M - CE200M - CE210M - MCE051M  
MCE071M - MCE101M - MCE102M - MCE201M  
MCE202M  
for Convection oven gas (LAINOX) CGS24M - CGS40M  
CG051M - CG071M - CG100M - CG106M - CG110M  
CG200M - CG210M - FG105M - FG105X - FG110M  
FG110X - MCG051M - MCG071M - MCG101M - MCG102M  
MCG201M - MCG202M - PG040M - PG040X - PG080M  
PG080X



ERRE 2 620044924

## Solenoid valves

**3120004 SOLENOID VALVE 319 220/240V ø 10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



ERRE 2 53943410240

ERRE 2 63943410240

**3120005 SOLENOID VALVE 329 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



ERRE 2 53943410240



## Spark generators

- 3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz  
 for Convection oven (COVEN)  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6



ERRE 2 539613240

ERRE 2 539613242

## Sparking and detection plugs

- 3020219 ROUND DETECTION PLUG  $\varnothing$  7x55 mm**  
 overall length 92 mm  
 for Convection oven gas (GICO)



ERRE 2 793305360

- 3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm  
 for Convection oven electric (SOLYMAC) SOLYP10  
 for Convection oven gas (SOLYMAC) SOLYMIX  
 SOLYP6G



ERRE 2 4398070

- 3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm



ERRE 2 270200700

## Switches

- 3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
 for push-buttons with mounting hole  $\varnothing$  25 mm



ERRE 2 55463001



Suitable for:

# ERRE 2

Suitable for:



## Telethermometers

### 3441027 TELETHERMOMETER WHITE ø 60 mm 50-350°C

metal body  
capillary length 1500 mm  
bulb ø 4x105 mm  
for Convection oven




ERRE 2 4251103552

## Thermocouples and accessories

### 3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



ERRE 2 434009100

ERRE 2 4343103

### 3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm

interrupted contact with fastons



ERRE 2 434099045

ERRE 2 4343106

### 3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



ERRE 2 A00270

ERRE 2 434008100

### 3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



ERRE 2 A00270

ERRE 2 434008100

### 3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



ERRE 2 A00270

ERRE 2 434008100

### 3440032 THERMOCOUPLE SIT M8x1 150 cm



ERRE 2 A00201

### 3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ERRE 2 A00201



# ERRE 2



Suitable for:

Suitable for:

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ERRE 2 A00201

**3440028 THERMOCOUPLE SIT M8x1 60 cm**



**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ERRE 2 434008050

ERRE 2 434008050

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ERRE 2 434008050

ERRE 2 434009175

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ERRE 2 434009175

ERRE 2 434009175

## Thermostats

**3444120 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm  
for Convection oven (BARON)  
for Convection oven (ERRE 2)  
for Convection oven (LAINOX)  
for Convection oven (OLIS)  
for Convection oven (SILKO)



ERRE 2 6340004032001

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven (LAINOX)  
for Convection oven (ZANUSSI)



ERRE 2 53401005270

ERRE 2 63401005270



Suitable for:

## ERRE 2



**3444354 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length 1120 mm - 10A 400V  
 bulb  $\varnothing$  3x190 mm  
 for Convection oven electric (SMEG) ALFA135X  
 ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



ERRE 2 53403000350

Suitable for:

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm  
 for Convection oven



ERRE 2 00402

ERRE 2 270200341

ERRE 2 53403050300

## Timers

**3446001 TIMER 120 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (ZANUSSI) FCF/E4  
 FCF/E4D - FCFE202 - FCFE4PH - FCFE40 - FCFE40D  
 FCFE40F - FCFE40UK - 4238N



ERRE 2 63511120

**3446002 TIMER 120 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (GIORIK)  
 for Convection oven (MARENO)



ERRE 2 63510120

**3446219 TIMER 120 MINUTES MS65 SET**  
 with bracket  
 manually set mechanical timer  
 manually set cycle 120 minutes  
 contact capacity 16(4)A 250V 50Hz  
 max temperature 100°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (GICO) FM10-EM/C  
 FM10-EM/D - FM10-EM/N - FM10-EM/S - FM5-ES/C  
 FM5-ES/D - FM5-ES/N - FM5-ES/S - FM7-EM/C  
 FM7-EM/D - FM7-EM/N - FM7-EM/S



ERRE 2 293202310



Suitable for:

# ERRE 2



Suitable for:

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ERRE 2 639603