




Spare parts for:

Ovens



Suitable for:

GICO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211527





Suitable for:

GICO



Suitable for:

Alarms

- 3397301 ALARM BELL AC00206 85x45x25 mm**
 power supply 220/240V
 for Convection oven electric (ANGELO PO) FCV101E
 FCV141E - FCV241E - FCV3EM - FCV4EM - FCV61E
 for Convection oven gas (ANGELO PO) FCV101
 FCV141 - FCV241 - FCV241G - FCV61



GICO 623002

Axial motors

- 3240519 AXIAL FAN EBM 119x119x38 mm**
 ball bearing
 230V 50Hz 19W 2650rpm
 4656N



GICO

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
 ball bearings
 230V 50/60Hz 22W 2850rpm
 DP200A 2123XBT.GN



GICO 607008

Cables for piezo igniters

- 3001016 SIT IGNITION LEAD 1000 mm**
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



GICO 5509080

- 3001018 SIT IGNITION LEAD 600 mm**
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



GICO 5509040

Contactors

- 3446556 CONTACTOR LOVATO BG0910A**
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



GICO 6300240600



Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



GICO 4330012

GICO 433012224

GICO 790202500

3440200 TWIN LEAD THERMOPILE 580 mm



GICO 434010580

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 100 mbar
 room temperature 0 ÷ 60°C
 power supply 220V 50Hz
 for Convection oven gas (LAINOX) - Series CGS
 Series MG - Series MGS - Series PG - Series VG
 Series VGS



GICO 43330001

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3 ÷ 50 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz
 for Convection oven gas (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series NCV
 Series RCV - Series ZCV



GICO 433012

Electronic boxes

3526402 CONTROL BOX S4560A1008
 model HONEYWELL - 220/240V 50Hz 10VA
 for Convection oven (LAINOX) PG
 for Convection oven (ZANUSSI) FCVG6L4
 for Convection oven gas (LAINOX) MG220T - VG105S
 for Convection oven gas (ZANUSSI) FCVMG62



GICO 43331001

3526182 CONTROL BOX S4565A2092
 model HONEYWELL - 220/240V 50/60Hz 4VA
 for Convection oven (FOINOX) FC05G - MID1005GM
 for Convection oven gas (FOINOX) FC100GM - FC200GM
 FC201GM - FC401GM - FC60GM - FM100GM
 FM100GTD - FM200GM - FM200GTD - FM201GM
 FM201GTD - FM401GM - FM60GM - FM60GTD
 FP100GM - FP50GM - JO0611G - JO1011G - JO1021G
 JO2011G - JO2021G - MM100GTD - MM200GTD
 MM201GTD - MM60GTD
 for Convection oven gas (INOXTREND) FBA110G00
 FBA120G00 - FBA210G00 - FBA220G00 - FBE110G00
 FBE120G00 - FBE210G00 - FBE220G00 - FBP110G00
 FBP120G00 - FBP210G00 - FBP220G00 - FDA120G00
 FDA220G00 - FDE120G00 - FDE220G00 - FDP120G00
 FDP220G00 - FUA120G00 - FUA220G00 - FUE120G00



GICO 293203200



Suitable for:

GICO



Suitable for:

Electronic thermostats and controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
 power supply 12Vca/dc 1.5VA
 thermostat setting range 99+600°C
 ON-OFF control with one actuation point
 1 exchange relay output 6(3)A 250V
 inbuilt alarm buzzer
 access to configuration parameters through password
 serial port for data exchange
 room temperature 0+60°C
 PTC/NTC/PT100/PT1000 type probe (not included)
 connections by screwed terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



GICO 629601

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



GICO 639603

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



GICO 539205

GICO 539206

GICO 539209

Gaskets for oven door

3286004 OVEN DOOR GASKET - 24 m
 made of silicone elastomer
 profile dimensions 25.6x11 mm
 BLACK COLOR
 for Convection oven (ERRE 2)
 for Convection oven (GICO)



GICO 284201490

GICO 284204130

GICO 284204230

GICO 293200500

GICO 293201230

GICO 293201400

GICO 684201490

Gaskets for oven door

3286076 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 25.6x11 mm
 BLACK COLOUR
 for Convection oven (ERRE 2)
 for Convection oven (GICO)



GICO 284201490
 GICO 293200500
 GICO 684201490

GICO 284204130
 GICO 293201230

GICO 284204230
 GICO 293201400

3286004 OVEN DOOR GASKET - 24 m
 made of silicone elastomer
 profile dimensions 25.6x11 mm
 BLACK COLOR
 for Convection oven (ERRE 2)
 for Convection oven (GICO)



GICO 284201490
 GICO 293200500
 GICO 684201490

GICO 284204130
 GICO 293201230

GICO 284204230
 GICO 293201400

3286003 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 25.6x11 mm
 BLACK COLOR
 for Convection oven (ERRE 2)
 for Convection oven (GICO)



GICO 284201490
 GICO 293200500
 GICO 684201490

GICO 284204130
 GICO 293201230

GICO 284204230
 GICO 293201400

3286003 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 25.6x11 mm
 BLACK COLOR
 for Convection oven (ERRE 2)
 for Convection oven (GICO)



GICO 284201490
 GICO 293200500
 GICO 684201490

GICO 284204130
 GICO 293201230

GICO 284204230
 GICO 293201400



Suitable for:

GICO



Suitable for:

Handles

3242051 OVEN DOOR HANDLE 176x28 mm
handle mounting holes distance 121 mm
for OVEN



GICO 419506186

Heating elements

3355430 HEATING ELEMENT 10500W 230V
immersed length 590 mm
flange external \varnothing 72 mm
with bulb sheath \varnothing 6 mm
complete with O-RING
upon demand nut and washer
for boiler
per FORNO 10-20 GRIGLIE
for Convection oven electric (ERRE 2)
for Convection oven electric (GICO)



GICO 293200360

3355428 HEATING ELEMENT 2000W 240V
external \varnothing 190 mm - overall height 90 mm
flange 70x22 mm
for Convection oven electric (ERRE 2)
for Convection oven electric (GICO)



GICO 238200212

GICO 284201560

GICO 296201860

3355429 HEATING ELEMENT 7500W 230/400V
immersed length 390 mm
flange external \varnothing 72 mm
with bulb sheath \varnothing 6 mm
complete with O-RING
upon demand nut and washer
for boiler
for Convection oven electric (ERRE 2)
for Convection oven electric (GICO)



GICO 293200760

Knobs

3241038 GREY KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for COOKING RANGE series 110



GICO 766100000

GICO 790106610

GICO 790109350

GICO 790119450



Lamps

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



GICO A00409

3221117 GREEN INDICATOR LAMP 400V
head \varnothing 18 mm - hole \varnothing 12 mm - 150°C
for Convection oven (ERRE 2)
for Convection oven (GICO)



GICO 5229054

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



GICO 6229044

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



GICO 6229046

3221115 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 130 mm
for Convection oven electric (BOURGEOIS) CP0612
CP1012 - CP1022 - C0612 - SE0612 - SE1012
SE1022 - SE2012 - SE2022 - SM0612 - SM1012
SM1022 - SM2012 - SM2022
for Convection oven electric (HOBART) CSL06E



GICO 6242122002

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN
for Convection oven electric (SMEG) ALFA31V
ALFA51X - ALFA51XGN - ALFA55X



GICO 6230001

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



GICO 6242122001

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



GICO

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



GICO A00410

3221116 ORANGE INDICATOR LAMP 400V
head \varnothing 18 mm - hole \varnothing 12 mm - max 150°C
for Convection oven (ERRE 2)
for Convection oven (GICO)



GICO 5229052



Suitable for:

GICO



Suitable for:

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



GICO 6229043

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven (ZANUSSI) ACV - ECV
Series FCS - Series FCV - FDV - ZCV



GICO 639624051

Level sensors

3341020 LEVEL PROBE \varnothing 1/4" M - 220 mm
for versions 5-7-10-20 shelves
for Convection oven (GICO)



GICO 639314125

Microswitches

3240196 MAGNETIC MICROSWITCH E5201V
0.04A 250V - NO contact - head 40x13x8 mm
with cable length 1400 mm



GICO 695001



Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



GICO 507005

GICO 507007

3240117 MOTOR 1571 0.25HP 220/240V 50Hz

1.2A 2800rpm - capacitor 5 µf
shaft ø 12x77 mm
for Convection oven electric (MARENO) FC-5E
for Convection oven gas (MARENO) FC-5G



GICO 284204340

GICO 684202570

Outlet solenoid valves and accessories

3525026 BOILER MOTOR DRAIN VALVE TCR

230V 50/60Hz 5A
fittings ø 1/2"FF
for Convection oven electric (LAINOX) EM006H
EM010H - Series ME - Series MES
for Convection oven gas (LAINOX) GM020H - GM020M
Series MG - Series MGC - Series MGS



GICO 6441001

Pilot burners and accessories

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



GICO 43701035

3020201 PILOT GAS JET ø 0.14 mm



GICO

3020042 PILOT GAS JET ø 0.19 mm



GICO 43702019

3020043 PILOT GAS JET ø 0.36 mm



GICO 43702036



Suitable for:

Suitable for:

3020449 PILOT GAS JET \varnothing 0.54 mm

3020054 PILOT JET \varnothing 0.20 mm



GICO 4372027

GICO 4370001

3020157 PILOT JET \varnothing 0.25 mm

3020040 PILOT JET \varnothing 0.30 mm



GICO 43701025

GICO 43703030

3020055 PILOT JET \varnothing 0.35 mm

3020041 PILOT JET \varnothing 0.41 mm



GICO 4370002

GICO 43701041

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)

3020042 PILOT GAS JET \varnothing 0.19 mm



GICO 790200900

GICO 43702019

3020043 PILOT GAS JET \varnothing 0.36 mm

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 43702036

GICO 270200700

GICO 4398060

Suitable for:

Suitable for:

3020269 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple fitting
 with sparking plug fitting



GICO A00283

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket



GICO A00132

GICO 436006

3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



GICO 270200700

GICO 4398060

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm
 for Convection oven electric (SOLYMAC) SOLYP10
 for Convection oven gas (SOLYMAC) SOLYMIX
 SOLYP6G



GICO 4398070



Suitable for:

GICO



Suitable for:

Potentiometers

3057314 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm
for Convection oven electric (GICO) FM10-ED
FM10-ED/2C
for Convection oven gas (GICO) FM120-GD/2



GICO 293203970

Probes

3445117 PROBE PT100 VETROTEX 3000 mm

3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



GICO A00317

Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



GICO 5200995

GICO 5200996

3057014 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



GICO 00423

GICO 52004115



Suitable for:


3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Convection oven electric (INOXTREND) CRCA107E
 CRCA111E



GICO 52002115

Suitable for:

3057010 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven (FOINOX) - Series FC
 for Convection oven electric (LAINOX) CES24M
 CES40M - CE041M - CE051M - CE071M - CE100M
 CE106M - CE110M - CE200M - CE210M - MCE051M
 MCE071M - MCE101M - MCE102M - MCE201M
 MCE202M
 for Convection oven gas (LAINOX) CGS24M - CGS40M
 CG051M - CG071M - CG100M - CG106M - CG110M
 CG200M - CG210M - FG105M - FG105X - FG110M
 FG110X - MCG051M - MCG071M - MCG101M - MCG102M
 MCG201M - MCG202M - PG040M - PG040X - PG080M
 PG080X



GICO 620044924

Solenoid valves

3120408 SOLENOID VALVE 230V \varnothing 13.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 1 outlet \varnothing 13.5 mm



GICO

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



GICO 53943410240

GICO 63943410240

3120504 SOLENOID VALVE 319 24V \varnothing 10 mm
 solenoid valve 90° - 24V 50Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



GICO

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



GICO 53943410240

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm
 solenoid valve 180° - 24V 50Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



GICO LF-3120530

3120511 SOLENOID VALVE 350 24V \varnothing 14 mm
 solenoid valve 90° - 24V 50Hz - max 90°C
 3/4" inlet - \varnothing 14 mm outlet



GICO



Suitable for:

GICO



Suitable for:

3120512 SOLENOID VALVE 351 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



GICO

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



GICO 539613240

GICO 539613242

Sparking and detection plugs

3020219 ROUND DETECTION PLUG ø 7x55 mm
overall length 92 mm
for Convection oven gas (GICO)



GICO 793305360

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



GICO 4398070

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GICO 270200700

GICO 4398060



Switches

3319928 GREEN BIPOLAR SWITCH 16A 250V

with indicator lamp
max.temperature 120°C
lmounting hole \varnothing 25 mm



GICO 5209201

GICO 52221025

3319151 SWITCH PROTECTION CAP

\varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



GICO 55463001

3319151 SWITCH PROTECTION CAP

\varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



GICO 55463001

Telethermometers

3441027 TELETHERMOMETER WHITE \varnothing 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb \varnothing 4x105 mm
for Convection oven



GICO 4251103552

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GICO 652502



Suitable for:

GICO



Suitable for:

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



GICO 434009100

GICO 4343103

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GICO A00425

GICO 4343106

GICO 434099045

GICO 4343102

3440064 NUT FOR THERMOCOUPLE M8x1



GICO

3440030 THERMOCOUPLE SIT M8x1 100 cm



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00270

GICO 434008100

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



GICO A00270

GICO 434008100

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00270

GICO 434008100

3440032 THERMOCOUPLE SIT M8x1 150 cm



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201



Suitable for:

Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201

3440028 THERMOCOUPLE SIT M8x1 60 cm



GICO A00016

GICO 434008050

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008050

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008050

GICO 434008060

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



GICO A00017

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



GICO A00017

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



GICO A00017

3440033 THERMOCOUPLE SIT M9x1 32 cm



GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100



Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm



GICO

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO LF-3440034

3440035 THERMOCOUPLE SIT M9x1 60 cm .



GICO 434209075

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO 434009175

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



GICO A00022

3440036 THERMOCOUPLE SIT M9x1 85 cm .



GICO 434009175

GICO



Suitable for:

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO LF-3440034

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO A00022

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO A00022

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO 434009175



Thermostats

3444267 SINGLE-PHASE THERMOSTAT 145°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x133 mm
 for Convection oven (LAINOX)



GICO 6340004014500

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm
 for Convection oven (BARON)
 for Convection oven (ERRE 2)
 for Convection oven (LAINOX)
 for Convection oven (OLIS)
 for Convection oven (SILKO)



GICO 6340004032001

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven (LAINOX)
 for Convection oven (ZANUSSI)



GICO 53401005270

GICO 63401005270

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1120 mm - 10A 400V
 bulb \varnothing 3x190 mm
 for Convection oven electric (SMEG) ALFA135X
 ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



GICO 53403000350

3444052 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm
 for Convection oven



GICO 00402

GICO 270200341

GICO 53403050300



Suitable for:

GICO



Suitable for:

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E4
 FCF/E4D - FCFE202 - FCFE4PH - FCFE40 - FCFE40D
 FCFE40F - FCFE40UK - 4238N



GICO 63511120

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (GIORIK)
 for Convection oven (MARENO)



GICO 63510120

3446219 TIMER 120 MINUTES MS65 SET

with bracket
 manually set mechanical timer
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V 50Hz
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (GICO) FM10-EM/C
 FM10-EM/D - FM10-EM/N - FM10-EM/S - FM5-ES/C
 FM5-ES/D - FM5-ES/N - FM5-ES/S - FM7-EM/C
 FM7-EM/D - FM7-EM/N - FM7-EM/S



GICO 293202310

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



GICO 639603