



Spare parts for:

Ovens



Suitable for:

GIGA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GIGA



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIGA X19901

Cables for piezo igniters

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIGA E10000

GIGA X41000

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIGA X40100

Capacitors


3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



GIGA D206001

Contactors

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA D229019

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA Y11100



Suitable for:

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



GIGA X55300

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact




GIGA SD907043

GIGA SD907095


Suitable for:

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
 10A 400V 4Kw
 coil 220/240V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Convection oven (ZANUSSI)



GIGA Y10000

3446507 CONTACTOR SIEMENS 20A 400V 50/60Hz 9Kw
 coil 20A 230V 50/60Hz
 complete w/auxil.contact terminal block 1 NO - 1NC
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact
 assembly width 2-1/2 modules
 wall or DIN-guide mounting
 for Convection oven (LAINOX)



GIGA R65140150

Electrical gas valves and accessories

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



GIGA X50400

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIGA X49000



Suitable for:

GIGA



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160



GIGA 0000X11400

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



GIGA X44400

GIGA 5010063

Feet

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm



GIGA Y40400

Gaskets for oven door

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



GIGA R37600

GIGA R70040120

3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



GIGA R37600

GIGA R70040120

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



GIGA R37600

GIGA R70040120

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



GIGA R37700

GIGA 761085



Suitable for:

Suitable for:

3286084 OVEN DOOR GASKET 04880 - 3 m

made of silicone elastomer
profile dimensions
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



GIGA R37700

GIGA 761085

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



GIGA R37700

GIGA 761085

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



GIGA R37700

GIGA 761085

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



GIGA R37700

GIGA 761085



Handles

3398021 OVEN DOOR CATCH
 distance between holes 47 mm
 catch distance 27 mm
 for Convection oven (COVEN) - Series TEC5 - TEC8
 TEC9P
 for Convection oven electric (COVEN) TEC10MX
 TEC4MX
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYP10
 for Convection oven gas (COVEN) TEC6G - TEC7G



GIGA R31200

3242144 OVEN DOOR HANDLE 260x30 mm
 with strike mounting distance 45 mm
 handle mounting distance 133 mm
 for Convection oven electric (COVEN) TEC3MD
 TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
 TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
 for Convection oven electric (LAINOX) A10PES
 for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
 TEC6G - TEC6GMD - TEC6GMX - TEC7G



GIGA RX1496

3242224 SPRING FOR HANDLE STRIKE
 for OVEN



GIGA R61620012

Heating elements

3455325 HEATING ELEMENT 2100W 230V
 external \varnothing 190 mm - internal \varnothing 180 mm
 flange 70x22 mm



GIGA X68700

3355889 HEATING ELEMENT 2500W 230V
 external \varnothing 190 mm - total height 70 mm
 flange 70x22 mm
 for Convection oven electric (GARBIN) 12GX - 23MX
 23MXUMI - 43MX - 43MXUMI



GIGA X68002

GIGA 50039

3755008 HEATING ELEMENT 5400W 230V
 external \varnothing 203 mm - overall height 118 mm
 flange 140x22 mm
 for Convection oven electric (LAINOX) FE05



GIGA 760978

3355137 HEATING ELEMENT 6000W 230V
 external \varnothing 230 mm - overall height 150 mm
 flange 140x22 mm
 for Convection oven electric (LAINOX) CE051M
 HME061P - HME061X - MCE051M - ME05 - ME105L
 ME105S - MME05 - MVE051P - VE051P - VE055P
 VE105S



GIGA R33400

GIGA R65010530

GIGA 761344



Suitable for:

GIGA



Suitable for:

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



GIGA X66000

GIGA X66100

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm
for Convection oven
for Convection oven electric (GIERRE) BRIOBRG600
BRIOMIDIBRG400



GIGA X68006

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



GIGA X66100

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



GIGA X66000

GIGA X66100

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



GIGA X66000

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



GIGA X66000

GIGA X66100

Lamps

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



GIGA

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 57 mm
mounting hole \varnothing 42 mm
max temperature 300°C
for OVEN
for Convection oven electric (COVEN) TEC10 - TEC2
TEC3 - TEC4P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC6G - TEC7G



GIGA X68004

GIGA 50051

Suitable for:

Suitable for:

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



GIGA D216006

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM
for Convection oven gas (ZANUSSI) FCS061G



GIGA D218011

9014015 MAGNETIC MICROSWITCH \varnothing 10x26 mm
0.5A 250V - NO contact
with cable length 750 mm



GIGA SDTR0309

3240148 MICROSWITCH MAGNET 63x19x11 mm
for Convection oven (ZANUSSI) - Series AOS



GIGA SD903651

GIGA SD908706

3240189 MICRO SWITCH M1DX20 10A 250V
for Convection oven (ANGELO PO)
till 31/12/99
for Convection oven electric (ANGELO PO)
till 13/11/99
FCV101E - FCV101EDM - FCV101EDS - FCV141E
FCV141EDM - FCV141EDS - FCV241E - FCV241EDM
FCV241EDS - FCV401EDM - FCV61E - FCV61EDM
FCV61EDS - FC101E - FC241E - FC61E
for Convection oven gas (ANGELO PO)
till 13/11/99
FCV101 - FCV141DM - FCV141DS - FCV241 - FCV241G
FCV61 - FC101 - FC61



GIGA R31600

3240148 MICROSWITCH MAGNET 63x19x11 mm
for Convection oven (ZANUSSI) - Series AOS



GIGA SD903651

GIGA SD908706



Suitable for:

GIGA



Suitable for:

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan \varnothing 150 mm
 for Convection oven
 for Convection oven electric (COVEN) C6E - TEC10
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYMIX6 - SOLYP10 - SOLYP6



GIGA V03000

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm

for Convection oven electric (CAPIC) AC150 - AC50
 R50



GIGA D456002

GIGA E11700

Pilot burners and accessories

3020077 FITTING FOR PIPE \varnothing 4 mm



GIGA X13200

3020085 NUT FOR SPARKING PLUG CONNECTION



GIGA X13002

3020201 PILOT GAS JET \varnothing 0.14 mm



GIGA X30400

3020042 PILOT GAS JET \varnothing 0.19 mm



GIGA X30000

3020043 PILOT GAS JET \varnothing 0.36 mm



GIGA X30100

3020054 PILOT JET \varnothing 0.20 mm



GIGA X19906



Suitable for:

Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET

3020106 PILOT WITH 0.25 mm \varnothing JET



GIGA X1990

GIGA 0000X1900

GIGA 0000X19000+...

3020102 SCREW



GIGA X19904

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)

3020077 FITTING FOR PIPE \varnothing 4 mm



GIGA X13000

GIGA X13200

3020042 PILOT GAS JET \varnothing 0.19 mm

3020043 PILOT GAS JET \varnothing 0.36 mm



GIGA X30000

GIGA X30100

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIGA X13001

GIGA X16900



Suitable for:

GIGA



Suitable for:

3020200 THERMOCOUPLE NUT



GIGA X16500

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm
with 3 positions bracket



GIGA R32300

GIGA X13500

3020054 PILOT JET \varnothing 0.20 mm



GIGA X19906

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



3020036 THREE-FLAME PILOT BURNER SIT

with NG nozzle \varnothing 0.35 mm
with 3 positions bracket



GIGA E3010005

3020054 PILOT JET \varnothing 0.20 mm



GIGA X19906

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



GIGA E30100054



Suitable for:

3020103 THREE-POSITION BRACKET



GIGA 5730042

Suitable for:

3020104 THREE-POSITION BRACKET CLAMP



GIGA 5730045

Probes

3440159 TEMPERATURE PROBE

2 wires - bulb \varnothing 6x30 mm
cable length 1500 mm




GIGA Y50100

GIGA Y50200

Relays

3351008 RELAY 62.83 16A 230V 50/60Hz

3 switching contacts



GIGA SD905475

Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



GIGA X44600

3057014 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat




GIGA X40700

GIGA X49700

3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) EF4



GIGA 6030012



Suitable for:

GIGA



Suitable for:

Solenoid valves

3120005 SOLENOID VALVE 329 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GIGA D240011

GIGA SD902390

3120505 SOLENOID VALVE 329 24V ø 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GIGA LF-3120530

3120007 SOLENOID VALVE 349 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



GIGA D240003

3120512 SOLENOID VALVE 351 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



GIGA

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



GIGA X50000

Sparking and detection plugs

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



GIGA E30100054

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIGA X13001

GIGA X16900



Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light and switch cover
 screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



GIGA X50800

3319151 SWITCH PROTECTION CAP
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



GIGA D410005

Terminal blocks

3247017 12-POLE PLASTIC TERMINAL BLOCK
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450V



GIGA X41400

3247034 12-POLES TERMINAL BLOCK



GIGA Y50400

3247035 4-POLES TERMINAL BLOCK



GIGA Y50300

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
 interrupted contact with terminals



GIGA X14000

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
 interrupted contact with fastons



GIGA X19100

3440064 NUT FOR THERMOCOUPLE M8x1



GIGA X15900

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS



GIGA X17600



Suitable for:

Suitable for:

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GIGA X68045

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



GIGA X68045

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GIGA X68045

3440028 THERMOCOUPLE SIT M8x1 60 cm



GIGA X14800

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GIGA X14800

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GIGA X14800

3440039 THERMOCOUPLE SIT M9x1 150 cm



GIGA X14900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIGA X14900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIGA X14900

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



GIGA X13900



GIGA



Suitable for:

3440080 THERMOCOUPLE SIT M9x1 40 cm.



GIGA X13900

Suitable for:

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



GIGA X13900

3440034 THERMOCOUPLE SIT M9x1 50 cm



GIGA X14200

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIGA X14200

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIGA X14200

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X14100

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X15700

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



GIGA X15700

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X15700

3440035 THERMOCOUPLE SIT M9x1 60 cm.



GIGA X14100

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIGA X14100



Suitable for:

3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm



GIGA X17600

GIGA



Suitable for:

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm- 10 PCS



GIGA X17600

Thermostats

3444114 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven electric (GIERRE) FEV024
FEV106M - FEV166M - FEV60M
for Convection oven gas (GIERRE) FEV57M - FEV61M



GIGA X49600

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (LAINOX)
for Convection oven (ZANUSSI)



GIGA R31400
GIGA 5010087

GIGA R65070210

GIGA X43600

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (BONNET)
for Convection oven (BOURGEOIS)
for Convection oven (ZANUSSI)



GIGA X68205

3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb ø 6x80 mm



GIGA X43200

GIGA X43900

GIGA Y16400

3444298 THREE-PHASE THERMOSTAT 337°C

with manual reset
covered capillary length 850 mm - 10A 400V
button bulb ø 14x10 mm
for Convection oven electric (LAINOX) VE004D
VE004H - VE004M - VE004X - VE104D - VE104H
VE104M - VE104X



GIGA R65070050

**Timers****3446001 TIMER 120 MINUTES**

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E4
FCF/E4D - FCFE202 - FCFE4PH - FCFE40 - FCFE40D
FCFE40F - FCFE40UK - 4238N



GIGA X54000

GIGA 6180003

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (GIORIK)
for Convection oven (MARENO)



GIGA R31700