



Spare parts for:

Ovens



Suitable for:

GIORIK



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GIORIK



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIORIK 7070014

GIORIK 7090007

Alarms

3397117 ALARM WITH CARD
dimensions 45x48 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06MX - DE10MX
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM
EF7GM - EF8PM - EGE05 - EGE10 - EPE04 - EPE05
EPE10
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06MX - DG10MX - DG102MX
GF10GM - GF4PM - GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 6010090

3397118 ALARM WITH CARD
dimensions 35x27 mm
cable length 270 mm
for Convection oven electric (GIORIK) CE20MX
DE06EC - DE06ES - DE10ES - DE102EC - VE06EC
VE06MX - VE10EC - VE10MX - VE102EC - VE102MX
VE20EC - VE20MX
for Convection oven gas (GIORIK) CG20MX - DG06EC
DG06ES - DG10EC - DG10ES - DG102EC - VG06EC
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX
VG20EC - VG20MX



GIORIK 6010103

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GIORIK 6033175

Cables for piezo igniters

3001028 SIT CABLE 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



GIORIK 6050051

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



GIORIK 6050065

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIORIK 6050610

Capacitors

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



GIORIK 6090015


Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046043

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046038

Electrical gas valves and accessories

3526090 Elettrosit Valve \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
 $3 \div 18$ mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



GIORIK 7020060

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE Elettrosit-820 NOVA-824 NOVASIT



GIORIK 6010054



Suitable for:

GIORIK



3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160



GIORIK 7020070

Suitable for:

3526212 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 3÷50 mbar
 room temperature 0÷60°C
 power supply 220/240V 50Hz
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG012MX - DG06EC - DG06ES
 DG06MX - DG10EC - DG10ES - DG10MX - DG102EC
 GF10GM - GF4PM - GF5GM - GF6PM - GF7GM - GF8PM
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
 VG102MX - VG20EC - VG20MX



GIORIK 7020080

Electronic boxes


3091012 CONTROL BOX 503 EDF FOR TANDEM
 model SIT - 220/240V 50/60Hz 7VA
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
 DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
 GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



GIORIK 7020085

Electronic printed-circuit boards

3390219 BASIC BOARD 98x132 mm
 for Convection oven electric (GIORIK) DE06EC
 DE10EC - DE102EC - VE06EC - VE10EC - VE102EC
 VE20EC
 for Convection oven gas (GIORIK) DG06EC - DG10EC
 DG102EC - VG06EC - VG10EC - VG102EC



GIORIK 6010101

3390218 PUSH-BUTTON ELECTRONIC BOARD 350x102 mm
 for Convection oven electric (GIORIK) DE06EC
 DE10EC - DE102EC - VE06EC - VE10EC - VE102EC
 VE20EC
 for Convection oven gas (GIORIK) DG06EC - DG10EC
 DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6010100



Suitable for:

Suitable for:

3390223 REVERSE ELECTRONIC BOARD 90x105 mm 230V
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - EF4 - EF4PM - EF6PM - EF8PM - VE06EC
 VE06MX - VE10EC - VE10MX - VE102EC - VE102MX
 VE20EC - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 GF4PM - GF6PM - GF8PM - VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX

3390222 TEMPERATURE ELECTRONIC BOARD 98x165 mm
 complete with cable
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
 DE10ES - DE10MX - DE102MX - EF10GM - EF4PM
 EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
 VE10MX - VE102MX - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06ES - DG06MX - DG10ES
 DG10MX - DG102MX - GF10GM - GF4PM - GF5GM
 GF6PM - GF7GM - GF8PM - VG06MX - VG10MX
 VG102MX - VG20EC - VG20MX



GIORIK 6010084

GIORIK 6010096

Electronic thermostats and controllers

3445141 THERMOSTAT EV7401J J/K/PTC/NTC/PT100
 double power supply 24/230V 50/60Hz
 thermostat setting range +50+270°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 room temperature 0+55°C
 multiprobe:
 thermocouple "J" -100+700°C
 thermocouple "K" -100+1150°C
 PTC -50+150°C
 NTC -40+110°C
 Pt 100 2/3 wires: -100+650°C
 connections by extractable screw terminal block
 front dimensions 72x72x100 mm
 for Convection oven (GIORIK)

3445139 THERMOSTAT EV7401M J/K/PTC/NTC/PT100
 double power supply 24/230V 50/60Hz
 ON-OFF control with one actuation point only
 changeover relay outlet 8(3)A 250V
 2 types of programmable temperature alarms
 inbuilt failure alarm
 password entry to configuration parameters
 room temperature 0÷60°C
 multiple probe:
 thermocouple "J" -100/750°C
 thermocouple "K" -100/1200°C
 PTC -50/150°C
 NTC -40+110°C
 Pt 100 2/3 wires: -100/700°C
 connections by extractable screw terminal block
 front dimensions 72x72x100 mm



GIORIK 6011125

GIORIK 6011130

GIORIK



Suitable for:

GIORIK



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



GIORIK 6031020

GIORIK 6031023

Fans for motors

3240030 FAN \varnothing 180 mm

thickness 60 mm
 total blades 16 - \varnothing tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - MM06EBM
 for Convection oven electric (GIORIK) EF5GM
 for Convection oven gas (FOINOX) FC06G - FC06GA
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB
 for Convection oven gas (GIORIK) GF5GM - G6VGE



GIORIK 5900896

3240708 FAN \varnothing 180 mm


thickness 100 mm
 total blades 16 - \varnothing tapered hole 16-11.5 mm
 for Convection oven electric (GIORIK) CE06MX
 DE06EC - DE06ES - DE06MX - VE06EC - VE06MX
 for Convection oven gas (GIORIK) CG06MX - DG06EC
 DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 5901006

3240706 FAN \varnothing 310 mm

thickness 137 mm
 total blades 30 - \varnothing tapered hole 23-20 mm
 for Convection oven gas (GIORIK) CG102MX - DG102EC
 DG102MX - VG102EC - VG102MX



GIORIK 5901023

3240707 FAN \varnothing 310 mm

thickness 102 mm
 total blades 30 - \varnothing tapered hole 23-20 mm
 for Convection oven electric (GIORIK) CE10MX
 DE10EC - DE10ES - DE10MX - VE10EC - VE10M
 for Convection oven gas (GIORIK) CG10MX - DG10EC
 DG10ES - DG10MX - VG10EC - VG10MX



GIORIK 5901010



Suitable for:

Suitable for:

- 3240705 FAN \varnothing 350 mm**
thickness 137 mm
total blades 30 - \varnothing tapered hole 23-20 mm
for Convection oven electric (GIORIK) CE102MX
DE102EC - DE102MX - VE102EC - VE102M



GIORIK 5901022

Gas burners

- 3023313 BURNER \varnothing 50x305 mm**
made of chromed iron
for Convection oven gas (GIORIK) CG06MX - DG06EC
DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 7090100

- 3023314 BURNER \varnothing 50x427 mm**
made of chromed iron
for Convection oven gas (GIORIK) CG10MX - CG102MX
CG20MX - DG10EC - DG10ES - DG10MX - DG102EC
DG102MX - VG10EC - VG10MX - VG102EC - VG102MX
VG20EC - VG20MX



GIORIK 7090101

- 3023312 BURNER \varnothing 60x245 mm**
made of chromed iron
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



GIORIK 7090102

Gas taps and accessories

- 3348041 PIPE OLIVE \varnothing 16 mm**
for model PEL 23



GIORIK 7070036



Suitable for:

GIORIK



Suitable for:

Gaskets and seals

3786071 HEATING ELEMENT GASKET
external dimensions 144x25 mm
for Convection oven electric (GIORIK)



GIORIK 2005173

Gaskets for oven door

3286028 GASKET FOR OVEN GLASS 3198 - 25 m
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (ANGELO PO)
for Convection oven (BERTO'S)
for Convection oven (GIGA)
for Convection oven (LAINOX)



GIORIK 7070161

3286027 GASKET FOR OVEN GLASS 3198 - 6 m
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (ANGELO PO)
for Convection oven (BERTO'S)
for Convection oven (GIGA)
for Convection oven (LAINOX)



GIORIK 7070161

3286028 GASKET FOR OVEN GLASS 3198 - 25 m
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (ANGELO PO)
for Convection oven (BERTO'S)
for Convection oven (GIGA)
for Convection oven (LAINOX)



GIORIK 7070161




Suitable for:

GIORIK



3186506 OVEN DOOR GASKET

made of silicone elastomer
 profile dimensions 30x22 mm
 for 6 grills 3 m long
 for 10 grills 3 m long
 for 20 grills 5 m long
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - VE06EC - VE06MX - VE10EC - VE10M
 VE102EC - VE102M - VE20EC - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX



GIORIK 7070166

Suitable for:

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



GIORIK 7070162
GIORIK 7070172

GIORIK 7070170
GIORIK 7070185

GIORIK 7070171
GIORIK 7070190

3286084 OVEN DOOR GASKET 04880 - 3 m

made of silicone elastomer
 profile dimensions
 BLACK COLOUR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



GIORIK 7070162
GIORIK 7070172

GIORIK 7070170
GIORIK 7070185

GIORIK 7070171
GIORIK 7070190

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



GIORIK 7070162
GIORIK 7070172

GIORIK 7070170
GIORIK 7070185

GIORIK 7070171
GIORIK 7070190

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



GIORIK 7070162
GIORIK 7070172

GIORIK 7070170
GIORIK 7070185

GIORIK 7070171
GIORIK 7070190



Suitable for:

GIORIK



3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



GIORIK 7070162
GIORIK 7070172

GIORIK 7070170
GIORIK 7070185

GIORIK 7070171
GIORIK 7070190

5013418 OVEN DOOR GASKET 635x480 mm

made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK)



GIORIK 7070173

3186311 OVEN DOOR GASKET 740x630 mm

made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK) - Series N



GIORIK 7070174

5013434 OVEN DOOR GASKET 755x750 mm

made of silicone elastomer
COLOUR RED
for Convection oven (GIORIK)



GIORIK 7070175

3786072 OVEN GLASS GASKET

made of silicone elastomer
profile dimensions 7x6 mm
COLOUR BLACK
SOLD PER METRE
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06MX
DE10EC - DE10MX - DE102EC - DE102MX - VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06MX - DG10EC
DG10MX - DG102EC - DG102MX - VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



GIORIK 7070167

3786073 OVEN GLASS GASKET

made of silicone elastomer
profile dimensions 17x9.5 mm
COLOUR BLACK
SOLD PER METRE
for Convection oven electric (GIORIK) DE06ES
DE10ES
for Convection oven gas (GIORIK) DG06ES - DG10ES



GIORIK 7070179



Handles

5028241 CLOSING CENTRAL GEAR LEFT
for OVEN



GIORIK 5900123

3242116 DOOR HANDLE BUSHING
for OVEN



GIORIK 2011212

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm
for Convection oven (COVEN) - Series TEC5 - TEC8
TEC9P
for Convection oven electric (COVEN) TEC10MX
TEC4MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC6G - TEC7G



GIORIK 2000160

3242110 OVEN DOOR HANDLE
for Convection oven (FOINOX) MIDI005GM
for Convection oven (SOLYMAC) SOLY 5P - SOLYMIX 6
SOLYP 6
for Convection oven electric (COVEN) N5P - N5PMEC
N6MD - N6MX - TEC3MD - TEC3MX - TEC4MX - TEC5P
TEC5PMEC - TEC6 - TEC6EMD - TEC6EMX - TEC6MD
TEC6MX - TEC7
for Convection oven electric (FOINOX) FC05EU
MIDI005EEP - MM06EBM
for Convection oven gas (COVEN) N6GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G
for Convection oven gas (FOINOX) MIDI005GEP



GIORIK 5900125

3242111 STRIKE FOR DOOR HANDLE M8x1
overall length 50.5 mm
for Convection oven (GIORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



GIORIK 5900124

3242118 OVEN DOOR HANDLE
square pin 8x8 mm
for OVEN



GIORIK 2013218

3242116 DOOR HANDLE BUSHING
for OVEN



GIORIK 2011212



Suitable for:

GIORIK



3242417 OVEN DOOR HANDLE

for OVEN DE06ES-DE10ES-DG06ES-DG10ES
for Convection oven electric (GIORIK) DE06ES
DE10ES
for Convection oven gas (GIORIK) DG06ES - DG10ES



GIORIK 5900181

Suitable for:

3242116 DOOR HANDLE BUSHING

for OVEN



GIORIK 2011212

3242418 OVEN DOOR HANDLE

for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06MX
DE10EC - DE10MX - DE102EC - DE102MX - VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06MX - DG10EC
DG10MX - DG102EC - DG102MX - VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



GIORIK 5900180

3242116 DOOR HANDLE BUSHING

for OVEN



GIORIK 2011212

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



GIORIK 5900121

3242419 PIN FOR OVEN DOOR HANDLE M10x1

overall length 52 mm
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 2006619



Suitable for:

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



GIORIK 5900122

Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8x1
overall length 50.5 mm
for Convection oven (GIORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



GIORIK 5900124

Heating elements

3755284 HEATING ELEMENT 15000W 230/400V
external \varnothing 410 mm - overall height 200 mm
flange 140x26 mm
for Convection oven electric (GIORIK) CE10MX
CE20MX - DE10EC - DE10ES - DE10MX - EF10GM
EF8PM - VE10EC - VE10M - VE20EC - VE20MX



GIORIK 6002125

3786071 HEATING ELEMENT GASKET
external dimensions 144x25 mm
for Convection oven electric (GIORIK)



GIORIK 2005173

3755980 HEATING ELEMENT 25000W 400V
external \varnothing 405 mm - height 230 mm
flange 143x25 mm
for Convection oven electric (GIORIK) CE102MX
DE102EC - DE102MX - VE102EC - VE102M



GIORIK 6002121

3786071 HEATING ELEMENT GASKET
external dimensions 144x25 mm
for Convection oven electric (GIORIK)



GIORIK 2005173



Suitable for:

GIORIK



3755120 HEATING ELEMENT 6000W 230V

immersed depth 240 mm
flange external \varnothing 72 mm
with bulb sheath
complete with O-RING
for Convection oven electric (GIORIK) EN6VEEC
ESN0628S



GIORIK 6003260

Suitable for:

3355749 HEATING ELEMENT 7350W 230V

external \varnothing 230 mm - overall height 165 mm
flange 143x25 mm - complete with cables
for Convection oven electric (GIORIK) EF4PM
EF5GM



GIORIK 6002100

3355530 HEATING ELEMENT 7500W 230V

immersed length 300 mm
flange external \varnothing 72 mm
with bulb sheath \varnothing 6 mm
complete with O-RING
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
for Convection oven electric (MBM) FEM060 - FEM061
FEM100 - FEM101 - FEM102 - FEM200 - FEM201
FEM202 - FEM207SC - FEM209 - FEM610L - FEM62
for Convection oven gas (MBM) FMM060 - FMM061
FMM100 - FMM101



GIORIK 6003290

3355748 HEATING ELEMENT 8400W 230V

external \varnothing 235 mm - overall height 190 mm
flange 143x25 mm
for Convection oven electric (GIORIK) CE06MX
DE06CE - DE06ES - DE06MX - VE06EC - VE06MX



GIORIK 6002001

3786071 HEATING ELEMENT GASKET

external dimensions 144x25 mm
for Convection oven electric (GIORIK)



GIORIK 2005173

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



GIORIK 5900402



Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



GIORIK 5900401

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



GIORIK 5900402

3053006 RIGHTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



GIORIK 5900400

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



GIORIK 5900402

Hose reels

3359553 WASHING UNIT MINIREEL
 stainless steel case aisi 304
 with automatic retractor
 EPDM hose \varnothing 13 mm
 pull-out hose length 160 cm
 complete with shower ECO/F
 for fixing to any equipment



GIORIK 7080001

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M
 with coupling 3/8" M x 1/2" M



GIORIK 7080010

Interference suppression filters

3160479 INTERFERENCE SUPPRESSION FILTER 0,47 μ F
 for Convection oven electric (LAINOX) - Series CE
 Series ME - Series VE
 for Convection oven gas (LAINOX) - Series CG



GIORIK 6090050



Suitable for:

GIORIK



Suitable for:

Knobs

3241666 BLACK KNOB \varnothing 49 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (GIORIK) EF4PM
 EF6PM - EF8PM
 for Convection oven gas (GIORIK) GF4PM - GF6PM
 GF8PM



GIORIK 2012214

3241667 BLACK KNOB \varnothing 49 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (GIORIK) EF4 - EF4PM
 EF6PM - EF8PM
 for Convection oven gas (GIORIK) GF4PM - GF6PM
 GF8PM



GIORIK 2007085

3241297 BLACK KNOB \varnothing 50 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (GIORIK) DE06EC
 DE10EC - DE102EC - VE06EC - VE10EC - VE102EC
 VE20EC
 for Convection oven gas (GIORIK) DG06EC - DG10EC
 DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 2012260

3241055 FIXING CLIP
 for knob with \varnothing 8 mm hole



GIORIK 5900242

3241615 GREY KNOB \varnothing 49 mm
 D shaft hole 6x4.6 mm
 for Convection oven electric (GIORIK) EF10GM
 EF5GM - EF7GM
 for Convection oven gas (GIORIK) GF10GM - GF5GM
 GF7GM



GIORIK 2006823

3241668 GREY KNOB \varnothing 49 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (GIORIK) EF10GM
 EF5GM - EF7GM
 for Convection oven gas (GIORIK) GF10GM - GF5GM
 GF7GM



GIORIK 2012213

Suitable for:

Suitable for:

3241296 GREY KNOB \varnothing 50 mm

D-shaped hole \varnothing 6x4.6 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - VE06EC - VE06MX - VE10EC - VE10M
 VE102EC - VE102M - VE20EC - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
 VG102MX - VG20EC - VG20MX



GIORIK 2012261

Lamps

3221242 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 80x38 mm
 for Convection oven (GIORIK)



GIORIK 6063077

3221199 GREEN INDICATOR LAMP 250V

head \varnothing 8 mm - 150°C
 wire connection length 300 mm
 for Convection oven electric (GIORIK) EF4



GIORIK 6061068

3221367 GREEN INDICATOR LAMP 250V

head \varnothing 16 mm - hole \varnothing 13 mm - 120°C
 wire connection length 240 mm
 for Convection oven electric (GIORIK) EF4



GIORIK 6061068

GIORIK 6061068+6061070

GIORIK 6061070

3221166 GREEN INDICATOR LAMP 400V

head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
 universal application



GIORIK 6061050



Suitable for:

GIORIK



3221243 HALOGEN LAMP RECEPTACLE G4 20W 12V

wire connection length 830 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - VE06EC - VE06MX - VE10EC - VE10MX
 VE102EC - VE102MX - VE20EC - VE20MX
 for Convection oven electric (KELVIN) KPE405
 KPE408 - NKE106 - NKE110 - NKE210
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
 VG102MX - VG20EC - VG20MX
 for Convection oven gas (KELVIN) KPG405 - KPG408
 NKG106 - NKG110 - NKG210



GIORIK 6063075

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V for Electric oven (ELOMA) 12-21 MULTIMAX



GIORIK 6061054

3221187 LAMP RECEPTACLE HARDENED GLASS ø 87 mm for Convection oven (ANGELO PO) for Convection oven electric (GIORIK) EF8PM



GIORIK 6060054

3221242 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 80x38 mm
 for Convection oven (GIORIK)



GIORIK 6063077

3221244 TRANSFORMER F/HALOGEN LAMP 230/12V

dimensions 240x40 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - CG06EC - CG10MX
 CG102MX - CG20MX - DE06EC - DE10EC - DE102EC
 DG06EC - DG10EC - VE06EC - VE06MX - VE10EC
 VE10MX - VE102EC - VE102MX - VE20EC - VE20MX
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
 VG102MX - VG20EC - VG20MX



GIORIK 6041065



Suitable for:

3221190 LAMP RECEPTACLE W/LAMP E14 15W 240V
mounting hole \varnothing 50 mm
max temperature 300°C
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 6060055

1186230 O-RING GASKET 0164 EPDM



GIORIK 6090140

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



GIORIK 60601052

GIORIK 6061052

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



GIORIK 6061054

3221165 ORANGE INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



GIORIK 6061051

GIORIK




Suitable for:

3221187 LAMP RECEPTACLE HARDENED GLASS \varnothing 87 mm
for Convection oven (ANGELO PO)
for Convection oven electric (GIORIK) EF8PM



GIORIK 6060054

3186315 O-RING 03250 EPDM
for SIGMA group mixer



GIORIK 6090141

3221166 GREEN INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



GIORIK 6061050



Suitable for:

GIORIK



3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



GIORIK 60601052

GIORIK 6061052

Suitable for:

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



GIORIK 6061053

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE

external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



GIORIK 6063070

3221244 TRANSFORMER F/HALOGEN LAMP 230/12V

dimensions 240x40 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - CG06EC - CG10MX
CG102MX - CG20MX - DE06EC - DE10EC - DE102EC
DG06EC - DG10EC - VE06EC - VE06MX - VE10EC
VE10MX - VE102EC - VE102MX - VE20EC - VE20MX
VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
VG102MX - VG20EC - VG20MX



GIORIK 6041065

3221202 TRANSPARENT INDICATOR LAMP 250V

head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



GIORIK 6061067

3221358 WHITE LAMP RECEPTACLE

head ø 16 mm - hole ø 13 mm
for Convection oven electric (GIORIK) EF4



GIORIK 6061069



Level regulators

3341035 LEVEL ADJUSTER RL30/3ES/F-G

230V 50/60Hz
 for Convection oven electric (GIORIK) VE06EC
 VE06MX - VE10EC - VE10M - VE102EC - VE102M
 VE20EC - VE20MX
 for Convection oven gas (GIORIK) VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



GIORIK 6041043

Level sensors

3341041 LEVEL PROBE \varnothing 1/4" M - 250 mm

for Convection oven electric (GIORIK) VE06EC
 VE06MX - VE10EC - VE10M - VE102EC - VE102M
 VE20EC - VE20MX
 for Convection oven gas (GIORIK) VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



GIORIK 6000089

Microswitches

3240309 DOOR MICROSWITCH

for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - VE06EC - VE06MX - VE10EC - VE10M
 VE102EC - VE102M - VE20EC - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 VG06EC - VG06MX - VG10EC - VG10MX - VG102MX
 VG20EC - VG20MX



GIORIK 6043088

3240605 DOOR MICROSWITCH M1AX20 10A 250V

for Convection oven electric (GIORIK) EF10GM
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
 EGE10 - EPE04 - EPE05 - EPE10
 for Convection oven gas (GIORIK) GF10GM - GF4PM
 GF5GM - GF6PM - GF7GM - GF8PM
 for Convection oven gas (ZANUSSI) FCS061G



GIORIK 6043080



Suitable for:

GIORIK



Suitable for:

3240820 MICROSWITCH 16A 250V



GIORIK 6043085

Motors

3240698 MOTOR FB100L 4/8 0.25/0.75Kw 230/400V

4P 230/400V 50Hz 0.75Kw 3.7/2.2A
 8P 230/400V 50Hz 0.25Kw 1.4/0.8A
 1390/670rpm
 capacitor 50/20 µf
 for Convection oven electric (GIORIK) CE102MX
 CE20MX - DE102EC - DE102MX - VE102EC - VE102M
 VE20EC - VE20MX
 for Convection oven gas (GIORIK) CG102MX - CG20MX
 DG102EC - DG102MX - VG102EC - VG102MX - VG20EC
 VG20MX



GIORIK 6034348

3240704 MOTOR FB80 4/8 0.75/0.22Kw 380/415V

50Hz - 1.4/0.4A - 1400/700rpm
 for Convection oven electric (GIORIK) DE10EC
 DE102EC - EF6PM - EF8PM - VE10EC - VE20EC
 for Convection oven gas (GIORIK) DG102EC - VG20EC



GIORIK 6033145

3240031 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz

0.90A 2760rpm - capacitor 4 µf
 formerly model FIR 1572
 for Convection oven (LAINOX)



GIORIK 6032128

3240699 MOTOR 1058.1400 0.5/0.1HP 220/240V 50Hz

2/0.7A - 2700/1400rpm - capacitor 20 µf
 for Convection oven electric (GIORIK) EF4PM
 EF5GM
 for Convection oven gas (GIORIK) GF4PM - GF5GM



GIORIK 6032120

3240702 MOTOR 2758D2253 0.25/0.05HP 220/240V

50Hz - 1.1/0.55A - 2700/1400rpm
 capacitor 12.5 µf
 for Convection oven electric (GIORIK) CE06MX
 DE06EC - DE06ES - DE06MX - VE06EC - VE06MX
 for Convection oven gas (GIORIK) CG06MX - DG06EC
 DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 6032122

3240703 MOTOR 3046A4050 0.55Kw 230/400V 50Hz

1.9/1.1A - 1400rpm - capacitor 35 µf
 for Convection oven electric (GIORIK) DE10ES
 for Convection oven gas (GIORIK) DG10ES



GIORIK 6032150

OR and ORM gaskets

1186230 O-RING GASKET 0164 EPDM



GIORIK 6090140

3186315 O-RING 03250 EPDM
for SIGMA group mixer



GIORIK 6090141

Pilot burners and accessories

3020084 NUT & OLIVE \varnothing 6 mm



GIORIK 7050020

3020085 NUT FOR SPARKING PLUG CONNECTION



GIORIK 5900317

GIORIK 7050028

3020082 OLIVE FOR 12 mm \varnothing PIPE



GIORIK 7070025

3020201 PILOT GAS JET \varnothing 0.14 mm



GIORIK 7042014

3020202 PILOT GAS JET \varnothing 0.27 mm



GIORIK 7042013

3020449 PILOT GAS JET \varnothing 0.54 mm



GIORIK 7042008

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3020114 PILOT OLIVE TARGET \varnothing 6 mm



GIORIK 7070045

3020102 SCREW



GIORIK 7090006



Suitable for:

GIORIK



3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket with thermocouple fitting for Convection oven gas (ZANUSSI)



GIORIK 7090028

Suitable for:

3020200 THERMOCOUPLE NUT



GIORIK 5900318

3020110 THREE-FLAME DEFLECTOR



GIORIK 7090002

3020011 THREE-FLAME PILOT BURNER

without sparking plug, gas jet with pipe fitting and pilot pipe olive with thermocouple connection with sparking plug fitting for Convection oven gas (ZANUSSI)



GIORIK 7090026

3020269 THREE-FLAME PILOT BURNER

without sparking plug, gas jet with pipe fitting and pilot pipe olive with thermocouple fitting with sparking plug fitting



GIORIK 7090024

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm with 3 positions bracket



GIORIK 7090022

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005



Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIORIK



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



GIORIK 6010046

GIORIK 6010087

3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle \varnothing 0.35 mm
with 3 positions bracket



GIORIK 7090023

3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



GIORIK 6010046



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIORIK 6010087

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



GIORIK 7050029

GIORIK

Suitable for:



Potentiometers

3057144 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
DE10ES - DE10MX - DE102MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM - VE06MX - VE10M
VE102M - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06ES - DG06MX - DG10ES
DG10MX - DG102MX - GF10GM - GF4PM - GF5GM
GF6PM - GF7GM - GF8PM - VG06MX - VG10MX
VG102MX - VG20MX



GIORIK 6010097

3057222 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) DE06EC
DE10EC - DE102EC - VE06EC - VE10EC - VE102EC
VE20EC
for Convection oven gas (GIORIK) DG06EC - DG10EC
DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6010102

Pre-rinse units

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M
with coupling 3/8" Mx1/2" M



GIORIK 7080010



Probes

3397119 CHAMBER TEMPERATURE PROBE PT100
 3 wires - temperature -80+600°C (100 Ohm 0°C)
 bulb ø 4x110 mm - cable length 1200 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
 DE10ES - DE10MX - DE102MX - VE06MX - VE10MX
 VE102EC - VE102MX - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06ES - DG06MX - DG10ES
 DG10MX - DG102MX - VG06MX - VG10MX - VG102MX
 VG20MX



GIORIK 6000083

3397115 CHAMBER TEMPERATURE PROBE TYPE J
 2 wires
 bulb ø 3x110 mm
 cable length 1380 mm
 for Convection oven electric (GIORIK) DE06EC
 DE10EC - DE102EC - VE06EC - VE10EC - VE20EC
 for Convection oven gas (GIORIK) DG06EC - DG10EC
 DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6000093

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



GIORIK 6000085

3397101 TEMPERATURE PROBE TCJ
 2 wires
 bulb ø 6x100 mm
 vetrotex cable length 900 mm
 for Convection oven (GIORIK)



GIORIK 6000095

Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft ø 6x4.6 mm
 for Convection oven (COVEN)
 for Convection oven (SOLYMAC) - Series SOLYMAX
 for Convection oven electric (GIERRE) BRIOMAXI
 BRIOMIDI - FEV106M - FEV120M - FEV166E
 FEV166M - FEV166P - FEV168E - FEV168M
 FEV168P - FEV56M - FEV60M
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
 EF5GM - EF6PM - EF7GM - EF8PM
 for Convection oven gas (GIERRE) FEV107M - FEV121M
 FEV167E - FEV167M - FEV167P - FEV169E
 FEV169M - FEV169P - FEV57M - FEV61M
 for Convection oven gas (GIORIK) CG06MX - CG10MX



GIORIK 6030007

3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft ø 6x4.6 mm
 for Convection oven electric (INOXTREND) CRCA107E
 CRCA111E



GIORIK 6030015




Suitable for:

GIORIK



3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) EF4



GIORIK 6030012

3057224 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 16A 380V
D-shaped pin \varnothing 5x4 mm
for Convection oven electric (GIORIK) EF4PM
EF6PM - EF8PM
for Convection oven gas (GIORIK) GF4PM - GF6PM
GF8PM



GIORIK 6033030

3057010 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



GIORIK 6030018

GIORIK 6030018OBS

3057223 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 600V - max 60/75°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven electric (GIORIK) DE102MX



GIORIK 6030032

3057146 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 400V - max 150°C
rectangular pin 4x5 mm
for Convection oven electric (GIORIK) DE06EC
DE06ES - DE06MX - DE10EC - DE10ES - DE10MX
DE102EC - VE06EC - VE10EC - VE102EC - VE20EC
for Convection oven gas (GIORIK) DG06EC - DG06ES
DG06MX - DG10EC - DG10ES - DG10MX - DG102EC
DG102MX - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6030030



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



GIORIK 6041059

Sparking and detection plugs

3020191 FLAME DETECTION PLUG \varnothing 7x44 mm

overall length 90 mm
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



GIORIK 2012108

3020192 ROUND DETECTION PLUG \varnothing 7x45 mm

overall length 125 mm
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
VG102MX - VG20EC - VG20MX



GIORIK 2012110

3020327 ROUND DETECTION PLUG \varnothing 8x45 mm

overall length 95 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 2009895

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



GIORIK 6010046

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



GIORIK 6010087

3020193 ROUND SPARKING PLUG \varnothing 7x45 mm

overall length 87 mm
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC



GIORIK 2012109



Suitable for:

GIORIK



3020194 ROUND SPARKING PLUG \varnothing 7x51 mm
 connection M4x1 - overall length 75 mm
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
 VG102MX - VG20EC - VG20MX



GIORIK 2012111

Suitable for:

3020328 ROUND SPARKING PLUG \varnothing 8x45 mm
 overall length 83 mm
 for Convection oven gas (GIORIK) GF10GM - GF4PM
 GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 2009894

Switches

3319316 PUSH-BUTTON PROTECTION W/FRAME \varnothing 23 mm



GIORIK 6032021

GIORIK 6032022

3319313 SINGLE-POLE WHITE PUSH-BUTTON 3A 250V
 max temperature 125°C
 mounting hole \varnothing 17 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06MX - DE10MX
 DE102MX - VE06MX - VE10M - VE102M - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06MX - DG10MX - DG102MX
 VG06MX - VG10MX - VG102MX - VG20MX



GIORIK 6032020

3319315 2-POLE RED PUSH-BUTTON 3A 250V
 with indicator lamp
 max temperature 125°C
 mounting hole \varnothing 17 mm
 for Convection oven gas (GIORIK) CG20MX - DG06EC
 DG06ES - DG06MX - DG10EC - DG10ES - DG10MX
 DG102EC - DG102MX - GF10GM - GF4PM - GF5GM
 GF6PM - GF7GM - GF8PM - VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



GIORIK 6032038

3319316 PUSH-BUTTON PROTECTION W/FRAME \varnothing 23 mm



GIORIK 6032021

GIORIK 6032022



Suitable for:

3319313 SINGLE-POLE WHITE PUSH-BUTTON 3A 250V

max temperature 125°C
mounting hole ø 17 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06MX - DE10MX
DE102MX - VE06MX - VE10M - VE102M - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06MX - DG10MX - DG102MX
VG06MX - VG10MX - VG102MX - VG20MX



GIORIK



Suitable for:

GIORIK 6032020

Thermocouples and accessories

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



GIORIK 7050032

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



GIORIK 6010064

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GIORIK 6010065

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



GIORIK 6010052

3440039 THERMOCOUPLE SIT M9x1 150 cm



GIORIK 6010056

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIORIK 6010056

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



GIORIK 6010056



Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm



GIORIK 6010058

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440035 THERMOCOUPLE SIT M9x1 60 cm .



GIORIK 6010055

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GIORIK 6010057

3440036 THERMOCOUPLE SIT M9x1 85 cm .



GIORIK 6010057

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



GIORIK 6010063

Suitable for:

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIORIK 6010055

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIORIK 6010055

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GIORIK 6010057



Thermostats

3444122 MILLED GLAND FOR THERMOSTAT BULB 10x1



GIORIK 6030024

3444285

SINGLE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm
for Convection oven electric (GIORIK) EF4 - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) CG10MX - CG102MX
DG06EC - DG06ES - DG06MX - DG10EC - DG10ES
DG10MX - DG102EC - DG102MX - GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX



GIORIK 6010026

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



GIORIK 6010002

3444354

THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



GIORIK 5910029

3444458 3-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 4x120 mm - with stuff.gland coupling M10x1
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM
EF7GM - EF8PM - VE06EC - VE06MX - VE10EC
VE10M - VE102EC - VE102M - VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG20MX
VG20EC - VG20MX



GIORIK 6010008



Suitable for:

GIORIK



Suitable for:

Timers

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (GIORIK)
 for Convection oven (MARENO)



GIORIK 6032040

3446039 TIMER 120 MINUTES MS65

manually set cycle 120 minutes
 contact capacity 16(4)A 250V 50Hz
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
 DE10ES - DE10MX - DE102MX - EF10GM - EF4
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
 VE10MX - VE102MX - VE20MX
 for Convection oven electric (INOXTREND)
 BUA-606E-00 - BUA-610E-00 - FBA-106E-00
 FBA-106E-01 - FBA-110E-00 - FBA-110E-01
 FBA-120E-00 - FBA-210E-00 - FDA-106E-00
 FDA-106E-01 - FDA-120E-00 - FDA-210E-00
 for Convection oven gas (GIORIK) CG06MX - CG10MX



GIORIK 6032047

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



GIORIK 6010086