

Suitable for:







This catalogue is automatically generated. Therefore, the sequence of the items might not be always shown at best. Updates will be issued in case of additions and/or amendments.

Suitable universal spare parts may not be included





HMI

Suitable for:



Gaskets and seals

3786603 HEATING ELEMENT GASKET

external ø 68 mm - internal ø 58 mm for Convection oven (BONNET) EQ4.101/1.ECE for Convection oven (THIRODE) - Series 635



HMI 366461

Heating elements

3455121 HEATING ELEMENT 7500W 230/400V

immersed depth 480 mm flange external ø 72 mm with bulb sheath complete with 0-RING for OVEN THIRODE 6-10-20 shelves for Convection oven electric (THIRODE) EMERAUDE LINE 94



HMI 303124

Knobs

3241789 SILVER KNOB

D shaft hole 6x5 mm for Convection oven (THIRODE) EMEURODE 1035 EMEURODE 635



HMI 147183

HMI 15285762

Lamps

3221059 OVEN LAMP E27 40W 230V

max temperature 300°C for OVEN-PIZZA OVEN for REFRIGERATORS





HMI

Suitable for:



OR and ORM gaskets

3786580 O-RING Ø 68.10x57x7.04 mm



HMI 366185

Pilot burners and accessories

3020157 PILOT JET Ø 0.25 m m



3020041 PILOT JET Ø 0.41 mm



HMI 310274

HMI 310273

Solenoid valves

solenoid valve 180° - 230V 50/60Hz - max $90^{\circ}C$ inlet 3/4" - outlet ø 10.5 mm



3120407

SOLENOID VALVE 230V ø 10.5 mm

solenoid valve 180° - $230V\,50/60Hz$ - max $90^{\circ}C$ inlet 3/4"- 2 outlets ø 10.5 mm



HMI 634084

HMI 634086

solenoid valve 180° - 220/240V~50/60Hz - max $90^{\circ}C$ inlet 3/4" - outlet ø 10~mm



HMI 314334



HMI

Suitable for:



Thermostats

3444912 SINGLE-PHASE THERMOSTAT 320°C

with manual reset covered capillary length 860 mm - 16A 250V bulb ø 4x100 mm for Convection oven (THIRODE) - Series 1035 Series 1065 - Series 1256 - Series 1265 Series 1656 - Series 2035 - Series 2056 Series 635 - Series 665



HMI 301039

HMI 301066