



Spare parts for:

Ovens

Suitable for:

HONEYWELL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

HONEYWELL



Suitable for:

Electrical gas valves and accessories

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



HONEYWELL V4336A2220B

3526066 HONEYWELL VALVE V4400C $\varnothing$ 3/4" FF 220V
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven gas



HONEYWELL V4400C1211B

HONEYWELL V4400C1211U001

HONEYWELL V4400C1237U

3526013 VALVE VK4105A HONEYWELL $\varnothing$ 3/4"MM
inlet $\varnothing$ 3/4"M - outlet $\varnothing$ 3/4"M
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz
for Convection oven gas (UNOX) - Series BAKERLUX
Series CHEFLUX



HONEYWELL VK4105A1100

HONEYWELL VK4105A1100B

HONEYWELL VK4105A1100U

3526181 VALVE VK4105C HONEYWELL $\varnothing$ 1/2"
inlet-outlet $\varnothing$ 1/2" unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



HONEYWELL VK4105C1041B

3526407 VALVE VK4105C HONEYWELL $\varnothing$ 18 mm
inlet-outlet $\varnothing$ 18 mm without thread
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz
for Convection oven gas (LAINOX) CG106M - CG110M
CG210M - FG051M - FG051X - GC010M - GV010M
PG041M - PG041X - PG051M - PG051X - VG106D
VG106M - VG106X - VG110D - VG110M - VG110X
VG201D - VG201X
for Convection oven gas (MORETTI) R08G



HONEYWELL VK4105C1009B

HONEYWELL VK4105C1009U

3526211 VALVE VK4105Q HONEYWELL $\varnothing$ 3/4"FF
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz
for Convection oven gas (LAINOX) GM0X0H - GM020M
GV010H - MG106D - MG106M - MG106X - MG110D
MG110M - MG110X - MG210D - MG210M - MG210X



HONEYWELL VK4105Q2010B



Suitable for:

HONEYWELL



3526015 VALVE VK4115V HONEYWELL ø 1/2"
inlet-outlet ø 1/2" unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷70°C
power supply 220/240V 50Hz
for Convection oven electric (ELOMA)
GENIUS MA 10-11 - GENIUS MA 20-11
GENIUS MA 6-11 - GENIUS MB 10-11
GENIUS MB 20-11 - GENIUS MB 6-11



HONEYWELL VK4115V1097

3526017 VALVE VK4115V HONEYWELL ø 18 mm
inlet-outlet ø 18 mm without thread
maximum gas inlet pressure 60 mbar
room temperature -15÷70°C
power supply 220/240V 50Hz
for Convection oven (MKN) - Series HD10
Series HD20 - Series HD6
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



HONEYWELL VK4115V1014B

HONEYWELL VK4115V1014U

HONEYWELL VK4115V10144

3526219 VALVE VK4115V HONEYWELL ø 18 mm
inlet-outlet ø 18 mm unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷70°C
power supply 220/240V 50Hz
for Convection oven gas (RATIONAL)
since 1/01/01
Series CPC



HONEYWELL VK4115V1154U

3526061 VALVE VR4605P HONEYWELL ø 1/2"FF
inlet ø 1/2" F - outlet ø 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz
for Convection oven gas (LAINOX) - Series CGS
Series MG - Series MGS - Series PG - Series VG
Series VGS



HONEYWELL VR4605P2015B

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



HONEYWELL V4336A2220B



Suitable for:

HONEYWELL



Suitable for:

3526063 VALVE V4600C HONEYWELL $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz
for Convection oven gas



HONEYWELL V4600C1029B

HONEYWELL V4600C1029U

HONEYWELL V4600C1029U001

HONEYWELL V4600C1086U

Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62



HONEYWELL S4560A1008B

3091017 CONTROL BOX S4560B1006
model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven electric (RATIONAL) CM101
CM201



HONEYWELL S4560B1006B

3091026 CONTROL BOX S4560M1010
model HONEYWELL - 220/240V 50Hz 10vA
for 10-20 SHELVES
for Convection oven (ZANUSSI)



HONEYWELL S4560M1010B

3526182 CONTROL BOX S4565A2092
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (FOINOX) FC05G - MID1005GM
for Convection oven gas (FOINOX) FC100GM - FC200GM
FC201GM - FC401GM - FC60GM - FM100GM
FM100GTD - FM200GM - FM200GTD - FM201GM
FM201GTD - FM401GM - FM60GM - FM60GTD
FP100GM - FP50GM - JO0611G - JO1011G - JO1021G
JO2011G - JO2021G - MM100GTD - MM200GTD
MM201GTD - MM60GTD
for Convection oven gas (INOXTREND) FBA110G00
FBA120G00 - FBA210G00 - FBA220G00 - FBE110G00
FBE120G00 - FBE210G00 - FBE220G00 - FBP110G00
FBP120G00 - FBP210G00 - FBP220G00 - FDA120G00
FDA220G00 - FDE120G00 - FDE220G00 - FDP120G00
FDP220G00 - FUA120G00 - FUA220G00 - FUE120G00



HONEYWELL S4565A2092B

HONEYWELL S4565A2092U



Suitable for:

HONEYWELL



3091032 CONTROL BOX S4565BD1064
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (RATIONAL)
since 1/01/01
CPC



HONEYWELL S4565BD1064

HONEYWELL S4565BD1064B

HONEYWELL S4565BD1064U

3526403 CONTROL BOX S4565C1033U
model HONEYWELL- 230V 50/60Hz 4VA
for 6-20 grills
for Convection oven gas (ZANUSSI)



HONEYWELL S4565C1033B

HONEYWELL S4565C1033U

HONEYWELL S4565C1033I

3091019 CONTROL BOX S4565C1082
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (UNOX) - Series BAKERLUX
Series CHEFLUX



HONEYWELL S4565C1082

HONEYWELL S4565C1082B

3091022 CONTROL BOX S4575B1066
model HONEYWELL - 230/240V 50/60Hz 4VA
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



HONEYWELL S4575B1066

3526011 IGNITION CONTROL BOX S4565AF1007
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (LAINOX) - Series MG
Series VG



HONEYWELL S4565AF1007V01B

Electronic thermostats and controllers

7103034 THERMOSTAT DC1040 0-400°C 85-265V
power 85/265V 8VA 50Hz
thermostat operating range 0+400°C
ambient temperature 0+50°C
for Convection oven



HONEYWELL



Suitable for:

HONEYWELL



Suitable for:

Pressure switches

3320185 GAS PRESS.SWITCH CONTROL BOX HONEYWELL
250V 5A
for GAS OVENS from 10/97 to 11/00



HONEYWELL 45900438-109B

3320056 PRESSURE SWITCH HONEYWELL C6065A12752
pressure 0.4-10 mbar
enabling ON switching
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G20 - ECV/G10 - FCF/G20 - FCS101G
FCS102G - FCV/G10 - FCV/G20 - FDV20G - FDV40G
NCV/G10 - ZCV/G10 - ZCV/G20



HONEYWELL C6065A1275B

HONEYWELL C6065A1275U

Sparking and detection plugs

3806021 ROUND DETECTOR ELECTRODE
with flange
for Convection oven gas (ROSINOX) TVTS10G



HONEYWELL Q354A1000B