




Spare parts for:

Ovens



Suitable for:

INOXTREND



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211549





Suitable for:

INOXTREND



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm

ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



INOXTREND FX0068-12

Contact thermostats

3443035 CONTACT THERMOSTAT 180°C

for boiler safety
for Convection oven electric (INOXTREND) FBA-106E
FBE-106E - FBP-106E - WBE-4E
for Convection oven gas (INOXTREND) FBA-106G
FBE-106G - FBP-106G



INOXTREND C2065-00

Electrical cables

1050501 16-POLE CABLE FLAT 600 mm

for Convection oven electric (INOXTREND) FBE106E00
FBE106E01 - FBE110E00 - FBE110E01 - FBE210E00
for Convection oven gas (INOXTREND) FBE106G00
FBE106G01 - FBE110G01 - FBE210G00



INOXTREND MC-853



Suitable for:

INOXTREND



Suitable for:

Electrical gas valves and accessories

3526079 VALVE 820 NOVA ø 1/2"FF

inlet ø 1/2"F - outlet ø 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160



INOXTREND C2225-00

3526361 VALVE 822 NOVA ø 1/2"FF

inlet ø 1/2"F - outlet ø 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G - FBA-106G
 FBA-110G - FBA-210G - FBE-106G - FBE-110G
 FDA-106G - FDA-110G - FDA-210G - FDE-106G
 FDE-110G - FDE-210G - FUA-106G - FUA-110G
 FUA-210G - FUE-106G - FUE-110G - FUE-210G



INOXTREND C5350-00

Electronic boxes

3526182 CONTROL BOX S4565A2092

model HONEYWELL - 220/240V 50/60Hz 4VA
 for Convection oven (FOINOX) FC05G - MIDI005GM
 for Convection oven gas (FOINOX) FC100GM - FC200GM
 FC201GM - FC401GM - FC60GM - FM100GM
 FM100GTD - FM200GM - FM200GTD - FM201GM
 FM201GTD - FM401GM - FM60GM - FM60GTD
 FP100GM - FP50GM - JO0611G - JO1011G - JO1021G
 JO2011G - JO2021G - MM100GTD - MM200GTD
 MM201GTD - MM60GTD
 for Convection oven gas (INOXTREND) FBA110G00
 FBA120G00 - FBA210G00 - FBA220G00 - FBE110G00
 FBE120G00 - FBE210G00 - FBE220G00 - FBP110G00
 FBP120G00 - FBP210G00 - FBP220G00 - FDA120G00
 FDA220G00 - FDE120G00 - FDE220G00 - FDP120G00
 FDP220G00 - FUA120G00 - FUA220G00 - FUE120G00



INOXTREND C5965-00

3091005 CONTROL BOX 501 EFD

model SIT - 230V 50/60Hz
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
 FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
 FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
 FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
 FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
 FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
 FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
 FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
 FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
 FUE110G01 - FUE210G00



INOXTREND C2236-00



Suitable for:


INOXTREND



Suitable for:

Electronic printed-circuit boards

3390038 ELECTRONIC CONTROL BOARD 195x95 mm
 for ovens with penetration probe
 for Convection oven electric (INOXTREND) RDE5E
 RPDE5E - RPDE5EP - WBE4E



INOXTREND C2560-00

INOXTREND RRC2560-00

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



INOXTREND C2192-00


Fans for motors

3240243 FAN \varnothing 165 mm
 thickness 40 mm
 total blades 36 - \varnothing hole 8 mm
 for Convection oven electric (INOXTREND) SCA4E00
 SCA5E00 - SDA4EM00 - SDA4E00 - SDA5EM00
 SDA5E00 - SUA4E00 - SUA5E00 - SUTA4E00
 SUTA5E00



INOXTREND C3612-00

3240244 FAN \varnothing 210 mm
 thickness 100 mm
 total blades 20 - \varnothing tapered hole 16-11 mm
 for Convection oven (WHIRLPOOL) AGB633/WP
 AGB639/WP - AGB640/WP
 for Convection oven electric (INOXTREND) FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
 FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
 FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
 FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
 FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
 FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (INOXTREND) FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBE106G00



INOXTREND C2030-00

INOXTREND C2037-00



Fittings

3349342 NICHEL-PL.HOSE-END FITTING \varnothing 1/4" M \varnothing 7



INOXTREND HR-595

Fuses

3049016 DELAY FUSE 5x20 - 10 PCS
250V 2A



INOXTREND LC-422

3049092 FUSE HOLDER

for glass fuse \varnothing 5x20 mm
for Convection oven electric (INOXTREND)
SDA-5EM-00
for Convection oven gas (WHIRLPOOL) AGB636/WP



INOXTREND LC-420

Gas burners

3023176 BURNER \varnothing 40x460 mm
made of STAINLESS STEEL
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
FBA106G01 - FBA110G00 - FBA110G01 - FBE106G00
FBE106G01 - FBE110G00 - FBE110G01 - FBP106G00
FBP106G01 - FBP110G00 - FBP110G01 - FDA106G00
FDA106G01 - FDA110G00 - FDA110G01 - FDE106G00
FDE106G01 - FDE110G00 - FDE110G01 - FDP106G00
FDP106G01 - FDP110G00 - FDP110G01 - FUA106G00
FUA106G01 - FUA110G00 - FUA110G01 - FUE106G00
FUE106G01 - FUE110G00 - FUE110G01



INOXTREND C2297-00

3023175 BURNER \varnothing 60x550 mm
made of STAINLESS STEEL
for Convection oven gas (INOXTREND) - Series G
Series L



INOXTREND C7188-00

Gaskets and seals

3186411 MAIN SHAFT SEAL GASKET
external \varnothing 22 mm
internal \varnothing 10 mm
height 3.5 mm



INOXTREND C3614-00

3786636 SEALING GASKET FOR MOTOR SHAFT \varnothing 29 mm
internal \varnothing 25 mm
thickness 3.5 mm



INOXTREND C2012-00



Suitable for:

INOXTREND



Suitable for:

Gaskets for oven door

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



INOXTREND C2215-06

INOXTREND RRC2215-01

INOXTREND RRC2215-03

3286084 OVEN DOOR GASKET 04880 - 3 m

made of silicone elastomer
profile dimensions
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



INOXTREND C2215-03

INOXTREND C2215-06

INOXTREND RRC2215-01

INOXTREND RRC2215-03

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



INOXTREND C2215-06

INOXTREND RRC2215-01

INOXTREND RRC2215-03

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



INOXTREND C2215-03

INOXTREND C2215-06

INOXTREND RRC2215-01

INOXTREND RRC2215-03



Suitable for:

Suitable for:

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)




INOXTREND C2215-03
INOXTREND RRC2215-03

INOXTREND C2215-06

INOXTREND RRC2215-01

3186412 OVEN DOOR GASKET 1420 mm

made of silicone elastomer
profile dimensions 24x15 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) SCA-4E-00
SCA-5E-00 - SDA-4E-00 - SDA-4EM-00 - SDA-5E-00
SDA-5EM-00 - SUA-4E-00 - SUA-5E-00
SUTA-4E-00 - SUTA-5E-00 - WBE4E



INOXTREND C6013-00

INOXTREND C6090-00

3186397 OVEN DOOR GASKET 2200 mm


made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) FBA106E00
FBA106E01 - FBE106E00 - FBE106E01 - FBP106E00
FBP106E01 - FDA106E00 - FDA106E01 - FDE106E00
FDE106E01 - FDP106E00 - FDP106E01 - FUA106E00
FUA106E01 - FUE106E00 - FUE106E01
for Convection oven gas (INOXTREND) FBA106G00
FBA106G01 - FBE106G00 - FBE106G01 - FBP106G00
FBP106G01 - FDA106G00 - FDA106G01 - FDE106G00
FDE106G01 - FDP106G00 - FDP106G01 - FUA106G00
FUA106G01 - FUE106G00 - FUE106G01



INOXTREND C5220-00

3186414 OVEN DOOR GASKET 2600 mm

made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) BUA606E00
BUE606E00
for Convection oven gas (INOXTREND) BUA606G00
BUE606G00



INOXTREND C5737-00

3186398 OVEN DOOR GASKET 2820 mm

made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) FBA110E00
FBA110E01 - FBE110E00 - FBE110E01 - FBP110E00
FBP110E01 - FDA110E00 - FDA110E01 - FDE110E00
FDE110E01 - FDP110E00 - FDP110E01 - FUA110E00
FUA110E01 - FUE110E00 - FUE110E01
for Convection oven electric (WHIRLPOOL) HW10E
for Convection oven gas (INOXTREND) FBA110G00
FBA110G01 - FBE110G00 - FBE110G01 - FBP110G00
FBP110G01 - FDA110G00 - FDA110G01 - FDE110G00
FDE110G01 - FDP110G00 - FDP110G01 - FUA110G00
FUA110G01 - FUE110G00 - FUE110G01
for Convection oven gas (WHIRLPOOL) AGS895



INOXTREND C5221-00

INOXTREND RRC5221-00

3186413 OVEN DOOR GASKET 3200 mm

made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) BUA610E00
BUE610E00
for Convection oven gas (INOXTREND) BUA610G00
BUE610G00



INOXTREND C5738-00

INOXTREND RRC5738-00



Suitable for:

INOXTREND



3186415 OVEN DOOR GASKET 4500 mm

made of silicone elastomer
profile dimensions 44x24 mm
COLOUR BLACK

for Convection oven electric (INOXTREND) FBA120E00
FBA220E00 - FBE120E00 - FBE220E00 - FBP120E00
FBP220E00 - FDA120E00 - FDA220E00 - FDE120E00
FDE220E00 - FDP120E00 - FDP220E00 - FUA120E00
FUA220E00 - FUE120E00 - FUE220E00
for Convection oven gas (INOXTREND) FBA120G00
FBA220G00 - FBE120G00 - FBE220G00 - FBP120G00
FBP220G00 - FDA120G00 - FDA220G00 - FDE120G00
FDE220G00 - FDP120G00 - FDP220G00 - FUA120G00
FUA220G00 - FUE120G00 - FUE220G00



INOXTREND C7115-00

Suitable for:

3786107 OVEN GLASS GASKET 3500 mm

made of silicone elastomer
profile dimensions 11x8 mm
COLOUR BLACK

for OVEN FBA-120E/FBA-120G/FBE-120E/FBE-120G
FBP-120E/FBP-120G/FDA-120E/FDA-120G/FDE-120E
FDE-120G/FDP-120E/FDP-120G/FUA-120E/FUA-120G
FUE-120E/FUE-120G/FBA-220E/FBA-220G/FBE-220E
FBE-220G/FBP-220E/FBP-220G/FDA-220E/FDA-220G
FDE-220E/FDE-220G/FDP-220E/FDP-220G/FUA-220E
FUA-220G/FUE-220E/FUE-220G
for Convection oven electric (INOXTREND) FBA120E
FBA220E - FBE120E - FBE220E - FBP120E
FBP220E - FDA120E - FDA220E - FDE120E
FDE220E - FDP120E - FDP220E - FUA120E
FUA220E - FUE120E - FUE220E



INOXTREND C7116-00

Handles

3242255 CENTRAL LOCK MECHANISM RIGHT

for OVEN
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX 10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Electric oven (CAPIC) R220



INOXTREND HC-025

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



INOXTREND HC-027

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH
for Convection oven electric (LAINOX) FV03 - FV06



INOXTREND C1447-00

3242445 DOOR HANDLE BUSHING

for OVEN



INOXTREND C7083-00



Suitable for:

3242442 DOOR HANDLE CAP
for OVEN



INOXTREND C7092-00

Suitable for:

3242441 DOOR HANDLE COVER
for OVEN



INOXTREND C7091-00

3242444 DOOR HANDLE FLANGE
for OVEN



INOXTREND C7084-00

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



INOXTREND C2210-02

3242048 DOOR STRIKE
distance between mounting holes 40 mm
for Convection oven (WHIRLPOOL) AGB633 - AGB638
AGB639 - AGB640
for Convection oven electric (WHIRLPOOL) FMIE102F
FMIE103F - FMIE63F - HW10E - HW6E
for Convection oven gas (WHIRLPOOL) FMIG103F
FMIG63F - HW10G - HW6G



INOXTREND C2211-02

3242753 LH-RH CATCH WITHOUT LOCK 791 CR
for high temperatures
curved handgrip
length 254x30 mm - distance 133 mm
adjustable catch from 9 to 22 mm
for Convection oven electric (INOXTREND) RDA5E
RDE5E - RPDA5E - RPDE5E - RPDE5EP



INOXTREND

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



INOXTREND C2210-02



Suitable for:

INOXTREND



3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188

RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm
for Convection oven (INOXTREND) SCA4/5E00
SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
SUTA4/5E00
for Convection oven electric (INOXTREND) WBE4E
for Convection oven electric (ZANUSSI) FVE3



INOXTREND C8050-00

Suitable for:

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH
for Convection oven electric (LAINOX) FV03 - FV06



INOXTREND C1447-00

3242440 OVEN DOOR HANDLE

for Convection oven electric (INOXTREND) FBA120E00
FBA220E00 - FBE120E00 - FBE220E00 - FBP120E00
FBP220E00 - FDA120E00 - FDA220E00 - FDE120E00
FDE220E00 - FDP120E00 - FDP220E00 - FUA120E00
FUA220E00 - FUE120E00 - FUE220E00
for Convection oven gas (INOXTREND) FBA120G00
FBA220G00 - FBE120G00 - FBE220G00 - FBP120G00
FBP220G00 - FDA120G00 - FDA220G00 - FDE120G00
FDE220G00 - FDP120G00 - FDP220G00 - FUA120G00
FUA220G00 - FUE120G00 - FUE220G00



INOXTREND C7082-00

3242255 CENTRAL LOCK MECHANISM RIGHT

for OVEN
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX 10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Electric oven (CAPIC) R220



INOXTREND HC-025

3242445 DOOR HANDLE BUSHING for OVEN



INOXTREND C7083-00

3242442 DOOR HANDLE CAP for OVEN



INOXTREND C7092-00

3242441 DOOR HANDLE COVER for OVEN



INOXTREND C7091-00

3242444 DOOR HANDLE FLANGE for OVEN



INOXTREND C7084-00



Suitable for:

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



INOXTREND HC-027

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



INOXTREND HC-029

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



INOXTREND C2210-01

INOXTREND



Suitable for:

3242443 PIN FOR DOOR HANDLE
for OVEN



INOXTREND C7090-00

3242446 TO/BOT TIE ROD SHAFT \varnothing 10x365 mm
for OVEN



INOXTREND C7086-00



Suitable for:

INOXTREND



3242047 OVEN DOOR HANDLE 265x30 mm

with strike mounting distance 43 mm
 handle mounting distance 122-132 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - CDA107E
 CDA111E - CDA207E - CDA211E - CDE107E
 CDE111E - CDE207E - CDE211E - CRCA105E
 CRCA107E - CRCA111E - CRUA107E - CRUA110E
 CUA107E - CUA111E - CUA211E - CUE107E
 CUE111E - FBA106E00 - FBA106E01 - FBA210E00
 FBE106E00 - FBE106E01 - FBE210E00 - FBP210E00
 FDA210E00 - FDE210E00 - FDP210E00 - FUA210E00
 FUE210E00
 for Convection oven electric (WHIRLPOOL) FMIE102F



INOXTREND C2211-01

INOXTREND C8118-00

INOXTREND RRC2211-01

3242048 DOOR STRIKE

distance between mounting holes 40 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (WHIRLPOOL) FMIE102F
 FMIE103F - FMIE63F - HW10E - HW6E
 for Convection oven gas (WHIRLPOOL) FMIG103F
 FMIG63F - HW10G - HW6G



INOXTREND C2211-02

3242607 OVEN DOOR HANDLE 265x30 mm

with strike mounting distance 43 mm
 handle mounting distance 122-132 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - CDA107E
 CDA111E - CDA207E - CDA211E - CDE107E
 CDE111E - CDE207E - CDE211E - CRCA105E
 CRCA107E - CRCA111E - CRUA107E - CRUA110E
 CUA107E - CUA111E - CUA211E - CUE107E
 CUE111E - FBA106E00 - FBA106E01 - FBA210E00
 FBE106E00 - FBE106E01 - FBE210E00 - FBP210E00
 FDA210E00 - FDE210E00 - FDP210E00 - FUA210E00
 FUE210E00
 for Convection oven electric (WHIRLPOOL) FMIE102F



INOXTREND RRC2211-01

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA
 for Convection oven electric (COVEN) TEC10
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
 TEC15MX - TEC20 - TEC20MD
 for Convection oven electric (FAGOR) - Series HME
 Series HMI - Series HMM - Series HMP
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYP10
 for Convection oven gas (COVEN) TEC10G - TEC10GMD
 TEC10GP - TEC15G - TEC15GMD - TEC20G
 TEC20GMD
 for Convection oven gas (FAGOR) - Series HCG
 Series HVG
 for Electric oven (CAPIC) R220



INOXTREND HC-027

3242443 PIN FOR DOOR HANDLE

for OVEN



INOXTREND C7090-00

3242238 STRIKE FOR DOOR HANDLE

distance between mounting holes 26 mm
for OVEN



INOXTREND HC-029



Suitable for:

Suitable for:

3242446 T0/BOT TIE ROD SHAFT \varnothing 10x365 mm
for OVEN



INOXTREND C7086-00

Heating elements

3755234 HEATING ELEMENT 11000W 230V
external \varnothing 310 mm - overall height 180 mm
flange 142x25 mm
for Convection oven electric (INOXTREND) FBA210E00
FBE210E00 - FBP210E00 - FDA210E00 - FDE210E00
FDP210E00 - FUA110E00 - FUA110E01 - FUE110E00
FUE110E01



INOXTREND C2431-00

INOXTREND C2538-00

3755233 HEATING ELEMENT 14000W 230V
external \varnothing 390 mm - height 200 mm
flange 142x25 mm
for Convection oven electric (INOXTREND) FBA120E00
FBE120E00 - FBP120E00 - FDA120E00 - FDE120E00
FDP120E00 - FUA120E00 - FUE120E00



INOXTREND C7170-00

3755229 HEATING ELEMENT 2800W 230V
external \varnothing 205 mm - overall height 40 mm
flange 100x22 mm
for Convection oven electric (INOXTREND) SCA-4E-00
SCA-5E-00 - SDA-4EM-00 - SDA-5EM-00
SUA-4E-00 - SUA-5E-00 - SUTA-4E-00
SUTA-5E-00



INOXTREND C6015-00

3755231 HEATING ELEMENT 3900W 230V
external \varnothing 220 mm - overall height 103 mm
flange 142x25 mm
for Convection oven electric (INOXTREND)
Series R - Series S



INOXTREND C3616-00



Suitable for:

INOXTREND



Suitable for:

3755230 HEATING ELEMENT 7800W 230V

external \varnothing 280 mm - overall height 170 mm
 flange 142x25 mm
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
 FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
 FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
 FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
 FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
 FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01
 for Convection oven electric (WHIRLPOOL) AGS85
 AGS891 - AGS893 - AGS895 - AGS897 - AGS899
 AGS901 - AGS962



INOXTREND C2036-00

INOXTREND C3090-00

INOXTREND LC-001

3755996 HEATING ELEMENT 8000W 230V

immersed depth 335 mm
 flange external \varnothing 72 mm
 complete with O-RING
 nut and washer upon demand
 for Convection oven electric (INOXTREND) FBA110E00
 FBA110E01 - FBE110E00 - FBE110E01 - FBP110E00
 FBP110E01



INOXTREND C5852-00

INOXTREND C5852-12

Hinges, catches and accessories

3053572 HINGE BUSHING

for Convection oven electric (INOXTREND) SDA-5E-00
 SDA-5EM-00
 for Convection oven electric (WHIRLPOOL) AGB631
 AGB632



INOXTREND C1043-00

3053528 OVEN DOOR TOP HINGE

for Convection oven (INOXTREND)
 for Convection oven (WHIRLPOOL)



INOXTREND C5175-00

3053452 OVEN DOOR TOP/BOTTOM HINGE

for Convection oven electric (INOXTREND) SCA-4E-00
 SCA-5E-00 - SDA-4E-00 - SDA-4EM-00 - SDA-5E-00
 SDA-5EM-00 - SUA-4E-00 - SUA-5E-00
 SUTA-4E-00 - SUTA-5E-00



INOXTREND C6040-00

3053572 HINGE BUSHING

for Convection oven electric (INOXTREND) SDA-5E-00
 SDA-5EM-00
 for Convection oven electric (WHIRLPOOL) AGB631
 AGB632



INOXTREND C1043-00

Suitable for:

Suitable for:

3053573 OVEN DOOR TOP/BOTTOM HINGE

for Convection oven electric (INOXTREND) BUA-606E
 BUA-610E - BUE-606E - BUE-610E - FBA-106E
 FBA-110E - FBE-106E - FBE-110E - FBP-106E
 FBP-110E - FDA-106E - FDA-110E - FDE-106E
 FDE-110E - FDP-106E - FDP-110E - FUA-106E
 FUA-110E - FUE-106E - FUE-110E
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G - FBA-106G
 FBA-110G - FBE-106G - FBE-110G - FBP-106G
 FBP-110G - FDA-106G - FDA-110G - FDE-106G
 FDE-110G - FDP-106G - FDP-110G - FUA-106G
 FUA-110G - FUE-106G - FUE-110G



INOXTREND C5180-00

Hydraulic plumbing

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m operating temperature -40+100°C



INOXTREND RRC2181-00

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m operating temperature -40+100°C



INOXTREND RRC2181-00

Knobs

3241784 BLACK KNOB \varnothing 25 mm hole \varnothing 5 mm for exhaust valve for OVEN SUA-4-5E/SUTA-4E-5E/SCA-4-5E for Convection oven electric (INOXTREND) SCA-4-5E SUA-4-5E - SUTA-4E-5E for Convection oven gas (WHIRLPOOL) AGB636



INOXTREND IM-001

3241233 BLACK KNOB \varnothing 39 mm D-shaped hole 6x4.6 mm for Convection oven electric (INOXTREND) RDE-5E RPDA-5E - RPDE-5E - RPDE-5EP



INOXTREND C2188-00



Suitable for:

INOXTREND



Suitable for:

3241392 BLACK KNOB \varnothing 40 mm
 D shaft hole 6x4.6 mm
 for Convection oven (INOXTREND) SCA4/5E00
 SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
 SUTA4/5E00
 for Convection oven electric (INOXTREND) WBE4E
 for Convection oven electric (WHIRLPOOL) HW10E
 HW6E
 for Convection oven gas (WHIRLPOOL) AGB636 - HW10G
 HW6G



INOXTREND C5385-00

Lamps

3221172 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 96x80 mm
 for Convection oven



INOXTREND C6073F-00

3221255 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 140x72 mm
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (INOXTREND)
 for Convection oven (MBM)
 for Convection oven (WHIRLPOOL)
 for Convection oven (ZANUSSI)



INOXTREND C2104-12

3221173 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 73x58 mm
 for Convection oven electric (FAGOR) COE-061
 COE-101



INOXTREND C6073C-00

3221256 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 112x65 mm
 max temperature 500°C
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (INOXTREND)
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (MBM)
 for Convection oven (WHIRLPOOL)
 for Convection oven (ZANUSSI)



INOXTREND C2104-22

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
 for OVEN-PIZZA OVEN



INOXTREND C6085-20

3221176 GREEN INDICATOR LAMP 230V
 head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



INOXTREND C5410-00

INOXTREND 5410-00



Suitable for:

3221216 GREEN INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



INOXTREND C2205-00

Suitable for:

3221215 ORANGE INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



INOXTREND C2189-00

3221212 HALOGEN LAMP RECEPTACLE G4 35W 12V
wire connection length 150 mm
for Convection oven (INOXTREND) - Series BUA
Series BUE - Series FBA - Series FBE - Series FBP
Series FDA - Series FDE - Series FDP - Series FUA
Series FUE



INOXTREND C5251-00

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
for OVEN-PIZZA OVEN



INOXTREND C6085-20

3221120 LAMP RECEPTACLE E14 25W 230V
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



INOXTREND C2272-01

INOXTREND C2272-1

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 36 mm
max temperature 300°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)



INOXTREND C6085-01

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
for OVEN-PIZZA OVEN



INOXTREND C6085-20



Suitable for:

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



INOXTREND C2104-03

INOXTREND C6073E-00

INOXTREND



Suitable for:

3221268 LAMP RECEPTACLE W/LAMP G9 25W 230V

external dimensions 96x80 mm
max temperature 300°C
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven electric (GARBIN) 101EXVAPOR
101GXVAPOR - 104EXVAPOR - 104PXVAPOR
25EXVAPOR - 45EXVAPOR - 45GXVAPOR - 46EXVAPOR
46PXVAPOR - 61GXVAPOR - 64EXVAPOR - 64PXVAPOR
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20
for Convection oven gas (GARBIN) 101FGXVAPOR
104FGXVAPOR



INOXTREND C6073-00

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V

for Convection oven (INOXTREND)
for Convection oven (LOTUS)



INOXTREND C5252-00

3221215 ORANGE INDICATOR LAMP 230V

head ø 16 mm - hole ø 11.5 mm - 120°C



INOXTREND C2189-00

3221170 ORANGE INDICATOR LIGHT 230V

head ø 10 mm - hole ø 9 mm - 120°C



INOXTREND C5411-00

INOXTREND 5411-00

3221176 GREEN INDICATOR LAMP 230V

head ø 10 mm - hole ø 9 mm - 120°C



INOXTREND C5410-00

INOXTREND 5410-00



INOXTREND



Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



INOXTREND C6085-05

Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



INOXTREND C2104-03

INOXTREND C6073E-00

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE

external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



INOXTREND C2104-32

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven (ZANUSSI) ACV - ECV
Series FCS - Series FCV - FDV - ZCV



INOXTREND HC-055



Suitable for:



Suitable for:

Microswitches

3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
 for IPSO CALENDER RI1600/30-RI1600/30AV



INOXTREND C6018-00

Motors

3340008 COUNTER-FLANGE FOR MOTOR

for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103F



INOXTREND C2029-00

3240240 FLANGE FOR GASKET LOCK

for main shaft



INOXTREND C6103-00

3161004 FLANGE FOR MOTOR SHAFT \varnothing 17 mm

for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (INOXTREND) BUA-606E
 BUA-610E - BUE-606E - BUE-610E - CDA-111E
 CDA-207E - CDE-111E - CDE-207E - CRCA-111E
 CRUA-110E - CUA-111E - CUE-111E - RDA-5E
 RDE-5E - RPDA-5E - RPDE-5E - RPDE-5EP
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103G



INOXTREND C2028-00

3340007 MOTOR SHAFT GASKET

for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103F



INOXTREND C2027-00

Suitable for:

Suitable for:

3240253 MOTOR 1020.5450 0.37Kw 230/400V 50Hz
 1.9/1.1A - 2600rpm
 for Convection oven (WHIRLPOOL) AGB633/WP
 AGB639/WP - AGB640/WP
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - CDA111E
 CDA207E - CDE111E - CDE207E - CRCA111E
 CRUA110E - CUA111E - CUE111E - FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBA210E00
 FBE106E00 - FBE106E01 - FBE110E00 - FBE110E01
 FBE210E00 - FDA106E00 - FDA106E01 - FDA110E00
 FDA110E01 - FDA210E00 - FDE106E00 - FDE106E01
 FDE110E01 - FDE210E00 - FUA106E00 - FUE106E01
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00



INOXTREND C2901-00

INOXTREND C2901-00+C2027-00

3340008 COUNTER-FLANGE FOR MOTOR
 for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103F



INOXTREND C2029-00

3240244 FAN ø 210 mm
 thickness 100 mm
 total blades 20 - ø tapered hole 16-11 mm
 for Convection oven (WHIRLPOOL) AGB633/WP
 AGB639/WP - AGB640/WP
 for Convection oven electric (INOXTREND) FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
 FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
 FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
 FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
 FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
 FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (INOXTREND) FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBE106G00



INOXTREND C2030-00

INOXTREND C2037-00

3161004 FLANGE FOR MOTOR SHAFT ø 17 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (INOXTREND) BUA-606E
 BUA-610E - BUE-606E - BUE-610E - CDA-111E
 CDA-207E - CDE-111E - CDE-207E - CRCA-111E
 CRUA-110E - CUA-111E - CUE-111E - RDA-5E
 RDE-5E - RPDA-5E - RPDE-5E - RPDE-5EP
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103G



INOXTREND C2028-00

3340007 MOTOR SHAFT GASKET
 for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103F



INOXTREND C2027-00

3786636 SEALING GASKET FOR MOTOR SHAFT ø 29 mm
 internal ø 25 mm
 thickness 3.5 mm




INOXTREND C2012-00



Suitable for:

3240105 MOTOR 1048 0.045/0.0765Kw 220/240V
 50/60Hz 2800/3400rpm
 plate dimensions 150x150 mm
 distance between holes 130 mm
 for Convection oven electric (INOXTREND) RDA5E
 RDE5E - RPDA5E - RPDE5E - RPDE5EP - SCA4E00
 SCA5E00 - SDA4EM00 - SDA4E00 - SDA5EM00
 SDA5E00 - SUA4E00 - SUA5E00 - SUTA4E00
 SUTA5E00



INOXTREND C3610-00

INOXTREND RRC3610-00

3186411 MAIN SHAFT SEAL GASKET
 external \varnothing 22 mm
 internal \varnothing 10 mm
 height 3.5 mm



INOXTREND C3614-00

3240245 MOTOR 3011.4050 0.55Kw 230/400V 50Hz
 2.6/1.5A - 2800rpm
 for Convection oven electric (INOXTREND) CDA211E
 CDE211E - CUA211E - FBA120E00 - FBA220E00
 FBE120E00 - FBE220E00 - FDA120E00 - FDA220E00
 FDE120E00 - FDE220E00 - FUA120E00 - FUA210E00
 FUA220E00 - FUE120E00 - FUE210E00 - FUE220E00
 for Convection oven gas (INOXTREND) FBA120G00
 FBA220G00 - FBE120G00 - FBE220G00 - FDA120G00
 FDA220G00 - FDE120G00 - FDE220G00 - FUA120G00
 FUA220G00 - FUE120G00 - FUE220G00



INOXTREND C7160-00

Suitable for:

3161004 FLANGE FOR MOTOR SHAFT \varnothing 17 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB639
 AGB640
 for Convection oven electric (INOXTREND) BUA-606E
 BUA-610E - BUE-606E - BUE-610E - CDA-111E
 CDA-207E - CDE-111E - CDE-207E - CRCA-111E
 CRUA-110E - CUA-111E - CUE-111E - RDA-5E
 RDE-5E - RPDA-5E - RPDE-5E - RPDE-5EP
 for Convection oven electric (WHIRLPOOL) FMIE103F
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G
 for Convection oven gas (WHIRLPOOL) AGB636/WP
 FMIG102F - FMIG103G



INOXTREND C2028-00

3786636 SEALING GASKET FOR MOTOR SHAFT \varnothing 29 mm
 internal \varnothing 25 mm
 thickness 3.5 mm



INOXTREND C2012-00



Outlet solenoid valves and accessories

- 3525006 BOILER MOTOR DRAIN VALVE TCR**
230V 50/60Hz 2.5W
fittings \varnothing 1/2" FF DN15
for Convection oven (FOINOX) - Series JOYSTICK



INOXTREND LC-500

Penetration probes

- 3397202 PENETRATION PROBE PT100**
2 wires - bulb \varnothing 4x100 mm
probe length 1600 mm
for Convection oven (WHIRLPOOL)
Series COMPACT/V-210M



INOXTREND C2209-00

INOXTREND C2209-22

Pilot burners and accessories

- 3020042 PILOT GAS JET \varnothing 0.19 mm**



INOXTREND C2231-00

- 3020043 PILOT GAS JET \varnothing 0.36 mm**



INOXTREND C2232-00

Pressure regulators

- 3120502 BRASS PRESSURE REDUCER VALVE \varnothing 1/2" FF**
for Convection oven electric (INOXTREND) FDA-106E
FDA-110E - FDA-120E - FDA-210E - FDA-220E
FDE-106E - FDE-110E - FDE-120E - FDE-210E
FDE-220E - FDP-106E - FDP-110E - FDP-120E
FDP-210E - FDP-220E
for Convection oven gas (INOXTREND) FDA-106G
FDA-110G - FDA-120G - FDA-210G - FDA-220G
FDE-106G - FDE-110G - FDE-120G - FDE-210G
FDE-220G - FDP-106G - FDP-110G - FDP-120G
FDP-210G - FDP-220G



INOXTREND C2090-00



Suitable for:

INOXTREND



Suitable for:

Pressure switches

3320114 BOILER PRESSURE SWITCH 0.5-1.2 BAR

16A 250V - fitting 1/8" M
 for Convection oven electric (INOXTREND) FBA-106E
 FBE-106E - FBE-110E - FBE-120E - FBE-210E
 FBE-220E - FBP-106E - FBP-110E - FBP-210E
 FBP-220E - WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G



INOXTREND C2074-00

3320113 BOILER PRESSURE SWITCH 2.3 BAR

16A 250V - fitting 1/8" M
 for Convection oven electric (INOXTREND) FBA-106E
 FBA-110E - FBA-120E - FBA-210E - FBA-220E
 FBE-106E - FBE-110E - FBE-120E - FBE-210E
 FBE-220E - FBP-106E - FBP-110E - FBP-120E
 FBP-210E - FBP-220E - WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBA-110G - FBA-120G - FBA-210G - FBA-220G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G



INOXTREND C2076-00

Probes

3445012 PROBE PT100

2-wire probe
 bulb \varnothing 4x60 mm - cable length 1000 mm
 for Convection oven electric (INOXTREND) RDE-5E-00
 RPDE-5E-00



INOXTREND C2471-00

Rating-plates

3319275 GREY ELECTRONIC PLATE WITH BLUE INDEX

sizes 275x100 mm - adhesive
 for Convection oven electric (INOXTREND) RDE5E



INOXTREND C3655-00/B



Rotary switches

3057132 BOARD SELECTOR SWITCH

contact capacity 12A 600V - max 60/75°C
square pin 5x4.6 mm
for Convection oven electric (INOXTREND) RDE-5E
RPDE-5E - RPDE-5EP - WBE-4E



INOXTREND C2241-00

3057026 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



INOXTREND FX0189-00

3057228 SELECTOR SWITCH 0-10 POSITIONS


contact capacity 12A 600V - max 60/75°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven electric (INOXTREND)
BUA-606E-00 - BUA-610E-00 - CDA-107E
CDA-111E - CDA-207E - CDA-211E - CUA-107E
CUA-111E - CUA-211E - FDA-106E-00
FDA-110E-00 - FDA-120E-00 - FDA-210E-00
FDA-220E-00 - FUA-106E-00 - FUA-110E-00
FUA-120E-00 - FUA-210E-00 - FUA-220E-00
RDA-105E - RDA-110E - RDA-305E - RUA-105E
RUA-110E - RUA-305E - RUA-605E
for Convection oven gas (INOXTREND) BUA-606G-00
BUA-610G-00 - FDA-106G-00 - FDA-110G-00
FDA-120G-00 - FDA-210G-00 - FDA-220G-00
FUA-106G-00 - FUA-110G-00 - FUA-120G-00



INOXTREND C8160-00

3057229 SELECTOR SWITCH 0-11 POSITIONS


contact capacity 12A 600V - max 60/75°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven electric (INOXTREND)
FBA-106E-00 - FBA-106E-01 - FBA-110E-00
FBA-110E-01 - FBA-120E-00 - FBA-210E-00
FBA-220E-00
for Convection oven gas (INOXTREND) FBA-106G-00
FBA-106G-01 - FBA-110G-00 - FBA-110G-01
FBA-120G-00 - FBA-210G-00 - FBA-220G-00



INOXTREND C8161-00

3057010 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



INOXTREND C2214-00

3057099 SELECTOR SWITCH 3 POSITIONS

contact capacity 16A 600V - max 60/75°C
square pin 5x4.6 mm
for Convection oven electric (INOXTREND) SCA-4E-00
SCA-5E-00 - SUA-4E-00 - SUA-5E-00 - SUTA-4E-00
SUTA-5E-00



INOXTREND C6070-00

INOXTREND C6070-12



Suitable for:

INOXTREND



3057075 SELECTOR SWITCH 4 POSITIONS
 contact capacity 16A 600V - max 60/75°C
 rectangular shaft 4x5 mm
 for Convection oven electric (INOXTREND) RCA-605E



INOXTREND C5500-00 INOXTREND C5500-12

3057120 SELECTOR SWITCH 5 POSITIONS
 contact capacity 12A 600V - max 60/75°C
 square pin 5x4.6 mm
 for Convection oven electric (INOXTREND)
 MDA-10E-00 - MDE-6E-00
 for Convection oven gas (WHIRLPOOL) AGB636




INOXTREND C5390-00 INOXTREND C5390-12

3057128 SELECTOR SWITCH 5 POSITIONS
 contact capacity 12A 600V - max 60/75°C
 square pin 5x4.6 mm
 for Convection oven electric (INOXTREND) RDA-5E
 RPDA-5E - RPDE-5E - RPDE-5EP



INOXTREND C3652-00

3057130 SELECTOR SWITCH 5 POSITIONS
 contact capacity 16A 600V - max 60/75°C
 square pin 5x4.6 mm
 for Convection oven electric (INOXTREND) SDA-4E-00
 SDA-4EM-00 - SDA-5E-00 - SDA-5EM-00



INOXTREND C6200-00 INOXTREND C6200-12

3057125 SELECTOR SWITCH 6 POSITIONS
 contact capacity 16A 600V - max 60/75°C
 square pin 5x4.6 mm
 for Convection oven (INOXTREND) - Series MB



INOXTREND C5395-01 INOXTREND C5395A-00

3057129 SINGLE POLE SELECTOR SWITCH
 with automatic switchback
 contact capacity 12A 600V - max 60/75°C
 square pin 5x4.6 mm
 for Convection oven electric (INOXTREND) SUA-4E-00
 SUA-5E-00 - SUTA-4E-00 - SUTA-5E-00



INOXTREND C6074-00

Solenoid valves

3120405 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - outlet ø 10.5 mm



INOXTREND C305700

3120014 SOLENOID VALVE 264 220/240V ø 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - triple outlet ø 10 mm



INOXTREND C2088-00



Suitable for:

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



INOXTREND AZ005-00

INOXTREND C3057-00

Suitable for:

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



INOXTREND C2087-00

3120509 STEAM SOLENOID VALVE 3-WAYS 230V \varnothing 1/8"
 coil 6628 EN series 688 230V 50Hz
 pressure from 0.1 to 4.5 bar
 max.temperature 150°C
 for Convection oven electric (INOXTREND) FBA-106E
 FBA-110E - FBA-210E - FBE-106E - FBE-110E
 FBE-210E - FBP-106E - FBP-110E - FBP-210E
 WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBA-110G - FBA-210G - FBE-106G - FBE-110G
 FBE-210G - FBP-106G - FBP-110G - FBP-210G



INOXTREND C2072-00

Sparking and detection plugs

3020163 ROUND DETECTION PLUG \varnothing 7x60 mm
 complete with cable length 780 mm
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
 FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
 FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
 FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
 FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
 FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
 FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
 FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
 FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
 FUE110G00 - FUE110G01 - FUE210G00



INOXTREND C2494-00

INOXTREND RRC2494-00

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



INOXTREND C2235-00



Suitable for:

INOXTREND



Suitable for:

3020207 ROUND SPARKING PLUG \varnothing 7x60 mm

complete with cable 800 mm
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
 FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
 FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
 FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
 FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
 FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
 FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
 FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
 FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
 FUE110G00 - FUE110G01 - FUE210G00



INOXTREND C2497-00

Switches

3319468 BLACK SINGLE POLE SWITCH 16A 250V

silk-screen printing 0 - I
 max temperature 120°C
 mounting hole 11x30 mm
 for CAB FAST COLD 1-2-3/NEW FABY 1-2-3
 for COFRIMELL FRIGO DRINK COF-COLDREAM-JETCOF-
 MEGA25-MEGA40-NEWCOF



INOXTREND C2206-00

3319273 RED RESET PUSH-BUTTON 3A 250V

silk-screen ON
 temperature max 120°C
 head \varnothing 19 mm - mounting distance \varnothing 16 mm
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G - FBA-106G
 FBA-110G - FBA-120G - FBA-210G - FBA-220G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G - FDA-106G - FDA-110G
 FDA-120G - FDA-210G - FDA-220G - FDE-106G
 FDE-110G - FDE-120G - FDE-210G - FDE-220G
 FDP-106G - FDP-110G - FDP-120G - FDP-210G
 FUA-106G - FUA-110G - FUA-120G - FUA-210G
 FUA-220G - FUE-106G - FUE-110G - FUE-120G
 FUE-210G - FUE-220G



INOXTREND C5420-00

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V




INOXTREND FX0144-00



Thermostats

3444809 SINGLE-PHASE THERMOSTAT 110°C
 with automatic reset
 covered capillary length 900 mm
 bulb \varnothing 3x220 mm - with stuff.gland coupling M9x1
 for Convection oven (INOXTREND)



INOXTREND c2218-00

INOXTREND C2218-00

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1
 for Convection oven (INOXTREND)



INOXTREND FX0187-00

3444418 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x97 mm
 for Convection oven (INOXTREND)
 for Convection oven (WHIRLPOOL)



INOXTREND C2185-00

3444417 SINGLE-PHASE THERMOSTAT 340°C
 with manual reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x145 mm - with stuff.gland coupling M9x1
 for Convection oven (INOXTREND)
 for Convection oven (WHIRLPOOL)



INOXTREND C2198-00

INOXTREND C2242-00

INOXTREND 2198-00

3444289 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 16A 250V
 bulb \varnothing 3x210 mm - with adapter nipple band M9x1
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - FBA120E00 - FBA210E00 - FDA120E00
 FUA120E00 - RCA605E - RDA105E - RDA110E
 RDA305E - RDA5E - RUA105E - RUA110E - RUA305E
 RUA605E - SCA4E00 - SCA5E00 - SDA4E00
 SDA5E00 - SUA4E00 - SUA5E00
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - FBA120G00 - FBA210G00 - FDA120G00
 FUA120G00



INOXTREND C2190-00

3444695 3-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 890 mm - 10A 400V
 bulb \varnothing 6x87 mm - with stuffing gland fitting M10x1
 for Convection oven electric (INOXTREND) FBA106E01
 FBA110E00 - FBA110E01 - FBA120E00 - FBA210E00
 FBA220E00 - FBE106E01 - FBE110E00 - FBE110E01
 FBE120E00 - FBE210E00 - FBE220E00
 for Convection oven gas (INOXTREND) FBA106G01
 FBA110G00 - FBA110G01 - FBA120G00 - FBA210G00
 FBA220G00 - FBE106G01 - FBE110G00 - FBE110G01
 FBE120G00 - FBE210G00 - FBE220G00



INOXTREND LC-351



Suitable for:

INOXTREND



Suitable for:

Timers

3446039 TIMER 120 MINUTES MS65

manually set cycle 120 minutes
 contact capacity 16(4)A 250V 50Hz
 max temperature 100°C
 D-shaped pin ø 6x4.6 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
 DE10ES - DE10MX - DE102MX - EF10GM - EF4
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
 VE10MX - VE102MX - VE20MX
 for Convection oven electric (INOXTREND)
 BUA-606E-00 - BUA-610E-00 - FBA-106E-00
 FBA-106E-01 - FBA-110E-00 - FBA-110E-01
 FBA-120E-00 - FBA-210E-00 - FDA-106E-00
 FDA-106E-01 - FDA-120E-00 - FDA-210E-00
 for Convection oven gas (GIORIK) CG06MX - CG10MX



INOXTREND C5365-00

3446007 TIMER 60 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 60 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 for Convection oven electric (WHIRLPOOL) AGS962
 AGS964 - AGS965



INOXTREND C2191-00

Timers and cycle reversing switches

3210050 REVERSING SWITCH P25 2 CAMS 250V 50Hz

8 minutes
 for Convection oven (OLIS)
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00
 for Convection oven electric (LAINOX) - Series CE
 Series CES - Series EC - Series EV - Series FE
 Series MCE - Series ME - Series MES - Series PE
 Series VE - Series VEC - Series VES
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00
 for Convection oven gas (LAINOX) - Series CG
 Series CGS - Series FG - Series GC - Series GV
 Series MCG - Series MG - Series MGC - Series MGS
 Series PG - Series VG - Series VGS



INOXTREND C3056-00



Suitable for:

INOXTREND



Suitable for:

Vibrating pumps

1122737 VIBRATORY PUMP EP5 48W 230V 50Hz

fittings \varnothing 1/8" - \varnothing 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



INOXTREND C5770-00