




Spare parts for:

Ovens



Suitable for:

KELVIN



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211648





Suitable for:

KELVIN



Suitable for:

Electrical gas valves and accessories

3526175 VALVE 822 NOVA 230V 50Hz
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 gas inlet max. pressure 60 mbar
 outlet pressure range
 3 ÷ 30 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz
 for Convection oven gas (KELVIN)



KELVIN 0150541

Electronic boxes

3091014 CONTROL BOX CM11
 model BRAHMA - 230V 50/60Hz 7VA
 for Convection oven (KELVIN)
 for Convection oven (SOGECO)
 for Convection oven gas (COVEN) N6GMD - N6GMX
 TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
 TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
 TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



KELVIN 0150551

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



KELVIN 0101250



KELVIN



Suitable for:

Suitable for:

Gas burners

- 3023315 BURNER \varnothing 50x455 mm**
made of chromed iron
for Convection oven gas (KELVIN) KG106 - KG110
KPG405 - NKG106



KELVIN 0150531

Gaskets for oven door

- 3786088 OVEN DOOR GASKET 2200 mm**
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven (KELVIN)



KELVIN 0201504

- 3786087 OVEN GLASS GASKET 1200 mm**
made of silicone elastomer
profile dimensions 13x10 mm
COLOUR BLACK
for Convection oven (KELVIN) K106 - K110 - K210
for Convection oven electric (KELVIN) KE234
KE234S



KELVIN 0201502

Handles

- 3242424 DOUBLE STRIKE M8x1 FOR DOOR HANDLE**
overall length 51 mm
for KELVIN OVEN ALL MODELS



KELVIN 0201211



Suitable for:

KELVIN



Suitable for:

Handles

3242122 OVEN DOOR HANDLE

for Convection oven (KELVIN)
 for Convection oven (TECNOEKA) KF1001GIXAL
 KF1001GLPGIXAL - KF933AL - KF966DALUD
 for Convection oven electric (ANGELO PO) FCV3EM
 FCV4E - FCV4EDS - FCV4EM - FM423E1 - FM423E2
 for Convection oven electric (GARBIN) 104EXVAPOR
 104PXVAPOR - 25EXVAPOR - 43SEVAPOR - 45EXVAPOR
 45GXVAPOR - 64EXVAPOR - 64PXVAPOR
 for Convection oven electric (GIERRE) FEV106M
 FEV122M - FEV124M - FEV166M - FEV60M - FEV62M
 FEV64M
 for Convection oven electric (TECNOEKA) KF725EUD
 KF725UD - KF933U - KF964AL - KF964ALM
 KF965AL - KF965UD
 for Convection oven gas (GIERRE) FEV123M - FEV57M



KELVIN 0201210

3242425 SPRING FOR DOOR HANDLE

external dimensions 54x27 mm
 for OVEN



KELVIN 0201213

3242425 SPRING FOR DOOR HANDLE

external dimensions 54x27 mm
 for OVEN



KELVIN 0201213

3242424 DOUBLE STRIKE M8x1 FOR DOOR HANDLE

overall length 51 mm
 for KELVIN OVEN ALL MODELS



KELVIN 0201211

3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm
 for Convection oven (GIORIK)
 for Convection oven (KELVIN)
 for Convection oven (SOLYMAC) SOLY5P
 for Convection oven electric (COVEN) N6MD - N6MX
 TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
 TEC6MD - TEC6MX - TEC7
 for Convection oven electric (SOLYMAC) SOLYMIX6
 SOLYP6
 for Convection oven gas (COVEN) N6GMD - N6GMX
 TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



KELVIN 0201212

3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm
 for Convection oven (GIORIK)
 for Convection oven (KELVIN)
 for Convection oven (SOLYMAC) SOLY5P
 for Convection oven electric (COVEN) N6MD - N6MX
 TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
 TEC6MD - TEC6MX - TEC7
 for Convection oven electric (SOLYMAC) SOLYMIX6
 SOLYP6
 for Convection oven gas (COVEN) N6GMD - N6GMX
 TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



KELVIN 0201212

Heating elements

3355366 HEATING ELEMENT 1500W 230V

length 105 mm - width 340 mm
 flange 70x22 mm
 for Convection oven electric (KELVIN) KE106
 KPE405 - NKE106
 for Convection oven electric (SOGECO) 5E - 56E
 6E



KELVIN 0101001

3355368 HEATING ELEMENT 3500W 230V

length 560 mm - width 280 mm
 flange 70x22 mm
 for Convection oven electric (EMMEPI) F2011GT-SP
 for Convection oven electric (KELVIN) KE210
 NKE210
 for Convection oven electric (SOGECO)
 Series MBS10.21 - Series MDS10.21
 Series MDS20.21 - 20E - 40E



KELVIN 0101003

3755982 HEATING ELEMENT 3900W 230V

external \varnothing 220 mm - overall height 130 mm
 flange 93x22 mm
 for Convection oven electric (KELVIN) ACNK106
 ACNK110 - ACNK210 - ACUNK106 - ACUNK110
 ACUNK210 - ALUKP405 - ALUKP408 - KE234
 KE234S - NKE234 - NKE234S



KELVIN 0101004

Lamps

3221243 HALOGEN LAMP RECEPTACLE G4 20W 12V

wire connection length 830 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - VE06EC - VE06MX - VE10EC - VE10MX
 VE102EC - VE102MX - VE20EC - VE20MX
 for Convection oven electric (KELVIN) KPE405
 KPE408 - NKE106 - NKE110 - NKE210
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
 VG102MX - VG20EC - VG20MX
 for Convection oven gas (KELVIN) KPG405 - KPG408
 NKG106 - NKG110 - NKG210



KELVIN 0104618

3221120 LAMP RECEPTACLE E14 25W 230V

for Convection oven electric (GEMINI FORNI)
 Series 2/M - 2/M1
 for Convection oven electric (MBM) FCE10 - FCE6
 FEMD107SC - FEMD109 - FEMD207SC - FEMD209
 FEMD67SC - FEMD69 - FEM107SC - FEM109
 FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
 FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FCG6
 FGMD107SC - FGMD109 - FGMD207 - FGMD209
 FGMD67SC - FGM107SC - FGM109 - FGM207SC
 FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
 FGP160



KELVIN 0104601



Suitable for:

KELVIN



3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
 for Convection oven electric (EMMEPI) F2011GT-SP
 for Convection oven electric (KELVIN) NKE234
 NKE234S
 for Convection oven electric (SOGECO)
 Series MBS10.21 - Series MDS10.21
 Series MDS20.21
 for Convection oven gas (CONVOTHERM) OGS6.10



KELVIN 0104611

Suitable for:

3221024 RED INDICATOR LAMP 230V

head ø 15 mm - hole ø 13 mm - 120°C
 universal application



KELVIN 0104621

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE

external dimensions 140x75 mm
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (INOXTREND)
 for Convection oven (KELVIN)
 for Convection oven (MBM)
 for Convection oven (WHIRLPOOL)
 for Convection oven (ZANUSSI)



KELVIN 0104612

Microswitches

3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN J00611E-J00611G-J01011E-J01011G
 J01021E-J01021G-J02011E-J02011G-J02021E-J02021G
 for IPSO CALENDER RI1600/30-RI1600/30AV



KELVIN 0104501

Penetration probes

3397122 PENETRATION PROBE

2 wires - connections to connector
probe length 180 mm
cable length 1300 mm
for ALL MODELS A-M
for Convection oven (KELVIN)



KELVIN 0101351

Pressure switches

3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V

fitting \varnothing 1/8" M
for Convection oven (OLIS) - Series CVM
Series ECVM
for Convection oven electric (KELVIN) KE106A
KE110A - KE210A - KPE405 - KPE408 - NKE106A
NKE110A - NKE210A
for Convection oven electric (LAINOX) VE100H
for Convection oven gas (KELVIN) KG106A - KG110A
KG210A - KPG405 - KPG408A - NKG106A - NKG110A
NKG210A




KELVIN 0101395

Rotary switches

3057226 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven (KELVIN) KP405 - KP408 - K106
K110 - K210 - NK106 - NK110 - NK210



KELVIN 0101202

3057225 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven (KELVIN)



KELVIN 0101201



Suitable for:

KELVIN



Suitable for:

Solenoid valves

- 3120539 SOLENOID-VALVE RPE 230V \varnothing 10 mm**
 solenoid valve 90° - 230V 50Hz - max 60°C
 inlet 3/4" - outlet \varnothing 10 mm
 with red flow rate adjuster
 for Convection oven (KELVIN)



KELVIN 0102001

KELVIN 0102001+0102011

Sparking and detection plugs

- 3020190 ROUND DETECTION PLUG \varnothing 9x63 mm**
 overall length 204 mm
 for Convection oven gas (KELVIN)
 for Convection oven gas (SOGECO)



KELVIN 0150571

- 3020335 ROUND SPARKING PLUG \varnothing 7 mm**
 overall length 95 mm
 for Convection oven gas (KELVIN)



KELVIN 0150566

Switches

- 3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V**
 with protection cap
 mounting hole \varnothing 16 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (WHIRLPOOL) ACV/G10C2
 ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4
 ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3
 ACVG202/1C4
 for Convection oven gas (ZANUSSI)



KELVIN 0104631

Telethermometers

- 3441071 WHITE TELETHERMOMETER \varnothing 60 mm 50-350°C**
 metal sheath
 covered capillary length 1600 mm
 plastic covered bulb \varnothing 6x20 mm
 for Convection oven (KELVIN) K106M - K110M - K210M



KELVIN 0103351

Thermostats

3444807 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb \varnothing 6x130 mm
for Convection oven (KELVIN)



KELVIN 0101103

3444804 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 860 mm - 16A 250V
button bulb \varnothing 11x10 mm
for Convection oven (KELVIN)
for Convection oven electric (LAINOX) HME061P
HME061T - HME061X - HME101P - HME101T
HME101X - HME102P - HME102T - HME102X
HME201P - HME201T - HME201X - HME202P
HME202T - HME202X - HVE061P - HVE061T
HVE061X - HVE101P - HVE101T - HVE101X
HVE102P - HVE102T - HVE102X - HVE201P
HVE201T - HVE201X - HVE202P - HVE202T
HVE202X
for Convection oven gas (LAINOX) HMG061P - HMG061T
HMG061X - HMG101P - HMG101T - HMG101X



KELVIN 0101105

Timers

3446038 TIMER 120 MINUTES M2

mechanical movement with balance wheel
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C - D-shaped pin \varnothing 6x4.6 mm
for Convection oven (SOGECO) LN - P - VMX
for Convection oven electric (KELVIN) KE106M
KE110M - KE210M - KE234 - KE234S - NKE106M
NKE110M - NKE210M - NKE234
for Convection oven gas (KELVIN) KG106M - KG110M
KG210M - NKG106M - NKG110M - NKG210M



KELVIN 0103101

Timers and cycle reversing switches

3322274 CONTROLLER P25 1 CAM 230V 50Hz

cycle 15 seconds - hexagonal pin 6x6x6 mm



KELVIN 0103001

3322273 CONTROLLER 6003F1 3 CAMS 230V 50Hz

cycle 4 minutes - hexagonal pin 5x5x5 mm
for Convection oven (KELVIN) KP405 - KP408 - K106
K110 - K210 - NK106 - NK110 - NK210



KELVIN 0103002