



Spare parts for:

Ovens



Suitable for:

LAINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211656





Suitable for:

LAINOX



Suitable for:

Alarms

3397301 ALARM BELL AC00206 85x45x25 mm
 power supply 220/240V
 for Convection oven electric (ANGELO PO) FCV101E
 FCV141E - FCV241E - FCV3EM - FCV4EM - FCV61E
 for Convection oven gas (ANGELO PO) FCV101
 FCV141 - FCV241 - FCV241G - FCV61



LAINOX R65330050

3397302 ALARM BELL 220V
 for Convection oven (CONVOTHERM)



LAINOX R65330010

3397194 ALARM WITH CARD
 dimensions 45x57 mm
 cable length 440 mm
 for Convection oven electric (LAINOX) ME061D
 ME061P - ME061T - ME101D - ME101P - ME101T
 ME102D - ME102P - ME102T - ME201D - ME201P
 ME201T - ME202D - ME202P - ME202T - VE024P
 VE051P - VE055P - VE061D - VE061P - VE101D
 VE101P - VE102D - VE102P - VE201D - VE201P
 VE202D - VE202P
 for Convection oven gas (LAINOX) MG061D - MG061P
 MG061T - MG101D - MG101P - MG101T - MG102D
 MG102P - MG102T - MG201D - MG201P - MG201T
 MG202D - MG202P - MG202T - VG051P - VG061D
 VG061P - VG101D - VG101P - VG102D - VG102P
 VG201D - VG201P - VG202D - VG202P



LAINOX R65301440

3397009 ALARM WITH CARD 12V
 connector fitting
 dimensions 58x46 mm
 cable length 600 mm
 for Convection oven electric (LAINOX) - Series ME
 Series VE
 for Convection oven gas (LAINOX) - Series MG
 Series VG



LAINOX R65330040

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
 ball bearing
 230V 50Hz 19W 2650rpm
 4656N



LAINOX

3240501 AXIAL FAN SUNON 120x120x38 mm
 ball bearings
 230V 50/60Hz 22W 2850rpm
 DP200A 2123XBT.GN



LAINOX R65060050

Suitable for:

Suitable for:

3240337 AXIAL VENTILATOR SUNON 80x80x38 mm

ball bearings
230V 50/60Hz 18W 2400rpm
SF23080A-2083HBL.GN



LAINOX R65060010

Ball valves and accessories

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF

heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



LAINOX MA1450500

Cables for piezo igniters

3001017 SIT IGNITION LEAD 600 mm

with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



LAINOX MA1950324

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190180

3068024 CAPACITOR μ F 16 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190030



Suitable for:

3068002 CAPACITOR μ F 2.5 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX 965315

Suitable for:

3068006 CAPACITOR μ F 4 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX R50405600

LAINOX R65190010

LAINOX 50405600

Centrifigal fans

3240694 MOTOR FAN G1G126-AB13-53 45W 24V
 3950rpm
 for Convection oven gas (LAINOX) CG051M - CG071M
 CG100M - CG200M - MG061P - MG061T - MG101P
 MG101T - MG102P - MG102T - MG201D - MG201P
 MG201T - MG202D - MG202P - MG202T - VG051P
 VG061D - VG061P - VG101D - VG101P - VG102D
 VG102P - VG201D - VG201P - VG202D - VG202P



LAINOX R63130010

3240695 MOTOR FAN RG128/1300-3612
 100W 230V 50Hz
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P
 HMG201T - HMG201X - HMG202P - HMG202T
 HMG202X - HVG061P - HVG061T - HVG061X
 HVG101P - HVG101T - HVG101X - HVG102P
 HVG102T - HVG102X - HVG202P - HVG202T
 HVG202X



LAINOX R65060360

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



LAINOX MACM187400

3446507 CONTACTOR SIEMENS 20A 400V 50/60Hz 9Kw
 coil 20A 230V 50/60Hz
 complete w/auxil.contact terminal block 1 NO - 1NC
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact
 assembly width 2-1/2 modules
 wall or DIN-guide mounting
 for Convection oven (LAINOX)



LAINOX R65140150

LAINOX R65140170



Suitable for:

3454006 CONTACTOR SIEMENS 3RT1016-1AP02

9A 230V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact
 for Convection oven electric (COVEN) N5PMEC
 TEC10 - TEC10MD - TEC10MX - TEC10P - TEC15
 TEC15MX - TEC20 - TEC20MD - TEC3MD - TEC3MX
 TEC4MX - TEC4P - TEC5P - TEC6 - TEC6MD
 TEC6MX - TEC7
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYMIX6 - SOLYP10 - SOLYP5P - SOLYP6
 for Convection oven gas (COVEN) TEC15GMD



LAINOX R65140380

Suitable for:

3446509 CONTACTOR SIEMENS 3RT1025-1A

coil 17A 240V 50Hz 7.5Kw
 3 normally closed contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact
 for Convection oven (LAINOX)



LAINOX R65140240

5023908 CONTATTORE SIEMENS 3RT1025-1A

bobina 17A 240V 50Hz 7,5Kw
 3 contatti normalmente aperti
 per FORNO



LAINOX R65140400

3454067 THERM.CUTOUT T12-211S 2.5A 240V 50/60Hz

for Convection oven electric (LAINOX) CE106M
 EM006H - FE051M - FE051X - ME106D - ME106H
 ME106M - ME106P - ME106X - PE041M - PE041X
 PE051M - PE051X - VE106D - VE106H - VE106M
 VE106P - VE106X
 for Convection oven gas (LAINOX) CG106M - FG051M
 FG051X - MG061H - MG061M - MG061P - MG061T
 MG106D - MG106H - MG106M - MG106P - MG106X
 PG041M - PG041X - PG051M - PG051X - VG106D
 VG106H - VG106M - VG106P - VG106X



LAINOX R65160310

3351059 THERMAL RELAY SIEMENS 1.8-2.5 A

1 contact normally open
 1 contact normally closed
 3RU1116-1CBO serie S00
 for Convection oven electric (FOINOX) MM10EB
 for Convection oven electric (LAINOX) ME102D
 ME102M - ME102P - ME102T - ME202D - ME202M
 ME202P - ME202T - VE102D - VE102M - VE102P
 VE102T - VE202D - VE202M - VE202P - VE202T
 for Convection oven gas (LAINOX) MG102T - MG202T
 VG102T - VG202T



LAINOX R65160580



Suitable for:

LAINOX

Suitable for:



Drip trays for kitchens and ovens

3015062 DRIP TRAY DRAIN ON DOOR 100 mm

for Convection oven electric (LAINOX) GEMT06P
 GEMT06T - GEMT10P - GEMT10T - GEMT20P
 GEMT20T - GEVT06P - GEVT06T - GEVT10P
 GEVT10T - GEVT20P - GEVT20T - HME061P
 HME061T - HME061X - HME101P - HME101T
 HME101X - HME102P - HME102T - HME102X
 HVE061P - HVE061T - HVE061X - HVE101P
 HVE101T - HVE101X - HVE102P - HVE102T
 HVE102X - ME101P - ME101T - ME102P - ME102T
 VE061D - VE061P - VE101D - VE101P - VE102D
 VE102P

for Convection oven gas (LAINOX) GGMT06P - GGMT06T
 GGMT10P - GGMT10T - GGMT20P - GGMT20T
 GGVT06P - GGVT06T - GGVT10P - GGVT10T
 GGVT20P - GGVT20T - HMG061P - HMG061T



LAINOX R69180000

LAINOX R69180010

Electrical gas valves and accessories

3526062 COIL V4336A HONEYWELL 220/240V 50Hz

for valve Honeywell VR4605P



LAINOX R65150030

3526089 ELETROSIT VALVE \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



LAINOX R63025020

LAINOX 50203151

3526090 ELETROSIT VALVE \varnothing 3/4"FF

inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



LAINOX R63025030

LAINOX 50203161

3440200 TWIN LEAD THERMOPILE 580 mm



LAINOX MA1870712



Suitable for:

3526407 VALVE VK4105C HONEYWELL \varnothing 18 mm
inlet-outlet \varnothing 18 mm without thread
maximum gas inlet pressure 60 mbar
room temperature $-15 \div 60^{\circ}\text{C}$
power supply 220/240V 50Hz
for Convection oven gas (LAINOX) CG106M - CG110M
CG210M - FG051M - FG051X - GC010M - GV010M
PG041M - PG041X - PG051M - PG051X - VG106D
VG106M - VG106X - VG110D - VG110M - VG110X
VG201D - VG201X
for Convection oven gas (MORETTI) R08G



LAINOX R63020150

Suitable for:

3526211 VALVE VK4105Q HONEYWELL \varnothing 3/4" FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
maximum gas inlet pressure 60 mbar
room temperature $-15 \div 60^{\circ}\text{C}$
power supply 220/240V 50Hz
for Convection oven gas (LAINOX) GM0X0H - GM020M
GV010H - MG106D - MG106M - MG106X - MG110D
MG110M - MG110X - MG210D - MG210M - MG210X



LAINOX R63020160

3526017 VALVE VK4115V HONEYWELL \varnothing 18 mm
inlet-outlet \varnothing 18 mm without thread
maximum gas inlet pressure 60 mbar
room temperature $-15 \div 70^{\circ}\text{C}$
power supply 220/240V 50Hz
for Convection oven (MKN) - Series HD10
Series HD20 - Series HD6
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



LAINOX R63020170

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature $0 \div 60^{\circ}\text{C}$
power supply 220V 50Hz
for Convection oven gas (LAINOX) - Series CGS
Series MG - Series MGS - Series PG - Series VG
Series VGS



LAINOX R63020010

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



LAINOX R65150030



Suitable for:

LAINOX



Suitable for:

Electronic boxes

3526402 CONTROL BOX S4560A1008

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62



LAINOX R63060020

3526182 CONTROL BOX S4565A2092

model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (FOINOX) FC05G - MID1005GM
for Convection oven gas (FOINOX) FC100GM - FC200GM
FC201GM - FC401GM - FC60GM - FM100GM
FM100GTD - FM200GM - FM200GTD - FM201GM
FM201GTD - FM401GM - FM60GM - FM60GTD
FP100GM - FP50GM - JO0611G - JO1011G - JO1021G
JO2011G - JO2021G - MM100GTD - MM200GTD
MM201GTD - MM60GTD
for Convection oven gas (INOXTREND) FBA110G00
FBA120G00 - FBA210G00 - FBA220G00 - FBE110G00
FBE120G00 - FBE210G00 - FBE220G00 - FBP110G00
FBP120G00 - FBP210G00 - FBP220G00 - FDA120G00
FDA220G00 - FDE120G00 - FDE220G00 - FDP120G00
FDP220G00 - FUA120G00 - FUA220G00 - FUE120G00



LAINOX R63060120

3526403 CONTROL BOX S4565C1033U

model HONEYWELL- 230V 50/60Hz 4VA
for 6-20 grills
for Convection oven gas (ZANUSSI)



LAINOX LAR63060140

LAINOX R63060140

3091016 CONTROL BOX 50A72-214

model WHITE-RODGERS - 220/240V 50/60Hz
for Convection oven (LAINOX) - Series MG
Series MGS - Series VG - Series VGS



LAINOX R63060080

3526011 IGNITION CONTROL BOX S4565AF1007

model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (LAINOX) - Series MG
Series VG



LAINOX R63060100



Electronic printed-circuit boards

3390171 BASIC BOARD KIT 165x100 mm
complete with display board and alarm
for Convection oven electric (OLIS) - Series CV
Series CVM - Series CVP
for Convection oven gas (OLIS) - Series CV
Series CVM - Series CVP



LAINOX BN3103245

3390307 BUTTON PANEL ELECTRONIC BOARD 100x95 mm
for Convection oven electric (LAINOX) VE106X
VE106XUSA - VE110X - VE120X - VE210X - VE220X
for Convection oven gas (LAINOX) VG106X
VG106XUSA - VG110X - VG120X - VG210X - VG220X



LAINOX R65300370


LAINOX R65300570

3390070 CARD ADJUSTMENT MODULE 42x62 mm
for Convection oven (LAINOX) - Series MIXVAPOR-L
Series MIXVAPOR-S



LAINOX R65300990

3390067 ELECTRONIC CONTROL BOARD 400x90 mm
for Convection oven electric (LAINOX) ME120T
for Convection oven gas (LAINOX) MG220T



LAINOX R65300200

3390071 ELECTRONIC CONTROL BOARD 70x70 mm
for Convection oven (LAINOX) - Series ME
Series MG - Series VE - Series VG



LAINOX R65300540

3390072 ELECTRONIC DISPLAY BOARD 33x56 mm
3 digits display
D-shaped pin \varnothing 6x4.6 mm
complete with 16 track cable
for Convection oven electric (LAINOX) ME110L
ME110S
for Convection oven gas (LAINOX) VG105S



LAINOX R65300220

LAINOX R65300270

3390216 INVERTER ELECTRONIC BOARD
plate size 185x130 mm
for Convection oven electric (LAINOX) HME101T
HME101X - HME102T - HME102X - HME201T
HME201X - HME202T - HME202X - HVE101T
HVE101X - HVE102T - HVE102X - HVE201T
HVE201X - HVE202T - HVE202X
for Convection oven gas (LAINOX) HMG101T - HMG101X
HMG102T - HMG102X - HMG201T - HMG201X
HMG202T - HMG202X - HVG101T - HVG101X
HVG102T - HVG102X - HVG201T - HVG201X
HVG202T - HVG202X



LAINOX R65140830

3390360 SUPPORT FOR BUTTON PANEL BOARD SPRING
for Convection oven electric (LAINOX) - Series EM
Series EV - Series ME - Series MES - Series PE
Series VE - Series VES
for Convection oven gas (LAINOX) - Series GM
Series MG - Series MGC - Series MGS - Series PG
Series VG - Series VGS



LAINOX RA919006

LAINOX R10205120




Suitable for:

Suitable for:

3390074 7 RELAY BASE BOARD

dimensions 175x100 mm
for Convection oven (LAINOX) - Series ME-X
Series MG-X - Series VE-X - Series VG-X



LAINOX RA910059

LAINOX RA910060

LAINOX R65300520

LAINOX R65307000

LAINOX R65307450

Electronic thermostats and controllers

3445133 THERMOSTAT IC912LX/H PT100

power supply 12Vca/dc 15W
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 8(3)A 250V
failure message display
room temperature -5+65°C
PT100 probe (not included)
connections by screw terminal block
front dimensions 74x32x67 mm
mounting hole 71x29 mm



LAINOX R65340010

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Convection oven (KELVIN)
for Convection oven electric (GIERRE) FEV106M
FEV166E - FEV166M - FEV166P - FEV168E
FEV168M - FEV56M
for Convection oven electric (SMEG) ALFA30V
ALFA31V
for Convection oven gas (GIERRE) FEV107M - FEV167E
FEV167M - FEV167P - FEV57M



LAINOX MACM293900

LAINOX R50304011

LAINOX R65080250

LAINOX 50304011



Fans for motors

3240114 FAN \varnothing 150 mm
 thickness 38 mm
 total blades 36 - \varnothing hole 6 mm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE004M - VE004X - VE104D - VE104H
 VE104M - VE104X



LAINOX R75400030

LAINOX R75400040

3240032 FAN \varnothing 160 mm
 thickness 60 mm
 total blades 15 - \varnothing hole 8 mm
 for Convection oven (LAINOX)



LAINOX R75400060

LAINOX 50405740

3240030 FAN \varnothing 180 mm
 thickness 60 mm
 total blades 16 - \varnothing tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - MM06EBM
 for Convection oven electric (GIORIK) EF5GM
 for Convection oven gas (FOINOX) FC06G - FC06GA
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB
 for Convection oven gas (GIORIK) GF5GM - G6VGE



LAINOX R75400120

LAINOX R75400130

LAINOX 50405730


3240109 FAN \varnothing 220 mm
 thickness 79 mm
 total blades 20 - \varnothing tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC60EEP
 FC60EM - FM60EM - FM60ETD - FP50EEP - FP50EM
 JO611E - MM60ED - MM60EM - MM60ETD
 for Convection oven gas (FOINOX) FC60GEP - FC60GM
 FM60GEP - FM60GM - FM60GTD - FP50GEP - FP50GM
 JO611G - MM60GEP - MM60GM - MM60GTD



LAINOX R75400210

LAINOX R75400230

3240693 FAN \varnothing 220 mm
 thickness 80 mm
 total blades 12 - \varnothing tapered hole 16-11.5 mm
 for Convection oven electric (LAINOX) CE071M
 GEMT06P - GEMT06T - GEMT10P - GEMT10T
 GEMT21P - GEMT21T - GEVT06P - GEVT06T
 GEVT10P - GEVT10T - GEVT21P - HME061P
 HME061T - HME061X - HVE061P - HVE061T
 HVE061X - MCE071M - ME061P - ME061T - MME071P
 MVE071P - VE061D - VE061P
 for Convection oven gas (LAINOX) CG071M - GGMT06P
 GGMT06T - GGVT06P - GGVT06T - HMG061P
 HMG061T - HMG061X - HVG061P - HVG061T
 HVG061X - MCG071M - MG061P - MG061T - MMG071P
 MVG071P - VG061D - VG061P



LAINOX R75400400

3240034 FAN \varnothing 270 mm
 thickness 100 mm
 total blades 24 - \varnothing tapered hole 19-24 mm
 for Convection oven (LAINOX)



LAINOX R75400240

LAINOX 50405720



Suitable for:

LAINOX



Suitable for:

3240272 FAN ø 300 mm
 thickness 120 mm
 total blades 20 - ø tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) CE110M
 EM010H - EV010P - MES20D - MES20H - MES20M
 MES20P - MES20X - ME110D - ME110H - ME110M
 ME110P - ME110X - ME120D - ME120H - ME120M
 ME120P - ME120X - VEC20X - VES20D - VES20H
 VES20M - VES20P - VES20X - VE110D - VE110H
 VE110M - VE110P - VE110X - VE120D - VE120H
 VE120M - VE120P - VE120X
 for Convection oven gas (LAINOX) CG110M - GC010M
 GV010H - GV010M - MGC20H - MGS20D - MGS20H
 MGS20M - MGS20P - MGS20X - MG110D - MG110H
 MG110M - MG110P - MG110X - MG120D - MG120H
 MG120M - MG120P - MG120X - VGS20D - VGS20H



LAINOX R75400270

LAINOX R75400290

3240036 FAN ø 350 mm
 thickness 100 mm
 total blades 24 - ø tapered hole 19-24 mm
 for Convection oven electric (FOINOX) FC12SE
 FC20E - FC20EA - FC200EEP - FC200EM - FC401EM
 FM20EB - FM200EM - FM401EM - FP10E - FP10EA
 MM20EA - MM20EB - MM200EM - MM401EM
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FC20G - FC20GA - FC200GM - FC401GM - FM20G
 FM20GB - FM200GM - FM401GM - FP10G - FP10GA
 MM20GA - MM20GB - MM200GEP - MM200GM - MM401GM



LAINOX R75400330

LAINOX 50405710

3240276 FAN ø 350 mm
 thickness 120 mm
 total blades 24 - ø tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) - Series CE
 Series CES - Series ME - Series MES - Series PE
 Series VE - Series VES
 for Convection oven gas (LAINOX) - Series CG
 Series CGS - Series GC - Series GM - Series MG
 Series MGC - Series MGS - Series PG - Series VG
 Series VGS



LAINOX R75400380

Filters

3160231 STAINLESS STEEL DRAIN FILTER ø 76 mm
 for Convection oven electric (LAINOX) - Series ME
 Series VE
 for Convection oven gas (LAINOX) - Series MG
 Series VG



LAINOX R02200280

LAINOX R10201700

LAINOX 50606790



Suitable for:

LAINOX



Suitable for:

Fittings

3010209 ELBOW FITTING JG PM0310E
pipe \varnothing 10 mm



LAINOX R62090478

3010204 T-FITTING JG PM0210E
pipe \varnothing 10 mm



LAINOX R62090468

Fuses

3049009 DELAY FUSE 5x20 - 10 PCS
250V 400mA



LAINOX R65200350

3049016 DELAY FUSE 5x20 - 10 PCS
250V 2A



LAINOX R65200200

LAINOX 50304780

3049037 QUICK ACTING FUSE 5x20 - 10 PCS
250V 125mA



LAINOX R65200080

LAINOX R65200086

LAINOX 50304763

3049039 QUICK ACTING FUSE 5x20 - 10 PCS
250V 200mA



LAINOX R65200320

Gaskets and seals

3186009 ASBESTOS FREE FLAT GASKET \varnothing 45x33x2 mm



LAINOX CR0682770

3186463 BOILER GASKET

external dimensions 105x100 mm
internal dimensions 77x77 mm
for burner - smoke exhaust - heat exchanger
for Convection oven electric (LAINOX) VG101
VG102 - VG201 - VG202
for Convection oven gas (LAINOX) MG101 - MG102
MG201 - MG202



LAINOX R63140020



Suitable for:

Suitable for:

3186447 MOTOR SEAL GASKET

external \varnothing 29.5 mm
 internal \varnothing 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R70020050

LAINOX 50505890

3186421 SHAFT SEALING GASKET

external \varnothing 20 mm - internal \varnothing 15 mm



LAINOX R70020040

LAINOX 50505880

Gaskets for oven door

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



LAINOX R70040010

LAINOX R70040120

LAINOX R70040200

LAINOX R80100010

LAINOX 50505821


LAINOX 50505822

LAINOX 50505823

LAINOX 50505825

3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



LAINOX R70040010

LAINOX R70040120

LAINOX R70040200

LAINOX R80100010

LAINOX 50505821

LAINOX 50505822

LAINOX 50505823

LAINOX 50505825

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



LAINOX R70040010

LAINOX R70040120

LAINOX R70040200

LAINOX R80100010

LAINOX 50505821

LAINOX 50505822

LAINOX 50505823

LAINOX 50505825



Suitable for:

Suitable for:


5039777 OVEN CARRIAGE GASKET KIT
 made of silicone elastomer
 profile dimensions 14x28 mm
 1 piece length 735 mm - 2 pieces length 150 mm
 COLOUR BLACK
 for Convection oven (LAINOX)



LAINOX R70044320


LAINOX R70044360

3186471 OVEN CARRIAGE GASKET 1000 mm
 made of silicone elastomer
 profile dimensions 20x13 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) VEC20X
 for Convection oven gas (LAINOX) MGC20H - MGC40P
 MGC40X



LAINOX R70041150

3786062 OVEN CARRIAGE GASKET 700 mm
 made of silicone elastomer
 profile dimensions 28x14 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) GEMT40P
 GEMT40T - GEVT40P - GEVT40T - HME201P
 HME201T - HME201X - HME202P - HME202T
 HME202X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X - ME201D - ME201P
 ME201T - ME202D - ME202P - ME202T
 for Convection oven gas (LAINOX) GGMT40P - GGMT40T
 GGVT40P - GGVT40T - HMG201P - HMG201T
 HMG201X - HMG202P - HMG202T - HMG202X
 HVG201P - HVG201T - HVG201X - HVG202P
 HVG202T - HVG202X - MG201D - MG201P - MG201T
 MG202D - MG202P - MG202T



LAINOX R70044300

3286032 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)
 for Convection oven (LAINOX)



LAINOX R70041210
 LAINOX R70041370
 LAINOX R70041820
 LAINOX R70042020
 LAINOX R70042050
 LAINOX R70042570
 LAINOX 50505954

LAINOX R70041220
 LAINOX R70041410
 LAINOX R70041990
 LAINOX R70042030
 LAINOX R70042160
 LAINOX R70042580

LAINOX R70041350
 LAINOX R70041550
 LAINOX R70042000
 LAINOX R70042040
 LAINOX R70042530
 LAINOX 50505953

3286046 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) MES40
 ME106 - ME110 - VES40 - VE106 - VE110
 for Convection oven gas (LAINOX) MGS40 - MG106
 MG110 - VGS40 - VG106 - VG110



LAINOX R70040980
 LAINOX R70043260
 LAINOX R80100070

LAINOX R70040990
 LAINOX R70043290

LAINOX R70043250
 LAINOX R70043300



Suitable for:

LAINOX



Suitable for:

3286085 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)
 for Convection oven (LAINOX)



- LAINOX R70041210
- LAINOX R70041370
- LAINOX R70041820
- LAINOX R70042020
- LAINOX R70042050
- LAINOX R70042570
- LAINOX 50505954

- LAINOX R70041220
- LAINOX R70041410
- LAINOX R70041990
- LAINOX R70042030
- LAINOX R70042160
- LAINOX R70042580

- LAINOX R70041350
- LAINOX R70041550
- LAINOX R70042000
- LAINOX R70042040
- LAINOX R70042530
- LAINOX 50505953

3286032 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)
 for Convection oven (LAINOX)



- LAINOX R70041210
- LAINOX R70041370
- LAINOX R70041820
- LAINOX R70042020
- LAINOX R70042050
- LAINOX R70042570
- LAINOX 50505954

- LAINOX R70041220
- LAINOX R70041410
- LAINOX R70041990
- LAINOX R70042030
- LAINOX R70042160
- LAINOX R70042580

- LAINOX R70041350
- LAINOX R70041550
- LAINOX R70042000
- LAINOX R70042040
- LAINOX R70042530
- LAINOX 50505953

3286031 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)
 for Convection oven (LAINOX)



- LAINOX R70041210
- LAINOX R70041370
- LAINOX R70041820
- LAINOX R70042020
- LAINOX R70042050
- LAINOX R70042570
- LAINOX 50505954

- LAINOX R70041220
- LAINOX R70041410
- LAINOX R70041990
- LAINOX R70042030
- LAINOX R70042160
- LAINOX R70042580

- LAINOX R70041350
- LAINOX R70041550
- LAINOX R70042000
- LAINOX R70042040
- LAINOX R70042530
- LAINOX 50505953

3286031 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)
 for Convection oven (LAINOX)



- LAINOX R70041210
- LAINOX R70041370
- LAINOX R70041820
- LAINOX R70042020
- LAINOX R70042050
- LAINOX R70042570
- LAINOX 50505954

- LAINOX R70041220
- LAINOX R70041410
- LAINOX R70041990
- LAINOX R70042030
- LAINOX R70042160
- LAINOX R70042580

- LAINOX R70041350
- LAINOX R70041550
- LAINOX R70042000
- LAINOX R70042040
- LAINOX R70042530
- LAINOX 50505953



Suitable for:

Suitable for:

3286045 OVEN DOOR GASKET - 6 m

made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE110M
 MES40 - ME106 - ME110D - ME110H - ME110M
 ME110P - ME110X - VES40 - VE106 - VE110D
 VE110H - VE110M - VE110P - VE110X
 for Convection oven gas (LAINOX) CG110M - MGS40
 MG106 - MG110D - MG110H - MG110M - MG110P
 MG110X - VGS40 - VG106 - VG110D - VG110H
 VG110M - VG110P - VG110X



LAINOX R70040980
 LAINOX R70043250
 LAINOX R70043300

LAINOX R70040990
 LAINOX R70043260
 LAINOX R80100070

LAINOX R70041020
 LAINOX R70043290

3286046 OVEN DOOR GASKET - 25 m

made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) MES40
 ME106 - ME110 - VES40 - VE106 - VE110
 for Convection oven gas (LAINOX) MGS40 - MG106
 MG110 - VGS40 - VG106 - VG110



LAINOX R70040980
 LAINOX R70043260
 LAINOX R80100070

LAINOX R70040990
 LAINOX R70043290

LAINOX R70043250
 LAINOX R70043300

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



LAINOX R70041200
 LAINOX R70041290
 LAINOX R70041560
 LAINOX R80100490
 LAINOX 50505951

LAINOX R70041250
 LAINOX R70041330
 LAINOX R70041780
 LAINOX 50505941

LAINOX R70041270
 LAINOX R70041540
 LAINOX R70042510
 LAINOX 50505943

3286084 OVEN DOOR GASKET 04880 - 3 m

made of silicone elastomer
 profile dimensions
 BLACK COLOUR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



LAINOX R70041200
 LAINOX R70041290
 LAINOX R70041560
 LAINOX R80100490
 LAINOX 50505951

LAINOX R70041250
 LAINOX R70041330
 LAINOX R70041780
 LAINOX 50505941

LAINOX R70041270
 LAINOX R70041540
 LAINOX R70042510
 LAINOX 50505943

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



LAINOX R70041200
 LAINOX R70041290
 LAINOX R70041560
 LAINOX R80100490
 LAINOX 50505951

LAINOX R70041250
 LAINOX R70041330
 LAINOX R70041780
 LAINOX 50505941

LAINOX R70041270
 LAINOX R70041540
 LAINOX R70042510
 LAINOX 50505943



Suitable for:

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



LAINOX R70041200
LAINOX R70041290
LAINOX R70041560
LAINOX R80100490
LAINOX 50505951

LAINOX R70041250
LAINOX R70041330
LAINOX R70041780
LAINOX 50505941

LAINOX R70041270
LAINOX R70041540
LAINOX R70042510
LAINOX 50505943

LAINOX

Suitable for:



3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



LAINOX R70041200
LAINOX R70041290
LAINOX R70041560
LAINOX R80100490
LAINOX 50505951

LAINOX R70041250
LAINOX R70041330
LAINOX R70041780
LAINOX 50505941

LAINOX R70041270
LAINOX R70041540
LAINOX R70042510
LAINOX 50505943

5021218 OVEN DOOR GASKET 1310x710 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) VEC20X
for Convection oven gas (LAINOX) MGC20H



LAINOX R70042150

3786068 OVEN DOOR GASKET 1545x700 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) HME202P
HME202X
for Convection oven gas (LAINOX) HMG202P - HMG202X



LAINOX R70044140

3786066 OVEN DOOR GASKET 1550x685 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) HME201P
HME201T - HME201X - HVE201P - HVE201T
HVE201X - MCE201M - ME201D - ME201P - ME201T
VE201D - VE201P
for Convection oven gas (LAINOX) HMG201P - HMG201T
HMG201X - HVG201P - HVG201T - HVG201X
MCG201M - MG201D - MG201P - MG201T - VG201D
VG201P



LAINOX R70044130




Suitable for:

Suitable for:

5022831 OVEN DOOR GASKET 2500 mm
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) EM010H
 EV010P
 for Convection oven gas (LAINOX) GC010M - GV010M

5011388 OVEN DOOR GASKET 3000 mm
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE210M
 ME210D - ME210H - ME210M - ME210P - ME210X
 VE210D - VE210H - VE210M - VE210P - VE210X
 for Convection oven gas (LAINOX) CG210M - MG210D
 MG210H - MG210M - MG210P - MG210X - VG210D
 VG210H - VG210M - VG210P - VG210X




LAINOX R70042870

LAINOX R70043270

5021244 OVEN DOOR GASKET 4000 mm
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) ME120D
 ME120H - ME120M - ME120P - ME120T - ME120X
 VE120D - VE120H - VE120M - VE120P - VE120X
 for Convection oven gas (LAINOX) MG120D - MG120H
 MG120M - MG120P - MG120X - VG120D - VG120H
 VG120M - VG120P - VG120X

5032400 OVEN DOOR GASKET 520x470 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven (LAINOX)



LAINOX R70041010

LAINOX R70043280

LAINOX R70044210

3786639 OVEN DOOR GASKET 550x400 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LAINOX) A05RES

3786638 OVEN DOOR GASKET 595x390 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LAINOX) A05PES
 REP044M - REP054M



LAINOX R70044030

LAINOX R70044040



Suitable for:

LAINOX



Suitable for:

3786067 OVEN DOOR GASKET 610x435 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (ALPHATEC) EVE051S
 for Convection oven electric (LAINOX) CE051M
 MCE051M - MVE051P - VE051P - VE055P
 for Convection oven gas (LAINOX) CG051M - MCG051M
 MVG051P - VG051P



LAINOX LAR70044340

LAINOX R70044340

3786064 OVEN DOOR GASKET 620x515 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) HME061P
 HME061T - HME061X - HVE061P - HVE061T
 HVE061X - ME061P - ME061T - VE061D - VE061P
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HVG061P - HVG061T - HVG061X - MG061P
 MG061T - VG061D - VG061P



LAINOX R70044100

5022397 OVEN DOOR GASKET 690x585 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE071M
 XAME07D
 for Convection oven gas (LAINOX) CG071M



LAINOX R70044230

3786640 OVEN DOOR GASKET 730x600 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LAINOX) A10PES
 REP084M - REP104M



LAINOX R70044000

3786706 OVEN DOOR GASKET 740x540 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LAINOX) A08RES
 A10RES



LAINOX R70044010

5011253 OVEN DOOR GASKET 747x635 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE110M
 ME110D - ME110H - ME110M - ME110P - ME110X
 VE110D - VE110H - VE110M - VE110P - VE110X
 for Convection oven gas (LAINOX) CG110M - MG110D
 MG110H - MG110M - MG110P - MG110X - VG110D
 VG110H - VG110M - VG110P - VG110X



LAINOX R70042020



LAINOX



Suitable for:

5053388 OVEN DOOR GASKET 785x620 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven (LAINOX)



LAINOX R70044830

5028525 OVEN DOOR GASKET 800x760 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) CE200M
for Convection oven gas (LAINOX) CG200M



LAINOX R70044240

3786063 OVEN DOOR GASKET 805x705 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) GEMT20P
GEMT20T - GEVT20P - GEVT20T - HME102P
HME102T - HME102X - HVE102P - HVE102T
HVE102X - ME102P - ME102T - VE102D - VE102P
for Convection oven gas (LAINOX) GGMT20P - GGMT20T
GGVT20P - GGVT20T - HMG102P - HMG102T
HMG102X - HVG102P - HVG102T - HVG102X - MG102P
MG102T - VG102D - VG102P



LAINOX R70044120

Suitable for:

3786061 OVEN DOOR GASKET 800x685 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) CE100M
HME101P - HME101T - HME101X - HVE101P
HVE101T - HVE101X - MCE101M - ME101P - ME101T
MME101P - MVE101P - VE101D - VE101P
for Convection oven gas (LAINOX) CG100M - HMG101P
HMG101T - HMG101X - HVG101P - HVG101T
HVG101X - MCG101M - MG101P - MG101T - MMG101P
MVG101P - VG101D - VG101P



LAINOX R70044110

5024600 OVEN DOOR GASKET 805x480 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven (LAINOX)



LAINOX R70044220

3186464 OVEN GLASS GASKET 1700 mm

made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (LAINOX)



LAINOX R70040730

LAINOX R70040740



Suitable for:

LAINOX



3186465 OVEN GLASS GASKET 2100 mm

made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven electric (LAINOX) FE110M
FE110X - FE210M - FE210X - ME110L - ME110S
PE080
for Convection oven gas (LAINOX) FG110M - FG110X
FG210M - FG210X - PG080



LAINOX R70040640

Suitable for:

3786065 OVEN GLASS GASKET 2700 mm

made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven electric (LAINOX) CE100M
CE200M - GEMT20P - GEMT20T - GEVT20P - GEVT20T
HME061P - HME061X - HME101P - HME101T
HME101X - HME102P - HME102T - HME102X
HVE061P - HVE061T - HVE061X - HVE101P
HVE101T - HVE101X - HVE102P - HVE102T
HVE102X
for Convection oven gas (LAINOX) CG100M - CG200M
GGMT20P - GGMT20T - GGVT20P - GGVT20T
HMG061P - HMG061T - HMG061X - HMG101P
HMG101T - HMG101X - HMG102P - HMG102T
HVG061P - HVG061T - HVG061X - HVG101P



LAINOX R70044150

Handles

3242226 BRACKET FOR HANDLE STRIKE

for Convection oven electric (LAINOX) VE106D
VE110H - VE210M



LAINOX R58002760

3242412 CATCH PIN FOR DOOR HANDLE

for OVEN



LAINOX R58004781

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH
for Convection oven electric (LAINOX) FV03 - FV06



LAINOX R50103020

LAINOX R69010500

LAINOX 50103020

3242094 COMPLETE DOOR HANDLE FOR OVEN

for Convection oven electric (LAINOX) - Series CES
Series MES - Series VES
for Convection oven gas (LAINOX) - Series CGS
Series MGS - Series VGS



LAINOX R69015050



Suitable for:

Suitable for:

3242099 COMPLETE DOOR HANDLE FOR OVEN

for OVEN ME061D/M/P/T-ME101D/M/P/T-ME102D/M/P/T
MG061D/M/P/T-MG101D/M/P/T-MG102D/M/P/T-VE061D/M
VE101D/M/P

for Convection oven electric (LAINOX) ME061D
ME061M - ME061P - ME061T - ME101D - ME101M
ME101P - ME101T - ME102D - ME102M - ME102P
ME102T - VE061D - VE061M - VE101D - VE101M
VE101P

for Convection oven gas (LAINOX) MG061D - MG061M
MG061P - MG061T - MG101D - MG102M - MG102P
MG102T



LAINOX R69010250

LAINOX R69010280

LAINOX R69010440

3242409 DOUBLE STRIKE M8x1 FOR DOOR HANDLE

overall length 54.5 mm
for OVEN



LAINOX R69010270

3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm
for Convection oven (GIORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



LAINOX R69010260

3242410 DOOR HANDLE INTERNAL COVER

for OVEN



LAINOX R69010630

3242425 SPRING FOR DOOR HANDLE

external dimensions 54x27 mm
for OVEN



LAINOX R61620132



Suitable for:

LAINOX



3242407 COMPLETE DOOR HANDLE FOR OVEN

for Convection oven electric (LAINOX) GEMT21P
 GEMT21T - GEMT40P - GEMT40T - GEVT21P
 GEVT21T - GEVT40P - GEVT40T - HME201P
 HME201T - HME201X - HME202P - HME202T
 HME202X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X
 for Convection oven gas (LAINOX) GGMT21P - GGMT21T
 GGMT40P - GGMT40T - GGVT21P - GGVT21T
 GGVT40P - GGVT40T - HMG201P - HMG201T
 HMG201X - HMG202P - HMG202T - HMG202X
 HVG201P - HVG201T - HVG201X - HVG202P
 HVG202T - HVG202X



LAINOX R11100310

3242412 CATCH PIN FOR DOOR HANDLE

for OVEN



LAINOX R58004781

3242734 COMPLETE DOOR HANDLE FOR OVEN

for Convection oven electric (LAINOX) CES24M
 CES40M - MES20D - MES20H - MES20M - MES20P
 MES20X - MES24D - MES24H - MES24M - MES24P
 MES24X - MES40D - MES40H - MES40M - MES40P
 MES40X - ME120T - VEC20X - VES20D - VES20H
 VES20M - VES20P - VES20X - VES24D - VES24H
 VES24M - VES24P - VES24X - VES40D - VES40H
 VES40M - VES40P - VES40X
 for Convection oven gas (LAINOX) CGS24M - CGS40M
 MGC20H - MGC40P - MGC40X - MGS20D - MGS20H
 MGS20M - MGS20P - MGS20X - MGS24D - MGS24H
 MGS24M - MGS24P - MGS24X - MGS40D - MGS40H
 MGS40M - MGS40P - MGS40X - MG220T - VGS20D
 VGS20H - VGS20M - VGS20P - VGS20X - VGS24D
 VGS24H - VGS24M - VGS24P - VGS24X - VGS40D



LAINOX R58003180



Suitable for:

Suitable for:

3242222 COMPLETE OVEN DOOR HANDLE


for Convection oven electric (LAINOX) CE041M
 CE051M - CE071M - CE100M - CE106M - CE110M
 CE200M - CE210M - FE061M - FE061X - FE110M
 FE110X - FE210M - FE210X - MCE051M - MCE071M
 MCE101M - MCE102M - ME106D - ME106H - ME106M
 ME106P - ME106X - ME110D - ME110H - ME110M
 ME110P - ME110X - ME210D - ME210H - ME210M
 ME210P - ME210X - MME071P - MME101P - MME102P
 MVE051P - MVE071P - MVE101P - MVE102P - PE040M
 PE040X - PE041M - PE041X - PE061M - PE061X
 PE080M - PE080X - PE106M - PE106X - VE042P
 VE051P - VE055P - VE105D - VE105H - VE105M
 VE105X - VE106D - VE106H - VE106M - VE106P
 VE106X - VE110D - VE110H - VE110M - VE110P
 VE110X - VE210D - VE210H - VE210M - VE210P



LAINOX R69015000

3242219 DOOR HANDLE PUSH-BUTTON

for CONVECTION OVEN new series



LAINOX R50004050

LAINOX R69031190

3242092 DOOR HANDLE SPRING \varnothing 11.5x50 mm

for OVEN



LAINOX R61620041

3242224 SPRING FOR HANDLE STRIKE

for OVEN



LAINOX R50001196

LAINOX R61620012

3242226 BRACKET FOR HANDLE STRIKE

for Convection oven electric (LAINOX) VE106D
 VE110H - VE210M



LAINOX R58002760

3242105 DOOR HANDLE SHAFT 73 mm

for OVEN



LAINOX R58003240

3242225 PIN FOR HANDLE STRIKE \varnothing 4x36 mm

for OVEN



LAINOX R50004040

LAINOX R58002160

3242093 STRIKE FOR DOOR HANDLE

for Convection oven electric (LAINOX) VE110H



LAINOX R58005050



Suitable for:

3242223 STRIKE WITH FLANGE FOR DOOR HANDLE
for OVEN



LAINOX R10100110

3242410 DOOR HANDLE INTERNAL COVER
for OVEN



LAINOX R69010630

3242105 DOOR HANDLE SHAFT 73 mm
for OVEN



LAINOX R58003240

3242409 DOUBLE STRIKE M8x1 FOR DOOR HANDLE
overall length 54.5 mm
for OVEN



LAINOX R69010270

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm
for Convection oven (INOXTREND) SCA4/5E00
SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
SUTA4/5E00
for Convection oven electric (INOXTREND) WBE4E
for Convection oven electric (ZANUSSI) FVE3



LAINOX R50103010

LAINOX R69010030

LAINOX 50103010

LAINOX

Suitable for:



3242219 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN new series



LAINOX R50004050

LAINOX R69031190

3242092 DOOR HANDLE SPRING \varnothing 11.5x50 mm
for OVEN



LAINOX R61620041

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH
for Convection oven electric (LAINOX) FV03 - FV06



LAINOX R50103020

LAINOX R69010500

LAINOX 50103020



Suitable for:

Suitable for:

3398021 OVEN DOOR CATCH
 distance between holes 47 mm
 catch distance 27 mm
 for Convection oven (COVEN) - Series TEC5 - TEC8
 TEC9P
 for Convection oven electric (COVEN) TEC10MX
 TEC4MX
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYP10
 for Convection oven gas (COVEN) TEC6G - TEC7G



LAINOX R50103110

LAINOX R69050010

LAINOX 50103110

3242144 OVEN DOOR HANDLE 260x30 mm
 with strike mounting distance 45 mm
 handle mounting distance 133 mm
 for Convection oven electric (COVEN) TEC3MD
 TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
 TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
 for Convection oven electric (LAINOX) A10PES
 for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
 TEC6G - TEC6GMD - TEC6GMX - TEC7G



LAINOX R69010010

3242225 PIN FOR HANDLE STRIKE \varnothing 4x36 mm
 for OVEN



LAINOX R50004040

LAINOX R58002160

3242425 SPRING FOR DOOR HANDLE
 external dimensions 54x27 mm
 for OVEN



LAINOX R61620132

3242224 SPRING FOR HANDLE STRIKE
 for OVEN



LAINOX R50001196

LAINOX R61620012

3242093 STRIKE FOR DOOR HANDLE
 for Convection oven electric (LAINOX) VE110H



LAINOX R58005050

3242111 STRIKE FOR DOOR HANDLE M8x1
 overall length 50.5 mm
 for Convection oven (GIORIK)
 for Convection oven (KELVIN)
 for Convection oven (SOLYMAC) SOLY5P
 for Convection oven electric (COVEN) N6MD - N6MX
 TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
 TEC6MD - TEC6MX - TEC7
 for Convection oven electric (SOLYMAC) SOLYMIX6
 SOLYP6
 for Convection oven gas (COVEN) N6GMD - N6GMX
 TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



LAINOX R69010260

3242223 STRIKE WITH FLANGE FOR DOOR HANDLE
 for OVEN



LAINOX R10100110



Suitable for:

LAINOX



Suitable for:

Heating elements

3355566 HEATING ELEMENT 15000W 220/380V

immersed length 530 mm
flange external \varnothing 72 mm
with bulb sheath
complete with O-RING
for Convection oven electric (LAINOX) ME102D
ME102H - ME102M - ME102P - ME102T - ME201D



LAINOX R65020390

LAINOX R65020400

LAINOX R65020420

LAINOX R65020421

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



LAINOX

3755260 HEATING ELEMENT 15000W 230V

external \varnothing 405 mm - height 220 mm
flange 140x25 mm
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES



LAINOX R65011310

3755977 HEATING ELEMENT 15000W 230V

external \varnothing 525 mm - overall height 230 mm
flange 142x25 mm
for Convection oven electric (LAINOX) HME102P
HME102T - HME102X - HME202P - HME202T
HME202X - HVE102P - HVE102T - HVE102X
HVE202P - HVE202T - HVE202X



LAINOX R65011250

3355533 HEATING ELEMENT 2500W 230V

length 125 mm - width 655 mm
flange 70x22 mm
for Convection oven electric (ANGELO PO) FCA10E
for Convection oven electric (LAINOX) FE101M
FE101X - FE110M - FE110X - ME10 - ME21 - MME10
MME21 - PE08 - PE080M - PE080X - PE081M
PE081X - PE101M - PE101X - RE10



LAINOX R50303150

LAINOX R50303860

LAINOX R65010130

LAINOX R65010140

LAINOX R65010141

LAINOX R65010180

LAINOX R65015300

LAINOX R65015310

LAINOX 50303150

LAINOX 50303860

3355568 HEATING ELEMENT 3000W 220V

external \varnothing 190 mm - overall height 70 mm
flange 70x22 mm
for Convection oven electric (LAINOX) FE004 - FE04



LAINOX R65010340

LAINOX R65015510



Suitable for:

Suitable for:

3355567 HEATING ELEMENT 3150W 220V
 external \varnothing 220 mm - overall height 95 mm
 flange 95x22 mm
 for Convection oven electric (LAINOX) CE041M
 FE004 - VE004D - VE004H - VE004M - VE004S
 VE004X - VE04P - VE042P



LAINOX A34300510
LAINOX R65010320

LAINOX R65010280

LAINOX R65010300

3355534 HEATING ELEMENT 3500W 230V
 length 125 mm - width 655 mm
 flange 70x22 mm
 for Convection oven electric (ANGELO PO) FCA201E
 for Convection oven electric (LAINOX) FE102M
 FE102X - FE210M - FE210X - ME20 - ME24 - ME40
 MME20 - MME24 - MME40 - RE20 - RE24 - RE40



LAINOX R50303170
LAINOX R65015660

LAINOX R65010371
LAINOX R65015670

LAINOX R65010390
LAINOX 50303170

3755261 HEATING ELEMENT 3900W 230V
 external \varnothing 235 mm - overall height 107 mm
 flange 93x22 mm
 for Convection oven electric (LAINOX) VE104D
 VE104H - VE104M - VE104S - VE104X



LAINOX R65010430
LAINOX R65010441

LAINOX R65010431
LAINOX R65010450

LAINOX R65010440
LAINOX 50303080

3755008 HEATING ELEMENT 5400W 230V
 external \varnothing 203 mm - overall height 118 mm
 flange 140x22 mm
 for Convection oven electric (LAINOX) FE05



LAINOX R65011500
LAINOX 50303810

LAINOX R65015830

LAINOX 50303560

3355106 HEATING ELEMENT 6000W 230/400V
 for wash tank and boiler
 immersed length 350 mm
 flange external \varnothing 72 mm
 with thermostat probe receptacle
 with O-ring
 upon request nut and washer
 for Convection oven electric (ANGELO PO) FV2SE
 for Convection oven electric (LAINOX) FV03 - FV06
 ME05 - ME10 - ME105L - ME105S - ME15 - ME20
 ME21 - ME24 - ME40 - MME05 - MME10 - MME15
 MME20 - MME21 - MME24 - MME40



LAINOX R65020270
LAINOX 50303250

LAINOX R65020280

LAINOX R65025100

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



LAINOX



Suitable for:

LAINOX



Suitable for:

3355137 HEATING ELEMENT 6000W 230V

external \varnothing 230 mm - overall height 150 mm
flange 140x22 mm
for Convection oven electric (LAINOX) CE051M
HME061P - HME061X - MCE051M - ME05 - ME105L
ME105S - MME05 - MVE051P - VE051P - VE055P
VE105S



LAINOX R50303270
LAINOX R65011520
LAINOX 50303270

LAINOX R50303280
LAINOX R65015910
LAINOX 50303280

LAINOX R50303820
LAINOX R65015920
LAINOX 50303820

3755206 HEATING ELEMENT 6000W 240V

external \varnothing 230 mm - height 130 mm
flange 140x25 mm
for Convection oven electric (FOINOX) FC05EU
FC05EUM - FC06E - FC50EM - MIDI005EEP
MIDI005EM
for Convection oven electric (LAINOX) A10PES



LAINOX R65011530

3355569 HEATING ELEMENT 7200W 220/400V

external \varnothing 230 mm - overall height 150 mm
flange 140x20 mm
for Convection oven electric (LAINOX) FE05
FE051M - FE051X - FE105M - FE105X - PE04
PE040M - PE040X - PE041M - PE041X - PE05
PE051M - PE051X



LAINOX R65010680
LAINOX 50303580

LAINOX R65016010
LAINOX 50303830

LAINOX R65016020

3355535 HEATING ELEMENT 7500W 220V

external \varnothing 265 mm - overall height 173 mm
flange 140x22 mm - fittings \varnothing 4 mm
for Convection oven electric (LAINOX) CE071M
CE106M - ME061D - ME061H - ME061M - ME061P
ME061T - ME106D - ME106H - ME106L - ME106M
ME106P - ME106S - ME106T - ME106X - MME071P
VE061D - VE061M - VE061P - VE106D - VE106H
VE106L - VE106M - VE106P - VE106S - VE106T
VE106X



LAINOX R65010570
LAINOX R65011540

LAINOX R65010570

LAINOX R65010580

3355538 HEATING ELEMENT 7500W 220V

immersed length 370 mm
flange external \varnothing 72 mm
with bulb sheath
complete with O-RING
upon demand nut and washer
for boiler
for Convection oven electric (LAINOX) ME061D
ME061M - ME061P - ME061T - ME101D - ME101M
ME106T - ME110L - ME110S - ME110T - ME120L
ME120S - ME120T - ME210L - ME210S - ME210T
MME071P



LAINOX R50303890
LAINOX R65020350

LAINOX R65020320
LAINOX 50303890

LAINOX R65020330

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



LAINOX



Suitable for:

Suitable for:

3755259 HEATING ELEMENT 9000W 230V

external \varnothing 525 mm - height 105 mm
flange 140x25 mm
for Convection oven electric (LAINOX) ME210D
ME210H - ME210M - ME210P - ME210X - ME220D
ME220H - ME220M - ME220P - ME220X - VE210D
VE210H - VE210M - VE210P - VE210X - VE220D
VE220H - VE220M - VE220P - VE220X



LAINOX R65011210

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



LAINOX MA1304500

3053235 HINGE SUPPORT PIN

for Convection oven electric (LAINOX) - Series ME
PE008M - Series VE - Series VES
for Convection oven gas (LAINOX) - Series MG
Series VG - Series VGS



LAINOX R58002150

Hydraulic plumbing

3359877 HOSE \varnothing 7/10 mm 3000 mm

for water
for Convection oven electric (LAINOX) ME061H
ME061M - ME061P - ME061T - ME101D - ME101H
ME101M - ME101P - ME101T - ME102D - ME102M
ME102P - ME102T - ME201H - ME201T - ME202D
ME202H - ME202M - ME202P - ME202T - VE055P
VE201D - VE201M - VE201P - VE202D - VE202M
VE202P - XAME07D
for Convection oven gas (LAINOX) MG061D - MG061H
MG061M - MG061P - MG061T - MG101D - MG101H
MG101M - MG101P - MG101T - MG102D - MG102H
MG102M - MG102P - MG102T - MG201T - MG202T
VG061P - VG201D - VG201M



LAINOX R70070050



Suitable for:

LAINOX



Suitable for:

Interference suppression filters

- 3160479 INTERFERENCE SUPPRESSION FILTER 0,47µF**
 for Convection oven electric (LAINOX) - Series CE
 Series ME - Series VE
 for Convection oven gas (LAINOX) - Series CG



LAINOX R65280200

Knobs

- 3241335 BLACK KNOB ø 42 mm**
 D-shaped hole 6x4.6 mm
 for thermostat, selector switch, program switch
 for Convection oven (LAINOX)



LAINOX R69030050
LAINOX R69030200

LAINOX R69030150

LAINOX R69030170

- 3241338 BLACK KNOB ø 42 mm**
 D-shaped hole 6x4.6 mm
 for Convection oven (LAINOX)



LAINOX R69030060

LAINOX R69030080

Lamps

- 3221383 CAP OVEN LAMP HOLDER**
 for Convection oven (LAINOX)



LAINOX R11401440

- 3221386 FRAME FOR OVEN LAMP RECEPTACLE**
 external dimensions 130x57 mm
 for Convection oven (LAINOX)



LAINOX R11401450

- 3221385 GASKET FOR OVEN LAMP RECEPTACLE GLASS**
 external dimensions 130x55 mm
 for Convection oven (LAINOX)



LAINOX R70044200

- 3221384 GLASS FOR OVEN LAMP RECEPTACLE**
 external dimensions 105x40 mm
 for Convection oven (LAINOX)



LAINOX R71500150



Suitable for:

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

Suitable for:

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

3221166 GREEN INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



LAINOX R65270230

LAINOX 50304630

3221012 GREEN INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



LAINOX R50304630

1221101 HALOGEN LAMP RECEPTACLE G4 20W 12V
for Convection oven electric (LAINOX) CE071M
CE100M - CE200M
for Convection oven gas (LAINOX) CG071M - CG100M



LAINOX R65270450

3221106 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 120 mm
for Convection oven electric (LAINOX) VES20D
VES20H - VES20M - VES20P - VES20X - VES24D
VES24H - VES24M - VES24P - VES24X - VES40D
VES40H - VES40M - VES40P - VES40X - VE106D
VE106H - VE106M - VE106P - VE106X - VE110D
VE110H - VE110M - VE110P - VE110X - VE210D
VE210H - VE210M - VE210P - VE210X
for Convection oven gas (LAINOX) VGS20M - VG106H
VG106P - VG106X - VG110H - VG110P - VG110X



LAINOX R65270400

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



LAINOX R50304520

LAINOX R65270020

LAINOX 50304520



Suitable for:

Suitable for:

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



LAINOX R50304520

LAINOX R65270020

LAINOX 50304520

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX CR0587500

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300910

3221215 ORANGE INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



LAINOX R65270220

3221388 OVEN LIGHT CONTACT
wire connection length 1710 mm
for Convection oven electric (LAINOX) HME061P
HME061X - HME101P - HME101X - HME102P
HME102X - HME201P - HME201X - HME202P
HME202X
for Convection oven gas (LAINOX) HMG061P - HMG061X
HMG101P - HMG101X - HMG102P



LAINOX R65260750

3221223 230 V GREEN INDICATOR LAMP KIT
head \varnothing 12 mm - hole \varnothing 18 mm - 120°C
for Convection oven (LAINOX) - Series CE
Series CG - Series ME - Series MG - Series VE
Series VG



LAINOX R65270160

3221224 230 V ORANGE INDICATOR LAMP KIT
head \varnothing 12 mm - hole \varnothing 18 mm - 120°C
for Convection oven (LAINOX) - Series CE
Series CG - Series ME - Series MG - Series VE
Series VG



LAINOX R65270150



Suitable for:

Suitable for:

3221224 230 V ORANGE INDICATOR LAMP KIT
head \varnothing 12 mm - hole \varnothing 18 mm - 120°C
for Convection oven (LAINOX) - Series CE
Series CG - Series ME - Series MG - Series VE
Series VG



LAINOX R65270150

Level regulators

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven electric (FOINOX) FM100EM
FM200EM - FM201EM - FM401EM - FM60EM
for Convection oven gas (FOINOX) FM100GM - FM200GM
FM201GM - FM401GM - FM60GM



LAINOX R50304940

LAINOX R65120010

LAINOX R65300130

LAINOX 50304880

Level sensors

3341012 LEVEL PROBE \varnothing 1/4" M - 220 mm



LAINOX R65320010

LAINOX 50001910



Suitable for:

LAINOX



Suitable for:

Microswitches

3240418 MAGNETIC MICROSWITCH E5501V
 0.04A 250V - NO contact - head 16x37 mm
 with magnet 63x19x11 mm
 with cable length 520 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R65265100

3240189 MICRO SWITCH M1DX20 10A 250V
 for Convection oven (ANGELO PO)
 till 31/12/99
 for Convection oven electric (ANGELO PO)
 till 13/11/99
 FCV101E - FCV101EDM - FCV101EDS - FCV141E
 FCV141EDM - FCV141EDS - FCV241E - FCV241EDM
 FCV241EDS - FCV401EDM - FCV61E - FCV61EDM
 FCV61EDS - FC101E - FC241E - FC61E
 for Convection oven gas (ANGELO PO)
 till 13/11/99
 FCV101 - FCV141DM - FCV141DS - FCV241 - FCV241G
 FCV61 - FC101 - FC61



LAINOX R65260530

LAINOX 50304530

3240410 MICRO SWITCH 16A 250V
 for ANGELO PO OLD OVENS FC-FCV
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
 for IPSO CALENDER RI1600/30-RI1600/30AV



LAINOX R65260540

3240435 MICROSWITCH M1DX20 10A 250V
 for Convection oven (LAINOX)



LAINOX R65260540

LAINOX 50304540

3240820 MICROSWITCH 16A 250V



LAINOX MA1037111300



Motors

3340136 MOTOR C30X0L13/06 47W 220/240V 50Hz
 with long pin
 fan \varnothing 155 mm
 for Convection oven electric (ALPHATEC) A23RES
 for Convection oven electric (LAINOX) A23RES



LAINOX A34300420

LAINOX R65060030

3240113 MOTOR KIT K48210 0.25Kw 220/240V
 with fan \varnothing 150 mm - thickness 39 mm
 hole 6x8 mm - 50/60Hz 2800/3200 rpm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE004M - VE004X - VE104D - VE104H
 VE104M - VE104X



LAINOX R65040100

LAINOX R65040101

LAINOX R65490710

3240114 FAN \varnothing 150 mm
 thickness 38 mm
 total blades 36 - \varnothing hole 6 mm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE004M - VE004X - VE104D - VE104H
 VE104M - VE104X



LAINOX R75400030

LAINOX R75400040

3240325 MOTOR K48210 M01616 0.12Kw 220/240V
 1.6A 2100-3100rpm
 capacitor 5 μ F
 for Convection oven (LAINOX) RB102D
 for Convection oven electric (GARBIN) 25EXVAPOR
 31EXVAPOR - 31GXUMI - 36EXVAPOR - 36PXUMI
 43SEVAPOR



LAINOX R65041000

3240031 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz
 0.90A 2760rpm - capacitor 4 μ F
 formerly model FIR 1572
 for Convection oven (LAINOX)



LAINOX R50405580
 LAINOX 50405580

LAINOX R65040310
 LAINOX 50405581

LAINOX R65040380

3240032 FAN \varnothing 160 mm
 thickness 60 mm
 total blades 15 - \varnothing hole 8 mm
 for Convection oven (LAINOX)



LAINOX R75400060

LAINOX 50405740



Suitable for:

LAINOX



Suitable for:

3240279 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz
 0.90A - 2760/3320rpm - capacitor 4 µf
 for Convection oven electric (LAINOX) VE105D
 VE105H - VE105M - VE105X
 for Convection oven gas (LAINOX) VG105D - VG105H
 VG105M - VG105S - VG105X



LAINOX R65040071

3240277 MOTOR ST80/4 50/60Hz
 220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
 200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
 1350-1650rpm
 for Convection oven electric (GIORIK) CE10MX
 CE102MX - CE20MX - DE10MX - DE102MX - EF10GM
 EF7GM - VE10M - VE102EC - VE102M - VE20MX
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (GIORIK) CG10MX - CG102MX
 CG20MX - DG10MX - DG102MX - VG10MX - VG102MX
 VG20MX



LAINOX R50405510
LAINOX R65040170

LAINOX R65040020
LAINOX 50405510

LAINOX R65040061

3240297 MOTOR WITH FAN 32W 220/240V 50/60Hz
 fan ø 145 mm
 for Convection oven electric (SMEG) ALFA15
 ALFA20
 for Proving oven electric (LAINOX) A08GCS - LA10
 LA16 - LA18 - LV10 - LV15 - LV16 - LV18



LAINOX R65060040

3240275 MOTOR 1057 0.37Kw 230V 50Hz
 2.5A - 2800rpm - capacitor 10 µf
 for Convection oven electric (LAINOX) CE106M
 FE051M - ME106D - ME106M - ME106X - PE041M
 PE051M - VE106D - VE106M - VE106X
 for Convection oven gas (LAINOX) CG106M - FG051M
 MG106D - MG106M - MG106X - PG041M - PG051M
 VG106D - VG106M - VG106X



LAINOX R65040420

3240029 MOTOR 1057 0.5/0.10HP 220/240V 50Hz
 2/4 poles 2/0.7A 1400rpm - capacitor 20 µF
 for Convection oven (LAINOX)



LAINOX R50405610

LAINOX R65040260

LAINOX 50405610

3240030 FAN ø 180 mm
 thickness 60 mm
 total blades 16 - ø tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - MM06EBM
 for Convection oven electric (GIORIK) EF5GM
 for Convection oven gas (FOINOX) FC06G - FC06GA
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB
 for Convection oven gas (GIORIK) GF5GM - G6VGE



LAINOX R75400120

LAINOX R75400130

LAINOX 50405730



Suitable for:

Suitable for:

3186421 SHAFT SEALING GASKET
external \varnothing 20 mm - internal \varnothing 15 mm



LAINOX R70020040

LAINOX 50505880

3240692 MOTOR 1057C2401 0.25Kw 230V 50Hz
1.6A - 2800rpm - capacitor 10 μ f
for Convection oven electric (LAINOX) CE071M
GEMT06P - GEVT06P - HME061P - HVE061P
MCE071M - MME071P - MVE071P - VE061D
for Convection oven gas (LAINOX) CG071M - GGMT06P
GGVT06P - HMG061P - HVG061P - MCG071M
MMG071P - MVG071P - VG061D



LAINOX R6504021

3240108 MOTOR 1060/1950 0.25HP 220/240V 50/60Hz
1A - 1400/1700rpm - capacitor 5 μ f
for Convection oven electric (LAINOX) ME106D
ME106M - VE106D - VE106M
for Convection oven gas (LAINOX) MG106D - MG106M
VG106D - VG106M



LAINOX R65040021

3240109 FAN \varnothing 220 mm
thickness 79 mm
total blades 20 - \varnothing tapered hole 11.5-16.5 mm
for Convection oven (LAINOX)
for Convection oven electric (FOINOX) FC60EEP
FC60EM - FM60EM - FM60ETD - FP50EEP - FP50EM
JO611E - MM60ED - MM60EM - MM60ETD
for Convection oven gas (FOINOX) FC60GEP - FC60GM
FM60GEP - FM60GM - FM60GTD - FP50GEP - FP50GM
JO611G - MM60GEP - MM60GM - MM60GTD



LAINOX R75400210

LAINOX R75400230

3186421 SHAFT SEALING GASKET
external \varnothing 20 mm - internal \varnothing 15 mm




LAINOX R70020040

LAINOX 50505880



Suitable for:


3240107 MOTOR 1061/1950 0.25/0.1HP 220/240V
 50/60Hz - 1/0.6A - 900/1400rpm
 capacitor 5 μ F
 for Convection oven electric (LAINOX) ME106H
 ME106P - ME106X - VE106H - VE106P - VE106X
 for Convection oven gas (LAINOX) MG106H - MG106P
 MG106X - VG106H - VG106P - VG106X



LAINOX R65040011

Suitable for:

3240109 FAN \varnothing 220 mm
 thickness 79 mm
 total blades 20 - \varnothing tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC60EEP
 FC60EM - FM60EM - FM60ETD - FP50EEP - FP50EM
 JO611E - MM60ED - MM60EM - MM60ETD
 for Convection oven gas (FOINOX) FC60GEP - FC60GM
 FM60GEP - FM60GM - FM60GTD - FP50GEP - FP50GM
 JO611G - MM60GEP - MM60GM - MM60GTD



LAINOX R75400210

LAINOX R75400230

3240278 MOTOR 1063.4M 0.55Kw 220/240V 50/60Hz
 3.6A 1400/1700rpm - capacitor 16 μ F
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R65040040

LAINOX R65040041

3186447 MOTOR SEAL GASKET
 external \varnothing 29.5 mm
 internal \varnothing 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R70020050

LAINOX 50505890

3240274 MOTOR 1063/46T 50/60Hz
 220/240/415V 50Hz 1400/900rpm 0.55Kw 3/1.7A
 220/240/480V 60Hz 1700/100rpm 0.185Kw 1.5/0.85A
 for Convection oven electric (LAINOX)
 till 1/04/06
 Series ME - Series MES - Series VE - Series VES



LAINOX R65040050

LAINOX R65040190

LAINOX R65040051

LAINOX 50405500

LAINOX R65040160

LAINOX 50405530

3240272 FAN \varnothing 300 mm
 thickness 120 mm
 total blades 20 - \varnothing tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) CE110M
 EM010H - EV010P - MES20D - MES20H - MES20M
 MES20P - MES20X - ME110D - ME110H - ME110M
 ME110P - ME110X - ME120D - ME120H - ME120M
 ME120P - ME120X - VEC20X - VES20D - VES20H
 VES20M - VES20P - VES20X - VE110D - VE110H
 VE110M - VE110P - VE110X - VE120D - VE120H
 VE120M - VE120P - VE120X
 for Convection oven gas (LAINOX) CG110M - GC010M
 GV010H - GV010M - MGC20H - MGS20D - MGS20H
 MGS20M - MGS20P - MGS20X - MG110D - MG110H
 MG110M - MG110P - MG110X - MG120D - MG120H
 MG120M - MG120P - MG120X - VGS20D - VGS20H



LAINOX R75400270

LAINOX R75400290



Suitable for:

3240273 MOTOR 1063D2250 0.55/0.185Kw 200/240V
 50Hz - 3.6/2A - 1400/900rpm
 capacitor 16-12.5 µf
 for Convection oven gas (LAINOX) - Series FG
 Series MG - Series MGS - Series VG - Series VGS



LAINOX R65040031

Suitable for:

3240689 MOTOR 3042A.4050 0.55Kw 50/60Hz
 200/240V 50Hz 0.55Kw 2.6A 1400rpm
 415V 50Hz 0.55Kw 1.5A 1400rpm
 200/240V 60Hz 0.55Kw 2.3A 1700rpm
 480V 60Hz 0.55Kw 1.3A 1700rpm
 for Convection oven electric (LAINOX) HME101P
 HME101T - HME101X - HME102P - HME102T
 HME102X - HME201P - HME201T - HME201X
 HME202P - HME202T - HME202X - HVE101P
 HVE101T - HVE101X - HVE102P - HVE102T
 HVE102X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X
 for Convection oven gas (LAINOX) HMG101T - HMG101X
 HMG102T - HMG102X - HMG201T - HMG201X
 HMG202T - HMG202X - HVG101T - HVG101X
 HVG102T - HVG102X - HVG201T - HVG201X



LAINOX R65040530

Outlet solenoid valves and accessories

3120126 BOILER MOTOR DRAIN VALVE TCN
 230V 50/60Hz
 connections ø 3/4"FF
 for Convection oven electric (GIERRE) FEV124E
 FEV124M - FEV124P - FEV64M
 for Convection oven electric (LAINOX) - Series ME
 VE061D - VE061M - XAME07D
 for Convection oven gas (GIERRE) FEV125E - FEV125M
 FEV125P - FEV65E - FEV65M - FEV65P
 for Convection oven gas (LAINOX) - Series MG



LAINOX R65110560

3525026 BOILER MOTOR DRAIN VALVE TCR
 230V 50/60Hz 5A
 fittings ø 1/2"FF
 for Convection oven electric (LAINOX) EM006H
 EM010H - Series ME - Series MES
 for Convection oven gas (LAINOX) GM020H - GM020M
 Series MG - Series MGC - Series MGS



LAINOX R65110540

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50



LAINOX R70045010

3186014 O-RING GASKET 06225 EPDM ø 67 mm



LAINOX



Suitable for:

LAINOX



Suitable for:

Penetration probes

3397037 PENETRATION PROBE
 connector fitting
 probe length 180 mm
 compartment internal cable length 1100 mm
 for Convection oven (LAINOX)



LAINOX R65320900

3397114 PENETRATION PROBE
 connector fitting
 probe length 175 mm
 cable length 1100 mm
 for Convection oven electric (LAINOX) HME061T
 HME061X - HME101T - HME101X - HME102T
 HME102X - HME201T - HME201X - HME202T
 HME202X - HVE061T - HVE061X - HVE101T
 HVE101X - HVE102T - HVE102X - HVE201T
 HVE201X - HVE202T - HVE202X
 for Convection oven gas (LAINOX) HMG061T - HMG061X
 HMG101T - HMG101X - HMG102T - HMG102X
 HMG201T - HMG201X - HMG202T - HMG202X
 HVG061T - HVG061X - HVG101T - HVG101X
 HVG102T - HVG102X - HVG201T - HVG201X
 HVG202T - HVG202X



LAINOX R65321100

3397019 PENETRATION PROBE PT100
 2 wires
 probe length 180 mm
 chamber internal cable length 900 mm
 chamber external cable length 1400 mm
 for OLD SERIES
 for Convection oven electric (LAINOX) ME05 - ME10
 for Convection oven gas (LAINOX) MG05 - MG10



LAINOX R50305122

LAINOX R65320180

LAINOX 50305121

3397036 PENETRATION PROBE SET PT100+PLUG+CAP
 connector fitting
 probe length 180 mm
 compartment internal cable length 1100 mm
 complete with panel plug with cap
 for Convection oven (LAINOX) ME110L



LAINOX R65320690

LAINOX R65320740

LAINOX R65320810

LAINOX R65320860

LAINOX R65325220

LAINOX R65325250

LAINOX R65320700

LAINOX R65320770

LAINOX R65320820

LAINOX R65325200

LAINOX R65325230

LAINOX R65325800

LAINOX R65320730

LAINOX R65320780

LAINOX R65320850

LAINOX R65325210

LAINOX R65325240

Pilot burners and accessories

3020079 PIPE FITTING \varnothing 12 mm



LAINOX MA459300

3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700



Suitable for:

3020085 NUT FOR SPARKING PLUG CONNECTION



LAINOX MA1888400

Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



LAINOX MA417810

3020201 PILOT GAS JET Ø 0.14 mm



LAINOX MA1888000

3020202 PILOT GAS JET Ø 0.27 mm



LAINOX MA1887800

3020054 PILOT JET Ø 0.20 mm



LAINOX MA1415100

3020156 PILOT JET Ø 0.25 mm




LAINOX MA1842300

3020157 PILOT JET Ø 0.25 mm



LAINOX MA1874700

3020041 PILOT JET Ø 0.41 mm



LAINOX MA1033719700

3020113 PILOT OLIVE TARGET Ø 4 mm



LAINOX MA1888100

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



LAINOX MACM029000

3020200 THERMOCOUPLE NUT



LAINOX MA1891700



Suitable for:

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



LAINOX R63050020

LAINOX 50203220

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



LAINOX MA1415100

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



LAINOX MA1888300

LAINOX MA224211

Potentiometers

3057215 SELECTOR SWITCH ENCODER COMPLETE W/CABLE
D-shaped pin 6x4.6 mm
for Convection oven electric (LAINOX) HME061P
HME101P - HME102P - HME201P - HME202P
for Convection oven gas (LAINOX) HMG061P - HMG101P
HMG102P - HMG201P - HMG202P



LAINOX R65301450

3057218 SELECTOR SWITCH ENCODER COMPLETE W/CABLE
D-shaped pin 6x4.6 mm
for Convection oven electric (LAINOX) ABE104S
HME061X - HME101X - HME102X - HME201X
HME202X
for Convection oven gas (LAINOX) HMG061X - HMG101X
HMG102X - HMG201X - HMG202X



LAINOX R65301940

LAINOX R65301941

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M
operating pressure regulation 5-20 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for Convection oven gas (ZANUSSI) ACV/G10
ECV/G10 - ECV/G6 - FCS061G - FCS101G - FCS102G
FCV/G10 - FCV/G6 - NCV/G10 - ZCV/G10 - ZCV/G6



LAINOX R63070010

3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V
fitting \varnothing 1/8" M
for Convection oven (OLIS) - Series CVM
Series ECVM
for Convection oven electric (KELVIN) KE106A
KE110A - KE210A - KPE405 - KPE408 - NKE106A
NKE110A - NKE210A
for Convection oven electric (LAINOX) VE100H
for Convection oven gas (KELVIN) KG106A - KG110A
KG210A - KPG405 - KPG408A - NKG106A - NKG110A
NKG210A



LAINOX R63070050



Suitable for:

Suitable for:

3320115 PRESSURE SWITCH CONNECTION
 for Convection oven (LAINOX) - Series PE
 Series PG - Series VE - Series VES - Series VG
 Series VGS



LAINOX R58003390

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



LAINOX R50305111

LAINOX R65325010

LAINOX 50305111

3445107 PTC PVC PROBE 3000 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



LAINOX FR995562

LAINOX RA930008

LAINOX R65320540

3397034 TEMPERATURE PROBE PT100
 2 wires
 probe length 83 mm
 cable length 1500 mm
 for Convection oven (LAINOX)



LAINOX R50305101

LAINOX R65325000

LAINOX 50305100

LAINOX 50305101

Rating-plates

3319452 BLUE ELECTRONIC PLATE
 dimensions 430x95 mm
 for Convection oven gas (LAINOX) MG220T



LAINOX R67010780

3319286 GREY ELECTROMECHANICAL PLATE
 dimensions 445x100 mm
 for Convection oven (LAINOX)
 Series MIXVAPOR1993-S - Series PROFESSIONAL1993-S



LAINOX R67010230



Suitable for:

LAINOX



3319289 GREY ELECTROMECHANICAL PLATE
 dimensions 430x95 mm
 for oven with penetration probe
 for Convection oven (LAINOX)
 Series MIXVAPOR1993-S - Series PROFESSIONAL1993-S



LAINOX R67010240


3319284 GREY ELECTRONIC PLATE
 dimensions 270x90 mm
 for OLD SERIES
 for Convection oven electric (LAINOX) PE04 - PE05
 PE08 - PE10 - PE15
 for Convection oven gas (LAINOX) PG04 - PG05
 PG08 - PG10 - PG15



LAINOX R67010810

LAINOX 50708040

3319451 GREY ELECTRONIC PLATE
 dimensions 270x90 mm
 for old models
 for Convection oven (LAINOX)
 for Convection oven electric (LAINOX) ME5




LAINOX R67010760

LAINOX 50108070


LAINOX 50708170

3319290 GREY MECHANICAL PLATE WITH BLUE POINTER
 dimensions 430x95 mm
 for Convection oven electric (LAINOX) VE106M
 VE110M - VE120M - VE210M - VE220M
 for Convection oven gas (LAINOX) VG106M - VG110M
 VG120M - VG210M - VG220M




LAINOX R67010530

3319293 LIGHT BLUE ELECTROMECHANICAL PLATE
 dimensions 430x95 mm
 for Convection oven electric (LAINOX) ME110L



LAINOX R67010031


3319288 LIGHT BLUE ELECTRONIC PLATE
 dimensions 430x95 mm
 for Convection oven (LAINOX) - Series MIXVAPOR-T
 Series PROFESSIONAL



LAINOX R67010900

Relays

3351027 TIME LAG MINI RELAY 85.02
 2 switching contacts - 50/60Hz
 adjustment coupling 0.05" ÷ 10h
 for Convection oven (LAINOX) - Series ME
 Series MG - Series PE - Series PG



LAINOX R65090460

3351026 TIME LAG RELAY MAR1 MAR1 8A 250V 50/60Hz
 1 switching contact
 adjustment coupling 0.1" ÷ 100h
 for Convection oven (LAINOX) - Series CG
 Series ME - Series MES - Series MG - Series MGS
 Series PG - Series VG - Series VGS



LAINOX R65090450




Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



LAINOX MA921200

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat




LAINOX MA710300

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



LAINOX MA1037313200

3057010 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



LAINOX R50304020

LAINOX R65080010

LAINOX 50304020

3057041 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6
for Convection oven electric (LAINOX) ME061M
ME101M - ME102M - ME201M - ME202M - VES20X
VES24M - VES24X - VES40M - VES40X - VE004M
VE004X - VE061M - VE101M - VE102M - VE104M
VE104X - VE105M - VE105X - VE106M - VE106X
VE110M - VE110X - VE120M - VE120X - VE201M
VE202M - VE210M - VE210X - VE220M
for Convection oven gas (LAINOX) MG061M - MG101M
MG102M - MG201M - MG202M - VG061M - VG101M
VG102M - VG105M - VG105X - VG106M - VG106X
VG110M - VG110X - VG120M - VG120X - VG201M
VG202M - VG210M - VG210X - VG220M - VG220X



LAINOX R65080020

3057091 SELECTOR SWITCH 0-8 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven electric (LAINOX) ME110L
PE105M - PE108M - PE115M - PE188M



LAINOX R65080060



Suitable for:

LAINOX



Suitable for:

Sleeves

3248115 SILICONE SLEEVE
 external \varnothing 35 mm
 internal \varnothing 30 mm
 length 40 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MG - Series VE - Series VG



LAINOX R70060010

3248117 SILICONE SLEEVE
 external \varnothing 20 mm
 internal \varnothing 14 mm
 length 80 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series MG - Series MGS - Series VE
 Series VES - Series VG



LAINOX R70060060

3248116 SILICONE SLEEVE
 external \varnothing 56 mm
 internal \varnothing 50 mm
 length 50 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MG - Series VE - Series VG



LAINOX R70060040

3248117 SILICONE SLEEVE
 external \varnothing 20 mm
 internal \varnothing 14 mm
 length 80 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series MG - Series MGS - Series VE
 Series VES - Series VG



LAINOX R70060060

Solenoid valves

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
 for ELBI solenoid valve
 face value +/- 25%



LAINOX R65110410

3120405 SOLENOID VALVE 230V \varnothing 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



LAINOX R50102860

3120407 SOLENOID VALVE 230V \varnothing 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 2 outlets \varnothing 10.5 mm



LAINOX R50102891

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



LAINOX R65110010

LAINOX 50102860



Suitable for:

Suitable for:

3120547 SOLENOID VALVE 329 220/240V \varnothing 12 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 12 mm
 with green flow rate adjuster
 for Convection oven electric (LAINOX) CES24M
 CES40M - CE110M - CE210M - EC020M - EV020M
 PE005D - PE008D - PE015D - PE088D - VES24M
 VES24X - VE106D - VE106H - VE106M - VE106P
 VE106X - VE110D - VE110H - VE110M - VE110P
 VE110X - VE210D - VE210H - VE210M - VE210P
 VE210X
 for Convection oven gas (LAINOX) CGS24M - CGS40M
 CG110M - CG210M - GC010M - GC020M - GV010M
 PG005D - PG008D - PG015D - PG088D - VGS24M
 VGS24X - VG106D - VG106H - VG106M - VG106P
 VG106X - VG110D - VG110H - VG110M - VG110P

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm
 solenoid valve 180° - 24V 50Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



LAINOX R65115040

LAINOX LF-3120530

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm
 solenoid valve 180° - 24V 50Hz - max 90°C
 3/4" inlet - \varnothing 14 mm outlet



LAINOX R65110040

LAINOX R65115000

LAINOX 50102891

LAINOX

3120282 SOLENOID-VALVE 230V \varnothing 10 mm
 solenoid valve 180° - 230V 50Hz - max 60°C
 inlet 3/4" - two outlets \varnothing 10 mm
 with one red flow rate adjuster
 for Convection oven electric (LAINOX) HME061P
 HME061X - HME101P - HME101X - HME102P
 HME102X - HME201P - HME201X - HME202P
 HME202X
 for Convection oven gas (LAINOX) HMG061P - HMG061X
 HMG101P - HMG101X - HMG102P - HMG102X
 HMG201P - HMG201X - HMG202P

3120283 SOLENOID-VALVE 230V \varnothing 10 mm
 solenoid valve 180° - 230V 50Hz - max 60°C
 inlet 3/4" - two outlets \varnothing 10 mm
 with one red and one brown flow rate adjusters
 for Convection oven electric (LAINOX) HME061P
 HME061X - HME101P - HME101X - HME102P
 HME102X
 for Convection oven gas (LAINOX) HMG061P - HMG061X
 HMG101P - HMG101X - HMG102P - HMG102X



LAINOX R65110210

LAINOX R65110230



Suitable for:

Suitable for:

3120284 SOLENOID-VALVE 230V \varnothing 10 mm
 solenoid valve 180° - 230V 50Hz - max 60°C
 inlet 3/4" - three outlets \varnothing 10 mm
 for Convection oven electric (LAINOX) HME201P
 HME201X - HME202P - HME202X
 for Convection oven gas (LAINOX) HMG201P - HMG201X
 HMG202P - HMG202X



LAINOX R65110240

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
 220/240V 50/60Hz
 for Convection oven (COVEN)
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYMIX6



LAINOX MA2971400

LAINOX R50102700

LAINOX R50102710

LAINOX R65180280

LAINOX R65180290

LAINOX 50102700

LAINOX 50102710

Sparking and detection plugs

3020169 ROUND DETECTION PLUG \varnothing 7x55 mm
 overall length 100 mm
 for Convection oven gas (LAINOX) CG110M - CG210M
 GC010M - GM020H - GM020M - GV010H - GV010M
 GV020H - MG110D - MG110M - MG110X - MG210D
 MG210M - MG210X - VG110D - VG110M - VG110X
 VG210D - VG210M - VG210X
 for Convection oven gas (SILKO) GM010H



LAINOX R63050350

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 female connection
 overall length 58 mm



LAINOX R63050010

LAINOX 50102720



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm
 for Convection oven electric (SOLYMAC) SOLYP10
 for Convection oven gas (SOLYMAC) SOLYMIX
 SOLYP6G



LAINOX MA1888300

LAINOX MA224211

Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



LAINOX MA1949900

3020170 ROUND SPARKING PLUG \varnothing 7x56 mm
 overall length 95 mm
 for Convection oven gas (LAINOX) CG110M - CG210M
 GC010M - GM020H - GM020M - GV010H - GV010M
 GV020H - MG110D - MG110M - MG110X - MG210D
 MG210M - MG210X - VG110D - VG110M - VG110X
 VG210D - VG210M - VG210X
 for Convection oven gas (SILKO) GC010M - GC020M
 GM010H - GM010M - GM010M/SC - GM010P - GM020M
 GM020M/SC - GM020P - GV010H - GV010M
 GV010M/SC - GV010P



LAINOX R63050340

3020168 ROUND SPARKING PLUG \varnothing 9.5x120 mm
 overall length 177 mm
 for Convection oven gas (LAINOX) MG102H - MG102M
 MG102P - MG102T - MG202H - MG202M - MG202P
 MG202T



LAINOX R63050080

3020324 ROUND SPARKING PLUG \varnothing 9x95 mm
 overall length 158 mm
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P
 HMG201T - HMG201X - HMG202P - HMG202T
 HMG202X - HVG061P - HVG061T - HVG061X
 HVG101P - HVG101T - HVG101X - HVG102P
 HVG102T - HVG102X - HVG201P - HVG201T
 HVG201X - HVG202P - HVG202T - HVG202X



LAINOX R63050130

3020213 SPARKING AND FLAME DETECTION PLUG
 plug model WR 768G213
 for Convection oven gas (LAINOX) - Series MG
 Series VG



LAINOX R63050040



Suitable for:

LAINOX



Suitable for:

3020325 SPARKING AND FLAME DETECTION PLUG

two plugs kit:
long-life plug \varnothing 9 mm
original plug \varnothing 7x180 mm
for Convection oven gas (LAINOX) CG051M - CG071M
MG061P - MG061T - MG101P - MG201T - VG051P
VG061D - VG061P



LAINOX R63050070

3020326 SPARKING AND FLAME DETECTION PLUG

two plugs kit:
 \varnothing 9x145 mm - \varnothing 9x138 mm
for Convection oven gas (LAINOX) CG100M - CG200M
GGMT06P - GGMT06T - GGVT06P - GGVT06T
HMG061P - HMG061T - HMG061X - HVG061P
HVG061T - HVG061X - MG101P - MG101T - MG102P
MG102T - MG201D - MG201P - MG201T - MG202D
MG202P - MG202T - VG101D - VG101P - VG102D
VG102P - VG201D - VG201P - VG202D - VG202P



LAINOX R63050100

Switches

3319154 BLACK BIPOLAR SWITCH 16A 250V

with push-button cover
0-I silk-screen printing
max temperature 120°C
mounting hole 22x30 mm
for Convection oven (LAINOX)



LAINOX RA941003
LAINOX R652600500

LAINOX R50304671
LAINOX 50304671

LAINOX R65260050

3319012 GREEN BIPOLAR SWITCH 16A 250V

with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



LAINOX MA4640500

3319948 RED BIPOLAR SWITCH 16A 250V

with indicator lamp
max. temperature 120°C
mounting hole \varnothing 25 mm



LAINOX R65260500

3319018 RED CHANGE OVER SWITCH 16A 250V

with indicator lamp
max temperature 120°C
mounting hole 22x30 mm



LAINOX R50304650

LAINOX R65260210

LAINOX 50304650

3319155 RED SINGLE-POLE PUSH-BUTTON 16A 250V

with button protection cap
with indicator lamp
mounting hole \varnothing 25 mm
for Convection oven (LAINOX)



LAINOX R65260500

3319501 SWITCH PROTECTION CAP

external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001



Suitable for:

Suitable for:

Telethermometers

3441027 TELETHERMOMETER WHITE ø 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb ø 4x105 mm
for Convection oven



LAINOX R50304610

3441037 WHITE TELETHERMOMETER ø 52 mm 50-350°C

plastic sheath
capillary length 970 mm
bulb ø 6x40mm
for Convection oven electric (BERTO'S) FME10N
for Convection oven electric (FOINOX) FP05E



LAINOX R65340050

LAINOX 50304610

Terminal blocks

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



LAINOX MA1037104000

Thermocouples and accessories

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



LAINOX R65350010

LAINOX 50202830

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



LAINOX R63040030

3440038 THERMOCOUPLE SIT M9x1 120 cm



LAINOX MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



LAINOX MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



LAINOX MA263800

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230



Suitable for:

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



LAINOX MA1206400

LAINOX MA1033027800

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm

3440895 THERMOCOUPLE SIT QUICK M9x1 150 cm -10 PCS



LAINOX R63040030

LAINOX R63040030

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



LAINOX MA1031500400

Thermostats

3444267 SINGLE-PHASE THERMOSTAT 145°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x133 mm
for Convection oven (LAINOX)

3444295 SINGLE-PHASE THERMOSTAT 145°C
with automatic reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm
for OVEN boiler
for Convection oven (LAINOX)



LAINOX R50304097

LAINOX R65070080

LAINOX R65075000

LAINOX R50304052

LAINOX R65070170

LAINOX R65075070

LAINOX 50304097

LAINOX 50304052



Suitable for:

Suitable for:

344431 SINGLE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 880 mm - 20A 400V
 bulb \varnothing 6x85 mm
 for Convection oven electric (LAINOX) HME061P
 HME061T - HME061X - HME101P - HME101T
 HME101X - HME102P - HME102T - HME102X
 HME201P - HME201T - HME201X - HME202P
 HME202T - HME202X
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P
 HMG201T - HMG201X - HMG202P - HMG202T
 HMG202X



LAINOX R65070081

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm
 for Convection oven (BARON)
 for Convection oven (ERRE 2)
 for Convection oven (LAINOX)
 for Convection oven (OLIS)
 for Convection oven (SILKO)



LAINOX R50304092

3444293 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm - with oval coupling \varnothing 10 mm
 for Convection oven (LAINOX)



LAINOX R65070040
LAINOX 50304090

LAINOX R65070060
LAINOX 50304092

LAINOX R65075040

3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 for Convection oven (LAINOX)



LAINOX R65070070

LAINOX 50304027

3444804 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 860 mm - 16A 250V
 button bulb \varnothing 11x10 mm
 for Convection oven (KELVIN)
 for Convection oven electric (LAINOX) HME061P
 HME061T - HME061X - HME101P - HME101T
 HME101X - HME102P - HME102T - HME102X
 HME201P - HME201T - HME201X - HME202P
 HME202T - HME202X - HVE061P - HVE061T
 HVE061X - HVE101P - HVE101T - HVE101X
 HVE102P - HVE102T - HVE102X - HVE201P
 HVE201T - HVE201X - HVE202P - HVE202T
 HVE202X
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X



LAINOX R65070350

3744101 SINGLE-PHASE THERMOSTAT 360°C
 with automatic reset
 capillary length 1000 mm - 20A 250V
 bulb \varnothing 3x150 mm
 for Convection oven electric (LAINOX) A05PES
 A05RES - A10PES - A23RES - REC023M - REC051M
 REC054M - REC071M - REC101M - REP023M
 REP044M - REP064M - REP074M - REP084M
 REP104M - REV051M - REV051P - REV051S
 REV071M - REV071P - REV071S - REV101M
 REV101P - REV101S



LAINOX R65070410

LAINOX R65070460



Suitable for:

Suitable for:

3444114 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb ø 3x220 mm
 for Convection oven electric (GIERRE) FEV024
 FEV106M - FEV166M - FEV60M
 for Convection oven gas (GIERRE) FEV57M - FEV61M

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb ø 3x220 mm
 for Convection oven (LAINOX)
 for Convection oven (ZANUSSI)



LAINOX R50304031
LAINOX 50504031

LAINOX R65070210

LAINOX 50304031

LAINOX R50304030
LAINOX 50304030

LAINOX R50304031
LAINOX 50304031

LAINOX R65070210
LAINOX 50504031

3444432 SINGLE-PHASE THERMOSTAT 50-300°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb ø 3x220 mm
 for Convection oven electric (LAINOX) CE041M
 CE051M - CE071M - CE100M - CE200M - ME061M
 ME101M - ME102M - ME201M - ME202M - VE061M
 VE101M - VE102M - VE201M - VE202M
 for Convection oven gas (LAINOX) CG051M - CG071M
 CG100M - CG200M - MG061M - MG101M - MG102M
 MG201M - MG202M - VG061M - VG101M - VG102M
 VG201M - VG202M

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin ø 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb ø 3x220 mm
 for Convection oven (BONNET)
 for Convection oven (BOURGEOIS)
 for Convection oven (ZANUSSI)



LAINOX R65070360

LAINOX MA1037102300

3444294 SINGLE-PHASE THERMOSTAT 65°C
 with automatic reset
 covered capillary length 900 mm - 16A 250V
 bulb ø 6x130 mm
 for OVEN capacitor
 for Convection oven (LAINOX)

3444297 SINGLE-PHASE THERMOSTAT 70°C
 with automatic reset
 covered capillary length 900 mm - 16A 250V
 bulb ø 6x135 mm
 for steam control in OVEN
 for Convection oven (LAINOX)



LAINOX R65070240

LAINOX R65074990

LAINOX R65070165



Suitable for:

3444298 THREE-PHASE THERMOSTAT 337°C
 with manual reset
 covered capillary length 850 mm - 10A 400V
 button bulb \varnothing 14x10 mm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE004M - VE004X - VE104D - VE104H
 VE104M - VE104X



LAINOX R65070050

Suitable for:

3444052 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm
 for Convection oven



LAINOX MA1309115

Timers

3322351 CONTROLLER P25 3 CAMS 110/230V 50Hz
 cycle 1/4 hours - D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R65090200

LAINOX 50305000

3446074 TIMER P255 3 CAMS 230V 50/60Hz
 complete w/screen printed plate and alarm 230V
 1° cycle 4h - 2° cycle 1h
 D-shaped pin \varnothing 6x4.6 mm
 REPLACES THE OLD 120 MODEL JV102351
 for Convection oven electric (LAINOX) FE004 - FE04



LAINOX R65090030

LAINOX 50304550

3322352 TIMER P345 2 CAMS 230V 50/60Hz
 complete with alarm 230V
 cycle 144 min -D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (LAINOX) CES24M
 CES40M - CE041M - CE051M - CE071M - CE100M
 CE106M - CE110M - CE200M - CE210M - EC020M
 FE051M - FE051X - FE105M - FE105X - FE110M
 FE110X - FE210M - FE210X - PE040M - PE040X
 PE041M - PE041X - PE051M - PE051X - PE080M
 PE080X - RE10 - RE24 - RE40 - RE5 - RE7
 for Convection oven gas (LAINOX) CGS24M - CGS40M
 CG051M - CG071M - CG100M - CG106M - CG110M
 CG200M - CG210M - FG051M - FG051X - FG101M
 FG101X - FG105M - FG105X - FG110M - FG110X
 GC010M - GC020M - PG040M - PG040X - PG041M
 PG041X - PG051M - PG051X - PG080M - PG080X



LAINOX R65090020

LAINOX 50304580

3446220 TIMER 120 MINUTES MS65
 complete with silkscreen prints set 0-120'
 mechanical timer
 230V 50Hz - contact capacity 16A 250V
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (LAINOX) A05PES
 A05RES - A08RES - A10RES - A23RES - EV071M
 REP044M - REP054M



LAINOX R65090070



Suitable for:

LAINOX



Suitable for:

Timers and cycle reversing switches

3240550 CONTROLLER P25 1 CAM 230V 50Hz
 cycle 20 seconds - pin \varnothing 6 mm
 for Convection oven (LAINOX) - Series ME
 Series MG - Series VE - Series VG



LAINOX R65095000

3240551 CONTROLLER P25 2 CAMS 230V 50Hz
 cycle 20 seconds - pin \varnothing 6 mm
 for Convection oven (LAINOX) - Series ME
 Series MG - Series PE - Series PG - Series VE
 Series VG



LAINOX R65095010

3210050 REVERSING SWITCH P25 2 CAMS 250V 50Hz
 8 minutes
 for Convection oven (OLIS)
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00
 for Convection oven electric (LAINOX) - Series CE
 Series CES - Series EC - Series EV - Series FE
 Series MCE - Series ME - Series MES - Series PE
 Series VE - Series VEC - Series VES
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00
 for Convection oven gas (LAINOX) - Series CG
 Series CGS - Series FG - Series GC - Series GV
 Series MCG - Series MG - Series MGC - Series MGS
 Series PG - Series VG - Series VGS



LAINOX R65090190

Transformers

3739027 TRANSFORMER 0-220-240V/12V 40VA
 primary voltage 0-220-240V 50/60Hz
 secondary voltage 12V 40VA
 room temperature 0÷50°C
 screw terminal box
 MGS40P/X/D/M
 for Convection oven electric (LAINOX) MES20P
 MES20X - MES24D - MES24H - MES24M - MES24P
 MES24X - MES40D - MES40H - MES40M - MES40P
 MES40X - ME101D - ME101M - ME101P - ME101T
 ME102D - ME102M - ME102P - ME102T - ME110H
 ME110P - ME110X - ME120H - ME120P - ME120X
 ME201D - ME201M - ME201P - ME201T - ME202D
 ME202M - ME202P - ME202T - ME210H - ME210P
 ME210X - ME220H - ME220P - ME220X - VES20D
 VES20H - VES20M - VES20P - VES20X - VES24D



LAINOX R65180430

LAINOX R65180630

LAINOX 50305050



Suitable for:

LAINOX



Suitable for:

Vibrating pumps

3331006 VIBRATORY PUMP KIT 32W 220/240V 50Hz
CEME PUMP:E51210EN022240C3
fittings \varnothing 1/8" - \varnothing 7 mm
for Convection oven electric (LAINOX) - Series ME
ME061 - ME101 - ME102 - ME201 - ME202
for Convection oven gas (LAINOX) - Series MG
MG061 - MG101 - MG102 - MG201 - MG202



LAINOX R65110600

3331005 VIBRATORY PUMP NME 2 16W 230/240V 50Hz
hose-end fittings \varnothing 6.6 mm - \varnothing 5 mm
max.pressure 2.5 bar
max.water temperature 20°C
with built-in diode (1N 4007P)
connection terminal 4.7x0.8 mm



LAINOX A34300430

LAINOX R69200060

Washing showers for ovens

3359863 BLACK OVEN WASH SHOWER SET \varnothing 1/2" M
with stainless steel hose \varnothing 1/2" FF 250 cm
with fastening bracket



LAINOX R62200028