




Spare parts for:

Ovens



Suitable for:

LOTUS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211659





Suitable for:

LOTUS



Suitable for:

Cables for piezo igniters

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



LOTUS 547013900

Contactors

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



LOTUS 537010100

Electrical gas valves and accessories


3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



LOTUS 536022500

Electronic printed-circuit boards

3390038 ELECTRONIC CONTROL BOARD 195x95 mm
for ovens with penetration probe
for Convection oven electric (INOXTREND) RDE5E
RPDE5E - RPDE5EP - WBE4E



LOTUS _C2560-00



Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



LOTUS 537013300


LOTUS 537020100

LOTUS 537021500

Fans for motors

3240243 FAN \varnothing 165 mm

thickness 40 mm
 total blades 36 - \varnothing hole 8 mm
 for Convection oven electric (INOXTREND) SCA4E00
 SCA5E00 - SDA4EM00 - SDA4E00 - SDA5EM00
 SDA5E00 - SUA4E00 - SUA5E00 - SUTA4E00
 SUTA5E00




LOTUS _C3612-00

Gaskets for oven door

3186412 OVEN DOOR GASKET 1420 mm

made of silicone elastomer
 profile dimensions 24x15 mm
 COLOUR BLACK
 for Convection oven electric (INOXTREND) SCA-4E-00
 SCA-5E-00 - SDA-4E-00 - SDA-4EM-00 - SDA-5E-00
 SDA-5EM-00 - SUA-4E-00 - SUA-5E-00
 SUTA-4E-00 - SUTA-5E-00 - WBE4E



LOTUS _C6090-00

3186397 OVEN DOOR GASKET 2200 mm

made of silicone elastomer
 profile dimensions 28x20 mm
 COLOUR BLACK
 for Convection oven electric (INOXTREND) FBA106E00
 FBA106E01 - FBE106E00 - FBE106E01 - FBP106E00
 FBP106E01 - FDA106E00 - FDA106E01 - FDE106E00
 FDE106E01 - FDP106E00 - FDP106E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01
 for Convection oven gas (INOXTREND) FBA106G00
 FBA106G01 - FBE106G00 - FBE106G01 - FBP106G00
 FBP106G01 - FDA106G00 - FDA106G01 - FDE106G00
 FDE106G01 - FDP106G00 - FDP106G01 - FUA106G00
 FUA106G01 - FUE106G00 - FUE106G01



LOTUS C5220-00

LOTUS RRC5220-00



Suitable for:

LOTUS



Suitable for:

3786600 OVEN DOOR GASKET 460x370 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LOTUS) 75GU



LOTUS _75R0003

Handles

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



LOTUS _RRC2210-02

LOTUS RRC2210-02

3242048 DOOR STRIKE
 distance between mounting holes 40 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (WHIRLPOOL) FMIE102F
 FMIE103F - FMIE63F - HW10E - HW6E
 for Convection oven gas (WHIRLPOOL) FMIG103F
 FMIG63F - HW10G - HW6G



LOTUS RRC2211-02

3242753 LH-RH CATCH WITHOUT LOCK 791 CR
 for high temperatures
 curved handgrip
 length 254x30 mm - distance 133 mm
 adjustable catch from 9 to 22 mm
 for Convection oven electric (INOXTREND) RDA5E
 RDE5E - RPDA5E - RPDE5E - RPDE5EP



LOTUS

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



LOTUS _RRC2210-02

LOTUS RRC2210-02

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
 RAHRBACH - distance between holes 150 mm
 base length 185.5x23.5x33.2h mm
 for Convection oven (INOXTREND) SCA4/5E00
 SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
 SUTA4/5E00
 for Convection oven electric (INOXTREND) WBE4E
 for Convection oven electric (ZANUSSI) FVE3



LOTUS _C8050-00

3242144 OVEN DOOR HANDLE 260x30 mm
 with strike mounting distance 45 mm
 handle mounting distance 133 mm
 for Convection oven electric (COVEN) TEC3MD
 TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
 TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
 for Convection oven electric (LAINOX) A10PES
 for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
 TEC6G - TEC6GMD - TEC6GMX - TEC7G



LOTUS _RRC2210-01



Suitable for:

Suitable for:

3242047 OVEN DOOR HANDLE 265x30 mm
 with strike mounting distance 43 mm
 handle mounting distance 122-132 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - CDA107E
 CDA111E - CDA207E - CDA211E - CDE107E
 CDE111E - CDE207E - CDE211E - CRCA105E
 CRCA107E - CRCA111E - CRUA107E - CRUA110E
 CUA107E - CUA111E - CUA211E - CUE107E
 CUE111E - FBA106E00 - FBA106E01 - FBA210E00
 FBE106E00 - FBE106E01 - FBE210E00 - FBP210E00
 FDA210E00 - FDE210E00 - FDP210E00 - FUA210E00
 FUE210E00
 for Convection oven electric (WHIRLPOOL) FMIE102F



LOTUS_C8118-00

LOTUS_RRC2211-01

LOTUS_RRC2211-01

LOTUS_RRC2211-02

3242048 DOOR STRIKE
 distance between mounting holes 40 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (WHIRLPOOL) FMIE102F
 FMIE103F - FMIE63F - HW10E - HW6E
 for Convection oven gas (WHIRLPOOL) FMIG103F
 FMIG63F - HW10G - HW6G



3242607 OVEN DOOR HANDLE 265x30 mm
 with strike mounting distance 43 mm
 handle mounting distance 122-132 mm
 for Convection oven (WHIRLPOOL) AGB633 - AGB638
 AGB639 - AGB640
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - CDA107E
 CDA111E - CDA207E - CDA211E - CDE107E
 CDE111E - CDE207E - CDE211E - CRCA105E
 CRCA107E - CRCA111E - CRUA107E - CRUA110E
 CUA107E - CUA111E - CUA211E - CUE107E
 CUE111E - FBA106E00 - FBA106E01 - FBA210E00
 FBE106E00 - FBE106E01 - FBE210E00 - FBP210E00
 FDA210E00 - FDE210E00 - FDP210E00 - FUA210E00
 FUE210E00
 for Convection oven electric (WHIRLPOOL) FMIE102F



LOTUS_C8118-00

LOTUS_RRC2211-01

LOTUS_RRC2211-01

Heating elements

3355055 HEATING ELEMENT 2500W 220V
 external ø 190 mm - overall height 93 mm
 flange 70x22 mm
 for Convection oven electric (ZANUSSI)



LOTUS_537010500

3755231 HEATING ELEMENT 3900W 230V
 external ø 220 mm - overall height 103 mm
 flange 142x25 mm
 for Convection oven electric (INOXTREND)
 Series R - Series S



LOTUS_C3616-00

LOTUS_C3616-00



Suitable for:

LOTUS



Suitable for:

3755230 HEATING ELEMENT 7800W 230V

external \varnothing 280 mm - overall height 170 mm
 flange 142x25 mm
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
 FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
 FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
 FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
 FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
 FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01
 for Convection oven electric (WHIRLPOOL) AGS85
 AGS891 - AGS893 - AGS895 - AGS897 - AGS899
 AGS901 - AGS962



LOTUS RRC3090-00

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
 height 23 mm



LOTUS 531022900

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
 height 25 mm
 for Convection oven
 for Convection oven electric (GIERRE) BRIOBRG600
 BRIOMIDIBRG400



LOTUS 531007200

LOTUS 531007900

3053572 HINGE BUSHING

for Convection oven electric (INOXTREND) SDA-5E-00
 SDA-5EM-00
 for Convection oven electric (WHIRLPOOL) AGB631
 AGB632



LOTUS _C1043-00

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
 height 160 mm



LOTUS 531022700

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
 height 23 mm



LOTUS 531022900



Suitable for:

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
height 160 mm



LOTUS 531022800

LOTUS



Suitable for:

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm



LOTUS 531022900

Lamps

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm

for OVEN-PIZZA OVEN



LOTUS

3221216 GREEN INDICATOR LAMP 230V

head ø 16 mm - hole ø 11.5 mm - 120°C



LOTUS _C2205-00

3221120 LAMP RECEPTACLE E14 25W 230V

for Convection oven electric (GEMINI FORNI) Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6 FEMD107SC - FEMD109 - FEMD207SC - FEMD209 FEMD67SC - FEMD69 - FEM107SC - FEM109 FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050 FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6 FGMD107SC - FGMD109 - FGMD207 - FGMD209 FGMD67SC - FGM107SC - FGM109 - FGM207SC FGM209 - FGM67SC - FGM69 - FGP050 - FGP080 FGP160



LOTUS _C2272-01

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN
for Convection oven electric (SMEG) ALFA31V ALFA51X - ALFA51XGN - ALFA55X



LOTUS 537005400+7900

LOTUS 537007900+5400

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V

for Convection oven (INOXTREND)
for Convection oven (LOTUS)



LOTUS _C5252-00

3221095 ORANGE INDICATOR LAMP 230V

head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



LOTUS 6E00056

LOTUS 6E00056TV



Suitable for:

3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



LOTUS 537005400

Suitable for:

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



LOTUS _C2104-03

Magnet groups

3182003 MAGNETIC UNIT SIT

ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



LOTUS 531001200

Microswitches

3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
FC1211G-FC1211E
for ANGELO PO FRYER 030FE1-030FE1B-70FE
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
30FES2-30FES2B-091FE28
for IMESA DRYER ES10-ES55-ES75
for IMESA WASHING MACHINE
LM30-LM40-LM55-LM70-LM85
RC30-RC40-RC55-RC70
for SIRMAN CUTTER C4-C6-C6VV-C9
for GRANDIMPIANTI DRYER EMS10-EMS15
for FAGOR CALENDER PE30/140-PE30/160-PE30/200
for FOINOX OVEN J00611E-J00611G-J01011E-J01011G
J01021E-J01021G-J02011E-J02011G-J02021E-J02021G
for IPSO CALENDER RI1600/30-RI1600/30AV



LOTUS 537011500

3240181 PROTECTED MAGNET 62x18x10 mm

for Convection oven (MARENO)



LOTUS 537015800



Motors

3340007 MOTOR SHAFT GASKET

for Convection oven (WHIRLPOOL) AGB633 - AGB639
AGB640
for Convection oven electric (WHIRLPOOL) FMIE103F
for Convection oven gas (WHIRLPOOL) AGB636/WP
FMIG102F - FMIG103F



LOTUS_C2027-00

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan \varnothing 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



LOTUS_75R0035

LOTUS 537006800

3240105 MOTOR 1048 0.045/0.0765Kw 220/240V

50/60Hz 2800/3400rpm
plate dimensions 150x150 mm
distance between holes 130 mm
for Convection oven electric (INOXTREND) RDA5E
RDE5E - RPDA5E - RPDE5E - RPDE5EP - SCA4E00
SCA5E00 - SDA4EM00 - SDA4E00 - SDA5EM00
SDA5E00 - SUA4E00 - SUA5E00 - SUTA4E00
SUTA5E00



LOTUS_ARC3610-00

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm

for Convection oven electric (CAPIC) AC150 - AC50
R50



LOTUS_10500100

Pilot burners and accessories

3020084 NUT & OLIVE \varnothing 6 mm



LOTUS 533018300

3020082 OLIVE FOR 12 mm \varnothing PIPE



LOTUS 533017900



Suitable for:

3020081 OLIVE FOR 6 mm ø PIPE



LOTUS 533039100

Suitable for:

3020112 OLIVE FOR 6 mm ø PIPE



LOTUS 533010400

3020042 PILOT GAS JET ø 0.19 mm



LOTUS 533020500

3020040 PILOT JET ø 0.30 mm



LOTUS 533020200

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



LOTUS 533023200

3020042 PILOT GAS JET ø 0.19 mm



LOTUS 533020500

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



LOTUS 533023400

3020042 PILOT GAS JET ø 0.19 mm



LOTUS 533020500

3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle ø 0.35 mm
with 3 positions bracket



LOTUS

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



LOTUS

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

LOTUS 533039000

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch

LOTUS 537001200

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat

LOTUS 537000200

2111991 SWITCH 0-9 POSITIONS
contacts 16A 250V - max 150°C
D-Shaft 6x4.6 mm
for Convection oven electric (LOTUS) 75GU
for Convection oven electric (TECNOEKA) KF723M
KF964ALM - KF964IM - KF965M

LOTUS _75B0043

LOTUS 537019201

Solenoid valves

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm

LOTUS 537012600



Suitable for:

LOTUS



Suitable for:

Spark generators

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



LOTUS 537006600

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



LOTUS 537005600

3181005 SPARK GENERATOR 8 OUTLETS
220V - 50/60Hz



LOTUS 537008400

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



LOTUS

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



LOTUS 537003000

LOTUS 537008300

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



LOTUS 537001700

LOTUS 537015500



Suitable for:

Suitable for:

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



LOTUS 537003800

LOTUS 537007600

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



LOTUS 537007700

Thermocouples and accessories

3440064 NUT FOR THERMOCOUPLE M8x1



LOTUS 533009800

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



LOTUS 533053300

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



LOTUS 533011800

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



LOTUS 533053700

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



LOTUS 533053700

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



LOTUS 533053700

3440027 THERMOCOUPLE SIT M8x1 32 cm



LOTUS _05-000-0029

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS



LOTUS _05-000-0029



LOTUS



Suitable for:

Suitable for:

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



LOTUS_05-000-0029

LOTUS 533011100

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



LOTUS 533011100

LOTUS 533011100

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



LOTUS 533041800

LOTUS 533041800

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



LOTUS 533041800

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



LOTUS 533011300

LOTUS 533045700

LOTUS 533011300

LOTUS 533045700

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LOTUS 533011300

LOTUS 533045700

LOTUS 533039400



Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



LOTUS 533039400

Suitable for:


3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LOTUS 533039400

Thermostats

3444809 SINGLE-PHASE THERMOSTAT 110°C
with automatic reset
covered capillary length 900 mm
bulb \varnothing 3x220 mm - with stuff.gland coupling M9x1
for Convection oven (INOXTREND)



LOTUS_C2218-00

LOTUS RRC2218-00

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1
for Convection oven (INOXTREND)



LOTUS 507001500

LOTUS 537001500

3444305 SINGLE-PHASE THERMOSTAT 50-500°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm
for Electric oven (FIMAR) MICRO1C - MICRO2C



LOTUS TERMO001

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm
for Convection oven



LOTUS 537013500

Timers

3446004 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (ANGELO PO)
for Convection oven (ZANUSSI)



LOTUS 537019300

3446007 TIMER 60 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (WHIRLPOOL) AGS962
AGS964 - AGS965



LOTUS RRC2191-00