




Spare parts for:

Ovens



Suitable for:

PALUX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211725





Suitable for:

PALUX



Suitable for:

Cables for piezo igniters

- 3001002 SIT IGNITION LEAD 1000 m m**
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



PALUX

Electrical gas valves and accessories

- 3526090 ELETROSIT VALVE \varnothing 3/4"FF**
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



PALUX 321907

Gaskets for oven door

- 3186524 OVEN DOOR GASKET 520x490 mm**
made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK
for Convection oven electric (ELOMA)
GENIUS MA 6-11 - GENIUS MB 6-11



PALUX 742368



Handles

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



PALUX LF-3242042

3242051 OVEN DOOR HANDLE 176x28 mm
handle mounting holes distance 121 mm
for OVEN



PALUX

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



PALUX

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



PALUX LF-3242958

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



PALUX

Heating elements

3755298 HEATING ELEMENT 5700W 230V
external \varnothing 240 mm - internal \varnothing 200 mm
overall height 105 mm - flange 110x20 mm
for Convection oven electric (ELOMA) JOKER 6-23



PALUX 693383



Suitable for:

PALUX



Suitable for:


Lamps

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



PALUX

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



PALUX 47635

Microswitches

3240406 MICROSWITCH 10A 250V
for Convection oven electric (JUNO-RÖDER-SENKING)
5717-3



PALUX 92444

3240053 MICROSWITCH 83106 5A 250V
M16x1 terminal
for Steam oven (ELOMA)
for Steam oven (PALUX)



PALUX 09244-4

PALUX 092444

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



PALUX LF-3001061

Thermostats

3744013 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin 6x4.6 mm
capillary length 2600 mm
bulb \varnothing 3.1x200 mm
for Steam oven (PALUX)



PALUX

3444701 SINGLE-PHASE THERMOSTAT 55-250°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1170 mm - 16A 250V
bulb \varnothing 3.1x226 mm - with stuffing gland M9x1
for Convection oven (ELOMA)



PALUX 091634