



Spare parts for:

Ovens



Suitable for:

ROSINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211744





Suitable for:

ROSINOX



Suitable for:

Alarms

3397302 ALARM BELL 220V
for Convection oven (CONVOTHERM)



ROSINOX RX94027794

Ball valves and accessories

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4" FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ROSINOX RX94032687

ROSINOX RX94812688

Capacitors

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ROSINOX RX94814010

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ROSINOX RX94801305

Contactors

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



ROSINOX RX94804408

ROSINOX RX94813830


3351221 CONTACTOR AEG LS15K 32A 230V 16Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



ROSINOX RX27400282

Suitable for:


3351222 CONTACTOR AEG LS22K 50A 230V 22Kw
 coil 230V 50/60Hz
 3 normally open contacts
 no auxiliary contact
 for Convection oven (FRIMA)
 for Convection oven (RATIONAL)



ROSINOX RX27400290

Suitable for:

3351223 CONTACTOR AEG LS30K 65A 230V 30Kw
 coil 230V 50/60Hz
 3 normally open contacts
 no auxiliary contact



ROSINOX RX27400308

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ROSINOX RX27400324

Drain pumps

3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz
 inlet external \varnothing 24 mm - outlet external \varnothing 24 mm
 for Convection oven (RATIONAL) - Series CC
 Series CCC - Series CCD - Series CCM - Series CD
 Series CM - Series CPC



ROSINOX RX27500297

Electrical gas valves and accessories

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



ROSINOX RX94024965

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ROSINOX RX94034683



Suitable for:

ROSINOX



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160



ROSINOX 94023744

Electronic printed-circuit boards

3390358 ADJUSTMENT ELECTRONIC BOARD 90x50 mm
 model SERSA n° 911124b
 depth 100 mm
 for Convection oven (ROSINOX) TVT20G
 for Convection oven electric (ROSINOX) TVTS10E
 TVT10E




ROSINOX RX94050218

3390234 BYPASS BOARD 150x125 mm
 for Convection oven (RATIONAL)
 since 1/01/89
 Series CCD - Series CD - Series CM - Series CPC



ROSINOX RX27450220

3390359 LEVEL ELECTRONIC BOARD
 model SERSA n° 921216a - 13 poles
 for Convection oven electric (ROSINOX) TVTS10E
 TVTS6E - TVT10E - TVT6E



ROSINOX RX94023587



Suitable for:

ROSINOX



Suitable for:

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for Convection oven electric (UNOX) XV202 - XV301
XV401 - XV501



ROSINOX RX94045299

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Convection oven (KELVIN)
for Convection oven electric (GIERRE) FEV106M
FEV166E - FEV166M - FEV166P - FEV168E
FEV168M - FEV56M
for Convection oven electric (SMEG) ALFA30V
ALFA31V
for Convection oven gas (GIERRE) FEV107M - FEV167E
FEV167M - FEV167P - FEV57M




ROSINOX RX94812641

Fans for motors

3240397 FAN \varnothing 350 mm

thickness 125 mm
total blades 12 - \varnothing tapered hole 13-16 mm
for Convection oven gas (FAGOR) HCG-10/11
HCG-10/21 - HCG-2.10/11 - HCG-20/11
HMG-10/11 - HMG-10/11UL - HMG-10/21
HMG-10/21UL - HMG-2.10/11 - HMG-20/11



ROSINOX RX94050051

Feet

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm

with fixed screw M12x25 mm



ROSINOX RX94809563



Suitable for:

ROSINOX



Suitable for:

Fittings

3349330 NICHEL-PLATED FITTING \varnothing 1/4" M-1/8" F
for Convection oven (ANGELO PO) - Series FC
Series FM



ROSINOX RX94814405

Fuses

3049020 DELAY FUSE 5x20 - 10 PCS
250V 6.3A



ROSINOX RX27630086

3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



ROSINOX RX27630268

Gas taps and accessories

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



ROSINOX RX94812588

Gaskets and seals

3786496 BOILER LEVEL GASKET 70x70x4 mm
for Convection oven electric (RATIONAL) CC101
CC20 - CC201 - CC6



ROSINOX 24390320

3786497 MOTOR SHAFT GASKET
for Convection oven (RATIONAL)



ROSINOX RX24390296

3786614 OVEN LAMP RECEPTACLE GASKET
dimensions 48x41x3 mm



ROSINOX RX24390700



Suitable for:

ROSINOX




Suitable for:

Gaskets for oven door

3786340 OVEN DOOR GASKET

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR GREY
SOLD PER METRE
for Convection oven (ROSINOX) FP10E - TVT10
854222



ROSINOX RX94050309

3286006 OVEN DOOR GASKET - 25 m

made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



ROSINOX RX24390288

3286077 OVEN DOOR GASKET - 3 m

made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOUR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



ROSINOX RX24390288

3286006 OVEN DOOR GASKET - 25 m

made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



ROSINOX RX24390288

3286005 OVEN DOOR GASKET - 6 m

made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



ROSINOX RX24390288

3286005 OVEN DOOR GASKET - 6 m

made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



ROSINOX RX24390288

5004998 OVEN DOOR GASKET 1650 mm

made of silicone elastomer
profile dimensions 9.6/6x14 mm
COLOUR BLACK
for Convection oven (ROSINOX)



ROSINOX RX94806445



Suitable for:

Suitable for:

3186156 OVEN DOOR GASKET 485x470 mm
 made of silicone elastomer
 profile dimensions 23x18 mm
 COLOUR BLACK
 for Convection oven electric (RATIONAL) CC6 - CD6
 CM6



ROSINOX RX24390379

3786067 OVEN DOOR GASKET 610x435 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (ALPHATEC) EVE051S
 for Convection oven electric (LAINOX) CE051M
 MCE051M - MVE051P - VE051P - VE055P
 for Convection oven gas (LAINOX) CG051M - MCG051M
 MVG051P - VG051P



ROSINOX RX94814225

3186155 OVEN DOOR GASKET 720x485 mm
 made of silicone elastomer
 profile dimensions 23x18 mm
 COLOUR BLACK
 for Convection oven electric (RATIONAL) CC101
 CD101 - CM101
 for Convection oven gas (RATIONAL) CM101G



ROSINOX RX24390338

3286026 OVEN DRAWER GASKET - 21 m
 made of silicone elastomer
 profile dimensions 26x19 mm
 COLOUR BROWN
 for Convection oven (RATIONAL)



ROSINOX RX24390510

3286025 OVEN DRAWER GASKET - 7 m
 made of silicone elastomer
 profile dimensions 26x19 mm
 COLOUR BROWN
 for Convection oven (RATIONAL)




ROSINOX RX24390510

3286026 OVEN DRAWER GASKET - 21 m
 made of silicone elastomer
 profile dimensions 26x19 mm
 COLOUR BROWN
 for Convection oven (RATIONAL)



ROSINOX RX24390510

3786623 OVEN GLASS GASKET
 made of silicone elastomer
 profile dimensions 8x7 mm
 COLOUR GREY
 SOLD PER METRE
 for Convection oven electric (KÜPPERSBUSCH) ECD110
 for Convection oven electric (RATIONAL) CD101
 CD20 - CM101 - CM6
 for Convection oven gas (RATIONAL) CM61G



ROSINOX RX24390502

3286048 OVEN GLASS GASKET - 25 m
 made of silicone elastomer
 profile dimensions 9x7 mm
 COLOUR BLACK
 for Convection oven (RATIONAL)




ROSINOX RX24390502



Suitable for:

3286047 OVEN GLASS GASKET - 6 m
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK
for Convection oven (RATIONAL)



ROSINOX RX24390502

Suitable for:

3286048 OVEN GLASS GASKET - 25 m
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK
for Convection oven (RATIONAL)



ROSINOX RX24390502

Handles

3242090 BASE FOR DOOR HANDLE
for OVEN



ROSINOX RX22705073

3242317 CLOSING DEVICE FOR DOOR HANDLE
for OVEN



ROSINOX RX94802832

3242320 DOOR CLOSING PLATE
distance between mounting holes 68 mm
for OVEN



ROSINOX RX26728261

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



ROSINOX LF-3242042

3242316 OVEN DOOR CLOSING SUPPORT
distance between mounting holes 32-90 mm
for OVEN



ROSINOX RX26728287

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



ROSINOX RX94026168



Suitable for:

3242311 OVEN DOOR HANDLE 280x30 mm
 handle mounting holes distance 123-136 mm
 for Convection oven electric (RATIONAL) CC101
 CC6 - CD101 - CD6 - CM101 - CM6
 for Convection oven gas (RATIONAL) CM14G - CM62G



ROSINOX RX26728030

Suitable for:

3242312 STRIKE FOR OVEN HANDLE
 distance between mounting holes 15 mm
 for Convection oven electric (RATIONAL) CC101
 CC6 - CD101 - CD6 - CM101 - CM6
 for Convection oven gas (RATIONAL) CM14G - CM62G



ROSINOX RX26728022

3242225 PIN FOR HANDLE STRIKE \varnothing 4x36 mm
 for OVEN



ROSINOX RX94814246

3242466 PLASTIC RING \varnothing 56x40x2 mm
 for OVEN



ROSINOX RX26160119

3242224 SPRING FOR HANDLE STRIKE
 for OVEN



ROSINOX RX94814244

3242922 STRIKE FOR DOOR CATCH



ROSINOX

3242093 STRIKE FOR DOOR HANDLE
 for Convection oven electric (LAINOX) VE110H



ROSINOX RX94814245

3242318 STRIKE FOR DOOR HANDLE
 distance between mounting holes 68 mm
 for OVEN



ROSINOX RX26728253

3242312 STRIKE FOR OVEN HANDLE
 distance between mounting holes 15 mm
 for Convection oven electric (RATIONAL) CC101
 CC6 - CD101 - CD6 - CM101 - CM6
 for Convection oven gas (RATIONAL) CM14G - CM62G



ROSINOX RX26728022

3242241 STRIKE FOR OVEN RIGHT HANDLE
 distance between mounting holes 67 mm
 for OVEN



ROSINOX RX26728212

3242223 STRIKE WITH FLANGE FOR DOOR HANDLE
for OVEN



ROSINOX RX94814243

Heating elements

3355710 HEATING ELEMENT 2000W 230V
length 520 mm - width 90 mm
couplings \varnothing 14 mm
for Convection oven electric (RATIONAL) CD101
CD201 - CM101 - CM201



ROSINOX RX27307974

3355712 HEATING ELEMENT 2500W 230V
length 510 mm - width 140 mm
couplings \varnothing 14 mm
for Convection oven electric (RATIONAL) CD20
CM20



ROSINOX RX27307966

3355701 HEATING ELEMENT 3000W 230V
immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CC6 - CD20
CD6 - CM20 - CM6



ROSINOX RX27318591

3455384 HEATING ELEMENT 3600W 240V
width 340 mm - length 135 mm
couplings \varnothing 1/4"
for Convection oven electric (ROSINOX)
Series TVT - Series TVTS



ROSINOX RX94050010

3355106 HEATING ELEMENT 6000W 230/400V
for wash tank and boiler
immersed length 350 mm
flange external \varnothing 72 mm
with thermostat probe receptacle
with O-ring
upon request nut and washer
for Convection oven electric (ANGELO PO) FV2SE
for Convection oven electric (LAINOX) FV03 - FV06
ME05 - ME10 - ME105L - ME105S - ME15 - ME20
ME21 - ME24 - ME40 - MME05 - MME10 - MME15
MME20 - MME21 - MME24 - MME40



ROSINOX RX94810958

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ROSINOX RX94807294



Suitable for:

ROSINOX



3355702 HEATING ELEMENT 6000W 230V
 immersed length 380 mm - width 60 mm
 flange 80x28 mm
 for Convection oven electric (RATIONAL) CC6
 CD101 - CD20 - CD201 - CD6 - CM02 - CM101
 CM201 - CM6



ROSINOX RX27318583

3455342 HEATING ELEMENT 6000W 230V
 immersed length 355 mm - width 65 mm
 flange 80x28 mm - complete with thermocouple probe
 completa di sonda termocoppia
 for Convection oven electric (RATIONAL) CC6
 CD101 - CD20 - CD201 - CD6 - CM101 - CM20
 CM201 - CM6



ROSINOX RX27318724

3755206 HEATING ELEMENT 6000W 240V
 external \varnothing 230 mm - height 130 mm
 flange 140x25 mm
 for Convection oven electric (FOINOX) FC05EU
 FC05EUM - FC06E - FC50EM - MIDI005EEP
 MIDI005EM
 for Convection oven electric (LAINOX) A10PES



ROSINOX RX94814229

3355714 HEATING ELEMENT 9000W 230V
 external \varnothing 325 mm - height 190 mm
 couplings \varnothing 14 mm
 for Convection oven electric (RATIONAL) CC6 - CD6
 CM6
 for Convection oven electric (KÜPPERSBUSCH) ECD106



ROSINOX RX27307982

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



ROSINOX RX94805280

3053007 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



ROSINOX RX94805272

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



ROSINOX RX94805280



Suitable for:

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ROSINOX RX94805264

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ROSINOX RX94805280

Hose-end fittings

3315106 3-WAY HOSE END RUBBER FITTING \varnothing 10 mm



ROSINOX RX94809241

Interference suppression filters

3160479 INTERFERENCE SUPPRESSION FILTER 0,47 μ F
for Convection oven electric (LAINOX) - Series CE
Series ME - Series VE
for Convection oven gas (LAINOX) - Series CG



ROSINOX RX94808409

Lamps

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
for OVEN-PIZZA OVEN



ROSINOX RX27610112

3221166 GREEN INDICATOR LAMP 400V
head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
universal application



ROSINOX RX94806346

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



ROSINOX RX94813811

3221192 LAMP SUPPORT



ROSINOX RX94813812



Suitable for:

ROSINOX



3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass \varnothing 42 mm
 mounting hole \varnothing 38 mm
 max temperature 300°C
 for Convection oven (RATIONAL)
 for Convection oven electric (TECNOEKA) KF1001GGAM
 KF1001GIXALGAM - KF733 - KF912GA
 KF912GRILLGA - KF912IXGA - KF913D - KF913DIX
 KF9133DIX - KF933 - KF933U - KF937



ROSINOX RX27610104

3221252 NEON LAMP FOR OVEN Ba15d 7W 230V
 dimensions \varnothing 16x35 mm
 for OVEN



ROSINOX RX27610302

3221067 NEON LAMP FOR OVEN E10 2W 230V
 dimensions \varnothing 10x28 mm
 for OVEN



ROSINOX RX27610179

3221097 NEUTRAL INDICATOR LAMP 220V
 head \varnothing 8 mm - 120°C



ROSINOX RX94801073

ROSINOX RX94809845

3221025 ORANGE INDICATOR LAMP 230V
 hole \varnothing 13 mm - head \varnothing 15 mm - 120°C
 universal application



ROSINOX RX94801529

ROSINOX RX94801537

3221095 ORANGE INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



ROSINOX RX94812468

3221165 ORANGE INDICATOR LAMP 400V
 head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
 universal application



ROSINOX RX94806353

3221166 GREEN INDICATOR LAMP 400V
 head \varnothing 14.5 mm - hole \varnothing 11.5 mm - 120°C
 universal application



ROSINOX RX94806346

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ROSINOX RX27610120

3221253 OVEN LAMP E14 6/10W 230V
 dimensions \varnothing 16x52 mm
 for Convection oven (RATIONAL)



ROSINOX RX27610153



Suitable for:

Suitable for:

3221251 OVEN LAMP 2W 24V
dimensions \varnothing 10x25 mm
for Convection oven (RATIONAL)



ROSINOX RX27610286

3221024 RED INDICATOR LAMP 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
universal application



ROSINOX RX94801511

3221025 ORANGE INDICATOR LAMP 230V
hole \varnothing 13 mm - head \varnothing 15 mm - 120°C
universal application



ROSINOX RX94801529

ROSINOX RX94801537

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven (ZANUSSI) ACV - ECV
Series FCS - Series FCV - FDV - ZCV



ROSINOX RX94812666

Level sensors

3397192 LEVEL PROBE \varnothing 4x250 mm
overall length 330 mm
for Convection oven electric (ROSINOX) TVTS10E
TVTS6E - TVT10E - TVT6E



ROSINOX RX94023512

3341051 LEVEL PROBE 3 ELECTRODES \varnothing 15 mm 108 mm



ROSINOX RX24849150

3341052 LEVEL PROBE 3 ELECTRODES \varnothing 15 mm 130 mm



ROSINOX RX24849143



Suitable for:

ROSINOX



Suitable for:

Magnet groups

3182010 MAGNETIC UNIT PEL
 ø head 24 mm - ø end 18 mm - length 59 mm
 thermocouple coupling M10x1
 for PEL tap model 23



ROSINOX 244761276

3182003 MAGNETIC UNIT SIT
 ø head 25 mm - ø end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



ROSINOX

Microswitches

3240196 MAGNETIC MICROSWITCH E5201V
 0.04A 250V - NO contact - head 40x13x8 mm
 with cable length 1400 mm



ROSINOX RX94808292

3240407 MECHANICAL MICROSWITCH KIT 16A 250V
 3 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheels - lever 27 mm with wheels



ROSINOX RX94810935

3240189 MICRO SWITCH M1DX20 10A 250V
 for Convection oven (ANGELO PO)
 till 31/12/99
 for Convection oven electric (ANGELO PO)
 till 13/11/99
 FCV101E - FCV101EDM - FCV101EDS - FCV141E
 FCV141EDM - FCV141EDS - FCV241E - FCV241EDM
 FCV241EDS - FCV401EDM - FCV61E - FCV61EDM
 FCV61EDS - FC101E - FC241E - FC61E
 for Convection oven gas (ANGELO PO)
 till 13/11/99
 FCV101 - FCV141DM - FCV141DS - FCV241 - FCV241G
 FCV61 - FC101 - FC61



ROSINOX RX94806130

3240820 MICROSWITCH 16A 250V



ROSINOX RX94812476

3240181 PROTECTED MAGNET 62x18x10 mm
 for Convection oven (MARENO)



ROSINOX RX94809266



Suitable for:

ROSINOX



Suitable for:

Motors

3240983 MOTOR HANNING L7ZAW4D-087 0.26Kw
220-240V/380-400V 50Hz - THREE-PHASES
conical axis \varnothing 13-17 mm
length 67 mm
distance between mounting holes 9.5 mm
for Convection oven electric (ROSINOX) TVTXR3



ROSINOX RX94050044

3240325 MOTOR K48210 M01616 0.12Kw 220/240V
1.6A 2100-3100rpm
capacitor 5 μ F
for Convection oven (LAINOX) RB102D
for Convection oven electric (GARBIN) 25EXVAPOR
31EXVAPOR - 31GXUMI - 36EXVAPOR - 36PXUMI
43SEVAPOR



ROSINOX RX94814228

3240992 MOTOR WITH FAN R2S150AD08-39
46W 220V 50Hz - SINGLE-PHASE
for Convection oven (ROSINOX)
for Convection oven (AMBASSADE) 30FRIFE0705RT



ROSINOX

Non-return and expansion valves

1526503 NON-RETURN VALVE \varnothing 40 mm
ballcock - outlets \varnothing 12 mm
stainless steel cap



ROSINOX RX94813738

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ROSINOX RX94807781

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ROSINOX RX94807294



Suitable for:

ROSINOX



Suitable for:

Penetration probes

3397052 PENETRATION PROBE PT100
 2 wires - probe length 180 mm
 cable length 3000 mm
 with fastening coupling M12
 for Convection oven (RATIONAL) - Series CD
 Series CM



ROSINOX RX24849135

ROSINOX RX24849168

3397071 PENETRATION PROBE PT100
 2 wires - probe for hot compartment
 probe length 100 mm
 silicone cable length 1500 mm
 for Convection oven (RATIONAL) - Series CD
 Series CM



ROSINOX RX24849093

Pilot burners and accessories

3020077 FITTING FOR PIPE \varnothing 4 mm



ROSINOX RX94812587

3020085 NUT FOR SPARKING PLUG CONNECTION



ROSINOX RX94805082

3020082 OLIVE FOR 12 mm \varnothing PIPE



ROSINOX RX94810978

3020042 PILOT GAS JET \varnothing 0.19 mm



ROSINOX 822140380

3020202 PILOT GAS JET \varnothing 0.27 mm



ROSINOX RX94806072

3020156 PILOT JET \varnothing 0.25 mm



ROSINOX RX94812644

3020010 TARGET PILOT BURNER SIT 2 FLAMES
 supplied without sparking plug, nozzle and gasket
 with thermocouple fitting
 for Convection oven gas (ZANUSSI)



ROSINOX RX94805041

3020042 PILOT GAS JET \varnothing 0.19 mm



ROSINOX 822140380



Suitable for:

Suitable for:

3020200 THERMOCOUPLE NUT



ROSINOX RX94805090

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm
with 3 positions bracket



ROSINOX

ROSINOX RX94034659

ROSINOX 94034659

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ROSINOX RX94034642

ROSINOX 94805207

Potentiometers

3390357 COMPLETE POTENTIOMETER WITH CABLE

pin \varnothing 10 mm
for Convection oven (ROSINOX) - Series TVT
Series TVTS



ROSINOX RX94050333

3057215 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm
for Convection oven electric (LAINOX) HME061P
HME101P - HME102P - HME201P - HME202P
for Convection oven gas (LAINOX) HMG061P - HMG101P
HMG102P - HMG201P - HMG202P



ROSINOX RX94814233

Pressure switches

3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V

fitting \varnothing 1/8"M
for Convection oven (OLIS) - Series CVM
Series ECVM
for Convection oven electric (KELVIN) KE106A
KE110A - KE210A - KPE405 - KPE408 - NKE106A
NKE110A - NKE210A
for Convection oven electric (LAINOX) VE100H
for Convection oven gas (KELVIN) KG106A - KG110A
KG210A - KPG405 - KPG408A - NKG106A - NKG110A
NKG210A



ROSINOX RX94814247



Suitable for:

ROSINOX



Suitable for:

Probes

3397082 CHAMBER TEMPER. PROBE PT100 W/BY PASS

2 wires- for steam generator
probe length 80 mm
cable length 1800 mm
for Convection oven (RATIONAL) - Series CD
Series CM



ROSINOX RX24849036

3397191 TEMPERATURE PROBE FOR OVEN

2 wires - bulb \varnothing 4x100 mm
for Convection oven electric (ROSINOX) TVTS10E
TVTS6E - TVT10E - TVT6E



ROSINOX RX94050341

3397034 TEMPERATURE PROBE PT100

2 wires
probe length 83 mm
cable length 1500 mm
for Convection oven (LAINOX)



ROSINOX RX94814231

Relays

3351901 RELAY 60.62 10A 230V 50/60Hz

2 switching contacts



ROSINOX RX94804291

3351101 TIME LIMIT RELAY CROUZET 0.7A 230V

timer 1"
for Convection oven (RATIONAL)



ROSINOX RX27470053

Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



ROSINOX RX94002813

3057014 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



ROSINOX RX94805892



Suitable for:

3057233 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven electric (RATIONAL) CD101
 CD20 - CD201 - CD6



ROSINOX RX27338151


Suitable for:

3057101 SELECTOR SWITCH 3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven electric (RATIONAL) CD101
 CD20 - CD201 - CD6



ROSINOX RX27338060

3057103 SELECTOR SWITCH 3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven electric (RATIONAL) CD101
 CD20 - CD201 - CD6



ROSINOX RX27338144

3057104 SELECTOR SWITCH 5 POSITIONS
 2 cams with board
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (RATIONAL) CM101
 CM20 - CM201 - CM6
 for Convection oven gas (RATIONAL) CM14G - CM21G
 CM62G



ROSINOX RX27338136

Solenoid valves

3120264 MULLER SOLENOID VALVE 230V \varnothing 12 mm
 solenoid valve 180° - 220/230V 50/60Hz - max 90°C
 3/4" inlet - \varnothing 12 mm n. 3 outlets
 with cable length 2000 mm
 for Steam oven (RATIONAL)



ROSINOX RX24720054

ROSINOX RX24720179

3120364 SOLENOID VALVE PARKER 121KS8358 L48A
 with coil 4818653D D5LF 8W 230V 50Hz 2 vie
 for Convection oven (ROSINOX) 854222



ROSINOX RX94052347

3120398 SOLENOID VALVE 230V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - two outlets \varnothing 10 mm
 with cable length 2000 mm



ROSINOX RX24720054

3120404 SOLENOID VALVE 230V \varnothing 10.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 3/4" inlet - 1 outlet \varnothing 10.5 mm



ROSINOX RX94813749



Suitable for:

3120407 SOLENOID VALVE 230V \varnothing 10.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets \varnothing 10.5 mm



ROSINOX RX94807480

Suitable for:

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ROSINOX RX94805520

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



ROSINOX RX94050168

3120507 SOLENOID VALVE 349 24V \varnothing 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



ROSINOX RX94804671

3120009 SOLENOID VALVE 351 220/240V \varnothing 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14 mm



ROSINOX RX94809282

3120010 SOLENOID VALVE 352 220/240V \varnothing 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 14 mm



ROSINOX RX94809795

Spare parts for pumps

3122360 PUMP MANIFOLD
for Convection oven (RATIONAL) - Series CD
Series CM



ROSINOX RX24556078

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



ROSINOX RX94027802

ROSINOX RX94805108

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ROSINOX RX94039229

ROSINOX RX94805116



Suitable for:

Suitable for:

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



ROSINOX RX94805124

Sparking and detection plugs

3806021 ROUND DETECTOR ELECTRODE
with flange
for Convection oven gas (ROSINOX) TVTS10G



ROSINOX RX94051521

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm



ROSINOX RX94027729

ROSINOX 94027729

3806020 ROUND SPARKING PLUG
for Convection oven gas (ROSINOX) TVT20G



ROSINOX RX94044214

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ROSINOX RX94034642

ROSINOX 94805207

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ROSINOX RX94805066

ROSINOX RX94805306

ROSINOX RX94805686

3020325 SPARKING AND FLAME DETECTION PLUG
two plugs kit:
long-life plug \varnothing 9 mm
original plug \varnothing 7x180 mm
for Convection oven gas (LAINOX) CG051M - CG071M
MG061P - MG061T - MG101P - MG201T - VG051P
VG061D - VG061P



ROSINOX RX94814239



Suitable for:

ROSINOX



Suitable for:

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole \varnothing 25 mm



ROSINOX RX94805173

3319944 GREEN BIPOLAR SWITCH 16A 250V
with indicator light
0-I silk-screen printing
temperature max 120°C
mounting hole 22x30 mm



ROSINOX RX94805496

Terminal blocks

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ROSINOX RX94810223

Thermocouples and accessories

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ROSINOX RX94015112

3440037 THERMOCOUPLE SIT M9x1 100 cm.



ROSINOX RX94015112

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ROSINOX RX94015112

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ROSINOX RX94805025



Suitable for:

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



ROSINOX RX94805025

Suitable for:

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ROSINOX RX94805025

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ROSINOX RX94024973

3440036 THERMOCOUPLE SIT M9x1 85 cm .



ROSINOX RX94024973

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ROSINOX RX94024973

Thermostats

3444402 SINGLE-PHASE THERMOSTAT 0-300°C

D-shaped pin 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb \varnothing 3x160 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD20 - CD201 - CD6 - CM101 - CM6



ROSINOX

3444401 SINGLE-PHASE THERMOSTAT 100-180°C

D-shaped pin 6x4.6 mm
covered capillary length 2420 mm - 16A 250V
bulb \varnothing 6x90 mm - with stuff.gland coupling M9x1
for Convection oven electric (RATIONAL)
since 1/06/97
CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101
CD20 - CD201 - CD6



ROSINOX RX24848269

3444974 SINGLE-PHASE THERMOSTAT 100-645°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb \varnothing 4x230 mm
for Convection oven (ROSINOX)
for Convection oven (SOLYMAC)



ROSINOX RX94090032

3444346 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1
for Convection oven (INOXTREND)



ROSINOX RX94805249



Suitable for:

ROSINOX



3444400 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 3x262 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CCD101 - CCD102 - CCD201 - CCD61 - CD101 - CD102
CD20 - CD201 - CD202 - CD6 - CD61 - CM101
CM20 - CM201 - CM6



ROSINOX RX24848145

3444312 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 1500 mm - 3 contacts 16A 250V
bulb ø 4x110 mm
for Convection oven (ZANUSSI)



ROSINOX RX94800158

ROSINOX RX94812622

3444804 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 860 mm - 16A 250V
button bulb ø 11x10 mm
for Convection oven (KELVIN)
for Convection oven electric (LAINOX) HME061P
HME061T - HME061X - HME101P - HME101T
HME101X - HME102P - HME102T - HME102X
HME201P - HME201T - HME201X - HME202P
HME202T - HME202X - HVE061P - HVE061T
HVE061X - HVE101P - HVE101T - HVE101X
HVE102P - HVE102T - HVE102X - HVE201P
HVE201T - HVE201X - HVE202P - HVE202T
HVE202X
for Convection oven gas (LAINOX) HMG061P - HMG061T
HMG061X - HMG101P - HMG101T - HMG101X



ROSINOX RX94814230

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x80 mm
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



ROSINOX RX94805413

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb ø 3x230 mm
for Convection oven



ROSINOX RX94805645

3444404 3-PHASE THERMOSTAT 365°C

with manual reset
covered capillary length 1170 mm - 10A 400V
bulb ø 4x120 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CC101 - CC20 - CC201 - CC6 - CD101 - CD20 - CD201
CD6 - CM101 - CM20 - CM6
CM201
for Convection oven gas (RATIONAL) CM14G - CM62G



ROSINOX RX24848111



Suitable for:

ROSINOX



Suitable for:

Washing showers for ovens

3359615 STAINLESS STEEL HOSE \varnothing 1/2" FF 200 cm

stainless steel 18/10 double braid
with transparent PVC coating
nickel-plated brass coupling \varnothing 1/2"F



ROSINOX RX94814124