



Spare parts for:

Ovens



Suitable for:

SAMMIC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211747





Suitable for:

SAMMIC



Suitable for:

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2050610

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2302620

Fans for motors

3240324 FAN \varnothing 200 mm
thickness 40 mm
total blades 38 - \varnothing hole 8x6 mm
for Convection oven electric (GARBIN) 101EXVAPOR
104EXVAPOR - 41EXVAPOR - 41GXUMI - 44EXVAPOR
44PXUMI - 45EXVAPOR - 45GXUMI - 46EXVAPOR
46PXVAPOR - 61EXVAPOR - 61GXVAPOR - 64EXVAPOR
64PXVAPOR



SAMMIC VEN226

Feet

3313040 ADJUSTABLE S/STEEL FOOT \varnothing 1"1/2 x h 95 mm
with fixed screw M10x25 mm
adjustable height 95÷150 mm



SAMMIC 2310659

Fuses

3049013 DELAY FUSE 5x20 - 10 PCS
250V 1A



SAMMIC 2149131



Suitable for:

SAMMIC

Suitable for:



Gaskets for oven door

3786081 OVEN DOOR GASKET 460x370 mm
 made of silicone elastomer
 with fixing clips
 BLACK COLOR
 for Convection oven electric (GARBIN) 43DX
 43DXUMI - 43MX - 43MXUMI



SAMMIC GUA029

3786082 OVEN DOOR GASKET 660x360 mm
 made of silicone elastomer
 with fixing clips
 BLACK COLOR
 for Convection oven electric (GARBIN) 41EXVAPOR
 41GXUMI - 44EXVAPOR - 44PXUMI



SAMMIC GUA44

Gastronorm pans

3015023 S/STEEL DRIP TRAY GN 1/1 530x325xH20 mm



SAMMIC 9051020

3015024 S/STEEL DRIP TRAY GN 1/1 530x325xH40 mm



SAMMIC 9051040

3015025 S/STEEL DRIP TRAY GN 1/1 530x325xH65 mm



SAMMIC 9051050

3015029 S/STEEL DRIP TRAY GN 1/2 325x265xH20 mm



SAMMIC 9053020

3015031 S/STEEL DRIP TRAY GN 1/2 325x265xH65 mm



SAMMIC 9053050

3015021 S/STEEL DRIP TRAY GN 2/1 650x530xH40 mm



SAMMIC 9050040

3015022 S/STEEL DRIP TRAY GN 2/1 650x530xH65 mm



SAMMIC 9050050

3015026 S/STEEL DRIP TRAY GN 2/3 355x325xH20 mm



SAMMIC 9052020



Suitable for:

Suitable for:

3015027 S/STEEL DRIP TRAY GN 2/3 355x325xH40 mm

3015028 S/STEEL DRIP TRAY GN 2/3 355x325xH65 mm



SAMMIC 9052040

SAMMIC 9052050

3015020 S/STEEL DRIP TRAY 2/1 GN 650x530x20 mm



SAMMIC 9050020

Grids for refrigerator-oven

3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



SAMMIC 9771700

SAMMIC 9770700

Heating elements

3755307 HEATING ELEMENT 3300W 230V
external \varnothing 235 mm - internal \varnothing 225 mm
overall height 80 mm - flange 70x22 mm
for Convection oven electric (GARBIN) 41EXVAPOR
41GXUMI - 44EXVAPOR - 44PXUMI - 45EXVAPOR
45GXVAPOR - 46EXVAPOR - 46PXVAPOR



SAMMIC RES229



Lamps

3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V

lamp glass \varnothing 54 mm
mounting hole \varnothing 45 mm
max temperature 300°C



SAMMIC 6126073

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN
for Convection oven electric (SMEG) ALFA31V
ALFA51X - ALFA51XGN - ALFA55X



SAMMIC PORTALAM290

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



SAMMIC 6126042

3221024 RED INDICATOR LAMP 230V

head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
universal application



SAMMIC 2309960

Motors

3240326 MOTOR K48210 M01616 0.12kW 220/240V

50/60Hz 1.6A 2800/3200rpm - capacitor 5 μ F
for Convection oven electric (GARBIN) 101EXVAPOR
101GXVAPOR - 104EXVAPOR - 104PXVAPOR
41EXVAPOR - 41GXUMI - 44EXVAPOR - 44PXUMI
45EXVAPOR - 45GXUMI - 46EXVAPOR - 46PXVAPOR
61EXVAPOR - 61GXVAPOR - 64EXVAPOR - 64PXVAPOR
for Convection oven gas (GARBIN) 101FGXVAPOR



SAMMIC MOTCOND4

3240324 FAN \varnothing 200 mm

thickness 40 mm
total blades 38 - \varnothing hole 8x6 mm
for Convection oven electric (GARBIN) 101EXVAPOR
104EXVAPOR - 41EXVAPOR - 41GXUMI - 44EXVAPOR
44PXUMI - 45EXVAPOR - 45GXUMI - 46EXVAPOR
46PXVAPOR - 61EXVAPOR - 61GXVAPOR - 64EXVAPOR
64PXVAPOR



SAMMIC VEN226



Suitable for:

SAMMIC



Suitable for:

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan \varnothing 150 mm
 for Convection oven
 for Convection oven electric (COVEN) C6E - TEC10
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYMIX6 - SOLYP10 - SOLYP6



SAMMIC VEN046

Solenoid valves

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



SAMMIC 8100265

3120008 SOLENOID VALVE 350 220/240V \varnothing 14 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 14 mm



SAMMIC 2304941

Thermostats

3444498 SINGLE-PHASE THERMOSTAT 0-280°C

D-shaped pin 6x4.6 mm
 capillary length 1400 mm - 16A 250V
 bulb \varnothing 3x185 mm - with stuff.gland coupling M10x1
 with complete sealing coupling for tank M14x1
 for Convection oven electric (GARBIN) 101GXVAPOR
 104PXVAPOR - 12GX - 23MX - 23MXUMI - 31GXUMI
 36PXUMI - 41GXUMI - 43DX - 43DXUMI - 43MX
 43MXUMI - 44PXUMI - 45GXVAPOR - 46PXVAPOR
 61GXVAPOR - 64PXVAPOR
 for Convection oven gas (GARBIN) 101FGX - 104FGX



SAMMIC TER034



Timers

3446099 TIMER 60 MINUTES MS65 SET

with board - board external dimension 45x48 mm
 manually set mechanical timer
 60-minute manually set cycle
 contact capacity 16(4)A 250V
 max temperature 100°C
 D-shaped shaft \varnothing 6x4,6 mm
 for Convection oven electric (GARBIN) 101GXVAPOR
 104PXVAPOR - 12GX - 23MX - 23MXUMI - 31GXUMI
 36PXUMI - 41GXUMI - 43DX - 43DXUMI - 43MX
 43MXUMI - 44PXUMI - 45GXUMI - 46PXVAPOR
 61GXVAPOR - 64PXVAPOR
 for Convection oven gas (GARBIN) 101FGXVAPOR



SAMMIC TIM060

Timers and cycle reversing switches

3210008 CONTROLLER INVERTER 3 CAMS 230V 50Hz

4 minutes
 for Convection oven (GARBIN) 104FGXVAPOR
 for Convection oven electric (GARBIN) 101GXVAPOR
 104PXVAPOR - 31GXUMI - 36PXUMI - 41GXUMI
 44PXUMI - 45GXUMI - 46PXVAPOR - 61EXVAPOR
 61GXVAPOR - 64EXVAPOR - 64PXVAPOR
 for Convection oven gas (GARBIN) 101FGXVAPOR



SAMMIC INVERV

Water softeners and accessories

3010061 MANUAL WATER SOFTENER 12 L \varnothing 3/4"

stainless steel cylinder capacity 12 L
 connection fittings 3/4"
 dimensions: height 500 mm - \varnothing 185 mm
 resin content 9 L
 regeneration salt (NaCl-table salt) 1.5 Kg
 for average dishwashers and dispensers



SAMMIC 5320010

3010062 MANUAL WATER SOFTENER 16 L \varnothing 3/4"

stainless steel cylinder capacity 16 L
 connection fittings 3/4"
 dimensions: height 600 mm - \varnothing 185 mm
 resin content 12 L
 regeneration salt (NaCl-table salt) 2 Kg
 for cup washers and dishwashers, large dispensers



SAMMIC 5320015



Suitable for:

Suitable for:

3010063 MANUAL WATER SOFTENER 20 L \varnothing 3/4"
stainless steel cylinder capacity 20 L
connection fittings 3/4"
dimensions: height 900 mm - \varnothing 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg
for dishwashers, large automatic dispensers

3010060 MANUAL WATER SOFTENER 8 L \varnothing 3/4"
stainless steel cylinder capacity 8 L
connection fittings 3/4"
dimensions: height 400 mm - \varnothing 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg
for cup washers, small automatic dispensers



SAMMIC 5320020

SAMMIC 5320005