



Spare parts for:

**Ovens**



Suitable for:

**SILKO**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# SILKO



Suitable for:

## Air regulators

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

## Cables for piezo igniters

**3001002 SIT IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode



SILKO 0100858

**3001016 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



SILKO 0101628

SILKO 0109082

SILKO 9303461

## Contactors

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



SILKO MACM187400

SILKO 0105031

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact



SILKO 0101330

## Electrical gas valves and accessories

**3526090 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4"FF - outlet  $\varnothing$  3/4"FF  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



SILKO 0100883

**3440200 TWIN LEAD THERMOPILE 580 mm**



SILKO MA1870712

SILKO 0105109

SILKO 1870712



Suitable for:

# SILKO



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SILKO 0100888

SILKO 0109011

Suitable for:

**3526079 VALVE 820 NOVA ø 1/2"FF**  
inlet ø 1/2" F - outlet ø 1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz  
for Convection oven electric (MBM) FCE6  
for Convection oven gas (ANGELO PO) - Series FC  
Series FCV  
for Convection oven gas (MBM) FFM061 - FGC060  
FGC065 - FGC100 - FGC200 - FGD066  
FGMD060 - FGMD061 - FGMD065 - FGMD100  
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101  
FGM200 - FGM201 - FGP050 - FGP080 - FGP160



SILKO 0109010

**3526104 VALVE 830 TANDEM ø 1/2"FF**  
inlet ø 1/2" F - outlet ø 1/2" F  
maximum gas inlet pressure 60 mbar  
outlet pressure adjustment range  
3÷50 mbar  
with slow start  
room temperature 0÷60°C  
power supply 230V 50Hz  
for Convection oven gas (EBERHARDT)  
for Convection oven gas (EMMEPI)  
for Convection oven gas (SILKO)  
for Convection oven gas (UNOX)  
for Convection oven gas (ZANUSSI)



SILKO 0102481

**3020084 NUT & OLIVE ø 6 mm**



SILKO 0100884

**3020083 NUT & OLIVE ø 4 mm**



SILKO 1394700

**3348041 PIPE OLIVE ø 16 mm**  
for model PEL 23



SILKO 0100765



Suitable for:

# SILKO



Suitable for:

## Electronic boxes

### 3091005 CONTROL BOX 501 EFD

model SIT - 230V 50/60Hz  
 for Convection oven gas (INOXTREND) BUA606G00  
 BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00  
 FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00  
 FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01  
 FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00  
 FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01  
 FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00  
 FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00  
 FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01  
 FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00  
 FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01  
 FUE110G01 - FUE210G00



SILKO 0102480

### 3526011 IGNITION CONTROL BOX S4565AF1007

model HONEYWELL - 220/240V 50/60Hz 4VA  
 for Convection oven (LAINOX) - Series MG  
 Series VG



SILKO 63060100

## Electronic printed-circuit boards

### 3390074 7 RELAY BASE BOARD

dimensions 175x100 mm  
 for Convection oven (LAINOX) - Series ME-X  
 Series MG-X - Series VE-X - Series VG-X



SILKO 910059

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 12A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for Convection oven electric (UNOX) XV202 - XV301  
 XV401 - XV501



SILKO 0108231

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Convection oven (KELVIN)  
 for Convection oven electric (GIERRE) FEV106M  
 FEV166E - FEV166M - FEV166P - FEV168E  
 FEV168M - FEV56M  
 for Convection oven electric (SMEG) ALFA30V  
 ALFA31V  
 for Convection oven gas (GIERRE) FEV107M - FEV167E  
 FEV167M - FEV167P - FEV57M



SILKO CM189600  
SILKO 1037108713

SILKO MACM293900

SILKO 0105171

## Gas taps and accessories

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



SILKO 0100778

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



SILKO 0100765

## Gaskets for oven door

**5004998 OVEN DOOR GASKET 1650 mm**  
made of silicone elastomer  
profile dimensions 9.6/6x14 mm  
COLOUR BLACK  
for Convection oven (ROSINOX)



SILKO LB848-00

## Heating elements

**3355106 HEATING ELEMENT 6000W 230/400V**  
for wash tank and boiler  
immersed length 350 mm  
flange external  $\varnothing$  72 mm  
with thermostat probe receptacle  
with O-ring  
upon request nut and washer  
for Convection oven electric (ANGELO PO) FV2SE  
for Convection oven electric (LAINOX) FV03 - FV06  
ME05 - ME10 - ME105L - ME105S - ME15 - ME20  
ME21 - ME24 - ME40 - MME05 - MME10 - MME15  
MME20 - MME21 - MME24 - MME40



SILKO

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



SILKO 0100343

SILKO 100343



Suitable for:

**SILKO**



Suitable for:

## Hinges, catches and accessories

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



SILKO BN6A035920

SILKO 0100345

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



SILKO 0100343

SILKO 100343

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



SILKO BN6A035910

SILKO 0100346

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



SILKO 0100343

SILKO 100343

## Injectors

**3500082 GAS JET M10x1 ø 1.90 mm**



SILKO 707200

## Knobs

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole



SILKO 0101455

## Lamps

**3221166 GREEN INDICATOR LAMP 400V**  
head ø 14.5 mm - hole ø 11.5 mm - 120°C  
universal application



SILKO 0101169

## Lamps

**3221165 ORANGE INDICATOR LAMP 400V**  
 head ø 14.5 mm - hole ø 11.5 mm - 120°C  
 universal application



SILKO 0101167

SILKO 0101170

**3221166 GREEN INDICATOR LAMP 400V**  
 head ø 14.5 mm - hole ø 11.5 mm - 120°C  
 universal application



SILKO 0101169

## Level regulators

**3341000 LEVEL ADJUSTER RL30/3ES/F/G**  
 230V 50/60Hz  
 for Convection oven (ZANUSSI) ACV - ECV  
 Series FCS - Series FCV - FDV - ZCV



SILKO 0102477

## Microswitches

**3240189 MICRO SWITCH M1DX20 10A 250V**  
 for Convection oven (ANGELO PO)  
 till 31/12/99  
 for Convection oven electric (ANGELO PO)  
 till 13/11/99  
 FCV101E - FCV101EDM - FCV101EDS - FCV141E  
 FCV141EDM - FCV141EDS - FCV241E - FCV241EDM  
 FCV241EDS - FCV401EDM - FCV61E - FCV61EDM  
 FCV61EDS - FC101E - FC241E - FC61E  
 for Convection oven gas (ANGELO PO)  
 till 13/11/99  
 FCV101 - FCV141DM - FCV141DS - FCV241 - FCV241G  
 FCV61 - FC101 - FC61



SILKO 0101180

SILKO 0103452

SILKO 109062

**3240820 MICROSWITCH 16A 250V**



SILKO MA1037111300

SILKO 0105025

## Pilot burners and accessories

**3020079 PIPE FITTING ø 12 mm**



SILKO 0100841

SILKO 459300

**3020077 FITTING FOR PIPE ø 4 mm**



SILKO 0100777



# SILKO



Suitable for:

Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



SILKO 1394700

SILKO 0100884

**3020085 NUT FOR SPARKING PLUG CONNECTION**

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



SILKO 0100807

SILKO 1888400

SILKO 0100842

**3020081 OLIVE FOR 6 mm  $\varnothing$  PIPE**

**3020112 OLIVE FOR 6 mm  $\varnothing$  PIPE**



SILKO R62070023

SILKO 0100743

SILKO 0100745

SILKO 0100806

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



SILKO 1888000

SILKO 1033722000

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**

**3020054 PILOT JET  $\varnothing$  0.20 mm**



SILKO 0109078

SILKO 1887800

SILKO 0100829

SILKO 1415100

**3020557 PILOT JET  $\varnothing$  0.20 mm**

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO 0105144

SILKO 1033719600

SILKO 0101153

SILKO 1842300





# SILKO



Suitable for:

Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**

**3020041 PILOT JET  $\varnothing$  0.41 mm**



SILKO 0100801

SILKO 0105145

SILKO 1033719700

**3020113 PILOT OLIVE TARGET  $\varnothing$  4 mm**

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



SILKO 0109080

SILKO 1888100

SILKO 0101152

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket  
with thermocouple fitting  
for Convection oven gas (ZANUSSI)

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



SILKO CM029000

SILKO 0105054

SILKO 0109047

SILKO 1033722000

**3020200 THERMOCOUPLE NUT**

**3020011 THREE-FLAME PILOT BURNER**

withour sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting  
for Convection oven gas (ZANUSSI)



SILKO 0100742

SILKO 0100817

SILKO 1891700

SILKO 0108109

**3020269 THREE-FLAME PILOT BURNER**

withour sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with sparking plug fitting



SILKO 0101047



Suitable for:

Suitable for:

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket

**3020054 PILOT JET  $\varnothing$  0.20 mm**



SILKO 0100822

SILKO 0100824

SILKO 0100829

SILKO 1415100

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm  
for Convection oven electric (SOLYMAC) SOLYP10  
for Convection oven gas (SOLYMAC) SOLYMIX  
SOLYP6G



SILKO 0100832

SILKO 224211

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



SILKO R62060223

SILKO 0100744

SILKO 0100805

## Pressure switches

**3320053 ADJUSTABLE PRESSURE SWITCH  $\varnothing$  1/4" M**  
operating pressure regulation 10-50 mbar  
differential 3 mbar  
contact capacity 16(4)A 250V  
max operating temperature 85°C  
for OVEN



SILKO 0102485



## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



SILKO 0101374


SILKO 0101378

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat



SILKO 0101379

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm  
for Convection oven electric (GIORIK) EF4



SILKO 0108007

**3057041 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6  
for Convection oven electric (LAINOX) ME061M  
ME101M - ME102M - ME201M - ME202M - VES20X  
VES24M - VES24X - VES40M - VES40X - VE004M  
VE004X - VE061M - VE101M - VE102M - VE104M  
VE104X - VE105M - VE105X - VE106M - VE106X  
VE110M - VE110X - VE120M - VE120X - VE201M  
VE202M - VE210M - VE210X - VE220M  
for Convection oven gas (LAINOX) MG061M - MG101M  
MG102M - MG201M - MG202M - VG061M - VG101M  
VG102M - VG105M - VG105X - VG106M - VG106X  
VG110M - VG110X - VG120M - VG120X - VG201M  
VG202M - VG210M - VG210X - VG220M - VG220X



SILKO R65080020

## Solenoid valves

**3120004 SOLENOID VALVE 319 220/240V  $\varnothing$  10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



SILKO 0101341

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



SILKO 2709000



Suitable for:

# SILKO



Suitable for:

## Spark generators

### 3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz  
for Convection oven (COVEN)  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6



SILKO 0101193

SILKO 0101196

SILKO 0101197

### 3181003 SPARK GENERATOR 4 OUTLETS

220/240V 50/60Hz



SILKO 0101194

SILKO 0101199

### 3181004 SPARK GENERATOR 6 OUTLETS

220/240V - 50/60Hz



SILKO 0101195

SILKO 0101200

## Sparking and detection plugs

### 3020169 ROUND DETECTION PLUG $\varnothing$ 7x55 mm

overall length 100 mm  
for Convection oven gas (LAINOX) CG110M - CG210M  
GC010M - GM020H - GM020M - GV010H - GV010M  
GV020H - MG110D - MG110M - MG110X - MG210D  
MG210M - MG210X - VG110D - VG110M - VG110X  
VG210D - VG210M - VG210X  
for Convection oven gas (SILKO) GM010H



SILKO R63050350

### 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
total length 65 mm  
for Convection oven electric (SOLYMAC) SOLYP10  
for Convection oven gas (SOLYMAC) SOLYMIX  
SOLYP6G



SILKO 0100832

SILKO 224211

### 3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



SILKO 0100830

SILKO 0100831

SILKO 0108194

### 3020170 ROUND SPARKING PLUG $\varnothing$ 7x56 mm

overall length 95 mm  
for Convection oven gas (LAINOX) CG110M - CG210M  
GC010M - GM020H - GM020M - GV010H - GV010M  
GV020H - MG110D - MG110M - MG110X - MG210D  
MG210M - MG210X - VG110D - VG110M - VG110X  
VG210D - VG210M - VG210X  
for Convection oven gas (SILKO) GC010M - GC020M  
GM010H - GM010M - GM010M/SC - GM010P - GM020M  
GM020M/SC - GM020P - GV010H - GV010M  
GV010M/SC - GV010P



SILKO R63050340



## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
mounting hole  $\varnothing$  25 mm



SILKO 0101188

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator light and switch cover  
screen printing 0 - I  
max temperature 120°C  
mounting hole 22x30 mm  
for Convection oven electric (ZANUSSI)  
for Convection oven gas (ZANUSSI)



SILKO 4640500

**3319944 GREEN BIPOLAR SWITCH 16A 250V**  
with indicator light  
0-I silk-screen printing  
temperature max 120°C  
mounting hole 22x30 mm



SILKO 0109015

## Thermocouples and accessories

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



SILKO 0100797

SILKO 0100810

**3440015 INTERRUPTION CONNECTOR M9x1**



SILKO 0100835

SILKO 1533400

**3440064 NUT FOR THERMOCOUPLE M8x1**



SILKO 939300

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



SILKO 1916000

**3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1**



SILKO 1665000

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



SILKO 0100818



# SILKO



Suitable for:

Suitable for:

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



SILKO 0100818

SILKO 0100818

**3440038 THERMOCOUPLE SIT M9x1 120 cm**

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



SILKO 263800

SILKO 263800

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



SILKO 263800

**3440034 THERMOCOUPLE SIT M9x1 50 cm**

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



SILKO 0100808

SILKO 0100808

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



SILKO 0100808

SILKO 0100815

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



SILKO 0100812



# SILKO



Suitable for:

Suitable for:

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



SILKO 0100812

SILKO 0100812

**3440035 THERMOCOUPLE SIT M9x1 60 cm .**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



SILKO 0100815

SILKO 0100815

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SILKO CM029100

SILKO 0100809

**3440036 THERMOCOUPLE SIT M9x1 85 cm .**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SILKO CM029100

SILKO 0100809

SILKO CM029100

SILKO 0100809

**3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm**

**3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm**



SILKO 1206400

SILKO 1033027800

**3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm**



SILKO 1031500400



Suitable for:

**3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm**



SILKO 1916000

**SILKO**



Suitable for:

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



SILKO 1916000

## Thermostats

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1  
for Convection oven (INOXTREND)



SILKO MA7800300

SILKO 0101403

SILKO 10140

**3444120 SINGLE-PHASE THERMOSTAT 320°C**

with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm  
for Convection oven (BARON)  
for Convection oven (ERRE 2)  
for Convection oven (LAINOX)  
for Convection oven (OLIS)  
for Convection oven (SILKO)



SILKO 0101387

**3444312 SINGLE-PHASE THERMOSTAT 360°C**

with manual reset  
covered capillary 1500 mm - 3 contacts 16A 250V  
bulb  $\varnothing$  4x110 mm  
for Convection oven (ZANUSSI)



SILKO 0101372

SILKO 0101375

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven (LAINOX)  
for Convection oven (ZANUSSI)



SILKO 101389

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Convection oven (BONNET)  
for Convection oven (BOURGEOIS)  
for Convection oven (ZANUSSI)



SILKO 0101382

**3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680**

2 temperatures  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 230V  
bulb  $\varnothing$  3.1x230 mm



SILKO CR0688650





Suitable for:

**3444770 THREE-PHASE THERMOSTAT 157°C**

with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm  
for Convection oven electric (GIORIK) VE06EC  
VE06MX - VE10EC - VE10MX  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



SILKO 0108113

# SILKO



Suitable for:

**3444052 THREE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm  
for Convection oven



SILKO MA1309115

SILKO 0101384

SILKO 0105157