



Spare parts for:

Ovens

Suitable for:

SIT



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

SIT

Suitable for:



Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

Cables for piezo igniters

3001028 SIT CABLE 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



SIT 0.028.510

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



SIT 0.028.398

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



SIT 0.028.513

3001019 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



SIT 0.028.512

3001017 SIT IGNITION LEAD 600 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



SIT 0.028.399

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



SIT 0.028.509

SIT 0.028.521



Centrifigal fans

3240716 MOTOR FAN EV200/120/E30CA 80W 230V
 50Hz
 for Convection oven gas (ANGELO PO) FC1011G
 FC611G - FM721G1 - FM721G2 - FM721G3



SIT

Electrical gas valves and accessories

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526100 COIL 220V
 for VALVE ELETTROSIT



SIT 0.967.041

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



SIT 0.967.003

SIT 0.967.158

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258



Suitable for:

3030001 ELECTRIC COUPLING WITH CABLE
for valve sit 824 NOVA-826 NOVA



SIT 0.960.018

SIT 0.960.118

SIT



Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



SIT 0.810.136

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526100 COIL 220V
for VALVE ELETROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETROSIT VALVE



SIT



Suitable for:

3526092 ELETTROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 220/240V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Convection oven gas (ANGELO PO) FCV241G



SIT 0.810.126

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

SIT



Suitable for:

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT



Suitable for:

3526087 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



SIT 0.810.171

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



SIT 0.810.175

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3526143 MODULATOR COIL
 220V rectified
 for VALVE 836 TANDEM



SIT 0.967.135

SIT



Suitable for:

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526188 KNOB EXTENSION 87 mm long
 for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

3526103 PROTECTING COVER
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094



Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3440200 TWIN LEAD THERMOPILE 580 mm



SIT 0.240.002

SIT 0.940.002

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven electric (MBM) FCE6
for Convection oven gas (ANGELO PO) - Series FC
Series FCV
for Convection oven gas (MBM) FFM061 - FGC060
FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
FGMD060 - FGMD061 - FGMD065 - FGMD100
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
FGM200 - FGM201 - FGP050 - FGP080 - FGP160



SIT 0.820.010

SIT 0.820.012

SIT



Suitable for:

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSCHIT
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526183 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 60Hz
for Convection oven gas (ZANUSSI) ACF/G101
FCF/G10 - FCF/G101



SIT 0.820.060

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

SIT



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103



Suitable for:

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE ø 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

SIT

Suitable for:

3526188 KNOB EXTENSION 87 mm long
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm ø male faston connector



SIT 0.073.953

3526075 STRAIGHT FLANGE ø 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012





Suitable for:

SIT



3526361 VALVE 822 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G - FBA-106G
 FBA-110G - FBA-210G - FBE-106G - FBE-110G
 FDA-106G - FDA-110G - FDA-210G - FDE-106G
 FDE-110G - FDE-210G - FUA-106G - FUA-110G
 FUA-210G - FUE-106G - FUE-110G - FUE-210G



SIT 0.822.110

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4"F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

Suitable for:

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2"F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031



Suitable for:

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
gas inlet max.pressure 60 mbar
outlet pressure range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (KELVIN)



SIT 0.822.114

SIT 0.822.144

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

SIT



Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3523084 VALVE 826 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
2÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (MBM) FGMD107 - FGMD107SC
FGMD109 - FGMD67 - FGMD69 - FGM107 - FGM107SC
FGM109 - FGM110 - FGM610 - FGM610/L - FGM67
FGM67SC - FGM69



SIT 0.826.011

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

SIT

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260





Suitable for:

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

SIT

Suitable for:

3030001 ELECTRIC COUPLING WITH CABLE
for valve sit 824 NOVA-826 NOVA



SIT 0.960.018

SIT 0.960.118

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261





Suitable for:

SIT



3526104 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷50 mbar
 with slow start
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (EBERHARDT)
 for Convection oven gas (EMMEPI)
 for Convection oven gas (SILKO)
 for Convection oven gas (UNOX)
 for Convection oven gas (ZANUSSI)



SIT 0.830.034

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



SIT 0.957.008

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series NCV
 Series RCV - Series ZCV



SIT 0.830.040

Suitable for:

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090



Suitable for:

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

3526212 VALVE 830 TANDEM ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
3÷50 mbar
room temperature 0÷60°C
power supply 220/240V 50Hz
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG012MX - DG06EC - DG06ES
DG06MX - DG10EC - DG10ES - DG10MX - DG102EC
GF10GM - GF4PM - GF5GM - GF6PM - GF7GM - GF8PM
VG06EC - VG06MX - VG10EC - VG10MX - VG102EC
VG102MX - VG20EC - VG20MX



SIT 0.830.041

3020083 NUT & OLIVE ø 4 mm



SIT 0.958.030

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



SIT 0.957.008

SIT



Suitable for:

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE ø 6 mm



SIT 0.958.031



Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 maximum gas inlet pressure 60 mbar
 max.gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min.2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified
 for Convection oven gas (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FDV - Series NCV
 Series RCV - Series ZCV



SIT 0.836.010

3526143 MODULATOR COIL
 220V rectified
 for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526210 VALVE 840 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4"M - outlet \varnothing 3/4"M
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 2÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz 9.2VA
 for Convection oven gas (ANGELO PO) FC1010G
 FC611G - Series FM



SIT 0.840.020

SIT



Suitable for:

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



SIT 0.957.008

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



SIT 0.967.003

SIT 0.967.158



Suitable for:

3526012 VALVE 848 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4" M - outlet \varnothing 3/4" M
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 0.5 ÷ 12 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz 2.8VA
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR



SIT 0.848.037

3526009 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 gas max inlet pressure 60 mbar
 outlet pressure setting range
 3 ÷ 30 mbar
 room temperature 0 ÷ 70°C
 power supply 230V 50Hz
 slow ignition
 for Convection oven gas (ZANUSSI) - Series ACF
 Series FCF - Series NCF - Series ZCF



SIT 0.820.034

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

SIT



Suitable for:

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



SIT 0.967.003

SIT 0.967.158

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103



Suitable for:

3526124 **KNOB EXTENSION LENGTH 65 mm**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3182008 **MAGNETIC UNIT SIT**
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 **NUT & OLIVE ø 6 mm**



SIT 0.958.031

3526103 **PROTECTING COVER**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 **STRAIGHT FLANGE ø 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

SIT



Suitable for:

3526188 **KNOB EXTENSION 87 mm long**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.975

3020083 **NUT & OLIVE ø 4 mm**



SIT 0.958.030

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm ø male faston connector



SIT 0.073.953

3526075 **STRAIGHT FLANGE ø 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012



Electronic boxes

3091005 CONTROL BOX 501 EFD

model SIT - 230V 50/60Hz
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
 FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
 FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
 FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
 FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
 FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
 FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
 FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
 FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
 FUE110G01 - FUE210G00



SIT 0.501.213

3091031 CONTROL BOX 501 EFD

model SIT - 230V 50/60Hz 10A
 for Convection oven (GIERRE) EV125P
 for Convection oven (MARENO) - Series CON
 Series CSM
 for Convection oven gas (GIERRE) FEV107E - FEV107M
 FEV107P - FEV121E - FEV121M - FEV123E
 FEV123M - FEV123P - FEV125E - FEV125M - FEV57E
 FEV57M - FEV57P - FEV61E - FEV61M - FEV63E
 FEV63M - FEV63P - FEV65E - FEV65M - FEV65P



SIT 0.501.001

SIT 0.501.201

3091012 CONTROL BOX 503 EDF FOR TANDEM

model SIT - 220/240V 50/60Hz 7VA
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
 DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
 GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



SIT 0.503.003

3091025 CONTROL BOX 503 EFD FOR TANDEM

model SIT - 230V 50/60Hz 10VA
 for Convection oven (UNOX)



SIT 0.503.004

3091024 CONTROL BOX 537 ABC

model SIT - 230V 50/60Hz 10VA
 for Convection oven gas (FOINOX) FM401GTD
 FP100GTD



SIT 0.537.001

3091029 CONTROL BOX 537 ABC

SIT model - 220/240V 50/60Hz 12VA
 for 6 SHELVES
 for Convection oven gas (ZANUSSI)



SIT 0.537.307



Suitable for:

3091015 CONTROL BOX 577 DBC
model SIT - 220/240V 50/60Hz 20VA
for Convection oven (ZANUSSI) - Series AOS



SIT 0.577.307

SIT



Suitable for:

2101338 CONTROL BOX 579 DBC
SIT model - 220/240V 50/60Hz 12VA
for Convection oven gas (TECNOEKA)
till 1/01/10



SIT 0.579.414

Gas taps and accessories

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

Magnet groups

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



SIT 0.006.443

3182005 MAGNETIC UNIT SIT
 \varnothing head 19 mm - \varnothing end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

Piezo ignitors

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

Pilot burners and accessories

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020111 OLIVE FOR 4 mm \varnothing PIPE



SIT 0.957.014

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020112 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.015

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

SIT



Suitable for:

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020086 PILOT GASKET



SIT 0.948.060

3020557 PILOT JET \varnothing 0.20 mm



SIT 0.977.156

3020157 PILOT JET \varnothing 0.25 mm



SIT 0.977.123

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031



SIT



Suitable for:

Suitable for:

3020041 PILOT JET \varnothing 0.41 mm

3500269 PILOT NOZZLE \varnothing 0.45 mm



SIT 0.977.118

SIT 0.977.033

3020187 PILOT NOZZLE \varnothing 0.51 mm

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.977.119

SIT 0.957.009

3020114 PILOT OLIVE TARGET \varnothing 6 mm

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.957.010

SIT 0.901.067

3020106 PILOT WITH 0.25 mm \varnothing JET

3020107 PILOT WITH 0.35 mm \varnothing JET



SIT

SIT 0.901.210

SIT

SIT 0.901.404

3020102 SCREW



SIT 0.953.007

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.140.026

SIT 0.958.013



Suitable for:

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT

Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011





Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



SIT 0.140.015

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020042 PILOT GAS JET \varnothing 0.19 mm



SIT 0.977.092

3020202 PILOT GAS JET \varnothing 0.27 mm



SIT 0.977.113

3020543 PILOT GAS JET \varnothing 0.38 mm



SIT 0.977.047

3020113 PILOT OLIVE TARGET \varnothing 4 mm



SIT 0.957.009

SIT



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020201 PILOT GAS JET \varnothing 0.14 mm



SIT 0.977.115

3020542 PILOT GAS JET \varnothing 0.20 mm



SIT 0.977.106

3020043 PILOT GAS JET \varnothing 0.36 mm



SIT 0.977.091

3020086 PILOT GASKET



SIT 0.948.060

3020114 PILOT OLIVE TARGET \varnothing 6 mm



SIT 0.957.010



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



SIT G1801332

SIT 0.100.001

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

SIT



Suitable for:

3020200 THERMOCOUPLE NUT



SIT 0.974.036

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007



Suitable for:

3020081 OLIVE FOR 6 mm ø PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



SIT 0.901.405

3020156 PILOT JET ø 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm ø JET



SIT 0.901.067

3020107 PILOT WITH 0.35 mm ø JET



SIT

SIT 0.901.404

SIT

Suitable for:

3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



SIT 0.912.001

3020054 PILOT JET ø 0.20 mm



SIT 0.977.030

3020055 PILOT JET ø 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm ø JET



SIT

SIT 0.901.210

3020124 ROUND IGNITION ELECTRODE ø 7x44 mm
female connection
overall length 58 mm



SIT 0.915.037





Suitable for:

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004

3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle \varnothing 0.35 mm
with 3 positions bracket



SIT G1801339

SIT

SIT



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007

3020103 THREE-POSITION BRACKET



SIT 0.978.003

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



SIT 0.958.011

3020079 PIPE FITTING \varnothing 12 mm



SIT 0.958.025



Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



SIT 0.958.013

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3020081 OLIVE FOR 6 mm \varnothing PIPE



SIT 0.957.001

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SIT 0.901.405

3020156 PILOT JET \varnothing 0.25 mm



SIT 0.977.051

3020105 PILOT WITH 0.20 mm \varnothing JET



SIT 0.901.067

SIT

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3020082 OLIVE FOR 12 mm \varnothing PIPE



SIT 0.957.007

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SIT 0.912.001

3020054 PILOT JET \varnothing 0.20 mm



SIT 0.977.030

3020055 PILOT JET \varnothing 0.35 mm



SIT 0.977.031

3020106 PILOT WITH 0.25 mm \varnothing JET



SIT

SIT 0.901.210





Suitable for:

3020107 PILOT WITH 0.35 mm Ø JET



SIT

SIT 0.901.404

3020365 ROUND IGNITION ELECTRODE Ø 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020060 ROUND SPARKING PLUG Ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

SIT 0.915.024

3020110 THREE-FLAME DEFLECTOR



SIT 0.975.004

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.004

SIT

Suitable for:

3020124 ROUND IGNITION ELECTRODE Ø 7x44 mm
female connection
overall length 58 mm



SIT 0.915.037

3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



SIT 0.915.036

SIT 0.915.044

3020102 SCREW



SIT 0.953.007

3020103 THREE-POSITION BRACKET



SIT 0.978.003

3020078 TUBING NUT FOR 6 mm Ø PIPE



SIT 0.958.011





SIT



Suitable for:

Suitable for:

3020103 THREE-POSITION BRACKET

3020104 THREE-POSITION BRACKET CLAMP



SIT 0.978.003

SIT 0.978.004

3020078 TUBING NUT FOR 6 mm ϕ PIPE



SIT 0.958.011

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



SIT 0.160.103

3020077 FITTING FOR PIPE ϕ 4 mm



SIT 0.958.013

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SIT 0.977.125

3020085 NUT FOR SPARKING PLUG CONNECTION



SIT 0.974.037

3020111 OLIVE FOR 4 mm ϕ PIPE



SIT 0.957.014

3020112 OLIVE FOR 6 mm ϕ PIPE



SIT 0.957.015

3020086 PILOT GASKET



SIT 0.948.060

3020557 PILOT JET ϕ 0.20 mm



SIT 0.977.156



Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



SIT 0.977.123

3020041 PILOT JET \varnothing 0.41 mm



SIT 0.977.118

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



SIT 0.915.025

3020200 THERMOCOUPLE NUT



SIT 0.974.036

SIT



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



SIT 0.977.122

3020187 PILOT NOZZLE \varnothing 0.51 mm



SIT 0.977.119

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



SIT 0.915.015

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

SIT 0.915.024



SIT 0.958.011

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M
operating pressure regulation 5-20 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for Convection oven gas (ZANUSSI) ACV/G10
ECV/G10 - ECV/G6 - FCS061G - FCS101G - FCS102G
FCV/G10 - FCV/G6 - NCV/G10 - ZCV/G10 - ZCV/G6



SIT 0.360.001

3320053 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M
operating pressure regulation 10-50 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for OVEN



SIT 0.360.002



Suitable for:

Suitable for:

3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V
 fitting \varnothing 1/8" M
 for Convection oven (OLIS) - Series CVM
 Series ECVM
 for Convection oven electric (KELVIN) KE106A
 KE110A - KE210A - KPE405 - KPE408 - NKE106A
 NKE110A - NKE210A
 for Convection oven electric (LAINOX) VE100H
 for Convection oven gas (KELVIN) KG106A - KG110A
 KG210A - KPG405 - KPG408A - NKG106A - NKG110A
 NKG210A



SIT 0.340.007

Sparking and detection plugs

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 female connection
 overall length 58 mm



SIT 0.915.037

3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 female connection
 overall length 52 mm



SIT 0.915.025

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm
 for Convection oven electric (SOLYMAC) SOLYP10
 for Convection oven gas (SOLYMAC) SOLYMIX
 SOLYP6G



SIT 0.915.036

SIT 0.915.044

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



SIT 0.915.015

SIT 0.915.024

Thermocouples and accessories

3440076 CIRCUIT BREAK CONTACT M10x1



SIT 0.974.403

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



SIT 0.974.070



Suitable for:

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



SIT

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



SIT 0.926.106

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



SIT 0.270.408

3440014 INTERRUPTION CONNECTOR M8x1



SIT 0.974.401

3440064 NUT FOR THERMOCOUPLE M8x1



SIT 0.992.014

3440012 SLOTTED FITTING M10x1



SIT G6032009

SIT G7032009

SIT




Suitable for:

3440065 CUT-OFF THERMOCOUPLE M9x1 32 cm
cut-off contact with terminals



SIT 0.270.407

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



SIT G1902221

SIT 0.270.400

3440016 INTERRUPTION CONNECTOR ASA M11x32



SIT 0.974.404

3440015 INTERRUPTION CONNECTOR M9x1



SIT 0.974.402

3440013 SLOTTED FITTING ASA M11x32



SIT G6032012

SIT G7032012

3440010 SLOTTED FITTING M8x1



SIT G6032011

SIT G7032011



SIT



Suitable for:

3440011 SLOTTED FITTING M9x1



SIT G6032010

SIT G7032010

Suitable for:

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS



SIT 0.290.019

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



SIT 0.290.021

SIT 0.290.022

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



SIT 0.290.016

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



SIT 0.290.018

SIT 0.290.172

3440043 THERMOCOUPLE ASA SIT 100 cm



SIT 0.200.039

3440045 THERMOCOUPLE ASA SIT 150 cm



SIT G1040415

SIT 0.200.040

3440040 THERMOCOUPLE ASA SIT 40 cm



SIT 0.200.036

3440041 THERMOCOUPLE ASA SIT 60 cm



SIT 0.200.037

3440042 THERMOCOUPLE ASA SIT 85 cm



SIT 0.200.038

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1**



SIT G1707205

SIT 0.218.101

3440325 THERMOCOUPLE GASCO M10x1 60 cm



SIT G1040305



Suitable for:

3440231 THERMOCOUPLE GASCO M8x1 120 cm



SIT G1040109

3440228 THERMOCOUPLE GASCO M8x1 60 cm



SIT G1040105

3440047 THERMOCOUPLE M8X1 75 cm



SIT 0.260.138

3440243 THERMOCOUPLE P.ASA GASCO 100 cm



SIT G1040407

3440134 THERMOCOUPLE SIT M10x1 120 cm



SIT 0.200.034

3440143 THERMOCOUPLE SIT M10x1 150 cm COUPLING M



SIT 0.200.072

SIT



Suitable for:

3440251 THERMOCOUPLE GASCO M8x1 32cm THREAD M8x1



SIT G1041113

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



SIT 0.260.138

3440133 THERMOCOUPLE SIT M10x1 100 cm



SIT 0.200.031

3440135 THERMOCOUPLE SIT M10x1 150 cm



SIT 0.200.035

3440132 THERMOCOUPLE SIT M10x1 40 cm



SIT 0.200.025



Suitable for:

3440141 THERMOCOUPLE SIT M10x1 40 cm COUPLING M8



SIT G1041311

SIT 0.200.064

SIT



Suitable for:

3440126 THERMOCOUPLE SIT M10x1 75 cm



SIT 0.200.029

3440142 THERMOCOUPLE SIT M10x1 75 cm COUPLING M8



SIT 0.200.067

3440006 THERMOCOUPLE SIT M10x1 32 cm



SIT G1040313

SIT 0.006.151

SIT 0.200.024

3440030 THERMOCOUPLE SIT M8x1 100 cm



SIT 0.200.127

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.127

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.127

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.047

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



SIT 0.200.047

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



SIT 0.200.047

3440031 THERMOCOUPLE SIT M8x1 120 cm



SIT 0.200.129

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



SIT 0.200.129



Suitable for:

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



SIT 0.200.129

3440832 THERMOCOUPLE SIT M8x1 150 cm



SIT 0.200.130

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.130

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



SIT 0.200.050

3440027 THERMOCOUPLE SIT M8x1 32 cm



SIT 0.200.121

3440068 THERMOCOUPLE SIT M8x1 32 cm



SIT 0.260.139

SIT



Suitable for:

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



SIT G1041115

SIT 0.200.049

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.130

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.050

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SIT 0.200.050

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS



SIT 0.200.121

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS



SIT 0.200.121



SIT



Suitable for:

Suitable for:

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SIT 0.200.042

3440051 THERMOCOUPLE SIT M8x1 32 cm .THREAD M8x1



SIT 0.200.042

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SIT 0.200.042

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS



SIT 0.200.043

3440028 THERMOCOUPLE SIT M8x1 60 cm



SIT 0.200.124

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.124

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.124

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.260.137

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.044

SIT 0.290.031



Suitable for:

SIT



3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



SIT 0.200.044

SIT 0.290.031

Suitable for:

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.200.044

SIT 0.290.031

3440029 THERMOCOUPLE SIT M8x1 85 cm



SIT 0.200.126

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



SIT 0.200.126

5034845 THERMOCOUPLE SIT M8x1 85 cm



SIT 0.290.168

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



SIT 0.200.126

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



SIT 0.200.046

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



SIT 0.200.046

SIT 0.200.046

3440052 THERMOCOUPLE SIT M8x1 45 cm COUPLING M8x



SIT 0.200.043

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS



SIT 0.200.043



SIT



Suitable for:

Suitable for:

3440046 THERMOCOUPLE SIT M8x1 60 cm

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SIT 0.260.137

SIT 0.260.137

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.402

SIT G1040207

SIT 0.200.015

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.058

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.058

SIT 0.200.058

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT G1040207

SIT 0.200.015

SIT G1040207

SIT 0.200.015

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



SIT G1040209

SIT 0.200.019

SIT G1040209

SIT 0.200.019



Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



SIT G1040209

SIT 0.200.019

3440039 THERMOCOUPLE SIT M9x1 150 cm



SIT 0.200.021

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT 0.200.021

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1



SIT G1041208

SIT 0.200.061

3440033 THERMOCOUPLE SIT M9x1 32 cm



SIT G1040213

SIT 0.200.003

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT G1040213

SIT 0.200.003

SIT



Suitable for:

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



SIT 0.200.060

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT 0.200.021

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT G1041208

SIT 0.200.061

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SIT G1041208

SIT 0.200.061

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT G1040213

SIT 0.200.003

3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT 0.200.052



SIT



Suitable for:

Suitable for:

3440058 THERMOCOUPLE SIT M9x1 32 cm THREAD M8x1

3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



SIT 0.200.052

SIT 0.200.052

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



SIT 0.200.005

3440080 THERMOCOUPLE SIT M9x1 40 cm .

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



SIT 0.200.005

SIT 0.200.005

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



SIT 0.200.007

SIT 0.200.007

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.007

SIT 0.200.009

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.055



Suitable for:

SIT



3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



SIT 0.200.055

Suitable for:

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.055

3440035 THERMOCOUPLE SIT M9x1 60 cm .



SIT 0.200.009

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SIT 0.200.009

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



SIT 0.200.011

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT 0.200.013

SIT 0.290.017

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT G1041214

SIT 0.200.057

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



SIT G1041214

SIT 0.200.057

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT G1041214

SIT 0.200.057

3440036 THERMOCOUPLE SIT M9x1 85 cm .



SIT 0.200.013

SIT 0.290.017

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SIT 0.200.013

SIT 0.290.017



SIT



Suitable for:

Suitable for:

3440009 THERMOCOUPLE SIT M9X1 100 cm M8x1

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SIT 0.200.402

SIT 0.200.402

3440049 THERMOCOUPLE SIT M9X1 75 cm

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



SIT 0.200.011

SIT 0.200.011

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm



SIT 0.290.010

SIT 0.290.003

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



SIT 0.290.004

3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS



SIT 0.290.019

SIT 0.290.019

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm - 10 PCS



SIT 0.290.021

SIT 0.290.022

SIT 0.290.021

SIT 0.290.022



Suitable for:

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



SIT 0.290.012

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



SIT 0.290.016

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



SIT 0.290.018

SIT 0.290.172

3440277 UNIV.THERMOCOUPLE M9x1 120 cm M6x0.75
kit with 6 milled components



SIT G1724003

3440177 UNIV.THERMOCOUPLE M9x1 60cm M6x0,75
kit with 6 milled components



SIT G1724001

3440099 UNIVERSAL THERMOCOUPLE 120 cm
10 slotted elements kit



SIT 0.208.004

SIT



Suitable for:

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



SIT 0.290.015

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



SIT 0.290.016

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



SIT 0.290.018

SIT 0.290.172

3440077 UNIV.THERMOCOUPLE M9x1 90 cm M6x0.75
kit with 6 milled components



SIT G1724002

3440002 UNIVERSAL THERMOCOUPLE SIT 90 cm
this kit is composed of 10 slotted elements



SIT 0.208.002