



Spare parts for:

**Ovens**



Suitable for:

**SOLYMAC**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211800





Suitable for:


# SOLYMAC



Suitable for:

## Alarms

**3397022 ALARM WITH CARD**  
 dimensions 32x52 mm  
 for OVEN ALL MODELS  
 for Convection oven (COVEN)



SOLYMAC

## Boilers

**3048001 STEAM BOILER 2kW**  
 with probe and safety thermostat  
 for Convection oven electric (COVEN) TEC10MX  
 TEC3MX - TEC4MX - TEC6MX  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6  
 for Convection oven gas (COVEN) TEC6GMX



SOLYMAC

## Contactors

**3454006 CONTACTOR SIEMENS 3RT1016-1AP02**  
 9A 230V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact  
 for Convection oven electric (COVEN) N5PMEC  
 TEC10 - TEC10MD - TEC10MX - TEC10P - TEC15  
 TEC15MX - TEC20 - TEC20MD - TEC3MD - TEC3MX  
 TEC4MX - TEC4P - TEC5P - TEC6 - TEC6MD  
 TEC6MX - TEC7  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6 - SOLYP10 - SOLYP5P - SOLYP6  
 for Convection oven gas (COVEN) TEC15GMD



SOLYMAC



## Drain pumps

- 3122203 DRAIN ELECTRIC PUMP 40W 230V 50Hz**  
 inlet external  $\varnothing$  23 mm - outlet external  $\varnothing$  23 mm  
 for Convection oven (SOLYMAC)  
 for Convection oven electric (COVEN) TEC10MX  
 TEC4MX - TEC6MX - 10EMX - 6EMX  
 for Convection oven gas (COVEN) TEC6GMX - 6GMX



SOLYMAC

## Electronic thermostats and controllers

- 3445020 THERMOSTAT TLK38 TCJ/TCK/PT100**  
 power supply 12V  
 thermostat setting range  $-200+1370^{\circ}\text{C}$   
 ON-OFF control with two actuation points  
 2 exchange relay outputs 8(3)A 250V  
 room temperature  $0+50^{\circ}\text{C}$   
 probe type TCJ-TCK-PT100 (not included)  
 connections by screwed terminal block  
 front dimensions 75x33x64 mm  
 mounting hole 71x29 mm  
 for Convection oven (COVEN)  
 for Convection oven (SOLYMAC)



- 3445021 PROBE PT100 1500 mm**  
 3-wire probe  
 bulb  $\varnothing$  4x55 mm  
 for chamber temperature  
 for all models  
 for Convection oven (COVEN)  
 for Convection oven (SOLYMAC)



SOLYMAC

SOLYMAC

## Energy regulators

- 3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature  $125^{\circ}\text{C}$   
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Convection oven (KELVIN)  
 for Convection oven electric (GIERRE) FEV106M  
 FEV166E - FEV166M - FEV166P - FEV168E  
 FEV168M - FEV56M  
 for Convection oven electric (SMEG) ALFA30V  
 ALFA31V  
 for Convection oven gas (GIERRE) FEV107M - FEV167E  
 FEV167M - FEV167P - FEV57M



SOLYMAC P82



Suitable for:


# SOLYMAC



Suitable for:

## Fans for motors

- 3340073 FAN ø 240 mm**  
 thickness 43 mm  
 total blades 55 - ø hole 13 mm  
 for Convection oven gas (COVEN) C6G - TEC6G  
 TEC6GMD - TEC6GMX - 6GMD - 6GMX



SOLYMAC

## Gaskets for oven door

- 3786355 OVEN DOOR GASKET 780x640 mm**  
 made of silicone elastomer  
 profile dimensions 19x17 mm  
 COLOUR BLACK  
 for Convection oven (SOLYMAC) - Series 800  
 Series 900  
 for Convection oven electric (BOURGEOIS) FC2100E  
 FC611E



SOLYMAC FS12

- 3786179 OVEN GLASS GASKET 3500 mm**  
 made of silicone elastomer  
 profile dimensions 13x11 mm  
 COLOUR BLACK  
 for Convection oven (COVEN) - Series TEC5  
 Series TEC6  
 for Convection oven electric (COVEN) TEC3MD  
 TEC3MX - TEC7



SOLYMAC

## Handles

- 3242255 CENTRAL LOCK MECHANISM RIGHT**  
 for OVEN  
 for Convection oven electric (COVEN) TEC10  
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
 TEC15MX - TEC20 - TEC20MD  
 for Convection oven electric (SOLYMAC) SOLYMIX 10  
 SOLYP10  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD  
 TEC10GP - TEC15G - TEC15GMD - TEC20G  
 TEC20GMD  
 for Electric oven (CAPIC) R220



SOLYMAC

- 3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**  
 for Convection oven (MODULAR) - Series GMBA  
 for Convection oven electric (COVEN) TEC10  
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
 TEC15MX - TEC20 - TEC20MD  
 for Convection oven electric (FAGOR) - Series HME  
 Series HMI - Series HMM - Series HMP  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYP10  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD  
 TEC10GP - TEC15G - TEC15GMD - TEC20G  
 TEC20GMD  
 for Convection oven gas (FAGOR) - Series HCG  
 Series HVG  
 for Electric oven (CAPIC) R220



SOLYMAC



Suitable for:

**5028241 CLOSING CENTRAL GEAR LEFT**  
for OVEN



SOLYMAC

Suitable for:

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



SOLYMAC LF-3242042

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm  
for Convection oven (COVEN) - Series TEC5 - TEC8  
TEC9P  
for Convection oven electric (COVEN) TEC10MX  
TEC4MX  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYP10  
for Convection oven gas (COVEN) TEC6G - TEC7G



SOLYMAC

**3242110 OVEN DOOR HANDLE**  
for Convection oven (FOINOX) MIDI005GM  
for Convection oven (SOLYMAC) SOLY 5P - SOLYMIX 6  
SOLYP 6  
for Convection oven electric (COVEN) N5P - N5PMEC  
N6MD - N6MX - TEC3MD - TEC3MX - TEC4MX - TEC5P  
TEC5PMEC - TEC6 - TEC6EMD - TEC6EMX - TEC6MD  
TEC6MX - TEC7  
for Convection oven electric (FOINOX) FC05EU  
MIDI005EEP - MM06EBM  
for Convection oven gas (COVEN) N6GMD - TEC5GP  
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G  
for Convection oven gas (FOINOX) MIDI005GEP



SOLYMAC

**3242111 STRIKE FOR DOOR HANDLE M8x1**  
overall length 50.5 mm  
for Convection oven (GIORIK)  
for Convection oven (KELVIN)  
for Convection oven (SOLYMAC) SOLY5P  
for Convection oven electric (COVEN) N6MD - N6MX  
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6  
TEC6MD - TEC6MX - TEC7  
for Convection oven electric (SOLYMAC) SOLYMIX6  
SOLYP6  
for Convection oven gas (COVEN) N6GMD - N6GMX  
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



SOLYMAC



Suitable for:

# SOLYMAC



## 3242422 OVEN DOOR HANDLE

for Convection oven electric (COVEN) TEC10  
 TEC10MD - TEC10MX - TEC10P - TEC10PMEC - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20MD - 10EMD  
 10EMX  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD  
 TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD  
 TEC20G - TEC20GMD - 10GMD



SOLYMAC

## 3242685 STRIKE FOR DOOR HANDLE

distance between holes 20 mm  
 for Convection oven electric (COVEN) TEC10  
 TEC10GMD - TEC10MD - TEC10MX - TEC10P - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20GMD - TEC20MD  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYP10  
 for Convection oven gas (COVEN) TEC10G - TEC10GP  
 TEC15G - TEC15GMD - TEC20G



SOLYMAC

## 3242144 OVEN DOOR HANDLE 260x30 mm

with strike mounting distance 45 mm  
 handle mounting distance 133 mm  
 for Convection oven electric (COVEN) TEC3MD  
 TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC  
 TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7  
 for Convection oven electric (LAINOX) A10PES  
 for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC  
 TEC6G - TEC6GMD - TEC6GMX - TEC7G



SOLYMAC FS13

## 3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA  
 for Convection oven electric (COVEN) TEC10  
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
 TEC15MX - TEC20 - TEC20MD  
 for Convection oven electric (FAGOR) - Series HME  
 Series HMI - Series HMM - Series HMP  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYP10  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD  
 TEC10GP - TEC15G - TEC15GMD - TEC20G  
 TEC20GMD  
 for Convection oven gas (FAGOR) - Series HCG  
 Series HVG  
 for Electric oven (CAPIC) R220



SOLYMAC

## 3242685 STRIKE FOR DOOR HANDLE

distance between holes 20 mm  
 for Convection oven electric (COVEN) TEC10  
 TEC10GMD - TEC10MD - TEC10MX - TEC10P - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20GMD - TEC20MD  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYP10  
 for Convection oven gas (COVEN) TEC10G - TEC10GP  
 TEC15G - TEC15GMD - TEC20G



SOLYMAC

## 3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm  
 for Convection oven (GIORIK)  
 for Convection oven (KELVIN)  
 for Convection oven (SOLYMAC) SOLY5P  
 for Convection oven electric (COVEN) N6MD - N6MX  
 TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6  
 TEC6MD - TEC6MX - TEC7  
 for Convection oven electric (SOLYMAC) SOLYMIX6  
 SOLYP6  
 for Convection oven gas (COVEN) N6GMD - N6GMX  
 TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



SOLYMAC



## Heating elements

**3455088 HEATING ELEMENT 2000W 230V**  
length 380 mm - width 133 mm  
for Convection oven electric (SOLYMAC) SOLYVEC40X60



SOLYMAC FS3

**3755265 HEATING ELEMENT 3000W 240V**  
external  $\varnothing$  190 mm - total height 75 mm  
flange 100x22 mm  
for Convection oven electric (COVEN) TEC10  
TEC10MX - TEC3 - TEC3H - TEC3MX - TEC4MX  
TEC4P - TEC6 - TEC6MX  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6 - SOLYP10 - SOLYP6



SOLYMAC

**3455087 HEATING ELEMENT 4000W 230V**  
length 580 mm - width 130 mm  
2 flanges 110x20 mm  
for Convection oven electric (SOLYMAC) SOLYVEC2/1



SOLYMAC FS1

**3455453 HEATING ELEMENT 6000W 230/380V**  
internal  $\varnothing$  215 mm - height up to flange 30 mm  
flange 150x20 mm  
for Convection oven electric (SOLYMAC) SOLYVEC1/1  
SOLYVEC2/3



SOLYMAC FS2

**3455050 HEATING ELEMENT 900W 230V**  
overall length 580 mm  
width 75 mm - fittings  $\varnothing$  14 mm  
for OVEN-PIZZA OVEN



SOLYMAC P30

## Knobs

**3241736 BLACK KNOB**  
round hole  $\varnothing$  6 mm  
for thermostat and selector switch  
for Convection oven (COVEN)  
for Convection oven (SOLYMAC) SOLYMIX 6 - SOLYP 10  
SOLYP 5P - SOLYP 6  
for Convection oven electric (SOLYMAC) SOLYMIX 10



SOLYMAC

**3241277 BLACK KNOB  $\varnothing$  48 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (COVEN)  
for Convection oven (SOLYMAC) SOLY 5P - SOLYMIX 6  
SOLYP 10 - SOLYP 6  
for Convection oven electric (SOLYMAC) SOLYMIX 10



SOLYMAC



Suitable for:

**3241758 BLACK KNOB FOR GAS TAP**  
D shaft hole 10x8 mm  
for Convection oven (SOLYMAC)  
Series DOPO IL 07/95



SOLYMAC P72B

Suitable for:

**3241735 BLACK KNOB 2-3-4-5-6-7-8**  
for GAS VALVE GC1300



SOLYMAC P72D

**3241734 RED KNOB STOP**  
for GAS VALVE GC1300



SOLYMAC P72J

## Lamps

**3221085 GREEN INDICATOR LAMP 230V**  
head ø 18 mm - hole ø 11.5 mm - 120°C  
for Convection oven (SOLYMAC)



SOLYMAC

**3221231 LAMP RECEPTACLE W/LAMP G9 25W 230V**  
lamp glass ø 53 mm  
mounting hole ø 40 mm  
max.temperature 300°C  
for Convection oven electric (COVEN) N5P - TEC10MD  
TEC10MX - TEC3MD - TEC3MX - TEC4MX - TEC5P  
TEC6MD - TEC6MX  
for Convection oven gas (COVEN) TEC5GP - TEC6GMD  
TEC6GMX



SOLYMAC

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for Convection oven electric (EMMEPI) F2011GT-SP  
for Convection oven electric (KELVIN) NKE234  
NKE234S  
for Convection oven electric (SOGECO)  
Series MBS10.21 - Series MDS10.21  
Series MDS20.21  
for Convection oven gas (CONVOTHERM) OGS6.10



SOLYMAC



## Microswitches

- 3240286 DOOR MICROSWITCH MS09 5A 250V**  
 for Convection oven (COVEN)  
 for Convection oven (SOLYMAC) SOLY5P  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6 - SOLYP10 - SOLYP6



SOLYMAC

## Motors

- 3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
 fan ø 150 mm  
 for Convection oven  
 for Convection oven electric (COVEN) C6E - TEC10  
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H  
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6  
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6 - SOLYP10 - SOLYP6



SOLYMAC

- 3240285 MOTOR 1055/B 0.2Kw 230V 50Hz**  
 1.5A 1380rpm - capacitor 8 µF  
 for Convection oven electric (COVEN) N5P - N5PMEC  
 N6MD - N6MX - TEC10P - TEC10PMEC - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC5P  
 TEC5PMEC - TEC7 - 10EMD - 10EMX - 6EMD - 6EMX  
 for Convection oven gas (COVEN) N6GMD - N6GMX  
 TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC  
 TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP  
 TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G  
 10GMD - 6GMD - 6GMX



SOLYMAC

- 3340073 FAN ø 240 mm**  
 thickness 43 mm  
 total blades 55 - ø hole 13 mm  
 for Convection oven gas (COVEN) C6G - TEC6G  
 TEC6GMD - TEC6GMX - 6GMD - 6GMX



SOLYMAC



Suitable for:

# SOLYMAC



Suitable for:

## Penetration probes

### 3397021 PENETRATION PROBE PT100

3 wires  
probe length 185 mm  
cable length 3000 mm  
for OVEN ALL MODELS  
for Convection oven (COVEN)  
for Convection oven (SOLYMAC)



SOLYMAC

## Pilot burners and accessories

### 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



SOLYMAC P74B

## Probes

### 3445021 PROBE PT100 1500 mm

3-wire probe  
bulb  $\varnothing$  4x55 mm  
for chamber temperature  
for all models  
for Convection oven (COVEN)  
for Convection oven (SOLYMAC)



SOLYMAC



## Rotary switches

### 3057019 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Convection oven (COVEN)  
 for Convection oven (SOLYMAC) - Series SOLYMIX  
 BRIOMIDI - FEV106M - FEV120M - FEV166E  
 FEV166M - FEV166P - FEV168E - FEV168M  
 FEV168P - FEV56M - FEV60M  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - EF10GM - EF4PM  
 EF5GM - EF6PM - EF7GM - EF8PM  
 for Convection oven gas (GIERRE) FEV107M - FEV121M  
 FEV167E - FEV167M - FEV167P - FEV169E  
 FEV169M - FEV169P - FEV57M - FEV61M  
 for Convection oven gas (GIORIK) CG06MX - CG10MX



SOLYMAC

### 3057137 SELECTOR SWITCH 0-1 POSITIONS

for cooking selection  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (COVEN) TEC10MX  
 TEC15MX - TEC4MX - TEC6MX  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6  
 for Convection oven gas (COVEN) N6GMD - TEC10GMD  
 TEC15GMD - TEC6GMD



SOLYMAC

### 3057138 SELECTOR SWITCH 0-3 POSITIONS

for steam adjustment  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (COVEN) TEC10MX  
 TEC15MX - TEC4MX - TEC6MX - 10EMX  
 for Convection oven electric (SOLYMAC) SOLYMIX10  
 SOLYMIX6  
 for Convection oven gas (COVEN) TEC6GMX



SOLYMAC

## Thermocouples and accessories

### 3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SOLYMAC P73D



Suitable for:

# SOLYMAC



Suitable for:


## Thermocouples and accessories

**3440051 THERMOCOUPLE SIT M8x1 32 cm .THREAD M8x1**



SOLYMAC P73D

**3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.**



SOLYMAC P73D

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



SOLYMAC P73B

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



SOLYMAC P73B

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



SOLYMAC P73B

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SOLYMAC P73C

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



SOLYMAC P73C

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SOLYMAC P73C

## Thermostats

**3444974 SINGLE-PHASE THERMOSTAT 100-645°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Convection oven (ROSINOX)  
for Convection oven (SOLYMAC)



SOLYMAC P709

**3444440 SINGLE-PHASE THERMOSTAT 50-280°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm  
for Convection oven electric (COVEN) TEC10  
TEC10P - TEC10PMEC - TEC15 - TEC2 - TEC20  
TEC3 - TEC4P - TEC5PMEC - TEC6  
for Convection oven gas (COVEN) TEC10G  
TEC10GPMEC - TEC15G - TEC20G - TEC5GPMEC



SOLYMAC



Suitable for:

# SOLYMAC



Suitable for:

## Timers

### 3446067 TIMER 120 MINUTES M2

mechanical movement with balance wheel  
manually set cycle 120 minutes

2 poles with contact capacity 16(4)A 250V  
max temperature 125°C

D-shaped pin  $\varnothing$  6x4.6 mm

for Convection oven electric (SOGECO) N5PMEC

TEC10 - TEC10P - TEC10PMEC - TEC15 - TEC2

TEC20 - TEC3 - TEC4P - TEC5PMEC - TEC6

for Convection oven gas (SOGECO) TEC10G

TEC10GPMEC - TEC15G - TEC20G - TEC5GPMEC

for Proving oven electric (SOGECO) LIEVITATORE10



SOLYMAC