



Spare parts for:

Food processing equipment



Suitable for:

NOAW



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

NOAW



Suitable for:

Accident prevention devices-protections

5022388 POLYCARBONATE CARRIAGE GUARD
max.overall dimensions 270x150 mm
distance between holes 60 mm
for Slicer (NOAW) 350G



NOAW

9716015 POLYCARBONATE CARRIAGE PROTECTION
max.overall dimensions 150x230 mm
distance between holes 60 mm
for Slicer (NOAW) 300G



NOAW 301CE094

Bearings

9004011 BEARING 607 ZZ MOUNTED ON BUSHING
external teflon bushing
external \varnothing 24 mm - internal \varnothing 7 mm -thickness 7 mm
for Slicer (ABM)
for Slicer (ARSA)
for Slicer (BIZERBA)
for Slicer (GENERAL MACHINE)
for Slicer (KOLOSSAL)
for Slicer (NOAW)



NOAW

Belts

9003756 MULTIGRIP BELT J 483 H21 8 GROOVES
for Slicer (NOAW) 300V
for Slicer (OMEGA) 370VX
for Vegetables/mozzarella cutter (SIRMAN) TM
TMALL



NOAW

9003662 MULTIGRIP BELT TB2 360 H16 7 GROOVES
for Slicer (CELME)
for Slicer (FAC) 300I
for Slicer (FAMA) 302
for Slicer (NOAW) 350G
for Slicer (RHENINGHAUS-TECMAL) STAR
for Slicer (SIRMAN) AGATA250 - AGATA275 - MIRRA275
MIRRA275CE - MIRRA300 - MIRRA300CE
MIRRA300UL - QUARZO250 - QUARZO250CE
QUARZO250UL - QUARZO275 - QUARZO275CE
QUARZO300 - QUARZO300CE



NOAW



NOAW



Suitable for:

9003661 MULTIGRIP BELT TB2 360 H20 9 GROOVES

for Slicer (CELME) 330
for Slicer (FAC) 250V - 330
for Slicer (IRONWEED) 300I
for Slicer (NOAW) 300G - 350G - 370G
for Slicer (SWEDLHINGHAUS) 300 - 330



NOAW

Suitable for:

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES

for Slicer (ALA) F300E - 8300
for Slicer (BOSTON) 300
for Slicer (FAC) 350V
for Slicer (FIA-BOSTON) 300
for Slicer (GENERAL MACHINE) 350I
for Slicer (NOAW) 300GE
for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE
AUTOMATICA330CE - GEMMA300 - GEMMA300CE
GEMMA300UL - GEMMA330 - GEMMA330CE
GEMMA330UL - GEMMA350CE - GEMMA350UL
PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



NOAW

9003669 MULTIGRIP BELT TB2 480 H20 9 GROOVES

for Slicer (NOAW) 300TC - 350V - 370V



NOAW

9062048 MULTIGRIP BELT TB2 526 H30 14 GROOVES

for Slicer (NOAW)



NOAW

9003529 V BELT 8x355 mm T14

for Slicer (ABM) 250AGS - 275AGS - 300I
for Slicer (ABO) 300V
for Slicer (FAC) 300
for Slicer (ITALIANA MACCHI) 330
for Slicer (LEO)
for Slicer (NOAW) 300
for Slicer (SIRMAN) 350



NOAW

9003536 V BELT 8x475 mm T18 3/4

for Slicer (ABM) AS275V - AS300V
for Slicer (AUREA) 370I
for Slicer (ITALIANA MACCHI) 330 - 350 - 370
for Slicer (NOAW) 300V - 350V
for Slicer (SIRMAN) 300V



NOAW

9003549 V-BELT 10x475 mm Z18 3/4

for Slicer (NOAW) 350 - 350V
for Slicer (OMEGA) V33
for Slicer (OMS) 350G



NOAW

9062077 V-BELT 10x715 mm Z28

for Slicer (NOAW)



NOAW



Suitable for:

Suitable for:

9003530 V-BELT 8x375 mm T14 3/4
 for Slicer (ABM) AGS250 - AGS270 - 300I
 for Slicer (ABO) 300V
 for Slicer (ITALIANA MACCHI) 330 - 350
 for Slicer (LEO)
 for Slicer (NOAW) 300 - 350
 for Slicer (SIRMAN) 350



NOAW

Blade protectors for slicers

9706101 BLADE COVER NOAW 300 NO VERSION CE
 for Slicer (NOAW) 300



NOAW

Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES
 B = external \varnothing 300 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 254 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



NOAW

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES
 B = external \varnothing 330 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 270 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



NOAW

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES
 B = external \varnothing 350 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 280 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



NOAW

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES
 B = external \varnothing 370 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 300 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



NOAW



Suitable for:

NOAW



9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C

B = external \varnothing 220 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



NOAW

9006512 ST. STEEL BLADE \varnothing 250-40-3-200-190 MOD.F

B = external \varnothing 250 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 200 mm
A = rise element \varnothing 190 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35-NEW SERIES



NOAW

9006518 ST. STEEL BLADE \varnothing 275-40-3-218 MOD.C

B = external \varnothing 275 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 218 mm
3 fastening screws
100CR6 forged stainless steel



NOAW

9006520 ST. STEEL BLADE \varnothing 275-40-4-218 MOD.C


B = external \varnothing 275 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 218 mm
4 fastening screws
100CR6 forged stainless steel



NOAW

9006525 ST. STEEL BLADE \varnothing 300-40-3-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 254 mm
3 fastening screws
100CR6 forged stainless steel



NOAW

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E - TGI330



NOAW

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



NOAW

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



NOAW



Suitable for:

NOAW



Suitable for:

9006545 ST. STEEL BLADE \varnothing 370-57-4-300 MOD.C

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
100CR6 forged stainless steel



NOAW

Eccentrics

9707013 PLASTIC ECCENTRIC NOAW \varnothing 76 mm
internal hole \varnothing 18 mm - grooving 8 mm
for Slicer (NOAW)



NOAW

9707014 PLASTIC ECCENTRIC NOAW \varnothing 84 mm
internal hole \varnothing 18 mm - groove 8 mm
for Slicer (NOAW) 370G
for Slicer (OMEGA)



NOAW

9707101 PLASTIC ECCENTRIC NOAW \varnothing 85 mm
internal hole \varnothing 18 mm - grooving 8.5 mm
with external stopping notch
for Slicer (NOAW)



NOAW

Electronic printed-circuit boards

3390300 ELECTRONIC CIRCUIT BOARD 230/400/24V 1HP
dimensions 85x80 mm - height 40 mm
for Slicer (NOAW) 30-E



NOAW LF-5025053



Emeries for blades

9013020 CUP GRINDERS 51-8-12

A = external \varnothing 51 mm
 B = hole \varnothing 8 mm
 H = height 12 mm
 COARSE GRAIN
 for Slicer (BERKEL) AV35 - GF400 - GF800 - TV350
 for Slicer (KOLOSSAL) MIP330 - MIP350
 for Slicer (MANCONI) MIP330 - MIP350
 for Slicer (REGINA) 350
 for Slicer (RGV) 350



NOAW

9013220 EMERY WHEEL WITH STEP AND HUB 50-8-8

A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (ABM) AGS350
 for Slicer (HOBART) TI33 - 1712 - 2350
 for Slicer (SIRMAN) GEMMA330 - GEMMA350 - SELCE350
 SELCE370 - VASBS350 - VASBS370 - VCS350
 VCS370



NOAW

9013219 RIMMED GRINDERS WITH HUB 50-8-8

A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (ABM) AGS350
 for Slicer (BERKEL) CX350
 for Slicer (FIA-BOSTON) STIL
 for Slicer (HOBART) TI33 - 1712 - 2350
 for Slicer (OMAS) TGI330 - TGI350



NOAW

9013119 RIMMED GRINDERS 45-8-10

A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 10 mm
 FINE GRAIN
 for Slicer (ARSA) 350



NOAW

9731002 RIMMED GRINDERS 45-8-10

A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 10 mm
 COARSE GRAIN



NOAW

9013123 RIMMED GRINDERS 45-8-7

A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 7 mm
 FINE GRAIN
 for Slicer (CELME) GRP350
 for Slicer (IRONWEED) G330
 for Slicer (MANCONI) MIP330 - MIP350
 for Slicer (RHENINGHAUS-TECMAL) 370



NOAW



Suitable for:

NOAW



Suitable for:

9013110 STEPPED EMERY WHEEL 43-8-10

A = external \varnothing 43 mm
B = hole \varnothing 8 mm
H = height 10 mm
FINE GRAIN
for Slicer (ARSA) G - GP - LASER
for Slicer (REGINA) 300
for Slicer (SIRMAN) VASBS300CE



NOAW

Feet

9012020 SUCTION FOOT WITH SHAFT M5

length 6 mm
base \varnothing 38x21 mm



NOAW

Knobs

9007510 BLACK KNOB FOR CARRIAGE WITH LOCK KIT

lock \varnothing 14 mm - threaded hole \varnothing 6 mm
locking leg \varnothing 32 mm
for Slicer (NOAW)



NOAW

9007512 BLACK KNOB FOR CARRIAGE WITH LOCK KIT

bushing \varnothing 38x38 mm
for Slicer (NOAW) 350V



NOAW

5100893 BLACK TIMER KNOB \varnothing 12x98 mm

pin \varnothing 12x32 mm
knob \varnothing 59 mm
mounting frame \varnothing 62 mm
for Slicer (NOAW) - Series 3000



NOAW

9007505 BLACK TIMER KNOB \varnothing 14x125 mm

pin \varnothing 14x55 mm
knob \varnothing 62 mm
mounting frame \varnothing 70 mm
for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL



NOAW



Suitable for:

9007462 BLACK TIMER KNOB \varnothing 18x155 mm
 pin \varnothing 18x95 mm
 knob \varnothing 67 mm
 mounting frame \varnothing 68 mm
 for Slicer (NOAW)



NOAW

NOAW LF-9242046

Suitable for:

5026035 TROLLEY BLACK KNOB \varnothing 66 mm PITCH M12
 pin length 43 mm
 thread length 20 mm
 for Slicer (NOAW)



NOAW

Microswitches

9014018 MICROSWITCH 16A 250V
 for Slicer (SIRMAN) AGATA250 - AUTOMATICA300CE
 AUTOMATICA330CE - AUTOMATICA350CE
 AUTOMATICA370CE - CANOVA250CE - CANOVA275CE
 CANOVA300CE - GALILEO350AUTOCE - GALILEO350CE
 GALILEO350STDCE - GALILEO370CE
 GALILEO370STDCE - GALILEO385CE
 GALILEO385STDCE - GEMMA300 - GEMMA300CE
 GEMMA300UL - GEMMA330 - GEMMA330CE
 GEMMA330UL - GEMMA350CE - LEONARDO300BSCE
 LEONARDO300VCOCE - LEONARDO300VCSC
 LEONARDO330BSCE - LEONARDO330VCOCE
 LEONARDO330VCSC - LEONARDO350BSCE
 LEONARDO350BSTOPCE - LEONARDO350BS2TOPCE
 LEONARDO350VCSC - LEONARDO350VCSTOPCE
 LEONARDO370BSCE - LEONARDO370BSTOPCE



NOAW 221CE045

Pins

9011015 PIN FOR SLICER BLADE COVER
 hole \varnothing 7 mm - fixing thread M10
 overall height 14 mm
 for Slicer (NOAW) 300 - 350 - 370



NOAW

9011051 PIN FOR SLICER BLADE COVER
 hole \varnothing 6 mm - fixing thread M9
 overall height 12 mm
 for Slicer (NOAW) 300 - 350 - 370



NOAW



Suitable for:

NOAW



Suitable for:

Sharpeners

9000029 BLADE SHARPENER NOAW 300G
without cover
for Slicer (NOAW) 220G - 250G - 300G - 350G
for Slicer (NOAW) TAS



NOAW

9000054 BLADE SHARPENER NOAW 350G
with cover
for Slicer (NOAW) - Series 350-GRAVITA'



NOAW

Slice protectors

9009514 POLYCARBONATE SLICE PROTECTOR FOR SLICER
external dimensions 115x55 mm
distance between holes 60 mm
for Slicer (NOAW)



NOAW

9009513 STAINLESS STEEL SLICE GUARD FOR SLICER
external dimensions 91x164 mm
distance between holes 76 mm
for NOAW SLICER 300V
for Slicer (NOAW) 300V



NOAW

9009524 STAINLESS STEEL SLICE GUARD FOR SLICER
external dimensions 195x90 mm
distance between holes 100 mm
for Slicer (NOAW) 300G



NOAW

9711012 STAINLESS STEEL SLICE GUARD FOR SLICER
external dimensions 200x100 mm
distance between holes 100 mm
for Slicer (NOAW) 350V



NOAW

Tie rods for blade cover

9013513 BLADE COVER TIE ROD SHAFT 145mm PITCH M6
micro support \varnothing 10x60 mm
for Slicer (NOAW) TAS275V



NOAW

9013514 BLADE COVER TIE ROD SHAFT 165mm PITCH M6
micro support \varnothing 10x60 mm
for Slicer (NOAW) TG275G



NOAW



NOAW



Suitable for:

9013516 **BLADE COVER TIE ROD SHAFT 167mm PITCH M7**
micro support ø 10x62 mm
for Slicer (NOAW) 300V



Suitable for:

9013517 **BLADE COVER TIE ROD SHAFT 225mm PITCH M7**
micro support ø 10x60 mm
for Slicer (NOAW) 300G - 350G - 350V - 370V



NOAW

9013031 **BLADE COVER TIE ROD SHAFT 233mm PITCH M7**
micro support ø 10x65 mm
for Slicer (NOAW) VBS350



NOAW

9013518 **BLADE COVER TIE ROD SHAFT 277mm PITCH M7**
micro support ø 10x120 mm
for Slicer (NOAW) G8 - 350G - 370G



NOAW

NOAW