



Spare parts for the professional sector:
Food processing equipment



Suitable for:

SOLIA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


SOLIA



Suitable for:

Abrasive discs for potato peeler

9735069 VEGETABLE CHOPPER EJECTION SHOVEL
overall length 126 mm



SOLIA 2681800180

Bearings

9063043 BEARING 6003 DDU NSK
external \varnothing 35mm - internal \varnothing 17mm - thickness 10mm




3063139 BEARING 6003-2RSH SKF
external \varnothing 35 mm - internal \varnothing 17 mm - thickness 10




SOLIA 2530203139

9063007 BEARING 6005 DDU NSK
external \varnothing 47mm - internal \varnothing 25mm - thickness 12mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW SO3100



1063007 BEARING 6006 DDU NSK
external \varnothing 55 mm - intern. \varnothing 30 mm - thickness 13




SOLIA 2520202114

SOLIA 2530203137

9063047 BEARING 61907 ZZ
ext. \varnothing 55 mm - int. \varnothing 35 mm - depth \varnothing 10 mm



9063005 BEARING 6205 DDU NSK
external \varnothing 52mm - internal \varnothing 25mm - thickness 15mm



SOLIA 2610203106

SOLIA 2610203107

9063046 THRUST BEARING 51104
ext. \varnothing 35 mm - int. \varnothing 20 mm - depth \varnothing 10 mm



SOLIA 2520202112



Blades for cutters

9750017 BLADE SMOOTH CUTTER
length 205 mm - middle hole \varnothing 20 mm
distance between fastening holes 60 mm



SOLIA 2612003527

9750018 BLADE SMOOTH CUTTER
length 45 mm - width 112 mm
distance between fastening holes 38/70 mm



SOLIA 2532003767

9750019 BLADE SMOOTH CUTTER
length 35 mm - width 96 mm
distance between fastening holes 55 mm



SOLIA 2612003626

9750020 BLADE SMOOTH CUTTER
length 70 mm - width 160 mm
distance between fastening holes 55/90 mm



SOLIA 130020002

9750021 BLADE SMOOTH CUTTER
length 105 mm - width 165 mm
distance between fastening holes 50/132 mm



SOLIA 4530003902

9750022 CUTTER SMOOTH BLADE
length 103 mm - width 135 mm
mounting distance betw. fastening holes 32/50 mm



SOLIA 2612003567


Bushings

9704012 BUSHING \varnothing 26/21x16 mm
internal \varnothing 15 mm



SOLIA 2660302157

9704013 BUSHING OF ST. STEEL \varnothing 27/22x40 mm
internal \varnothing 15 mm



SOLIA 4610001012

Circlips

9202001 SEEGER \varnothing 26 mm
internal \varnothing 18 mm



SOLIA 2530703117



Suitable for:

SOLIA



Suitable for:

Electronic printed-circuit boards

9390082 PCB KEYBOARD/POWER KIT

the kit includes:

- 1 push button panel board external dim. 165x90 mm
- 1 power board external dimensions 194x95 mm
- 1 flat cable length 400 mm



SOLIA 130015000

9390083 PCB KEYBOARD/POWER KIT

the kit includes:

- 1 push button panel board external dim. 165x90 mm
- 1 power board external dimensions 194x95 mm
- 1 flat cable length 435 mm



SOLIA 103215000

Gaskets and seals

9186065 GASKET FOR POTENTIOMETER \varnothing 50x2 mm

internal hole \varnothing 10 mm



SOLIA 2681801044

Gears

9212073 MOTOR TRANSMISSION SHAFT KIT 165 mm

the kit includes:

- 2 rods \varnothing 6x18 mm
- 2 keys 50x6x6 mm



SOLIA 4680001026

9212070 MOTOR TRANSMISSION SHAFT 110 mm



SOLIA 4610003102

9212072 NUT KNURLED \varnothing 40x18 mm

thread M8



SOLIA 4500001123

9212071 SCROLL STAINLESS STEEL \varnothing 50/30x30 mm



SOLIA 4520002173

Hinges, catches and accessories

- 9053015 RING CLOSING HINGE**
mounting distance betw. fastening holes 13/25 mm



SOLIA 2611803113

Ironmongery (screws,nuts,washers)

- 9528046 BUSHING \varnothing 16x5 mm**
internal hole \varnothing 6 mm



SOLIA 2681801006

- 9528044 CYLINDER HEAD SCREW M8x40**
stainless steel



SOLIA 2531003168

- 9528048 CYLINDRICAL PLUG ST. STEEL \varnothing 6x18 mm**



SOLIA 2610903111

- 9528047 CYLINDRICAL PLUG ST. STEEL \varnothing 8x38 mm**
middle hole \varnothing 3 mm



SOLIA 4520002124

- 3060069 HEXAGONAL NUT M8 MEDIUM**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



SOLIA 2531203173

- 9528045 RIVET \varnothing 5.5x8 mm**



SOLIA 2520902127

- 9528049 SCREW INOX M8x6 mm**



SOLIA 2531003145



Suitable for:

SOLIA



Suitable for:

Levers

9225008 CUTTER LEVER 255x145 mm



SOLIA 4660001015

Magnets

5005281 MAGNET \varnothing 10x10 mm



SOLIA 103290002

9737008 MAGNET MICROSWITCH \varnothing 10x10 mm



SOLIA 2611503224

9737007 MAGNET MICROSWITCH \varnothing 30x16 mm
middle hole \varnothing 5 mm



SOLIA 2651502263

Microswitches, magnetic


9903001 MAGNET MICROSWITCH
cylindrical sensor \varnothing 10x48 mm - thread M10x1
cable length 1000 mm



SOLIA 2611501013

Motors

9240107 MOTOR NORTH SK71LA/4-2 0,4/0,6Kw 400V
1.3/1.7A - 50Hz - 1385/2715rpm



SOLIA 2610101066




O-Ring and ORM gaskets

9786006 ORM GASKET 0500-20 EPDM



SOLIA 2530403186

9786007 ORM GASKET 1350-20 EPDM



SOLIA 2660402163

Pins

9324002 PIN \varnothing 8x6 mm - 19.5 mm
flange \varnothing 13 mm - thread M6



SOLIA 4530003192

9324004 PIN OF BRASS \varnothing 8x45 mm



SOLIA 4530003158

9324003 PIN 10x9 mm - 37 mm



SOLIA 4660002102

Position switches


9804001 SAFETY SWITCH ELOBAU 11751420
3A 250V - with cable length 860 mm



SOLIA 2661501066

Potentiometers

9157002 POTENTIOMETER 4.7Kohm
the kit includes:
1 potentiometer
1 microswitch
1 bracket
pin \varnothing 6 mm



SOLIA 2681501045

9157001 SPEED ADJUSTER ATV12P075M2 220V
1-phase inlet 200-240V 50/60Hz 10,2A
3-phase outlet 0-240V 0-400Hz 4,2A
external dimensions 142x72x102 mm



SOLIA 2610101071



Suitable for:

SOLIA



Suitable for:

9210001 SPEED ADJUSTER E2-201-H1F 220V
1-phase inlet 200-240V 50/60Hz 9,4A
3-phase outlet 0-240V 0-200Hz 1Hp
external dimensions 130x70x110 mm



SOLIA 8610001062

Watertight seals and rings

9453004 SEALING RING 30x20x7 mm



SOLIA 2540404163

9453006 SEALING RING 32x22x7 mm



SOLIA 2810409312

9453001 SEALING RING 35x25x7 mm



SOLIA 2530403184

9453005 SEALING RING 40x25x10 mm



SOLIA 2610403109

9453003 SEALING RING 40x30x7 mm



SOLIA 2520402175

9453002 SEALING RING 45x35x7 mm



SOLIA 2610403108

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com