




Spare parts for:

## Cooking equipment



Suitable for:

# LINCOLN



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2013-11181909





Suitable for:

# LINCOLN



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



LINCOLN 369378

## Capacitors

**3068042 CAPACITOR 1.2µF 450V 50/60Hz**



LINCOLN 370383

## Contact thermostats

**3443064 CONTACT THERMOSTAT**  
with manual reset



LINCOLN 369431

**3443065 CONTACT THERMOSTAT 25A 250V**



LINCOLN 369506

## Contactors

**3397136 CIRCUIT BREAKER 7A 240V**



LINCOLN 369154

**3446136 CONTACTOR MERCURY 360N0-220A-18**  
coil 208/240V 50/60Hz



LINCOLN 370485

## Electrical cables

**3050028 FASTON CABLE FOR FANS**



LINCOLN 369536



Suitable for:

Suitable for:

## Electrical gas valves and accessories

- 3526222 GAS VALVE  $\varnothing$  1/2"FF LPG/NG**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
power supply 120V 60Hz



LINCOLN 369398

## Electronic printed-circuit boards

- 3390245 DIGITAL CONTROL BOARD 268x127 mm**



LINCOLN 370355

- 3444829 ELECTRONIC BOARD 90x90 mm**  
40°-560°F 120V



LINCOLN 369728

- 3444828 ELECTRONIC PCB MAXITROL 100x70 mm**



LINCOLN 369465

## Fans for motors

- 3240790 MOTOR FAN  $\varnothing$  160x26 mm**



LINCOLN 369408

## Gearmotors

- 3240785 CONVEYOR GEARMOTOR**  
Shaft  $\varnothing$  9,5 mm - height 39 mm



LINCOLN 369466



Suitable for:

# LINCOLN



Suitable for:

## Handles

### 3242510 CATCH RH-LH WITHOUT KEY LOCK 533D

straight handle  
base length 133x25x48 mm  
distance between holes 95-117 mm  
adjustable catch mounting distance 40 mm



LINCOLN 369209

## Heating elements

### 3355897 CURVED HEATING ELEMENT 1200W 240V

length 540 mm - width 70 mm  
height 25 mm



LINCOLN 369769

### 3355898 FLAT HEATING ELEMENT 1200W 240V

length 540 mm - height 25 mm



LINCOLN 369768

### 3355899 HEATING ELEMENT 1867W 230V

external  $\varnothing$  290 mm - height 140 mm  
with cables



LINCOLN 370104

### 3355896 HEATING ELEMENT 4500W 220V

dimensions  $\varnothing$  75x265x170 mm



LINCOLN 369315

### 3355895 HEATING ELEMENT 5600W 220V

external  $\varnothing$  260 mm - height 160 mm



LINCOLN 369450

## Knobs

**3241701 BLACK KNOB  $\varnothing$  24 mm**  
D-shaft hole 6x4.6 mm  
for POTENTIOMETER



LINCOLN 369248

**3241699 BLACK KNOB  $\varnothing$  28 mm**  
round hole  $\varnothing$  6 mm



LINCOLN 369429

**3241698 BLACK KNOB  $\varnothing$  39 mm**  
round hole  $\varnothing$  6 mm



LINCOLN 369804

## Lamps

**3221436 INDICATOR LAMP 250V**  
wire connection length 150 mm



LINCOLN 369467

**3221439 ORANGE LAMP RECEPTACLE**  
head 14,5x8 mm - hole 12,5x5 mm



LINCOLN 350224

**3221439 ORANGE LAMP RECEPTACLE**  
head 14,5x8 mm - hole 12,5x5 mm



LINCOLN 350224

## Microswitches

**3240797 MICRO SWITCH 3/6A 250/125V**  
with cable length 250 mm



LINCOLN 369167



Suitable for:

# LINCOLN



Suitable for:

## Pilot burners and accessories

**3020394 FITTING WITH NATURAL GAS JET**



LINCOLN 369073

**3020395 THREE-FLAME PILOT BURNER**  
with sparking plug and ignition cable



LINCOLN 369076

## Potentiometers

**3057238 TEMPERATURE POTENTIOMETER**  
with cable length 160 mm  
shaft  $\varnothing$  6x9 mm



LINCOLN 369449

## Pressure switches

**3320163 AIR PRESSURE SWITCH 0,4 mbar**  
10A 250V 50/60Hz  
max pressure 100 mbar



LINCOLN 369575

**3320165 PRESSURE SWITCH MPL 0.1**



LINCOLN 369430

## Probes

**3341048 THERMISTORE PROBE  $\varnothing$  5x50 mm**  
cable 1150 mm



LINCOLN 369193

**3341044 THERMOCOUPLE PROBE 340 mm**  
cable length 1700 mm



LINCOLN 369705

**3341054 THERMOCOUPLE PROBE 340 mm**  
cable length 4050 mm  
for 1621EA-1628-1629A



LINCOLN 370358

**3341045 THERMOCOUPLE PROBE 445 mm**  
cable length 630 mm



LINCOLN 370362



Suitable for:

Suitable for:

**3341046 THERMOCOUPLE PROBE 450 mm**  
cable length 1100 mm



LINCOLN 369131

## Rating-plates

**3319444 DIGITAL PUSH-BUTTON PANEL PLATE 392x150**



LINCOLN 370354

## Relays

**3351022 RELAY OMRON 12A 240V**  
8 contacts



LINCOLN 369422

## Switches

**3319445 BLACK FAN SWITCH 20A 277V**  
mounting hole 20x36 mm  
ON-OFF function



LINCOLN 369260

**3319432 BLACK IGNITION RESET PUSH-BUTTON 3A 250**  
cable length 390 mm



LINCOLN 369771

**3319431 BLACK SWITCH 20A 250V**  
with green led indicator lamp  
mounting hole 20x40 mm  
ON-OFF function



LINCOLN 369432

LINCOLN 369805



Suitable for:

# LINCOLN



Suitable for:

## Thermostats

**3444833 BULB HOLDING CLIP**  
for oven thermostat



LINCOLN 369547

**3444827 GAS THERMOSTAT 200-600°F/93-316°C**  
120Vac 50/60Hz



LINCOLN 369801

**3444831 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3x145 mm



LINCOLN 357067

**3444493 THREE-PHASE THERMOSTAT 360°C**  
with automatic reset  
capillary length 1500 mm - 16A 230V  
bulb  $\varnothing$  4x120 mm  
for Fry top (MODULAR) - Series 600 - Series 700



LINCOLN 369583

**3444832 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 1500 mm  
bulb  $\varnothing$  4x170 mm



LINCOLN 369368

## Transformers

**3739005 TRANSFORMER 120-240V/12.6V 2.5A**  
primary voltage 120-240V  
secondary voltage 12,6V 2,5A  
screw terminal block  
with wiring



LINCOLN 369173

**3739006 TRANSFORMER 208-240V/24V 20VA**  
primary tension 208-240V 50/60Hz  
secondary tension 24Vca 20VA  
faston terminal block  
with wiring



LINCOLN 370241