




Spare parts for:

## Cooking equipment



Suitable for:

# SIRMAN



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


# SIRMAN



Suitable for:

## Bearings

**9063012 BEARING 6004 DDU**  
external  $\varnothing$  42 mm -internal  $\varnothing$  20 mm-thickness 12 mm



SIRMAN LF1110701

SIRMAN 19320235

**9063007 BEARING 6005 2RS**  
external  $\varnothing$  47 mm-internal  $\varnothing$  25 mm-thickness 12 mm  
for OEM KNEADER F201/1-VE201/2  
for FIMAR KNEADER IM25-IM38  
for FIMAR PLANETARY IP10-IP20  
for SIRMAN BONE BAND SAW S03100



SIRMAN LF1110801

**3063017 BEARING 6203 2RS NSK**  
external  $\varnothing$  40 mm -internal  $\varnothing$  17 mm-thickness 12 mm



SIRMAN LF1150002

SIRMAN LF1150003

SIRMAN 19320203

**3063121 BEARING 6203 2RS SKF**  
 $\varnothing$  ext. 40 mm -  $\varnothing$  int. 17 mm - thickness 12 mm



SIRMAN LF1150002

SIRMAN LF1150003

SIRMAN 19320203

**1063906 BEARING 6203 2Z**  
external  $\varnothing$  40 mm-internal  $\varnothing$  17 mm-thickness 12 mm



SIRMAN MF0113

SIRMAN 19320204

**9063003 BEARING 6303 DDU**



SIRMAN IV7300600

## Capacitors

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SIRMAN 19410307

**Circlips**

**5015337 SEEGER RING FOR SHAFT**

external  $\varnothing$  22,5 mm - internal  $\varnothing$  18,5 mm  
thickness 1 mm



SIRMAN IV77SE20

**Electrical cables**

**3050010 FEED CABLE 2000 mm**



SIRMAN 19410502

**Energy regulators**

**3350025 ENERGY ADJUSTER**

contact capacity 230V 13.5A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Salamander electric (SILKO) CSE-045 - CSE-048  
CSE-050 - CSE-053 - CSE-060 - CSE-065  
CSE-070 - CSE-078



SIRMAN IB5256500

**3350026 ENERGY ADJUSTER**

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Boiling pan (MORICE)  
for Boiling pan (THIRODE)  
for Bratt pan (MORICE)  
for Bratt pan (THIRODE)  
for Fry top (LOTUS) - Series 60 - Series 65  
Series 70  
for Grill (THIRODE)  
for Hot plate (EMMEPI) - Series 650 - Series 700  
for Hot plate (GICO) - Series 110 - Series 700  
Series 920  
for Pasta cooker electric (BONNET)



SIRMAN ATHD073010

**Gaskets and seals**

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**



SIRMAN IGS614513



Suitable for:

# SIRMAN



Suitable for:

## Gearmotors

**3240340 MOTOR CROUZET 24V 3000RPM**  
D-shaped pin 7x8 mm - pin height 26 mm



SIRMAN IB5036810

## Heating elements

**3755022 HEATING ELEMENT 1150W 240V BOTTOM**  
length 190 mm - width 310 mm  
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS407C

**3755023 HEATING ELEMENT 700W 240V TOP**  
length 180 mm - width 175 mm  
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS402P

**3755024 HEATING ELEMENT 850W 240V BOTTOM**  
length 180 mm - width 175 mm  
with cables  
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS407P

**3755021 HEATING ELEMENT 875W 240V TOP**  
length 190 mm - width 310 mm  
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS402C

**3755325 QUARTZ PIPE  $\varnothing$  12x255 mm**



SIRMAN IB3506900

**3755327 QUARTZ PIPE  $\varnothing$  12x270 mm**



SIRMAN IGS660T04

**3355299 QUARTZ TUBE  $\varnothing$  10x390 mm**  
for Toaster electric (ARISTARCO)



SIRMAN IGS660T06

**3455376 TERMINAL FOR HEATING ELEMENT**  
external  $\varnothing$  13 mm - for screw  $\varnothing$  4 mm  
overall length 28 mm  
for Salamander electric (ROLLER GRILL) SEF80  
SEM60 - SEM60TQ



SIRMAN IB5906800



# SIRMAN



Suitable for:

**3755328 WIRE HEATING ELEMENT 380W 230V**  
length 180 mm



Suitable for:

**3755325 QUARTZ PIPE  $\varnothing$  12x255 mm**



SIRMAN IB5206910

**3755326 WIRE HEATING ELEMENT 400W 115V**  
length 280 mm



SIRMAN IB3506900

**3755327 QUARTZ PIPE  $\varnothing$  12x270 mm**



SIRMAN IGS402T04

**3755500 WIRE HEATING ELEMENT 400W 115V**  
length 210 mm



SIRMAN IGS660T04

**3755325 QUARTZ PIPE  $\varnothing$  12x255 mm**



SIRMAN IB5206900

**3755324 WIRE HEATING ELEMENT 600W 115V**  
length 390 mm



SIRMAN IB3506900

**3355299 QUARTZ TUBE  $\varnothing$  10x390 mm**  
for Toaster electric (ARISTARCO)



SIRMAN IGS402T06/02

SIRMAN IGS660T06

## Knobs

**3241331 BLACK KNOB  $\varnothing$  45 mm**  
square hole 5x5 mm



SIRMAN IGS336



Suitable for:

# SIRMAN



Suitable for:

## Lamps

**3221276 ORANGE INDICATOR LAMP 240V**  
ø head 12 mm - ø hole 10 mm - 120°C



SIRMAN IB5846400

**3221960 WHITE INDICATOR LAMP 230V**  
mounting hole 30x22 mm - 125°C



SIRMAN IGS422

**3221275 WHITE PILOT LIGHT 250V**  
ø head 13 mm - ø hole 10 mm - 120°C



SIRMAN IGS422T12

## Microswitches

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels  
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14  
H17 - H22  
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35  
MJ45E



SIRMAN MSC04N262

**3240410 MICRO SWITCH 16A 250V**  
for ANGELO PO OLD OVENS FC-FCV  
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
FC1211G-FC1211E  
for ANGELO PO FRYER 030FE1-030FE1B-70FE  
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
30FES2-30FES2B-091FE28  
for IMESA DRYER ES10-ES55-ES75  
for IMESA WASHING MACHINE  
LM30-LM40-LM55-LM70-LM85  
RC30-RC40-RC55-RC70  
for SIRMAN CUTTER C4-C6-C6VV-C9  
for GRANDIMPIANTI DRYER EMS10-EMS15  
for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
for IPSO CALENDER RI1600/30-RI1600/30AV



SIRMAN MSC04N276

**3240123 MICROSWITCH 16A 250V**



SIRMAN IB5820800

**3240181 PROTECTED MAGNET 62x18x10 mm**



SIRMAN IV5820050

SIRMAN LF1050103



# SIRMAN



Suitable for:

Suitable for:

## OR and ORM gaskets

**1186414 O-RING 0119 EPDM**



SIRMAN LF1261001

**3186601 O-RING 04200 EPDM**



SIRMAN IB4104040

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**

length 100 mm  
height 180 mm  
for Toaster



SIRMAN

## Rotary switches

**3057158 SELECTOR SWITCH 0-4 POSITIONS**

contact capacity 16A 600V - max 60/75°C  
square shaft 5x5 mm



SIRMAN IB5806820

## Springs

**3250029 LEFTHAND SPRING  $\varnothing$  20x40 mm**

for PLATE PS24-36-PD50  
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
for SIRMAN ELECTRIC PLATE PD ECO since 99  
for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
for SIRMAN ELECTRIC PLATE PD POWER since 99



SIRMAN IGS543/99

**3250001 LEFTHAND SPRING  $\varnothing$  20x42 mm**

for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



SIRMAN IGS543



Suitable for:

**3250028 RIGHTHAND SPRING ø 20x40 mm**

for PLATE PS24-36-PD50  
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
for SIRMAN ELECTRIC PLATE PD ECO since 99  
for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
for SIRMAN ELECTRIC PLATE PD POWER since 99



SIRMAN IGS540/99

**5011822 SPRING LEFT ø 20x40 mm**

for SIRMAN ELECTRICAL PLATE CORT L/R/X since 1999  
for SIRMAN ELECTRICAL PLATE CORT ECO since 1999



SIRMAN IGS543C/99

# SIRMAN



Suitable for:

**3250002 RIGHTHAND SPRING ø 20x42 mm**

for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



SIRMAN IGS540

**5011821 SPRING RIGHT ø 20x40 mm**

for SIRMAN ELECTRICAL PLATE CORT L/R/X since 1999  
for SIRMAN ELECTRICAL PLATE CORT ECO since 1999



SIRMAN IGS540C/99

## Thermostats

**3444514 SINGLE-PHASE THERMOSTAT 50-300°C**

D-shaped pin ø 6x4.6 mm  
capillary length 660 mm - 16A 240V  
bulb ø 4x100 mm



SIRMAN IGS460

## Timers

**3446100 MECHANICAL TIMER 15 MINUTES**

manually set mechanical timer  
manually set cycle 15 minutes  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



SIRMAN IGS450

**3446137 TIMER 15 MINUTES M2**

mechanical movement with balance wheel  
manually set mechanical timer  
manually set cycle 15 minutes  
bipolar with contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
for all models  
for Toaster (SIRMAN)



SIRMAN IGS440





Suitable for:

Suitable for:

**3446151 TIMER 5 MINUTES C20**  
manually set mechanical timer  
manually set cycle 5 minutes  
2 poles with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



SIRMAN RG04342

## Tools

**3394272 PLATES BRUSH**



SIRMAN IGS126