



## Spare parts for the professional sector: **Cooking equipment**



Suitable for:

# A.D.



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

A.D.



Suitable for:

## Electrical cables


**3050228 POWER SUPPLY CABLE 2500 mm**  
4 wires  $\varnothing$  2.5 mm<sup>2</sup>



A.D. 130.016


## Electronic printed-circuit boards

**7150571 ELECTRONIC CIRCUIT BOARD RELAY 70x60 mm**



A.D. 240.004

**7102216 KIT ELECTRONIC BOARD RELAYS 175x70 mm**



A.D.

## Energy regulators


**2111902 ENERGY REGULATOR**  
contacts 240V 13A  
temperature max 125°C  
D-shaft  $\varnothing$  6x4.6 mm



A.D. 140.007

A.D. 140.008

**3350024 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction



A.D. 140.006

**3350089 REGOLATORE DI ENERGIA**  
portata contatti 240V 13A  
temperatura max 125°C  
perno mezzaluna  $\varnothing$  6x4,6 mm  
doppio senso di rotazione  
per FRYTOP  
per PIANO COTTURA VETROCERAMICA



A.D. 140.006.1

**3350090 REGOLATORE DI ENERGIA**  
portata contatti 240V 13A  
temperatura max 125°C  
perno mezzaluna  $\varnothing$  6x4,6 mm  
per PIANO COTTURA VETROCERAMICA



A.D. 140.007.1

**Equipment, complete**

**3235049 FRY TOP VETROCERAMICA LISCIO 2500W**  
dimensioni esterne 500x450x80 mm



A.D. 999.017

**3221137 ORANGE INDICATOR LAMP 250V**  
ø head 14 mm - ø hole 12 mm - 120°C




A.D. 150.010

**3511001 RESISTENZA RADIANTE 2500W 230V**  
dimensioni esterne 500x450x80 mm



A.D. 100.105

**3235063 FRY TOP VETROCERAMICA RIGATO 2500W**  
dimensioni esterne 500x450x80 mm



A.D. 999.1446

**3221137 ORANGE INDICATOR LAMP 250V**  
ø head 14 mm - ø hole 12 mm - 120°C



A.D. 150.010

**3541053 MANOPOLA NERA ø 52 mm 0-1-2-3-4-5-6**  
dimensioni esterne 500x450x80 mm



A.D. 700.007

**3350089 REGOLATORE DI ENERGIA**  
dimensioni esterne 500x450x80 mm



A.D. 140.006.1

**3314008 VETROCERAMICA FRYTOP LISCIO**  
dimensioni esterne 500x450x80 mm



A.D. 300.240

**3541053 MANOPOLA NERA ø 52 mm 0-1-2-3-4-5-6**  
dimensioni esterne 500x450x80 mm



A.D. 700.007

**3350089 REGOLATORE DI ENERGIA**  
dimensioni esterne 500x450x80 mm



A.D. 140.006.1



Suitable for:

**3511001 RESISTENZA RADIANTE 2500W 230V**  
dimensioni esterne 500x450x80 mm



A.D. 100.105

**A.D.**



Suitable for:

**3314007 VETROCERAMICA FRYTOP RIGATO**  
dimensioni esterne 500x450x80 mm



A.D. 300.365

**3235065 INDUCTION HOB SUPPORT 1 ZONE 5000W**  
ext. sizes 400x500x105 mm



A.D. 999.1934

**3313126 ADJUSTABLE FOOT CHROME PLATED ø 25 mm**  
with fixed screw M8x20 mm



A.D. 260.027

**3541052 BLACK KNOB ø 62 mm INDUCTION-MIN-MAX**  
D-shaft 6x4,6 mm  
for INDUCTION HOB 1 FLAME  
for INDUCTION HOB WOK 1 FLAME



A.D. 140.065

**3350091 DIGITAL POTENTIOMETER**  
temperature max 85°C  
D-shaft ø 6x4,6 mm  
double totating sense  
for INDUCTION HOB 1 FLAME 5kW 400V  
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.319

**3160546 GREASE FILTER ALUMINIUM 271x268x9 mm**  
for INDUCTION HOB 1 FLAME 5kW 400V  
for INDUCTION HOB WOK 1 FLAME 5kW 400V




A.D. 260.022

**3050228 POWER SUPPLY CABLE 2500 mm**  
4 wires ø 2.5 mm<sup>2</sup>



A.D. 130.016

**3314010 PYROCERAMIC INDUCTION SMOOTH HOB**  
ext. sizes 390x320x4 mm  
for SMOOTH INDUCTION HOB 1 FLAME



A.D. 300.621

**3221717 TRANSPARENT INDICATOR LAMP 12V**  
ø head 15 mm - ø hole 10 mm - 120°C  
male faston 6.3x0.8 mm




A.D. 150.022

**3235066 INDUCTION HOB WOK SUPPORT 5000W**  
ext. sizes 400x500x160 mm




A.D. 999.1936

**3541052 BLACK KNOB  $\varnothing$  62 mm INDUCTION-MIN-MAX**  
D-shaft 6x4.6 mm  
for INDUCTION HOB 1 FLAME  
for INDUCTION HOB WOK 1 FLAME



A.D. 140.065

**3520015 CUVETTE GLASS  $\varnothing$  300 mm**  
for INDUCTION HOB WOK 1 FLAME



A.D. 300.156

**3160546 GREASE FILTER ALUMINIUM 271x268x9 mm**  
for INDUCTION HOB 1 FLAME 5kW 400V  
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 260.022

**3050228 POWER SUPPLY CABLE 2500 mm**  
4 wires  $\varnothing$  2.5 mm<sup>2</sup>



A.D. 130.016

## A.D.



Suitable for:

**3313126 ADJUSTABLE FOOT CHROME PLATED  $\varnothing$  25 mm**  
with fixed screw M8x20 mm



A.D. 260.027

**3075004 COIL FOR INDUCTION HOB WOK  $\varnothing$  300 mm**  
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.318

**3350091 DIGITAL POTENTIOMETER**  
temperature max 85°C  
D-shaft  $\varnothing$  6x4,6 mm  
double totating sense  
for INDUCTION HOB 1 FLAME 5kW 400V  
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.319

**3075002 INDUCTION GENERATOR WOK 5kW 400V**  
50/60Hz  
for INDUCTION HOB WOK



A.D. 340.134

**3221717 TRANSPARENT INDICATOR LAMP 12V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 10 mm - 120°C  
male faston 6.3x0.8 mm



A.D. 150.022





Suitable for:

**A.D.**



Suitable for:

**3235064 PANINIWARMER PLATE GROOVED 2200W**  
ext. sizes 450x450x130 mm



A.D. 999.579

**3235048 PIANO COTTURA APPOGGIO 1 FUOCO 2500W**  
dimensioni esterne 320x350x80 mm



A.D. 999.1477.1

**3221718 LAMPADA SPIA CALORE RESIDUO 250V**  
dimensioni esterne 320x350x80 mm



A.D. 150.011

**3221137 ORANGE INDICATOR LAMP 250V**  
ø head 14 mm - ø hole 12 mm - 120°C



A.D. 150.010

**3350090 REGOLATORE DI ENERGIA**  
dimensioni esterne 320x350x80 mm




A.D. 140.007.1

**3313126 ADJUSTABLE FOOT CHROME PLATED ø 25 mm**  
with fixed screw M8x20 mm



A.D. 260.027

**3541054 MANOPOLA NERA ø 52 mm 0-1-2-3-4-5-6**  
dimensioni esterne 320x350x80 mm



A.D. 700.006

**3311083 RADIANT HEATING ELEMENT OCTAGON. ø 250mm**  
2500W 230V  
faston electrical connections - with cables  
complete with power adjuster  
for glass-ceramic cooking top



A.D. 100.298

**3314011 VETROCERAMICA PIANO LISCIO 310x280x4 mm**  
dimensioni esterne 320x350x80 mm



A.D. 300.639

**3235047** **PIANO COTTURA APPOGGIO 2 FUOCHI 4300W**  
dimensioni esterne 500x450x80 mm



A.D. 999.003

**3541053** **MANOPOLA NERA ø 52 mm 0-1-2-3-4-5-6**  
dimensioni esterne 500x450x80 mm



A.D. 700.007

**3221137** **ORANGE INDICATOR LAMP 250V**  
ø head 14 mm - ø hole 12 mm - 120°C



A.D. 150.010

**5073926** **RADIANT HEATING ELEMENT OCTAGON. ø 200mm**  
1800W 230V  
faston electrical connectors - with cables  
complete with power adjuster  
for glass-ceramic cooking top



A.D. 100.499

**3350089** **REGOLATORE DI ENERGIA**  
dimensioni esterne 500x450x80 mm



A.D. 140.006.1

## A.D.



Suitable for:

**3221718** **LAMPADA SPIA CALORE RESIDUO 250V**  
dimensioni esterne 500x450x80 mm



A.D. 150.011

**3541054** **MANOPOLA NERA ø 52 mm 0-1-2-3-4-5-6**  
dimensioni esterne 500x450x80 mm



A.D. 700.006

**3314009** **PIASTRA VETROCERAMICA 493x345x4 mm**  
dimensioni esterne 500x450x80 mm



A.D. 300.231

**3311083** **RADIANT HEATING ELEMENT OCTAGON. ø 250mm**  
2500W 230V  
faston electrical connections - with cables  
complete with power adjuster  
for glass-ceramic cooking top



A.D. 100.298

**3350090** **REGOLATORE DI ENERGIA**  
dimensioni esterne 500x450x80 mm



A.D. 140.007.1



Suitable for:

**A.D.**



Suitable for:

---

## Feet

---

**3313126 ADJUSTABLE FOOT CHROME PLATED  $\varnothing$  25 mm**  
with fixed screw M8x20 mm



A.D. 260.027

---

## Filters

---

**3160546 GREASE FILTER ALUMINIUM 271x268x9 mm**  
for INDUCTION HOB 1 FLAME 5kW 400V  
for INDUCTION HOB WOK 1 FLAME 5kW 400V




A.D. 260.022

---

## Glasses

---

**3520015 CUVETTE GLASS  $\varnothing$  300 mm**  
for INDUCTION HOB WOK 1 FLAME



A.D. 300.156

---

## Glues

---

**3392012 BLACK SEALING NOVASIL S56 310 ml**  
max operating temperature +265°C  
HIGHLY ADHESIVE AND SEALING  
suitable for PYROCERAMIC RANGE



A.D. 250.002



## Indicator lights

**3221718 LAMPADA SPIA CALORE RESIDUO 250V**  
 ø testa 12 mm - ø foro 13 mm  
 attacco a fili lunghezza 600 mm  
 per PIANO COTTURA VETROCERAMICA



A.D. 150.011

**3221137 ORANGE INDICATOR LAMP 250V**  
 ø head 14 mm - ø hole 12 mm - 120°C



A.D. 150.010

**3221717 TRANSPARENT INDICATOR LAMP 12V**  
 ø head 15 mm - ø hole 10 mm - 120°C  
 male faston 6.3x0.8 mm



A.D. 150.022

## Induction coils

**3075004 COIL FOR INDUCTION HOB WOK ø 300 mm**  
 for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.318

**3075002 INDUCTION GENERATOR WOK 5kW 400V**  
 50/60Hz  
 for INDUCTION HOB WOK



A.D. 340.134

**3075003 INDUCTION GENERATOR WOK 5kW 400V**  
 50/60Hz  
 for INDUCTION HOB WOK



A.D. 340.149



Suitable for:

A.D.



Suitable for:

## Knobs

**3541052 BLACK KNOB  $\varnothing$  62 mm INDUCTION-MIN-MAX**  
D-shaft 6x4.6 mm  
for INDUCTION HOB 1 FLAME  
for INDUCTION HOB WOK 1 FLAME



A.D. 140.065

**3541053 MANOPOLA NERA  $\varnothing$  52 mm 0-1-2-3-4-5-6**  
foro a mezzaluna 6x4,6 mm  
per FRYTOP  
per PIANO COTTURA VETROCERAMICA



A.D. 700.007

**3541054 MANOPOLA NERA  $\varnothing$  52 mm 0-1-2-3-4-5-6**  
foro a mezzaluna 6x4,6 mm  
per PIANO COTTURA VETROCERAMICA



A.D. 700.006

## Potentiometers

**3350091 DIGITAL POTENTIOMETER**  
temperature max 85°C  
D-shaft  $\varnothing$  6x4,6 mm  
double totating sense  
for INDUCTION HOB 1 FLAME 5kW 400V  
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.319


## Radiant heating elements

**5073926 RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  200mm**  
1800W 230V  
faston electrical connectors - with cables  
complete with power adjuster  
for glass-ceramic cooking top



A.D. 100.499

**5027899 RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  230mm**  
2100W 230V  
faston electrical connections - with cables  
complete with power adjuster  
for pyroceramic cooking top



A.D. 100.026

A.D. 100.382



**5034637** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  230mm**  
 2400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.154

**7101798** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  230mm**  
 2500W 230V  
 faston terminal block  
 complete with power setting  
 for pyroceramic cooking range



A.D.

**3311083** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  250mm**  
 2500W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.298

**5070141** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  250mm**  
 2500W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.548.2

**3455404** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  300mm**  
 3400/1400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.299

**5031142** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  300mm**  
 3400/1300W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.381

**5059940** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  300mm**  
 4000W 400V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.335.1

**5075582** **RADIANT HEATING ELEMENT OCTAGON.  $\varnothing$  300mm**  
 3400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



A.D. 100.355



Suitable for:

**7150596 RADIANT HEATING ELEMENT OCTAGON.  $\phi$  300mm**  
3400W 230V  
electrical faston connections  
complete energy setting  
for ceramic glasse cooking top




A.D.

**A.D.**



Suitable for:

**3311079 RADIANT HEATING ELEMENT OCTAGON.  $\phi$  165 mm**  
1200W 230V  
faston electrical connections - with cables  
complete with power adjuster  
for glass-ceramic cooking top



A.D. 100.498

**5086268 RADIANT HEATING ELEMENT 1000W 230V**  
lunghezza 265 mm - larghezza 365 mm  
attacchi elettrici a faston



A.D.

**5069882 RADIANT HEATING ELEMENT 10000W 230V**  
lunghezza 520 mm - larghezza 310 mm  
completa di cavi



A.D. 100.1024

**5034037 RADIANT HEATING ELEMENT 10000W 400/415V**  
lunghezza 510 mm - larghezza 310 mm  
attacchi elettrici a vite




A.D.

**5056805 RADIANT HEATING ELEMENT 10000W 400/415V**  
lunghezza 480 mm - larghezza 280 mm  
attacchi elettrici a vite



A.D.

**5054473 RADIANT HEATING ELEMENT 1050W 230V**  
length 250 mm - width 310 mm  
height 35 mm - complete with cables




A.D.

**3755653 RADIANT HEATING ELEMENT 1500W 230V**  
length 455 mm - width 195 mm  
complete with cables



A.D. 100.100

**7150273 RADIANT HEATING ELEMENT 1500W 230V**  
length 300 mm - width 250 mm  
faston electrical connections



A.D. 100.1012

**5053678 RADIANT HEATING ELEMENT 2500W 230V**  
lunghezza 190 mm - larghezza 250 mm  
completa di cavi



A.D. 100.511

Suitable for:

**3855033 RADIANT HEATING ELEMENT 3500W 400V**  
length 417 mm - width 275 mm  
faston electrical connections



A.D. 100.1010

Suitable for:

**5065717 RADIANT HEATING ELEMENT 3500W 400V**  
length 180 mm - width 240 mm  
height 160 mm - complete with cables



A.D. 100.660

**7108776 RADIANT HEATING ELEMENT 3500W 400V**  
lunghezza 415 mm - larghezza 275 mm  
attacchi elettrici a faston



A.D.

**40C8477 RADIANT HEATING ELEMENT 3900W 230V**  
lunghezza 320 mm - larghezza 455 mm  
completa di cavi



A.D. 100.1018

**5059323 RADIANT HEATING ELEMENT 4000W 400/415V**  
lunghezza 450 mm - larghezza 270 mm  
attacchi elettrici a vite



A.D. 100.1022

**40C8476 RADIANT HEATING ELEMENT 4200W 230/400V**  
lunghezza 320 mm - larghezza 455 mm  
completa di cavi




A.D. 100.1017

**7100214 RADIANT HEATING ELEMENT 4500W 400V**  
lunghezza 300 mm - larghezza 300 mm  
completa di cavi




A.D.

**5035922 RADIANT HEATING ELEMENT 500W 230V**  
length 215 mm - width 225 mm  
height 33 mm - electrical screw couplings



A.D. 100.1011.1

**5033236 RADIANT HEATING ELEMENT 5000W 400/415V**  
lunghezza 605 mm - larghezza 240 mm  
attacchi elettrici a vite



A.D. 100.1019

**5052700 RADIANT HEATING ELEMENT 5000W 400/415V**  
length 607 mm - width 290 mm  
electrical screw couplings



A.D. 100.1021





Suitable for:

# A.D.



**5083822 RADIANT HEATING ELEMENT 5000W 400/415V**  
lunghezza 380 mm - larghezza 300 mm  
attacchi elettrici a vite



A.D. 100.1025

Suitable for:

**40C7625 RADIANT HEATING ELEMENT 6000W 230V**  
lunghezza 405 mm - larghezza 255 mm  
completa di cavi



A.D. 100.1015

**5033270 RADIANT HEATING ELEMENT 6000W 400/415V**  
lunghezza 335 mm - larghezza 310 mm  
attacchi elettrici a vite




A.D. 100.1020

**40C8351 RADIANT HEATING ELEMENT 6480W 230V**  
lunghezza 550 mm - larghezza 320 mm  
completa di cavi




A.D. 100.1016

**3755809 RADIANT HEATING ELEMENT 750W 230V**  
length 225 mm - width 225 mm  
height 30 mm - faston electrical connections




A.D.

**5034048 RADIANT HEATING ELEMENT 750W 230V**  
length 215 mm - width 225 mm  
height 33 mm - electrical screw couplings



A.D. 100.1011

**5070419 RADIANT HEATING ELEMENT 750W 230V UPPER**  
length 265 mm - width 237 mm  
height 30 mm - faston electrical connections




A.D.

**5019794 RADIANT HEATING ELEMENT 7500W 400V**  
length 280 mm - width 400 mm  
complete with cables




A.D. 100.436

**3755480 RADIANT HEATING ELEMENT 850W 230V**  
length 265 mm - width 235 mm  
faston electrical connections



A.D.

**5068805 RADIANT HEATING ELEMENT 8500W 230/400V**  
lunghezza 420 mm - larghezza 550 mm  
completa di cavi



A.D. 100.1023



Suitable for:

Suitable for:

**3511001 RESISTENZA RADIANTE 2500W 230V**  
 lunghezza 450 mm - larghezza 275 mm  
 completa di cavi  
 per FRYTOP LISCIO-RIGATO





A.D. 100.105

**Refractory tiles**

**3314009 PIASTRA VETROCERAMICA 493x345x4 mm**

**3314010 PYROCERAMIC INDUCTION SMOOTH HOB**  
 ext. sizes 390x320x4 mm  
 for SMOOTH INDUCTION HOB 1 FLAME



A.D. 300.231

A.D. 300.621

**3314008 VETROCERAMICA FRYTOP LISCIO**  
 dimensioni esterne 492x335x4 mm

**3314007 VETROCERAMICA FRYTOP RIGATO**  
 dimensioni esterne 492x335x4,5 mm



A.D. 300.240

A.D. 300.365

**3314011 VETROCERAMICA PIANO LISCIO 310x280x4 mm**



A.D. 300.639

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)