




Spare parts for:

**Cooking equipment**



Suitable for:

**CF CENEDESE**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11181005





Suitable for:

# CF CENEDESE



Suitable for:

## Contactors

### 3446562 CONTACTOR LOVATO BF0901A

coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally closed auxiliary contact



CF CENEDESE 63.7.0890

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Boiling pan (MORICE)  
for Boiling pan (THIRODE)  
for Bratt pan (MORICE)  
for Bratt pan (THIRODE)  
for Fry top (LOTUS) - Series 60 - Series 65  
Series 70  
for Grill (THIRODE)  
for Hot plate (EMMEPI) - Series 650 - Series 700  
for Hot plate (GICO) - Series 110 - Series 700  
Series 920  
for Pasta cooker electric (BONNET)



CF CENEDESE 63.7.0601

## Equipment and accessories

### 3235202 GAS BARBECUE G220



CF CENEDESE G220

### 3235204 LID FOR GRILL G220



CF CENEDESE

### 3235204 LID FOR GRILL G220



CF CENEDESE

## Gearmotors

- 3240638 GEARMOTOR 230V 50/60Hz**  
 TYPE MR5/47559SP R5/F004 G4.5  
 pin 8x6 mm - pin height 24 mm  
 for Toaster (CF CENEDESE) TN30



CF CENEDESE 63.7.0751

## Heating elements

- 3755808 HEATING ELEMENT 1200W 230V**  
 length 195 mm - width 300 mm  
 for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1015

- 3755811 HEATING ELEMENT 1600W 230V**  
 length 270 mm - width 220 mm  
 couplings ø 12 mm  
 for Salamander electric (CF CENEDESE)



CF CENEDESE 63.7.1083

- 3755813 HEATING ELEMENT 1900W 230V**  
 length 310 mm - width 255 mm  
 flange 70x36 mm  
 for Salamander electric (CF CENEDESE) SE2 - SE2M



CF CENEDESE 63.7.1022

- 3755810 HEATING ELEMENT 2000W 230V**  
 length 350 mm - width 240 mm  
 couplings ø 12 mm  
 for Salamander electric (CF CENEDESE)



CF CENEDESE 63.7.1084

- 3355351 HEATING ELEMENT 220W 240V**  
 length 410 mm  
 for Sausage grill electric (CB)  
 for Sausage grill electric (CF CENEDESE)



CF CENEDESE

- 3755812 HEATING ELEMENT 2400W 230V**  
 length 430 mm - width 260 mm  
 flange 70x36 mm  
 for Salamander electric (CF CENEDESE) SE1 - SE1M



CF CENEDESE 63.7.1021



Suitable for:

# CF CENEDESE



**3755814 HEATING ELEMENT 400W 230V**  
length 300 mm - width 140 mm  
fittings  $\varnothing$  12 mm  
for Self service counter electric (CF CENEDESE)  
VEC-510




CF CENEDESE 63.7.1090

**3755291 HEATING ELEMENT 750W 230V**  
length 180 mm - width 180 mm  
for Hot plate electric (CF CENEDESE)



CF CENEDESE 63.7.1012

**3755806 HEATING ELEMENT 900W 230V**  
length 180 mm - width 175 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1011

**3755807 HEATING ELEMENT 900W 230V**  
length 195 mm - width 300 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1016

**3755768 QUARTZ HEATING ELEMENT 400W 230V**  
length 290 mm - width 130 mm  
for TOASTER T920-T940



CF CENEDESE 63.7.1094

**3755769 QUARTZ HEATING ELEMENT 500W 115V**  
total length 385 mm -  $\varnothing$  11.5 mm  
for Toaster electric (CF CENEDESE) T930 - T960



CF CENEDESE 63.7.1095

**3755809 RADIANT HEATING ELEMENT 750W 230V**  
length 225 mm - width 225 mm  
height 30 mm  
for Panini grill electric (CF CENEDESE) PDV3020LL  
PDV3020LR - PDV3020RR



CF CENEDESE 63.7.1100

## Knobs

**3241566 BLACK KNOB  $\varnothing$  50 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for EGO energy regulator



CF CENEDESE 63.6.0280

CF CENEDESE 63.7.0280

## Lamps

### 3221340 DOUBLE GREEN-WHITE INDICATOR LAMP 230V

mounting hole 30x22 mm - 120°C  
for Bain-marie (CF CENEDESE)  
for Fryer (CF CENEDESE)  
for Sausage grill (CF CENEDESE)



CF CENEDESE 63.7.0821

### 3221132 GREEN INDICATOR LAMP 230V

head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



CF CENEDESE 63.7.0811

### 3221012 GREEN INDICATOR LIGHT 220V

mounting hole 30x22 mm - 125°C  
universal application



CF CENEDESE 63.7.0820

### 3221095 ORANGE INDICATOR LAMP 230V

head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



CF CENEDESE 63.7.0810

### 3221014 ORANGE INDICATOR LIGHT 220V

mounting hole 30x22 mm - 125°C  
universal application



CF CENEDESE 63.7.0805

## Microswitches

### 3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV  
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
FC1211G-FC1211E  
for ANGELO PO FRYER 030FE1-030FE1B-70FE  
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
30FES2-30FES2B-091FE28  
for IMESA DRYER ES10-ES55-ES75  
for IMESA WASHING MACHINE  
LM30-LM40-LM55-LM70-LM85  
RC30-RC40-RC55-RC70  
for SIRMAN CUTTER C4-C6-C6VV-C9  
for GRANDIMPIANTI DRYER EMS10-EMS15  
for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
for IPSO CALENDER RI1600/30-RI1600/30AV



CF CENEDESE 63.7.0880



Suitable for:

# CF CENEDESE



Suitable for:

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm  
for Toaster



CF CENEDESE 63.3.3095

## Springs

**3250001 LEFTHAND SPRING  $\varnothing$  20x42 mm**  
for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



CF CENEDESE 63.3.0853

**3250002 RIGHTHAND SPRING  $\varnothing$  20x42 mm**  
for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



CF CENEDESE 63.3.0852

**3250146 SPRING  $\varnothing$  21.5x117 mm**  
for Panini grill electric (BERTO'S) PDM/LD  
PDR/LD - PSL/LD - PSR/LD  
for Panini grill electric (ELETTOBAR) G34 - G37  
G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



CF CENEDESE 63.3.0861

## Switches

**3319296 BLACK BIPOLAR SWITCH 16A 250V**  
with red led indicator light  
max temperature 120°C  
mounting hole 22x30 mm



CF CENEDESE 63.7.0861

**3319371 BLACK BIPOLAR SWITCH 16A 250V**  
silk-screen printing 0 - I  
temperature max. 120°C  
mounting hole 22x30 mm



CF CENEDESE 63.7.0860



# CF CENEDESE



Suitable for:

**3319378 BLACK THREE-POLE SWITCH 16A 250V**  
with orange indicator lamp  
max temperature 120°C  
mounting hole 22x30 mm  
for Display cabinet warm (CF CENEDESE)



CF CENEDESE 63.7.0863

Suitable for:

**3319304 RED DOUBLE SWITCH 16A 250V**  
with indicator lamp  
max temperature 100°C  
mounting hole 22x30 mm  
for Toaster electric (CF CENEDESE) T920 - T930



CF CENEDESE 63.7.0852

## Thermostats

**3444008 BLACK KNOB  $\varnothing$  41 mm 0-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for thermostat TR/2



CF CENEDESE 63.6.0262

CF CENEDESE 63.6.0264

**3444639 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  3x160 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0630

**3444641 SINGLE-PHASE THERMOSTAT 235°C**  
with manual reset  
covered capillary length 1000 mm  
bulb  $\varnothing$  3x185 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0632

**3444640 SINGLE-PHASE THERMOSTAT 50-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm  
bulb  $\varnothing$  3x140 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0640

**3444642 SINGLE-PHASE THERMOSTAT 50-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm  
bulb  $\varnothing$  3x180 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0642

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Bain-marie (GICO) 110 - Series 700  
Series 900 - Series 920  
for Bratt pan (GICO) - Series 700 - Series 900  
Series 920  
for Bratt pan (LOTUS) - Series 700  
for Bratt pan (MBM)  
for Fry top (LOTUS) - Series 600 - Series 650  
for Oven under cooktop (MBM)



CF CENEDESE 63.7.0635



Suitable for:

## CF CENEDESE



**3444336 THERMOSTAT TR2 0-270°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 940 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm  
for Hot plate electric (ELETTOBAR)  
for Hot plate electric (FIMAR)



CF CENEDESE 63.7.0651

**3444004 THERMOSTAT TR2 0-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



CF CENEDESE 63.7.0655

CF CENEDESE 63.7.0658

## Timers

**3446051 TIMER 15 MINUTES C20**  
manually set mechanical timer  
manually set cycle 15 minutes  
2 poles with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with knob  
for Toaster electric (CF CENEDESE) T920 - T930  
T940 - T960  
for Toaster electric (FIMAR) TOP3 - TOP6  
for Toaster electric (LOTUS) TS-1



CF CENEDESE 63.7.0665

CF CENEDESE 63.7.0666