



Spare parts for:

## Cooking equipment



Suitable for:

# LAINOX



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# LAINOX

Suitable for:



## Actuators

**5033430 ACTUATOR LINEAR 24VDC**  
max power 5000 N - piston 190 mm  
max. speed 5 mm/s



LAINOX CR0684360


## Axial motors

**3240519 AXIAL FAN EBM 4656N**  
230V 50Hz 19W 2650rpm  
119x119x38 mm  
ball bearing



LAINOX

**3240600 FAN GRID 119x119 mm**  
distance between mounting holes 145 mm



**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



LAINOX R65060050

## Burners, flame spreaders and accessories

**5017735 BURNER ø 120 mm 7Kw**



LAINOX SIR0100224

**3025168 BURNER ø 75 mm 3.5 KW**



LAINOX SIR0100298

**5017734 BURNER ø 75 mm 3.5Kw**



LAINOX SIR0100225

**5035019 BURNER ø 95 mm 5.5Kw**



LAINOX SIR0100223



# LAINOX



Suitable for:

**3025358 BURNER ø 95 mm 5.5KW**



LAINOX MACM297300

Suitable for:

**5049247 BURNER BASE ø 100 mm**



LAINOX CR0580040

**5038822 BURNER BASE ø 65 mm**



LAINOX CR0580030

**5038533 FLAME SPREADER ø 100 mm**



LAINOX CR0580020

**5049247 BURNER BASE ø 100 mm**




LAINOX CR0580040

**5059106 GASKET BURNER COOKING TOP**



LAINOX SIR8204760

**5055500 JET HOLDER F/FLAME SPREADER 65-100 mm**



LAINOX CR0581700

**5053306 VENTURI PIPE FOR FLAME SPREADER 100 mm**



LAINOX CR0586451

**5038823 FLAME SPREADER ø 65 mm**



LAINOX CR0580010

**5038822 BURNER BASE ø 65 mm**



LAINOX CR0580030



Suitable for:

**5059106 GASKET BURNER COOKING TOP**



LAINOX SIR8204760

**5038824 VENTURI PIPE FOR FLAME SPREADER 65 mm**



LAINOX CR0586441

**3025169 FLAME SPREADER ø 75 mm 4.3Kw**



LAINOX SIR0100252

**5017734 BURNER ø 75 mm 3.5Kw**



LAINOX SIR0100225

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe ø 12 mm



**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**



# LAINOX

Suitable for:

**5055500 JET HOLDER F/FLAME SPREADER 65-100 mm**



LAINOX CR0581700

**3025168 BURNER ø 75 mm 3.5 KW**



LAINOX SIR0100298

**3025297 BURNER ø 75 mm 4.3Kw**



**3025312 SPARKING PLUG SUPPORT**  
for burners ø 75-95 mm






# LAINOX



Suitable for:

**3025351 FLAME SPREADER ø 85 mm 3.5 KW**



LAINOX MA1032501422

**3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW**



LAINOX MA1032101200

**3025355 FLAME SPREADER ø 95 mm 5.5 KW**



LAINOX MA1032501622

**3025356 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**



Suitable for:

**3025350 BURNER ø 85 mm 3.5KW**



**3025353 VENTURI TUBE GASKET 3.5 KW**  
dimensions 47x53 mm



LAINOX MA1036607800

**3025358 BURNER ø 95 mm 5.5KW**



LAINOX MACM297300

**3025357 VENTURI TUBE GASKET 5.5 KW**  
dimensions 55x62 mm



LAINOX MA1036607900

**3025172 FLAME SPREADER 6.4Kw ø 95 mm**



LAINOX SIR0100251

**5035019 BURNER ø 95 mm 5.5Kw**



LAINOX SIR0100223

**3025171 BURNER ø 95 mm 5.5KW**



**3025298 BURNER ø 95 mm 6.4Kw**





Suitable for:

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe ø 12 mm



**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**



# LAINOX



Suitable for:

**3025312 SPARKING PLUG SUPPORT**  
for burners ø 75-95 mm



**5055500 JET HOLDER F/FLAME SPREADER 65-100 mm**



LAINOX CR0581700

**3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW**



LAINOX MA1032101200

**5053306 VENTURI PIPE FOR FLAME SPREADER 100 mm**



LAINOX CR0586451

**5038824 VENTURI PIPE FOR FLAME SPREADER 65 mm**



LAINOX CR0586441

**3025353 VENTURI TUBE GASKET 3.5 KW**  
dimensions 47x53 mm



LAINOX MA1036607800


**3025357 VENTURI TUBE GASKET 5.5 KW**  
dimensions 55x62 mm



LAINOX MA1036607900

## Buzzers

**3397302 ALARM BELL 220V**



LAINOX R65330010

## Cables for piezo igniters

**3001032 IGNITION CABLE 600 mm**  
with faston terminal  $\varnothing$  2.4 mm for ignition  
with faston hole  $\varnothing$  4 mm for plug



LAINOX MA1936300

**3001033 IGNITION CABLE 800 mm**  
with faston terminal  $\varnothing$  2.4 mm for ignition  
with faston hole  $\varnothing$  4 mm for plug



LAINOX MA1936400

**3001017 IGNITION LEAD 600 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



LAINOX MA1950324

## Capacitors, electrical

**3068080 CAPACITOR ELECTRICAL 10 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh71 mm



LAINOX R65190180

**3068083 CAPACITOR ELECTRICAL 16 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm



LAINOX R65190030

**3068093 CAPACITOR ELECTRICAL 2.5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm



LAINOX 965315

**3068084 CAPACITOR ELECTRICAL 20 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  40xh71 mm



LAINOX R65190040

LAINOX 50405630

**3068095 CAPACITOR ELECTRICAL 4 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm



LAINOX R50405600

LAINOX R65190010

LAINOX 50405600

**3068096 CAPACITOR ELECTRICAL 5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm



LAINOX R65190080



Suitable for:

# LAINOX



Suitable for:

## Castors, rollers and accessories

**5061819 PLATE SWIVELLING WHEEL**  
with STAINLESS STEEL supports  
dimensions  $\varnothing$  125x30 mm - load capacity 200 Kg  
fixing plate 105x85 mm  
distance between holes 80-60 mm



LAINOX R69090090

**5061820 PLATE SWIVELLING WHEEL WITH BRAKE**  
with STAINLESS STEEL supports  
dimensions  $\varnothing$  125x30 mm - load capacity 200 Kg  
fixing plate 105x85 mm  
distance between holes 80-60 mm



LAINOX R69090100

## Clamps

**3449462 HOSE CLAMP 12-20**  
for pipes  $\varnothing$  12÷20 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



LAINOX R61630011

**3449456 HOSE CLAMP 50-70**  
for pipes  $\varnothing$  50÷70 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



LAINOX R61630031

## Contactors

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



LAINOX MACM187400

**5023908 CONTACTOR SIEMENS 3RT1025-1AL20**  
17A 400V 7.5Kw - coil 230V 50/60Hz  
3 normally open contacts



LAINOX R65140400

**5059050 AUXILIARY CONTACT SIEMENS 3RH1921**  
1 contact normally open  
1 contact normally closed



LAINOX R65140430



**5051716 RELAY THERMAL SIEMENS 1.4-2A**  
 1 contact NO  
 1 contact NC  
 3RU1116-1BB0 series S00



LAINOX R65160620

## Cooking baskets and accessories

**3055284 PASTA COOKER BASKET 280x100x115 mm**  
 made of stainless steel



LAINOX MA103110000

## Drain assembly

**3316150 DRAIN ASSEMBLY  $\varnothing$  3/4"**  
 with nut and gasket  
 external  $\varnothing$  38 mm - internal  $\varnothing$  20 mm  
 connections  $\varnothing$  26 mm



**3448279 OVERFLOW PIPE  $\varnothing$  20x64 mm**  
 made of stainless steel



LAINOX MA1138600

## Drain hoses

**3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**  
 $\varnothing$  22 mm - length 210 mm - bayonet joint  
 for TECNOINOX BAIN-MARIE-FRYER



LAINOX MA1033300300

**5037107 TUBO SCARICO OLIO CON SICUREZZA**  
 $\varnothing$  22 mm - lunghezza 210 mm - innesto a baionetta



LAINOX SIR0109013



Suitable for:

# LAINOX



Suitable for:


## Drain taps and accessories

**3526671 BALL VALVE  $\varnothing$  1/2"FF**



LAINOX MA1031400313

**5028318 BALL VALVE  $\varnothing$  1"FF**



LAINOX SIR0100590

**3356078 BUSHING  $\varnothing$  11x20 mm**




LAINOX MA1515900

**3526678 DRAIN TAP  $\varnothing$  1"FF**



LAINOX CR0412260

**3356078 BUSHING  $\varnothing$  11x20 mm**




LAINOX MA1515900

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



**5028002 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side exit  $\varnothing$  30 mm - bracket 80x30 mm  
distance between holes 60 mm - coupling height 100



**3242049 DRAIN TAP HANDLE 140 mm**  
square hole 6x6 mm



LAINOX MACM155200

**3242280 DRAIN TAP KNOB BLACK 79 mm**  
square hole 6x6 mm



**3242045 DRAIN TAP LEVER 220 mm**  
square pin 6x6 mm



LAINOX MACM149101

**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
st./steel - conical top  
UNI 5927 - DIN 914 - ISO 4027




LAINOX MA15119299

**3356104 DRAIN TAP Ø 2" F TECNO**  
TAPERED SEALING - with swivel nut Ø 2" F



LAINOX CR0682780

**3242190 DRAIN TAP HANDGRIP**  
for DRAIN TAP Ø 2" OLD MODEL  
AND FOR TECNO NEW MODEL



**5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm**  
for drain tap Ø 2"



LAINOX MA1420925

**3242191 PIN M6x40**  
for DRAIN TAP Ø 2" OLD MODEL



Suitable for:

**3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm**  
for drain tap Ø 2" old model



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3180061 TAPE FOR JOINT SEALING LOCTITE 55 - 150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved





Suitable for:

**3180039 VASELINE 750 g**

for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



# LAINOX



Suitable for:

**3242049 DRAIN TAP HANDLE 140 mm**  
square hole 6x6 mm



LAINOX MACM155200

**3242045 DRAIN TAP LEVER 220 mm**  
square pin 6x6 mm



LAINOX MACM149101

**3526632 GAS/WATER BALLCOCK VALVE  $\varnothing$  3/4"FF**  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium throttle



LAINOX MA1450500

**3241275 BLACK KNOB**  
square hole: 7x7mm



**3356078 BUSHING  $\varnothing$  11x20 mm**




LAINOX MA1515900

**3356077 CLASP  $\varnothing$  3.5x30 mm**  
UNI 6873 - DIN 1481 - ISO 8752



## Electric hot plates

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



LAINOX MA1832313

**3311160 ELECTRIC HOT PLATE  $\varnothing$  250 mm 2500W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



LAINOX CR0791310

Suitable for:

**7101798** **ELECTRIC HOT PLATE OCTAGONAL  $\varnothing$  230 mm**  
 2500W 230V  
 faston terminal block  
 complete with power setting  
 for pyroceramic cooking range



LAINOX SIR0108767

Suitable for:

**3311053** **ELECTRIC HOT PLATE 2600W 230V**  
 dimensions 220x220 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



LAINOX MA1712913

**3311065** **ELECTRIC HOT PLATE 4000W 400V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



LAINOX MA1937400

## Electrical gas valves and accessories

**3526077** **ELBOW FLANGE  $\varnothing$  1/2" F**  
 complete with screws and O-Ring  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX R63080020

LAINOX R70010070

**3526089** **ELETTROSIT VALVE  $\varnothing$  1/2" FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3 ÷ 18 mbar  
 ambient temperature 0 ÷ 60°C  
 power supply 230V 50Hz  
 long buttons  
 pilot connection and LOWER thermocouple



LAINOX R63025020

LAINOX 50203151

**3526100** **COIL 220V**  
 for VALVE ELETTROSIT





Suitable for:

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526106 STRAIGHT FLANGE  $\varnothing$  1/2" F**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



**3526087 ELETTROSIT VALVE  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3  $\div$  18 mbar  
ambient temperature 0  $\div$  60°C  
power supply 24V 50Hz  
pilot connection and LOWER thermocouple



LAINOX R63025010

**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



# LAINOX



Suitable for:

**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3526107 STRAIGHT FLANGE  $\varnothing$  3/4" F**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm





Suitable for:

**3526106 STRAIGHT FLANGE  $\varnothing$  1/2"**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



## LAINOX



Suitable for:

**3526107 STRAIGHT FLANGE  $\varnothing$  3/4"**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526090 ELETTROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4"FF - outlet  $\varnothing$  3/4"FF  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



LAINOX R63025030

LAINOX 50203161

**3526100 COIL 220V**  
for VALVE ELETTROSIT



**3526137 BUTTON FOR ELETTROSIT VALVE 46 mm**



**3526108 ELBOW FLANGE  $\varnothing$  1/2"**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



**4057862 FITTING  $\varnothing$  3/4" M-3/4" M BRASS**





Suitable for:

**3001008 PIEZO IGNITER**

a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



# LAINOX



Suitable for:

**3526136 SPRING FOR PUSH-BUTTON**



**3526106 STRAIGHT FLANGE  $\varnothing$  1/2"**

with screws and "O" ring  
for ELETTROSIT VALVE



**3526107 STRAIGHT FLANGE  $\varnothing$  3/4"**

with screws and "O" ring  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**

maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



**3526075 STRAIGHT FLANGE  $\varnothing$  1/2"**

complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3440200 TWIN LEAD THERMOPILE  $\varnothing$  9x65 mm**

cable length 800 mm - with coupling M11X1



LAINOX R63080010

LAINOX MA1870712

**3526061 VALVE VR4605P HONEYWELL  $\varnothing$  1/2"FF**

inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple connection ASA pitch  
maximum gas inlet pressure 100 mbar  
room temperature 0÷60°C  
power supply 220V 50Hz



LAINOX R63020010

**3526077 ELBOW FLANGE  $\varnothing$  1/2"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX R63080020

LAINOX R70010070





Suitable for:

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# LAINOX



Suitable for:

**3526075 STRAIGHT FLANGE  $\varnothing$  1/2"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




LAINOX R63080010

**3526076 STRAIGHT FLANGE  $\varnothing$  3/4"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526176 VALVE 820 NOVA  $\varnothing$  1/2" FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure adjustment range  
3÷30 mbar  
ambient temperature 0÷70°C  
power supply 230V 50Hz



LAINOX MA1871200

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX R63080020

LAINOX R70010070

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526102 ELECTRIC COUPLING WITH CABLE**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm



**3182008 MAGNETIC UNIT SIT**  
 $\varnothing$  head 35 mm -  $\varnothing$  end 20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



# LAINOX

Suitable for:

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3020083 NUT & OLIVE  $\varnothing$  4 mm**




LAINOX MA1394700

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



**3526075 STRAIGHT FLANGE  $\varnothing$  1/2"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX R63080010





Suitable for:

**3526076 STRAIGHT FLANGE  $\varnothing$  3/4"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT




# LAINOX



Suitable for:

**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



**3526300 VALVE 820 NOVA mV  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure range setting  
outlet 5  $\div$  50 mbar  
room temperature 0  $\div$  70°C  
double wire thermopile power supply  
(TPTH - TH terminal)  
thermostat connection (TPTH - TH terminal)  
suitable to replace the ITT valve  
UB67 model



LAINOX MA1870800

**3526077 ELBOW FLANGE  $\varnothing$  1/2"F**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX R63080020

LAINOX R70010070

**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm



**3526270 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



**3526078 ELBOW FLANGE  $\varnothing$  3/4"F**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**4057862 FITTING  $\varnothing$  3/4"M-3/4"M BRASS**





Suitable for:

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3020083 NUT & OLIVE  $\varnothing$  4 mm**



LAINOX MA1394700


**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3526076 STRAIGHT FLANGE  $\varnothing$  3/4"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



# LAINOX

Suitable for:

**3182008 MAGNETIC UNIT SIT**  
 $\varnothing$  head 35 mm -  $\varnothing$  end 20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3526075 STRAIGHT FLANGE  $\varnothing$  1/2"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX R63080010

**3440200 TWIN LEAD THERMOPILE  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



LAINOX MA1870712

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





## Electronic boxes

- 3526402 CONTROL BOX S4560A1008**  
model HONEYWELL - 220/240V 50Hz 10VA



LAINOX R63060020

## Electronic controllers

- 3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK**  
power supply 12V  
thermostat setting range -150+1350°C  
ON-OFF control with two actuation points  
2 exchange relay outputs 8(4)A 250V  
room temperature -5+55°C  
probe type PT100-TCJ-TCK (not included)  
connections by screwed terminal block  
front dimension 78x37x64 mm  
mounting hole 71x29 mm



LAINOX R65340010

- 3445117 PROBE PT100 VETROTEX 3000 mm**  
3-wire probe temperature range 0+350°C  
bulb ø 6x100 mm



LAINOX R50305111

LAINOX R65325010

LAINOX 50305111

- 3445109 PROBE TCJ VETROTEX 3000 mm**  
2-wire probe temperature range 0+600°C  
temperature cable max 350°C  
error limit ±0.75% below 0°C  
response time 30 sec  
bulb ø 6x100 mm



- 3445112 PROBE TCK VETROTEX 3000 mm**  
2-wire probe temperature range 0+350°C  
error limits ±2% above 0°C  
30 seconds response time  
bulb ø 6x100 mm



- 3397140 THERMOCOUPLE TEMPER.PROBE TCK**  
2 wires - temperature -40+1150°C  
bulb ø 6x140 mm - cable length 3000 mm



- 3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved





Suitable for:

**3445111 TRANSFORMER 24V/12V 3VA**  
 primary tension 24Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0÷60°C  
 screw terminal block  
 IMQ approved



# LAINOX



Suitable for:

## Electronic printed-circuit boards

**5008466 ELECTRONIC BOARD KEYBOARD 123x56 mm**  
 for Hot cupboard (LAINOX) LA10 - LA15 - LA16  
 LA18 - LV10 - LV15 - LV16 - LV18




LAINOX R65300760

**5033813 KIT CONTROL PC BOARD**  
 complete with mother board and flat cable  
 control board dimensions 90x43 mm  
 mother board dimensions 105x90 mm  
 flat cable length 300 mm




LAINOX MACM295800

**7102216 KIT ELECTRONIC BOARD RELAYS 175x70 mm**



LAINOX CR0509630R

**7102282 PUSH-BUTTON PANEL ELECTR.BOARD 203x70 mm**  
 for Hot cupboard (LAINOX)



LAINOX R65300751

## Energy regulators

**3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




LAINOX MACM293900  
LAINOX 50304011

LAINOX R50304011

LAINOX R65080250

**3350035 ENERGY ADJUSTER**  
 contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



LAINOX MACM293900



## Fittings

**3349565 ELBOW HOSE-END FITTING JG PM220808E**  
tang  $\varnothing$  8 mm - pipe  $\varnothing$  8 mm



LAINOX R62090648

LAINOX R62090678

## Fryer baskets and accessories

**3055264 FRYER BASKET 305x180x110 mm**  
in chrome-plated iron



LAINOX MA1031110222

**3055211 FRYER BASKET 360x160x120 mm**  
made of chrome-plated iron



LAINOX MACM030200

**7100503 FRYER BASKET 360x160x120 mm**  
chrome-plated iron



LAINOX CR0580810

**7102091 FRYER BASKET 360x160x120 mm**  
in ferro cromato



LAINOX SIR0109142

**7105179 FRYER BASKET 360x225x120 mm**  
chromed iron




LAINOX CR0686180

**5021940 FRYER BASKET 360x325x120 mm**  
chrome-plated iron



LAINOX MACM030100

**3055347 NET FOR FALSE BOTTOM 410x340 mm**  
made of chrome-plated iron



LAINOX MACM030500



Suitable for:

# LAINOX



Suitable for:

## Fuses

**3049009 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 400mA



LAINOX R65200350

**3049013 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 1A



LAINOX R65200160

**3049016 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2A



LAINOX R65200200

LAINOX 50304780

**3049125 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 5A



LAINOX R65200240

**3049037 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 125mA



LAINOX R65200080

LAINOX 50304763

LAINOX R65200086

LAINOX R65200088

**3049039 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 200mA



LAINOX R65200320

## Gas burners

**3023211 BURNER  $\varnothing$  40x420 mm**  
of stainless steel



LAINOX R63010010

**3023248 BURNER  $\varnothing$  40x545 mm**  
overall length 550 mm  
made of STAINLESS steel



LAINOX SIR0100284

**3023266 BURNER  $\varnothing$  50x310 mm**  
overall length 370 mm  
made of STAINLESS steel



LAINOX MACM088200

**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm





Suitable for:

**3023267 BURNER  $\varnothing$  50x475 mm**  
overall length 540 mm  
made of STAINLESS steel



LAINOX MACM088100

**5034284 BURNER 1010x525 mm**  
chrome-plated iron



LAINOX MACM070103

**3023230 BURNER 525x205 mm**  
made of STAINLESS steel



LAINOX MACM203100

**3023227 BURNER 655x190 mm**  
made of STAINLESS steel



LAINOX MACM033503

**5054201 BURNER 675x190 mm**  
made of chrome-plated iron



LAINOX CR0581960

Suitable for:

**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm



**3023161 BURNER 445x200 mm**  
made of stainless steel



LAINOX MA1828112

**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm



**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm





Suitable for:

**3023226 BURNER 700x205 mm**  
made of STAINLESS steel



LAINOX MACM201900

Suitable for:

**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm



**3023229 VERTICAL BURNER 315x50 mm**  
made of STAINLESS steel



LAINOX MACM011401

## Gas hoses

**5058453 PILOT PIPE  $\varnothing$  4 mm**



LAINOX CR0682410

## Gas taps and accessories

**3348016 GAS TAP 21S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



LAINOX MA1031500200

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**3348085 GAS VALVE BUSHING**





Suitable for:

**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182011** **MAGNETIC UNIT PEL SMALL HEADED**  
ø head 15 mm - ø end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348036** **OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



**3348029** **PIPE FITTING ø 4 mm**  
thread M10x1  
for model PEL 21-22



**3348044** **PIPE OLIVE ø 10 mm**  
for model PEL 20 - 21



LAINOX MA86720

## LAINOX

Suitable for:


**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3348037** **OLIVE FOR PILOT PIPE ø 6 mm**  
for model PEL 21-22-25



**3348043** **PIPE FITTING ø 10 mm**  
thread M16x1.5  
for model PEL 20-21



LAINOX MA1326500

**3020078** **PIPE FITTING ø 6 mm**  
thread M10x1





Suitable for:

# LAINOX



Suitable for:

**5052175 GAS TAP 21S**  
 with pilot flame  
 pipe flange fitting  $\varnothing$  21 mm  
 outlet connection  $\varnothing$  M16x1,5 mm  
 with flow rate adjuster  
 thermocouple connection M9x1  
 D-shaft  $\varnothing$  8x6.5 mm



LAINOX CR0580450

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
 thread M10x1 mm



**3348059 MAGNET PROTECTION NUT M9x1**  
 thread M18x1mm  
 for model PEL 20-21-22



**3348037 OLIVE FOR PILOT PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
 thread M16x1.5  
 for model PEL 20-21



LAINOX MA1326500

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
 thread M18x1 mm  
 for model PEL 20-21-22




**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
 thread M10x1  
 for model PEL 21-22





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# LAINOX



Suitable for:

**3348044** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 20 - 21




LAINOX MA86720

**3348002** GAS TAP 22S/O  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



LAINOX MA188600

**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22



**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22




**5014757** CONNECTION PIPE  $\varnothing$  6 mm  
thread M10x1 mm



**3348024** FLANGE VERTICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348023** HORIZONTAL FLANGE  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348025** HORIZONTAL FLANGE CONICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22





Suitable for:

**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3348037** **OLIVE FOR PILOT PIPE ø 6 mm**  
for model PEL 21-22-25



**3348036** **OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



**3348032** **PIPE FITTING ø 12 mm**  
thread M20x1.5  
for model PEL 22



**3020078** **PIPE FITTING ø 6 mm**  
thread M10x1



**3348043** **PIPE FITTING ø 10 mm**  
thread M16x1.5  
for model PEL 20-21



LAINOX MA1326500

# LAINOX



Suitable for:

**3182009** **MAGNETIC UNIT PEL BIG HEADED**  
ø head 15.5 mm - ø end 14 mm - length 44 mm  
for PEL tap model 22-24



**3020082** **OLIVE FOR 12 mm ø PIPE**



LAINOX MA417810

**3348031** **PIPE FITTING ø 10 mm**  
thread M20x1.5  
for model PEL 22



**3348029** **PIPE FITTING ø 4 mm**  
thread M10x1  
for model PEL 21-22



**3348038** **PIPE OLIVE ø 10 mm**  
for model PEL 22



**3348044** **PIPE OLIVE ø 10 mm**  
for model PEL 20 - 21



LAINOX MA86720



## Gas valves and accessories

### 3526260 EUROSIT VALVE CAP



LAINOX MA1888200

### 3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure setting range  
 3÷18 mbar outlet  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x200 mm



LAINOX MACM097000

### 3526260 EUROSIT VALVE CAP



LAINOX MA1888200

### 3526126 EUROSIT VALVE EXTENSION

D shaft  $\varnothing$  10x8 mm




### 5050400 FITTING FOR OLIVE $\varnothing$ 10 mm

thread  $\varnothing$  3/8" M



### 4056009 CAP FOR VALVE EUROSIT



### 3241435 EUROSIT VALVE EXTENSION

D shaft  $\varnothing$  10x8 mm



### 3526677 EXTENSION FOR EUROSIT VALVE

D-shaped pin  $\varnothing$  10x8 mm



LAINOX MACM057701

### 3526127 FLANGE FOR KNOB EXTENSION





Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



LAINOX MA417810

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



LAINOX MA459300

**3526250 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple fitting M9x1  
gas max inlet pressure 50 mbar  
outlet pressure range setting  
outlet 3÷18 mbar  
room temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm



LAINOX CR0508680

# LAINOX



Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**




LAINOX MA1394700

**5050401 OLIVE FOR PIPE  $\varnothing$  10 MM**  
external  $\varnothing$  13 mm - height 8 mm




**3001111 PIEZO IGNITER EUROSIT**  
male faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**4056009 CAP FOR VALVE EUROSIT**







Suitable for:

**3526260 EUROSIT VALVE CAP**



LAINOX MA1888200

**3526127 FLANGE FOR KNOB EXTENSION**



**3020083 NUT & OLIVE  $\varnothing$  4 mm**



LAINOX MA1394700


**5050401 OLIVE FOR PIPE  $\varnothing$  10 MM**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
male faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



## LAINOX

Suitable for:

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



LAINOX MA417810

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



LAINOX MA459300





Suitable for:

# LAINOX



Suitable for:

**3526130 EUROSIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



LAINOX MA1887600

**3526129 CLASP  $\varnothing$  3x14 mm**  
 UNI 6873 - DIN 1481 - ISO 8752



**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm



LAINOX MACM057701


**3526127 FLANGE FOR KNOB EXTENSION**



**3526128 KNOB EXTENSION LENGTH 34 mm**  
 D-shaft  $\varnothing$  8x6.5 mm



**4056009 CAP FOR VALVE EUROSIT**



**3526260 EUROSIT VALVE CAP**



LAINOX MA1888200

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**3526125 KNOB EXTENSION 47 mm**  
 D-shaped pin  $\varnothing$  8x6.5 mm





Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



LAINOX MA1394700

**5050401 OLIVE FOR PIPE  $\varnothing$  10 MM**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
male faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin  $\varnothing$  10x8 mm



LAINOX MACM057701

## LAINOX

Suitable for:

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



LAINOX MA417810

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



LAINOX MA459300





Suitable for:

# LAINOX



**3526134 VALVE EUROSIT FOR FRY TOP 40÷280°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure calibration range  
 outlet 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



LAINOX MA1031504800

**3526260 EUROSIT VALVE CAP**



LAINOX MA1888200

**3526127 FLANGE FOR KNOB EXTENSION**



**3020083 NUT & OLIVE  $\varnothing$  4 mm**




LAINOX MA1394700

**5050401 OLIVE FOR PIPE  $\varnothing$  10 MM**  
 external  $\varnothing$  13 mm - height 8 mm



Suitable for:  
**4056009 CAP FOR VALVE EUROSIT**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



LAINOX MA417810



Suitable for:

**3001111** **PIEZO IGNITER EUROSIT**  
male faston  $\varnothing$  2.4 mm



# LAINOX



Suitable for:

**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



LAINOX MA459300

**3526123** **RUBBER PROTECTION FOR EUROSIT VALVE**




## Gaskets and seals

**3186009** **ASBESTOS FREE FLAT GASKET  $\varnothing$  45x33x2 mm**



LAINOX CR0682770

**5022690** **FIBERGLASS GASKET**  
profile size  $\varnothing$  13 mm  
max temperature 600°C  
COLOR WHITE  
SOLD PER METRE



LAINOX SIR0103432

**5059106** **GASKET BURNER COOKING TOP**



LAINOX SIR8204760

**5057125** **GASKET DASHBOARD  $\varnothing$  13x3x3 mm**



LAINOX CR0588510

**5051828** **GASKET DASHBOARD  $\varnothing$  14x3x4 mm**



LAINOX CR0587650

**5015573** **GASKET FLAT ASBE. FREE  $\varnothing$  61x48x2 mm**  
for drain tap  $\varnothing$  2"



LAINOX MA1420925



Suitable for:

# LAINOX



**3444275 GASKET FOR PROTECTION**

sizes  $\varnothing$  14x6x1,5 mm  
universal application  
protection for THERMOSTATS SELECTOR SWITCHES



LAINOX MA2993700

Suitable for:


**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



LAINOX MA1814500

## Gearmotors

**5037847 GEAR MOTOR M63B4 0.12Kw 230V 50Hz**  
1.3A - 1380rpm



LAINOX MACM056300

## Glues

**3392009 RED SILICONE 82.8 ml**  
for alimentary use  
operating temperature -60+260°C



LAINOX R85010015

## Grids for kitchen

**3185076 PAN SUPPORT 545x295 mm**



LAINOX MA1032101101



## Handles

### 3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



LAINOX R50103020

LAINOX R69010500

LAINOX 50103020

### 3242718 DOOR HANDLE STRIKE

for high temperatures  
mounting distance 43 mm  
for OVEN



LAINOX R69015020

### 5025916 DOOR LOCK

distance between holes 38 mm



LAINOX MA7873002

### 3398021 OVEN DOOR CATCH

distance between holes 47 mm  
catch distance 27 mm



LAINOX R50103110

LAINOX R69050010


LAINOX 50103110

### 3242336 OVEN DOOR HANDLE ø 28x90 mm M10



LAINOX MA1829200

### 3242343 HAND GUARD WASHER



### 5001497 PLASTIC HANDLE 120 mm BLACK

distance between holes 105 mm



LAINOX MACM073100

### 3242111 STRIKE FOR DOOR HANDLE M8

overall length 50.5 mm



LAINOX R69010260

## Heating elements

### 3355286 BUSH FOR HEATING ELEMENT



LAINOX MA1814600

### 3355288 HEAT. ELEMENT THREADED PIPE ø 10 mm



LAINOX MA1869600



Suitable for:

# LAINOX



Suitable for:

**3355066 HEATING ELEMENT 1000W 220V**  
 length 295 mm - width 90 mm  
 fittings M14x1 mm  
 operating ambient: dry



LAINOX MA1037039513

**3755649 HEATING ELEMENT 10500W 230V**  
 length 320 mm - width 253 mm  
 connection M54x1.5 mm - complete with cables  
 with two holes for bulb



LAINOX MACM032101R

**3786459 O-RING 04200 VITON**



LAINOX MACM099200

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



LAINOX MACM021600

**5021166 HEATING ELEMENT 1100W 230V**  
 length 370 mm - width 90 mm  
 couplings M10x1 mm  
 for Hot cupboard electric (LAINOX) AU04 - AU05  
 AU08 - AU10 - AU20



LAINOX R65010120

LAINOX R65015000

**3755646 HEATING ELEMENT 1350W 230V**  
 length 460 mm - width 75 mm  
 height 45 mm



LAINOX MA1037317700

**5048341 HEATING ELEMENT 1500W 230V**  
 length 555 mm - width 215 mm  
 flange 70x22 mm  
 for BUILT-IN OVEN series 700 PROTAGONISTA NUOVA  
 for BUILT-IN OVEN series 900 PROTAGONISTA NUOVA



LAINOX CR0681390





Suitable for:

**3755648 HEATING ELEMENT 16500W 230V**  
length 400 mm - width 305 mm  
connection M54x1.5 mm- complete with cables  
with two holes for bulb



LAINOX MACM032401R

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



LAINOX MACM021600

**3755097 HEATING ELEMENT 1800W 230V**  
length 500 mm - width 90 mm  
flange 125x30 mm  
operating ambient: dry



LAINOX MA1634200

**5043781 HEATING ELEMENT 18000W 400V**  
length 390 mm - width 305 mm  
fitting M54x1.5 mm - complete with cables  
with two bulb holes



LAINOX CR0583740

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



LAINOX MACM021600

Suitable for:

**3786459 O-RING 04200 VITON**



LAINOX MACM099200

**3786459 O-RING 04200 VITON**



LAINOX MACM099200



Suitable for:

# LAINOX



Suitable for:

**3755170 HEATING ELEMENT 2200W 230V**  
length 565 mm - width 110 mm  
overall height 118 mm



LAINOX MACM164900

**3755482 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  193 mm - total height 75 mm  
flange 70x22 mm  
for Hot cupboard (LAINOX) AMTH201



LAINOX R65010150

LAINOX R65010200

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



**5021252 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  195 mm - overall height 80 mm  
flange 93x22 mm



LAINOX R65010240

**5035909 HEATING ELEMENT 260W 230V**  
immersed depth 240 mm  
fitting  $\varnothing$  1"  
with bulbholder sheathing



LAINOX CR0682160

LAINOX CR0682160R

**3755184 HEATING ELEMENT 4000W 230V**  
length 625 mm - width 155 mm  
with cables



LAINOX CR0682150

**5046774 HEATING ELEMENT 5000W 230V**  
length 570 mm - width 180 mm  
flange 170x30 mm



LAINOX CR0683221

**5058339 HEATING ELEMENT 5600W 230V**  
length 255 mm - width 210 mm  
connection M54x1.5 mm - complete with cables



LAINOX CR0731030R

**3786459 O-RING 04200 VITON**



LAINOX MACM099200



Suitable for:

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



LAINOX MACM021600

**3755468 HEATING ELEMENT 5670W 230V**  
length 295 mm - width 225 mm  
fitting  $\varnothing$  40 mm  
with gaskets and cables  
with cables - with bulb sheath



LAINOX MA1870000R

**3355288 HEAT. ELEMENT THREADED PIPE  $\varnothing$  10 mm**



LAINOX MA1869600

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



LAINOX MA1815014

**5051287 HEATING ELEMENT 6350W 230V**  
length 550 mm - width 320 mm  
height 25 mm - flange 305x30 mm



LAINOX CR0684240

# LAINOX

Suitable for:



**3355286 BUSH FOR HEATING ELEMENT**



LAINOX MA1814600

**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



LAINOX MA1814500

**3186580 OR GASKET 04131 VITON**





Suitable for:

**3355872 HEATING ELEMENT 9000W 230V**  
 length 325 mm - width 250 mm  
 coupling  $\varnothing$  40 mm  
 complete with gaskets  
 complete with cables - with bulb sheath



LAINOX MA1870100R

Suitable for:

**3355286 BUSH FOR HEATING ELEMENT**



LAINOX MA1814600

**3355288 HEAT. ELEMENT THREADED PIPE  $\varnothing$  10 mm**



LAINOX MA1869600

**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



LAINOX MA1814500

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



LAINOX MA1815014

**3186580 OR GASKET 04131 VITON**



**3355287 LOCKING BUSH FOR HEATING ELEMENT**



LAINOX MA1815014

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



LAINOX MACM021600

## Hinges, catches and accessories

**5047346 CHARGE EXTENSION  $\varnothing$  18x408 mm**  
 for BRATT PAN with 1200 mm lid



LAINOX MACM219100

**3053295 CLAMP  $\varnothing$  3x8 mm**  
 UNI 6873 - DIN 1481 - ISO 8752



LAINOX MA1891900



Suitable for:

**3053293 HINGE BUSHING**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM219300

**3053286 HINGE LOAD PIN**



LAINOX MACM051604

**5047345 HINGE SPACER  $\varnothing$  18x16x18 mm**  
for BRATT PAN with lid 1200 mm




LAINOX MACM219200

**3053284 LID SPRING  $\varnothing$  32x205 mm**  
for BRATT PAN 900 PROTAGONISTA  
lid size 1200 mm



LAINOX MA810210

**3053882 CHROME PLATED HINGE 4484**  
length 100 mm - mounting distance 60 mm



LAINOX A33200080

LAINOX R69010330

# LAINOX



Suitable for:

**3053291 HINGE BUSHING RIGHT**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM192101

**3053289 HINGE RIGHT SUPPORT**



LAINOX MACM192401

**3053116 HINGE SPRING  $\varnothing$  32x195 mm**  
for PAN 700-900 PROTAGONISTA  
for BRATT PAN 700-900 PROTAGONISTA



LAINOX MA139732

**3053295 CLAMP  $\varnothing$  3x8 mm**  
UNI 6873 - DIN 1481 - ISO 8752



LAINOX MA1891900



Suitable for:

# LAINOX



Suitable for:

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118 mm  
height 23 mm



LAINOX MA1304500

**3053283 HINGE BODY  $\varnothing$  40x420 mm**  
for BRATT PAN 700- 900 series PROTAGONISTA  
with lid 800 mm



LAINOX MACM051702

**5000648 FIXED PIN HINGE**



**3053293 HINGE BUSHING**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM219300

**3053291 HINGE BUSHING RIGHT**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM192101

**3053288 HINGE LEFT SUPPORT**



LAINOX MACM051903

**3053295 CLAMP  $\varnothing$  3x8 mm**  
UNI 6873 - DIN 1481 - ISO 8752



LAINOX MA1891900

**3053119 HINGE BUSHING**  
external  $\varnothing$  37 mm - internal  $\varnothing$  18 mm



**3053290 HINGE BUSHING LEFT**



LAINOX MACM051403

**3053285 HINGE FIXED PIN**



LAINOX MACM051503

**3053286 HINGE LOAD PIN**



LAINOX MACM051604



Suitable for:

**3053289 HINGE RIGHT SUPPORT**



LAINOX MACM192401

**3053294 INLET EXTENSION  $\varnothing$  18x210 mm**  
for BRATT PAN 900 PROTAGONISTA



LAINOX MACM192301

**3053284 LID SPRING  $\varnothing$  32x205 mm**  
for BRATT PAN 900 PROTAGONISTA  
lid size 1200 mm



LAINOX MA810210

**3053287 THREADED PIN FOR HINGE**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM052201

**3053293 HINGE BUSHING**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM219300

# LAINOX



Suitable for:

**3053116 HINGE SPRING  $\varnothing$  32x195 mm**  
for PAN 700-900 PROTAGONISTA  
for BRATT PAN 700-900 PROTAGONISTA



LAINOX MA139732

**3053292 LID SPACER**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM051804

**3053117 SHAFT FOR SPRING**  
8 holes pin  $\varnothing$  18 mm



**3053290 HINGE BUSHING LEFT**



LAINOX MACM051403



Suitable for:

**3053291 HINGE BUSHING RIGHT**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM192101

Suitable for:

**3053285 HINGE FIXED PIN**



LAINOX MACM051503

**5024899 HINGE FOR OVER LH**  
distance between holes 175 mm - overall length 205  
height 156 mm



LAINOX MACM007000

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



LAINOX MA1304500

**3053288 HINGE LEFT SUPPORT**



LAINOX MACM051903

**3053286 HINGE LOAD PIN**



LAINOX MACM051604

**3053289 HINGE RIGHT SUPPORT**



LAINOX MACM192401

**5047345 HINGE SPACER  $\varnothing$  18x16x18 mm**  
for BRATT PAN with lid 1200 mm



LAINOX MACM219200

**3053294 INLET EXTENSION  $\varnothing$  18x210 mm**  
for BRATT PAN 900 PROTAGONISTA



LAINOX MACM192301



Suitable for:

**3053034 LID HINGE RADIUS 320 mm**  
for lid  $\varnothing$  640 mm  
for BOILING KETTLE with round lid



LAINOX SIR0100357

Suitable for:

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



**3053292 LID SPACER**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM051804

**3053011 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - total length 205mm  
height 156 mm



LAINOX MACM041300

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



LAINOX MA1304500

**3053287 THREADED PIN FOR HINGE**  
for BRATT PAN with lid 800-1200 mm



LAINOX MACM052201



Suitable for:

# LAINOX



Suitable for:

## Hydraulic piping

**5046756 TUBO IN GOMMA TELATO  $\varnothing$  30/45 mm 1000 mm**  
 $\varnothing$  interno 30 mm -  $\varnothing$  esterno 45 mm



LAINOX CR0681750

## Ignitors

**3001005 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is needed for assembling  
faston M  $\varnothing$  2.4 mm



LAINOX MA1936100

**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



LAINOX MACM136000

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



LAINOX MA1936100

**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



LAINOX MACM136000

**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



LAINOX MACM136000

## Incandescent lamps and neon lamps

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C



LAINOX R50304520

**3221382 NEUTRAL HALOGEN LAMP G9 42W 230V**  
max. temperature 250°C



LAINOX R65270130

LAINOX R65270020

LAINOX 50304520

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



LAINOX R65270120

## Indicator lights

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



LAINOX MA1037300810

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



LAINOX MA1037300810

**3221012 INDICATOR LAMP GREEN 230V**  
mounting hole 30x22 mm - 105°C  
universal application



LAINOX R50304630

**3221166 INDICATOR LAMP GREEN 400V**  
 $\varnothing$  head 14 mm -  $\varnothing$  hole 11.5 mm - 120°C  
universal application



LAINOX R65270230

LAINOX 50304630

**3221011 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



LAINOX CR0587500

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



LAINOX MA1037300810

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application





Suitable for:

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



LAINOX MA1037300910

LAINOX R65270300

Suitable for:

**3221215 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  11.5 mm - 120°C



LAINOX R65270220

LAINOX 50304620

## Injectors

**3500019 GAS NOZZLE M10x1  $\varnothing$  1.45 mm**



LAINOX MA2902500

**5012629 GAS NOZZLE M10x1  $\varnothing$  1.05 mm**



LAINOX MA521411

**5008758 GAS NOZZLE M10x1  $\varnothing$  1.10 mm**



LAINOX MA521511

**5000530 GAS NOZZLE M10x1  $\varnothing$  1.15 mm**



LAINOX MA521611

**5015401 GAS NOZZLE M10x1  $\varnothing$  1.30 mm**



LAINOX MA1421700

**5000549 GAS NOZZLE M10x1  $\varnothing$  1.50 mm**



LAINOX MA522311

**5005743 GAS NOZZLE M10x1  $\varnothing$  1.60 mm**



LAINOX MA522511

**5021506 GAS NOZZLE M10x1  $\varnothing$  1.60 mm**



LAINOX MA1631200

**5000531 GAS NOZZLE M10x1  $\varnothing$  1.95 mm**



LAINOX MA523211

**3500338 GAS NOZZLE M10x1  $\varnothing$  1,35 mm**



LAINOX MA2715400

Suitable for:

2103345 GAS NOZZLE M10x1 ø 2.40 mm



LAINOX MA524111

Suitable for:


3500038 GAS NOZZLE M6x0,75 ø 0,90 mm



LAINOX MA1033718600

## Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL  
0.47µF



LAINOX R65280200

## Ironmongery (screws,nuts,washers)

5057126 CLIP FOR PIN KNOB NUT  
dimensions ø 15x4x2 mm



LAINOX CR0588850

7100207 HEADLESS SCREW HEXAGONAL M5x8  
st./steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



LAINOX MA15119299

3528017 HEXAGONAL NUT M12 SHORT  
stainless steel - UNI 5589 - DIN 936 - 4035



LAINOX R58004050


## Knobs

3444126 BLACK KNOB ø 50 mm 30-110°C  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



LAINOX R69030070

5054851 BLACK RING SILKSCREENED F/KNOB ø 94 mm  
REAR



LAINOX CR0583990



Suitable for:

**5058318 CAP GREY FOR KNOB**



LAINOX MA1036609900

Suitable for:

**5046749 CAP YELLOW FOR KNOB**



LAINOX SIR0101968

**5035322 CHROME-PLATED BUSHING FOR KNOB  $\varnothing$  72 mm**



LAINOX CR0580460

**5046391 KNOB BLACK  $\varnothing$  65 mm 0-90°C**  
D-shaped hole 6x4.6 mm



LAINOX MA1036712100

**5046749 CAP YELLOW FOR KNOB**



LAINOX SIR0101968

**3241157 KNOB BLUE STICKER**



**5054850 KNOB RING NUT  $\varnothing$  94 mm SCREEN-PRINTED FRONT**



LAINOX CR0583980

**5035321 KNOB RING NUT  $\varnothing$  94 mm 100-300°C**



LAINOX CR0584000


**5048040 KNOB RING NUT  $\varnothing$  94 mm 110-280°C**



LAINOX CR0584020

Suitable for:

**5035908 SILVER KNOB  $\varnothing$  83 mm**  
D-Shaft 8x6.5 mm



LAINOX CR0580660

**5035322 CHROME-PLATED BUSHING FOR KNOB  $\varnothing$  72 mm**



LAINOX CR0580460

Suitable for:

**5054851 BLACK RING SILKSCREENED F/KNOB  $\varnothing$  94 mm**  
REAR



LAINOX CR0583990

**5054850 KNOB RING NUT  $\varnothing$  94 mm SCREEN-PRINTED**  
FRONT



LAINOX CR0583980


## Lamp receptacles and spare parts

**3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
ceramic foot  $\varnothing$  30 mm  
external dimensions 75x60 mm  
max. temperature 300°C



LAINOX R65270500

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN




**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



LAINOX R65270120

**5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V**  
external dimensions 96x80 mm  
max temperature 300°C



LAINOX R65270510

**3221172 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 96x80 mm





Suitable for:

**3186173 GASKET FOR OVEN LAMP RECEPTACLE**  
external dimensions 93x79 mm



**3221173 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 73x58 mm



**3421002 LAMP HALOGEN NEUTRAL G9 33W 230V**  
max. temperature 250°C



**5049560 NEUTRAL HALOGEN LAMP G9 25W 240V**  
max. temperature 250°C




## LAINOX

Suitable for:

**5064670 GLASS FOR LIGHT RECEPTACLE OVEN**  
external dimensions 80x65 mm



**3621005 LAMP CAP FOR HALOGEN G9 40W 230V**  
dimensioni esterne 74x59 mm  
temperatura massima 300°C



**D221004 LAMP HALOGEN OVEN G9 SMEG**  
temperatura massima 200°C



**3221382 NEUTRAL HALOGEN LAMP G9 42W 230V**  
max. temperature 250°C



LAINOX R65270130

## Lava rock grids

**3185109 STAINLESS STEEL GRILL 465x325x20 mm**



LAINOX MACM207900

**3185110 STAINLESS STEEL GRILL 630x325x20 mm**



LAINOX MACM209400

## Lubricants

**5012699 OIL MAYOR WHITE 17 Kg - 20 L**



LAINOX MA18176999







## Magnets

### 5027849 DOOR LOCK MAGNET

distance between magnetic part holes 68 mm  
 distance between holes of strike plate 58 mm  
 for Hot cupboard electric (LAINOX) LA10 - LA16  
 LA18 - LV10 - LV16 - LV18



LAINOX R69110030

## Microswitches

### 3240189 MICRO SWITCH M1DX20 10A 250V



LAINOX R65260530

LAINOX 50304530

### 3240234 LIMIT SWITCH PIN




### 3250071 MICROSWITCH SPRING $\varnothing$ 13x25 mm



### 3240235 RING NUT M16x1.5 mm



### 5003350 ROD MICROSWITCH 48x30 MM



### 3240410 MICROSWITCH 16(4)A 250V



LAINOX R65260540

LAINOX 50304540

### 3240203 BUSHING DOOR MICROSWITCH external $\varnothing$ 10x15 mm



### 3240236 LIMIT SWITCH CONTROL



### 3240234 LIMIT SWITCH PIN





Suitable for:

**3240233 MICROSWITCH FITTING M16x1.5 mm**



**3240235 RING NUT M16x1.5 mm**



# LAINOX

Suitable for:

**3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**



**3240820 MICROSWITCH 16A 250V**



LAINOX MA1037111300

**3240473 GASKET FOR BUSHING**




**3240152 BUSHING FOR MICROSWITCH**



**5035454 MICRO SUPPORT**  
for WASHING MACHINE LF25



**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



**3240153 ROD FOR MICROSWITCH**




**3240154 SPRING FOR MICROSWITCH ROD**





## Motors

**3240887 MOTOR WITH FAN 40W 230V 50/60Hz**  
fan  $\varnothing$  155 mm



LAINOX MA4330800

## OR and ORM gaskets

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



LAINOX R70045010

**1186358 O-RING 03030 EPDM**



LAINOX R70010050

**3786459 O-RING 04200 VITON**



LAINOX MACM099200

**3186340 OR GASKET 03037 EPDM**



LAINOX MA2867700

## Pilot burners and accessories

**3020281 BRASS NUT M10x1**



LAINOX MA1033514900

**5058320 FITTING FOR HOSE  $\varnothing$  10 mm**  
thread M14x1,5 mm



LAINOX MA459500

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



LAINOX MA1888400

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



LAINOX MA1891700



Suitable for:

# LAINOX



**3020083 NUT & OLIVE  $\varnothing$  4 mm**



LAINOX MA1394700

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



LAINOX LF-3020434

**3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**4058525 NOZZLE FOR PILOR BURNER  $\varnothing$  0.30 mm**



**3020084 NUT & OLIVE  $\varnothing$  6 mm**




**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**




LAINOX MA417810

**3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm**  
for burner  $\varnothing$  90 mm



**3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020083 NUT & OLIVE  $\varnothing$  4 mm**



LAINOX MA1394700

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



LAINOX MA417810



Suitable for:

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



**3020108 ONE-FLAME DEFLECTOR**



**3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm**



**3020054 PILOT JET  $\varnothing$  0.20 mm**



LAINOX MA1415100

**3020055 PILOT JET  $\varnothing$  0.35 mm**



**3500269 PILOT NOZZLE  $\varnothing$  0.45 mm**



# LAINOX

Suitable for:

**3020081 OLIVE FOR 6 mm  $\varnothing$  PIPE**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020115 PILOT CAP 1 FLAME**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



LAINOX MA1842300

**5015516 PILOT NOZZLE  $\varnothing$  0.40 mm**



**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm**  
for mounting of pilot assembly





Suitable for:

**3020105 PILOT WITH 0.20 mm ø JET**



**3020107 PILOT WITH 0.35 mm ø JET**



**3020077 PIPE FITTING ø 4 mm  
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ø 7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



LAINOX MA1949900

# LAINOX

Suitable for:

**3020106 PILOT WITH 0.25 mm ø JET**



**3020079 PIPE FITTING ø 12 mm  
thread ø 3/8" M**



LAINOX MA459300

**3020078 PIPE FITTING ø 6 mm  
thread M10x1**



**3001003 ROUND SPARKING PLUG ø 7x44 mm  
male faston M4x1 mm  
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211

**3020124 SPARKING PLUG ROUND ø 7x44 mm  
connection ø 2.4 mm  
overall length 58 mm**



LAINOX R63050010

LAINOX 50102720





Suitable for:

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



# LAINOX



Suitable for:

**3020100 TWO-POSITION BRACKET**



**3020101 TWO-POSITION BRACKET CLAMP**



**3020286 ONE-FLAME PILOT BURNER SIT PRINTED**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



LAINOX MACM040800

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



LAINOX MA1888400

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



LAINOX MA1891700

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



**3020112 OLIVE FOR 6 mm  $\varnothing$  PIPE**






Suitable for:

**3020086 PILOT GASKET**



**3020157 PILOT JET  $\varnothing$  0.25 mm**



LAINOX MA1874700

**3020041 PILOT JET  $\varnothing$  0.41 mm**



LAINOX MA1033719700

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1  
for model PEL 21-22**




**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



# LAINOX

Suitable for:

**3020557 PILOT JET  $\varnothing$  0.20 mm**



**3020040 PILOT JET  $\varnothing$  0.30 mm**




LAINOX SIR0100802

**4053669 PILOT JET  $\varnothing$  0,75 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211







Suitable for:

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



LAINOX MA1949900

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



# LAINOX



Suitable for:

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

**5035324 UGELLO PER PILOTA  $\varnothing$  0,18 mm**  
fornito senza candela, ugello e guarnizione  
fornito con raccordo per termocoppia



**3020282 PILOT BURNER**



LAINOX MA1032501300

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**3020281 BRASS NUT M10x1**



LAINOX MA1033514900

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



**3345021 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



**3020112 OLIVE FOR 6 mm  $\varnothing$  PIPE**



**3020139 PILOT BURNER CAP**



LAINOX MA1033717300



Suitable for:

3020557 PILOT JET  $\varnothing$  0.20 mm



3020040 PILOT JET  $\varnothing$  0.30 mm



LAINOX SIR0100802

4053669 PILOT JET  $\varnothing$  0,75 mm



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



3020139 PILOT BURNER CAP



LAINOX MA1033717300

3020036 PILOT BURNER SIT 3 FLAMES  
multigas type with nozzle  $\varnothing$  0.35 mm  
with 3 position bracket




LAINOX CR0588730

# LAINOX

Suitable for:

3020157 PILOT JET  $\varnothing$  0.25 mm



LAINOX MA1874700

3020041 PILOT JET  $\varnothing$  0.41 mm



LAINOX MA1033719700

3020187 PILOT NOZZLE  $\varnothing$  0.51 mm



5035324 UGELLO PER PILOTA  $\varnothing$  0,18 mm



5014757 CONNECTION PIPE  $\varnothing$  6 mm  
thread M10x1 mm





Suitable for:

5048713 DEFLECTOR 3 FLAMES



4058525 NOZZLE FOR PILOT BURNER  $\phi$  0.30 mm



3020084 NUT & OLIVE  $\phi$  6 mm



3348036 OLIVE FOR 4 mm  $\phi$  PIPE  
for model PEL 21-22



3020097 PILOT AERATION REGULATOR  
internal  $\phi$  7 mm - external  $\phi$  9 mm  
height 10 mm



3020054 PILOT JET  $\phi$  0.20 mm



LAINOX MA1415100

# LAINOX



Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020083 NUT & OLIVE  $\phi$  4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm  $\phi$  PIPE



LAINOX MA417810

3020081 OLIVE FOR 6 mm  $\phi$  PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE  $\phi$  0.40 mm



3020156 PILOT JET  $\phi$  0.25 mm



LAINOX MA1842300



Suitable for:

**3020055 PILOT JET  $\varnothing$  0.35 mm**



**3500269 PILOT NOZZLE  $\varnothing$  0.45 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



LAINOX MA459300

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211

# LAINOX

Suitable for:

**5015516 PILOT NOZZLE  $\varnothing$  0.40 mm**




**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



LAINOX MA1949900





Suitable for:

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

**3020110 THREE-FLAME DEFLECTOR**



**3020104 THREE-POSITION BRACKET CLAMP**



# LAINOX



Suitable for:


**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020103 THREE-POSITION BRACKET**



**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



LAINOX MA1888000

**3020054 PILOT JET  $\varnothing$  0.20 mm**



LAINOX MA1415100

**3020157 PILOT JET  $\varnothing$  0.25 mm**



LAINOX MA1874700

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



LAINOX MA1887800

**3020156 PILOT JET  $\varnothing$  0.25 mm**



LAINOX MA1842300

**3020040 PILOT JET  $\varnothing$  0.30 mm**



LAINOX SIR0100802



Suitable for:

# LAINOX



**3020041 PILOT JET  $\varnothing$  0.41 mm**



LAINOX MA1033719700

Suitable for:

**3020113 PILOT OLIVE FOR PIPE  $\varnothing$  4 mm**



LAINOX MA1888100

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



LAINOX MA459300

**3020283 TARGET ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



LAINOX MA1887700

**3020249 BRACKET PILOT BURN. SUPPORT 60x50x25 mm**



**5014757 CONNECTION PIPE  $\varnothing$  6 mm  
thread M10x1 mm**



**3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm**




LAINOX MA1888400

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



**5022050 NOZZLE FOR PILOT BURNER  $\varnothing$  0.50 mm**



LAINOX MA1891700

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**




**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE  
for model PEL 21-22**





Suitable for:

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**




LAINOX MA1888000

**3020542 PILOT GAS JET  $\varnothing$  0.20 mm**



**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



**3020113 PILOT OLIVE FOR PIPE  $\varnothing$  4 mm**



LAINOX MA1888100

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1  
for model PEL 21-22**




**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



# LAINOX

Suitable for:

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**




LAINOX MA1887800

**3020543 PILOT GAS JET  $\varnothing$  0.38 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211





Suitable for:

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



LAINOX MA1949900

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



# LAINOX



Suitable for:

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting




LAINOX MACM029000

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



LAINOX MA1888400

**5022050 NOZZLE FOR PILOT BURNER  $\varnothing$  0.50 mm**



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



LAINOX MA1891700

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**







Suitable for:


**3348036 OLIVE FOR 4 mm  $\phi$  PIPE**  
for model PEL 21-22



**3020042 PILOT GAS JET  $\phi$  0.19 mm**



**3020202 PILOT GAS JET  $\phi$  0.27 mm**



LAINOX MA1887800

**3020543 PILOT GAS JET  $\phi$  0.38 mm**



**3020113 PILOT OLIVE FOR PIPE  $\phi$  4 mm**



LAINOX MA1888100

**3348029 PIPE FITTING  $\phi$  4 mm**  
thread M10x1  
for model PEL 21-22



# LAINOX

Suitable for:

**3020201 PILOT GAS JET  $\phi$  0.14 mm**



LAINOX MA1888000

**3020542 PILOT GAS JET  $\phi$  0.20 mm**



**3020043 PILOT GAS JET  $\phi$  0.36 mm**



**3020086 PILOT GASKET**



**3020077 PIPE FITTING  $\phi$  4 mm**  
thread M10x1



**3020078 PIPE FITTING  $\phi$  6 mm**  
thread M10x1





Suitable for:

**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# LAINOX



Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



LAINOX MA1888300

LAINOX MA224211

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



LAINOX MA1949900

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



LAINOX R63050010

LAINOX 50102720

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



LAINOX R63050020

LAINOX 50203220

**5048713 DEFLECTOR 3 FLAMES**



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**





Suitable for:

**4058525 NOZZLE FOR PILOR BURNER  $\varnothing$  0.30 mm**



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020054 PILOT JET  $\varnothing$  0.20 mm**



**LAINOX MA141510**  
**3020055 PILOT JET  $\varnothing$  0.35 mm**



# LAINOX



Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



**LAINOX MA1394700**

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



**LAINOX MA417810**

**3020081 OLIVE FOR 6 mm  $\varnothing$  PIPE**



**3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**LAINOX MA1842300**  
**5015516 PILOT NOZZLE  $\varnothing$  0.40 mm**





Suitable for:

**3500269 PILOT NOZZLE  $\varnothing$  0.45 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



LAINOX MA458300

**5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M**



**5027953 PIPE OLIVE  $\varnothing$  4 mm  
for COPRECI CAL3200**



**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211

# LAINOX

Suitable for:

**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



LAINOX MA1949900





Suitable for:

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

**3020110 THREE-FLAME DEFLECTOR**



**3020104 THREE-POSITION BRACKET CLAMP**



# LAINOX



Suitable for:

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020103 THREE-POSITION BRACKET**



**3020002 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



LAINOX

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**4058525 NOZZLE FOR PILOT BURNER  $\varnothing$  0.30 mm**



**3020083 NUT & OLIVE  $\varnothing$  4 mm**



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



LAINOX MA1394700



Suitable for:

**3020082 OLIVE FOR 12 mm Ø PIPE**



LAINOX MA417810

**3020081 OLIVE FOR 6 mm Ø PIPE**



**3020308 PILOT ASSEMBLY WITH NOZZLE Ø 0.40 mm**



**3020156 PILOT JET Ø 0.25 mm**



LAINOX MA1842300

**5015516 PILOT NOZZLE Ø 0.40 mm**



**3020105 PILOT WITH 0.20 mm Ø JET**



# LAINOX

Suitable for:

**3348036 OLIVE FOR 4 mm Ø PIPE**  
for model PEL 21-22



**3020097 PILOT AERATION REGULATOR**  
internal Ø 7 mm - external Ø 9 mm  
height 10 mm



**3020054 PILOT JET Ø 0.20 mm**



LAINOX MA1415100

**3020055 PILOT JET Ø 0.35 mm**



**3500269 PILOT NOZZLE Ø 0.45 mm**



**3020106 PILOT WITH 0.25 mm Ø JET**





Suitable for:

**3020107 PILOT WITH 0.35 mm ø JET**



**3020077 PIPE FITTING ø 4 mm  
thread M10x1**



**3020078 PIPE FITTING ø 6 mm  
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ø 7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



LAINOX MA1949900

# LAINOX

Suitable for:

**3020079 PIPE FITTING ø 12 mm  
thread ø 3/8" M**



LAINOX MA459300

**5033138 PIPE FITTING ø 4 mm  
thread ø 1/8" M**



**5027953 PIPE OLIVE ø 4 mm  
for COPRECI CAL3200**



**3001003 ROUND SPARKING PLUG ø 7x44 mm  
male faston M4x1 mm  
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211

**3020124 SPARKING PLUG ROUND ø 7x44 mm  
connection ø 2.4 mm  
overall length 58 mm**



LAINOX R63050010

LAINOX 50102720





Suitable for:

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



# LAINOX



Suitable for:

**3020109 TWO-FLAME DEFLECTOR**



**3020100 TWO-POSITION BRACKET**



**3020101 TWO-POSITION BRACKET CLAMP**



## Pressure gauges

**5054753 PRESSURE GAUGE  $\varnothing$  63 mm**  
coupling  $\varnothing$  1/4" M  
range 0-1 bar



LAINOX CR0589110

**5033563 PRESSURE GAUGE CAPILLARY 1200 mm**  
thread  $\varnothing$  1/4" M - 1/8" F



LAINOX SIR0102490

## Pressure switches

**5052446 PRESSURE SWITCH 1 LEVEL**  
calibration 230/260 mm  
250V 16A  
max temperature of using 85°C



LAINOX CR0585951

**5054987 METAL SUPPORT FOR PRESSURE SWITCH**  
distance between holes 38 mm



## Probes

**3445117 PROBE PT100 VETROTEX 3000 mm**  
3-wire probe temperature range 0+350°C  
bulb  $\varnothing$  6x100 mm



LAINOX R50305111

**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb  $\varnothing$  6x40 mm



LAINOX R65325010

LAINOX 50305111

LAINOX RA930008

LAINOX R65320540

LAINOX 995562



Suitable for:

Suitable for:


**5021255 TEMPERATURE PROBE PT100 3000 mm**  
 probe 2 wires  
 bulb  $\varnothing$  3x180 mm  
 for Hot cupboard (LAINOX)  
 LA10-LA16-LA18-LV10-LV16-LV18



LAINOX R65320270

## Relays

**3351037 POWER RELAY FINDER 40.52.8.230.0000**  
 230V 50/60Hz - 2 exchange contacts 8A



LAINOX R65170050


## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
 distance between hooking brackets 27 mm  
 f/connection between selector switch and thermostat.




LAINOX MA921200

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 back connection for thermostat




LAINOX MA710300

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 rear hole for thermostat



LAINOX MA1037313200

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




LAINOX BN6A046001



Suitable for:

Suitable for:

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




LAINOX MA1616100

**5012546 SELECTOR SWITCH 3 POSITIONS**  
 mounting hole  $\varnothing$  22 mm



LAINOX CR0413380

**5058338 CONTACT SIEMENS 3SB3400-0D 10A 400V**  
 2 normally open contacts



LAINOX CR0687390

**5034977 SWITCH 0-3 POSITIONS**  
 contacts 16A 250V - max 150°C  
 D-Shaft 6x4.6 mm



LAINOX CR0581810

## Safety groups for pans and spare parts

**3184029 DEPRESSION VALVE  $\varnothing$  3/8" M**  
 in chrome plated brass  
 for security valve 3/4"



LAINOX CR0587810

**3184018 SAFETY VALVE  $\varnothing$  1" 1/4 M**  
 max pressure 0.5 atm  
 for safety group 1" 1/4  
 ISPESL approved



LAINOX CR0587820

## Solenoid valves

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
 flow rate 0.25 L/min - tolerance +/- 25%




LAINOX R65110410



## Solenoid valves

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 10.5 mm



LAINOX R65110010

LAINOX 50102860

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 12 L/min - tolerance +/- 15%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 16 L/min - tolerance +/- 15%



**3120204 ADJUSTER FOR OUTLET ELBI BROWN**  
 flow rate 5.5 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GRAY**  
 flow rate 4.7 L/min - tolerance +/- 25%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
 flow rate 2.5 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
 flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
 flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



# LAINOX

Suitable for:



**3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



LAINOX LF-3120530

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120204 ADJUSTER FOR OUTLET ELBI BROWN**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GRAY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



LAINOX R65110410

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%





Suitable for:

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



# LAINOX



Suitable for:

**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



LAINOX R65110040

LAINOX R65115000

LAINOX 50102891

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120204 ADJUSTER FOR OUTLET ELBI BROWN**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GRAY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



LAINOX R65110410



Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



LAINOX

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120204 ADJUSTER FOR OUTLET ELBI BROWN**  
flow rate 5.5 L/min - tolerance +/- 25%



# LAINOX



Suitable for:

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GRAY**  
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



LAINOX R65110410

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



# LAINOX



Suitable for:

**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%




**3120405 SOLEN. VALVE T&P 1 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



LAINOX R50102860

**3120407 SOLEN. VALVE T&P 2 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



LAINOX R50102891

**5037826 SOLENOID VALVE 230V ø 10.5 mm**  
solenoid valve 180° - 230V 50/60Hz - max 60°C  
inlet 3/4" - two outlets ø 10.5 mm  
1 outlet with adjusters - green



LAINOX CR0586050

LAINOX CR0586050R



Suitable for:

Suitable for:

**5049465 SOLENOID VALVE 230V  $\varnothing$  11.5 mm**  
 solenoid valve 90° - 230V 50/60Hz - max 90°C  
 3/4" inlet- output  $\varnothing$  11.5 mm



LAINOX CR0682320

**5036913 ADJUSTER OUTLET 0.2 L/min PINK**



**5046981 OUTLET REDUCER 0.10 L/Min BROWN**



LAINOX R65110420

LAINOX R65110500

**5028983 OUTLET REDUCER 15 L/min RED**



LAINOX R65110510

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz



LAINOX MA2971400

LAINOX R65180280

LAINOX R65180290

LAINOX 50102700

LAINOX 50102710

## Sparking and detection plugs

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm



LAINOX MA1888300

LAINOX MA224211

**3020230 ROUND SPARKING PLUG  $\varnothing$  7x54 mm**  
 male faston M4x1 mm  
 overall length 63 mm  
 for COOKING RANGE series 700 PROTAGONISTA NUOVA  
 for COOKING RANGE series 900 PROTAGONISTA NUOVA  
 for COOKING RANGE series 1100 PROTAGONISTA NUOVA



LAINOX CR0687080



Suitable for:

**3020138 SPARKING PLUG ROUND  $\varnothing$  6.5x55 mm**  
 connection  $\varnothing$  2.4 mm  
 with silicone lead 970 mm  
 overall length with cable 1030 mm



LAINOX SIR9300541

Suitable for:

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
 faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F



LAINOX MA1949900

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 58 mm



LAINOX R63050010

LAINOX 50102720

**3020062 SPARKING PLUG ROUND  $\varnothing$  9x39 mm**  
 faston M4x1 mm  
 overall length 57 mm  
 for pilot burner series CB 505...



LAINOX MA636700

## Springs

**3053116 HINGE SPRING  $\varnothing$  32x195 mm**  
 for PAN 700-900 PROTAGONISTA  
 for BRATT PAN 700-900 PROTAGONISTA



LAINOX MA139732


**3053284 LID SPRING  $\varnothing$  32x205 mm**  
 for BRATT PAN 900 PROTAGONISTA  
 lid size 1200 mm



LAINOX MA810210

## Switches

**3319154 BIPOLAR SWITCH BLACK 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with push-button cap - silk screen printing 0 - I  
 mounting hole 22x30 mm  
 for Hot cupboard (LAINOX) - Series AC  
 for Hot cupboard (LAINOX) AC10



LAINOX RA941003  
 LAINOX R652600500

LAINOX R50304671  
 LAINOX 50304671

LAINOX R65260050

**3319780 BLOCK CONNECTION WHITE 30x22 mm**





Suitable for:

**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



**1319202 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - with indicator lamp  
silk-screen printing 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



LAINOX A34100342

LAINOX R65267010

**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



# LAINOX

Suitable for:

**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001



Suitable for:

Suitable for:

**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with indicator lamp and push-button cap  
 mounting hole 22x30 mm - silk screen print 0 - I



LAINOX MA4640500

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**




**3319501 PUSH-BUTTON PROTECTION CAP**  
 external dimensions 29x36 mm  
 for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

**5059061 BUTTON CHANGE OVER BIP. BLACK 16A 250V**  
 16(4)A 250V - max temperatura 120°C  
 con copripulsante - dima di foratura 22x30 mm



LAINOX R65260510

**5035907 BUTTON UNIPOLAR BLACK 16A 250V**  
 mounting hole  $\varnothing$  25 mm



LAINOX CR0410290


**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
 for push-buttons with mounting hole  $\varnothing$  25 mm





Suitable for:

**3319018 CHANGEOVER SWITCH 2 POLE RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp - mounting hole 22x30 mm



LAINOX R50304650

LAINOX R65260210

LAINOX 50304650

Suitable for:

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



LAINOX RA9410001


LAINOX RA941001

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO



LAINOX CR0413790

**5058338 CONTACT SIEMENS 3SB3400-0D 10A 400V**  
2 normally open contacts



LAINOX CR0687390

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

Suitable for:

**3319270 PUSH-BUTTON 1-POLE RED 3A 250V**  
with protection cap  
mounting hole  $\varnothing$  17 mm



LAINOX R65260480

Suitable for:

**3319316 PUSH-BUTTON PROTECTION W/FRAME  $\varnothing$  23 mm**  
for  $\varnothing$  17 mm mounting hole buttons



**3319948 RED BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
max temperature 120°C  
mounting hole  $\varnothing$  25 mm



LAINOX R65260500

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



**3319155 RED SINGLE-POLE PUSH-BUTTON 16A 250V**  
16(4)A 250V - with push-button cap  
with indicator light  
mounting hole  $\varnothing$  25 mm



LAINOX R65260500

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



## Taps for tank refilling

**5046792 VALVOLA CARICO ACQUA  $\varnothing$  1/2"FF**




LAINOX SIR0102510

**3525041 WATER INLET TAP LH  $\varnothing$  1/2"FF**  
D-shaft  $\varnothing$  10x8 mm



LAINOX MACM127800


**3241285 BLACK KNOB  $\varnothing$  66 mm COLD WATER**  
D shaft hole 10x8 mm





Suitable for:


5025702 FITTING WITH OLIVE  $\varnothing$  1/2"x14 mm



# LAINOX

Suitable for:

3241286 KNOB BLACK  $\varnothing$  66 mm HOT WATER  
D-shaped hole 10x8 mm



## Telethermometers

3441027 TELETHERMOMETER WHITE  $\varnothing$  60 mm 50-350°C

metal body  
capillary length 1500 mm  
bulb  $\varnothing$  4x105 mm




LAINOX R50304610

## Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



LAINOX MA1037104000

## Thermocouples and accessories

3440103 CUT-OFF THERMOCOUPLE M9x1 60 cm


cut-off contact with cables 60 cm



LAINOX MA1950100

3440104 CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm

cut-off contact with cables 60 cm



LAINOX MA1955500

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



LAINOX R65350010

LAINOX 50202830

2100820 THERMOCOUPLE SIT QUICK M9x1 40 cm




LAINOX MA1031504300



Suitable for:

Suitable for:

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**



LAINOX R63040030

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



LAINOX MA263800

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



LAINOX MA263800

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



LAINOX MA263800

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

**3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm**



LAINOX MA1206400

**3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm**



LAINOX MA1033027800

**3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm**



LAINOX R63040030

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**



LAINOX R63040030



Suitable for:

# LAINOX



Suitable for:


**3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm**



LAINOX MA1031500400


## Thermostatic gas valves

**3345027 THERMOSTATIC TAP SABAF**  
setting temperature 295°C  
fitting inlet M13x1 mm  
outlet pipe fitting  $\varnothing$  3/8" M  
thermocouple connection M8x1  
bulb  $\varnothing$  4x155 mm  
capillary length 850 mm  
D-shaped pin  $\varnothing$  6x4.6 mm



LAINOX MA1699400

**5052466 THERMOSTATIC TAP 25STO**  
djustment temperature 140-300°C  
fittings M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x120 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



LAINOX MACM302100

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm



**3348037 OLIVE FOR PILOT PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-25



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



LAINOX MA417810





Suitable for:

**3348036 OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22




**3348043 PIPE FITTING ø 10 mm**  
thread M16x1.5  
for model PEL 20-21



LAINOX MA1326500

**3348029 PIPE FITTING ø 4 mm**  
thread M10x1  
for model PEL 21-22



**3348038 PIPE OLIVE ø 10 mm**  
for model PEL 22




# LAINOX




Suitable for:

**3348031 PIPE FITTING ø 10 mm**  
thread M20x1.5  
for model PEL 22



**3348032 PIPE FITTING ø 12 mm**  
thread M20x1.5  
for model PEL 22



**3020078 PIPE FITTING ø 6 mm**  
thread M10x1



**3348044 PIPE OLIVE ø 10 mm**  
for model PEL 20 - 21



LAINOX MA86720


## Thermostats

**5009027 BULB HOLDING CLIP**  
for heating element thermostat  
for bulb ø 4 mm



LAINOX MA1033515800

**5029092 SINGLE PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb ø 6x130 mm  
for Hot cupboard (LAINOX) AC04 - AC05 - AC08  
AC10 - AC20 - AU04 - AU05 - AU08 - AU10 - AU20



LAINOX R65070140

LAINOX R65070160




Suitable for:

# LAINOX



## 7101561 SINGLE-PHASE THERMOSTAT 100-185°C

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 700 mm  
bulb  $\varnothing$  4x235 mm



LAINOX CR0589660

Suitable for:

## 5038072 SINGLE-PHASE THERMOSTAT 100-350°C

complete with auxiliary switch  
D-Shaft 6x4.6 mm  
covered capillary length 870 mm - 16A 400V  
bulb  $\varnothing$  3x144 mm



LAINOX CR0581280

## 5015693 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M10x1



LAINOX MA1037117700

## 3444120 SINGLE-PHASE THERMOSTAT 320°C


with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm



LAINOX R50304092

## 3444293 SINGLE-PHASE THERMOSTAT 320°C

with manual reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with oval coupling  $\varnothing$  10 mm



LAINOX R65070040

LAINOX R65070060


LAINOX R65075040

LAINOX 50304090

LAINOX 50304092

## 3444266 SINGLE-PHASE THERMOSTAT 338°C

with manual reset  
covered capillary length 830 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm



LAINOX R65070070

LAINOX 50304027

## 3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



LAINOX R50304030

LAINOX R50304031


LAINOX R65070210

LAINOX 50304030

LAINOX 50304031

## 3444174 SINGLE-PHASE THERMOSTAT 50-320°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



LAINOX MA1037102300

Suitable for:


**3444885 SINGLE-PHASE THERMOSTAT 53-180°C**  
with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 400V  
bulb  $\varnothing$  6x140 mm



LAINOX MA1037317300


Suitable for:

**5015518 SINGLE-PHASE THERMOSTAT 62-189°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 700 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm



LAINOX MACM097800

**5047926 SINGLE-PHASE THERMOSTAT 71-170°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length coated 1475 mm - 16A 250V  
bulb  $\varnothing$  3x180 mm



LAINOX R65070300

**5009025 STUFFING GLAND THERMOSTAT M10x1**  
hole  $\varnothing$  4.5 mm



LAINOX MACM012401

**5058340 THERMOSTAT SINGLE-PHASE 85-470°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary covered 900 mm - 16A 250V  
bulb  $\varnothing$  4x165 mm



LAINOX CR0734520

**5050566 THERMOSTAT THREE-PHASE 100-350°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary 900 mm - 10A 400V  
bulb  $\varnothing$  3x145 mm



LAINOX CR0582770

**5011445 THERMOSTAT THREE-PHASE 140°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x88 mm - with fitting and olive  $\varnothing$  6 mm  
for Hot cupboard electric (LAINOX) AC04 - AC05  
AC08 - AC10 - AC20 - AU04 - AU05 - AU08 - AU10  
AU20



LAINOX R65070020

LAINOX 50304025

**3444769 THREE-PHASE THERMOSTAT 132°C**  
with automatic reset  
capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M10x1



LAINOX MA1878900



Suitable for:

# LAINOX




**3444342 THREE-PHASE THERMOSTAT 230°C**  
with automatic reset  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x75 mm - with adapter nipple band M9x1




LAINOX MA1878600

**3744113 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 600 mm - 10A 400V  
bulb  $\varnothing$  4x122 mm



LAINOX MACM097701

**3444298 THREE-PHASE THERMOSTAT 337°C**  
with manual reset  
covered capillary length 850 mm - 10A 400V  
button bulb  $\varnothing$  14x10 mm




LAINOX R65070050

**3444382 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm




LAINOX MA1878500

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm



LAINOX MA1309115


**3444570 THREE-PHASE THERMOSTAT 95-230°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1250 mm  
bulb  $\varnothing$  4x128 mm



LAINOX CR0686120

## Timers

**5038286 PROGRAMMER 11902F3 2 CAMS**  
230V 50/60Hz  
cycle 108 minutes - D-shaft  $\varnothing$  6x4.6 mm  
for Hot cupboard (LAINOX) RB061M




LAINOX A34100730

LAINOX R65090060

## Timers


**3322352** **TIMER P345 2 CAMS 230V 50/60Hz**  
complete with alarm 230V  
cycle 144 min -D-shaped pin  $\varnothing 6 \times 4$ .  $\varnothing 6$  mm



LAINOX R65090020

LAINOX 50304580

**3397302** **ALARM BELL 220V**



LAINOX R65330010

## Wheels and accessories

**3522033** **SCREW NUT FOR VITON BRATT PAN**  
dimensions 40x40x39 mm - right thread  
thread TR20x4 mm -  $\varnothing$  pin 20 mm



LAINOX MACM184300

**3522011** **WHEEL  $\varnothing 200$  mm**  
central hole  $\varnothing 20$  mm  
with folding handle



LAINOX MA1475291

**3522008** **SCREW FOR TILTING**  
total length 915 mm




**3522034** **PAN SHAFT BUSHING**




**3522031** **SCREW FOR TILTING**  
made of chrome-plated iron  
overall length 915 mm  
threaded part length 330 mm  
with articulation



**5015525** **SCREW NUT FOR BRATT PAN**  
dimensions 40x40x39 mm - right hand thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



**5015528** **SCREW NUT FOR BRATT PAN VALVE**  
dimensions 40x40x39 mm - left thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm






Suitable for:

**3522033 SCREW NUT FOR VITON BRATT PAN**  
dimensions 40x40x39 mm - right thread  
thread TR20x4 mm -  $\varnothing$  pin 20 mm



LAINOX MACM184300

**5016107 SUPPORT SLEEVE FOR TILTING SHAFT**  
external  $\varnothing$  34 mm - internal  $\varnothing$  28 mm  
base 90x85 mm - overall height 90 mm



**5032679 WHEEL SHAFT 205 mm**



## LAINOX

Suitable for:

**3522012 SPINDLE CLIP FOR HAND WHEEL**  
thread M8x10 mm






















**3522046 WHEEL HANDLE  $\varnothing$  28x110 mm**  
thread M6



*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)