



Spare parts for:

Cooking equipment



Suitable for:

LINCAR INOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

LINCAR INOX



Suitable for:

Bulb sheathes

5063591 SHEATHING FOR THERMOSTAT M14x1.5 mm
bulb length 240 mm



LINCAR INOX 26080120

Burners, flame spreaders and accessories

3025841 BURNER ø 104 mm 4.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020211

3025844 BURNER ø 128 mm 7.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020212

3025838 BURNER ø 73 mm 3Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020210

3025840 BURNER CAP ø 104 mm 4.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020221

3025841 BURNER ø 104 mm 4.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020211

3025842 VENTURI FOR BURNER RING 104 mm 4.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 32020001



LINCAR INOX



Suitable for:


3025843 BURNER CAP ø 128 mm 7.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020222

Suitable for:

3025844 BURNER ø 128 mm 7.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020212

3025845 VENTURI FOR BURNER RING 128 mm 7.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 32020002

3025837 BURNER CAP ø 73 mm 3Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020220

3025838 BURNER ø 73 mm 3Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 38020210

3025839 VENTURI FOR BURNER RING 73 mm 3Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 32020000

3025842 VENTURI FOR BURNER RING 104 mm 4.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 32020001

3025845 VENTURI FOR BURNER RING 128 mm 7.5Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 32020002

3025839 VENTURI FOR BURNER RING 73 mm 3Kw
for Pot stove gas (LINCAR INOX)



LINCAR INOX 32020000



Suitable for:

LINCAR INOX



Suitable for:

Cooking baskets and accessories

- 3055125 BLACK KNOB \varnothing 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets



LINCAR INOX 40041011

Electric hot plates

- 3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LINCAR INOX 40000015

- 3311054 ELECTRIC HOT PLATE 2600W 400V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LINCAR INOX 40000010

- 3311063 ELECTRIC HOT PLATE 3000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LINCAR INOX 40000002

Electrical gas valves and accessories

- 3526079 VALVE 820 NOVA \varnothing 1/2" FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



LINCAR INOX 40020115

- 3526270 VALVE 820 NOVA EXTENSION**
D shaft \varnothing 10x8 mm





Suitable for:

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



LINCAR INOX



Suitable for:

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE ϕ 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526078 ELBOW FLANGE ϕ 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin ϕ 10x8 mm



3241141 EXTENSION FOR 820 NOVA VALVE
D-shaped pin 10x8 mm
for OVEN- FRYER



4057862 FITTING ϕ 3/4" M-3/4" M BRASS



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3241142 KNOB GASKET ϕ 44 mm



3182008 MAGNETIC UNIT SIT
 ϕ head 35 mm - ϕ end 20 mm - length 47 mm
for valve SIT NOVASIT 820



3020083 NUT & OLIVE ϕ 4 mm





Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



LINCAR INOX



Suitable for:

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm




Gas taps and accessories

3348202 GAS TAP 21S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S





Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



LINCAR INOX

Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21





Suitable for:

LINCAR INOX




Suitable for:

3348206 GAS TAP 22S/O
no pilot flame
fittings M20x1.5 mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22




LINCAR INOX 40020003


3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348027 HORIZONTAL FLANGE \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3182010 MAGNETIC UNIT PEL
 \varnothing head 24 mm - \varnothing end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25






Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348040 PIPE OLIVE \varnothing 12 mm
for model PEL 23




3348042 PIPE OLIVE \varnothing 20 mm
for model PEL 23




LINCAR INOX

Suitable for:

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23





Suitable for:

LINCAR INOX



Suitable for:

Gas valves and accessories

3526139 EUROSIT VALVE FOR OVEN 80÷320°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 capillary length 1000 mm
 bulb \varnothing 4x72 mm



LINCAR INOX 40020105

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION




3526121 KNOB EXTENSION 42 mm
 D shaft \varnothing 8x6.5 mm



3020084 NUT & OLIVE \varnothing 6 mm



4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



3020083 NUT & OLIVE \varnothing 4 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM
 external \varnothing 13 mm - height 8 mm





Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M**



3526146 VALVE EUROSIT FOR FRY TOP 40±250°C
inlet Ø 3/8" F - outlet Ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb Ø 4x72 mm



LINCAR INOX 40020113

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



3020083 NUT & OLIVE Ø 4 mm



LINCAR INOX




Suitable for:

3001111 PIEZO IGNITER EUROSIT
male faston Ø 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



4056009 CAP FOR VALVE EUROSIT



**5050400 FITTING FOR OLIVE Ø 10 mm
thread Ø 3/8" M**



5021481 GAS OUTLET VALVE FITTING
thread Ø 3/8" M - M16x1 mm



3020084 NUT & OLIVE Ø 6 mm





Suitable for:

5050401 OLIVE FOR PIPE Ø 10 MM
external ø 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
male faston ø 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



LINCAR INOX



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M



Grids for kitchen

3195006 GRID FOR OUTLET FUMI 365x57 mm
for Pot stove gas (LINCAR INOX)



LINCAR INOX 34040004

3195004 GRID 380x370 mm
for Pot stove gas (LINCAR INOX) - Series 900



LINCAR INOX 34040001

3195003 GRID 430x370 mm
for Pot stove gas (LINCAR INOX) - Series 900



LINCAR INOX 34040000

3195005 GRID 565x380 mm
for Pot stove gas (LINCAR INOX) - Series 700



LINCAR INOX 34040002



Heating elements

3755858 HEATING ELEMENT 12000W 230/400V
length 325 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



LINCAR INOX 38000230

3186601 O-RING 04200 EPDM



3186697 O-RING 0159 EPDM



3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



LINCAR INOX 38000231

3855055 HEATING ELEMENT 1800W 230V
length 430 mm - width 75 mm
height 78 mm
for Fry top electric (LINCAR INOX) - Series 700



LINCAR INOX 38000211

3855058 HEATING ELEMENT 1840W 230V
length 280 mm - width 70 mm
fittings \varnothing 1/4"
for Pasta cooker electric (LINCAR INOX)
Series 700



LINCAR INOX 38000207

LINCAR INOX 38000234

3855054 HEATING ELEMENT 2300W 230V
length 630 mm - width 100 mm
height 75 mm
for Fry top electric (LINCAR INOX) - Series 900



LINCAR INOX 38000210

3855052 HEATING ELEMENT 2700W 230V
length 495 mm - width 615 mm
flange 160x22 mm
for Oven under cooktop electric (LINCAR INOX)



LINCAR INOX 38000205

3855059 HEATING ELEMENT 2770W 230V
length 450 mm - width 70 mm
fittings \varnothing 1/4"
for Pasta cooker electric (LINCAR INOX)
Series 900



LINCAR INOX 38000208

LINCAR INOX 38000235

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



LINCAR INOX 38000231



Suitable for:

LINCAR INOX



Suitable for:

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



LINCAR INOX 40040210

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



LINCAR INOX 40040201

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



LINCAR INOX 40040210

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



LINCAR INOX 40040200

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



LINCAR INOX 40040210

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm





Ignitors

- 3001029 PIEZO IGNITER**
 a hole \varnothing 22 mm is required for installation
 faston M \varnothing 2.4 mm
 for SNACK SERIES



LINCAR INOX 4001000

Knobs

- 3541018 KNOB BLUE \varnothing 76 mm SERIGRAFATA**
 D.shaped hole 10x8 mm



LINCAR INOX 36050005

- 3541017 KNOB BLUE \varnothing 76 mm SILK SCREEN PRINTING**
 D.shaped hole 8x6-5 mm



LINCAR INOX 36050004

- 3541019 KNOB BLUE \varnothing 76 mm 0-1-2-3-4-5-6-7**
 D.shaped hole 10x8 mm



LINCAR INOX 36050010


- 3541020 KNOB BLUE \varnothing 76 mm 0-1-2-3-4-5-6-7-8**
 D.shaped hole 8x6.5 mm



LINCAR INOX 36050011

Pilot burners and accessories

- 3020006 THREE-FLAME PILOT BURNER SIT**
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket



LINCAR INOX 309.004

- 5014757 CONNECTION PIPE \varnothing 6 mm**
 thread M10x1 mm



- 5048713 DEFLECTOR 3 FLAMES**



- 3020102 HEXAGON HEAD SCREW 3/16"x18 mm**





Suitable for:

4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



LINCAR INOX



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020081 OLIVE FOR 6 mm \varnothing PIPE



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



5015516 PILOT NOZZLE \varnothing 0.40 mm



3500269 PILOT NOZZLE \varnothing 0.45 mm



3020105 PILOT WITH 0.20 mm \varnothing JET





Suitable for:

3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**



**5033138 PIPE FITTING ø 4 mm
thread ø 1/8" M**



**5027953 PIPE OLIVE ø 4 mm
for COPRECI CAL3200**



**3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm**



**3020124 SPARKING PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm**



LINCAR INOX



Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



**3020365 SPARKING PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm**





Suitable for:

3020110 THREE-FLAME DEFLECTOR



LINCAR INOX



Suitable for:

3020103 THREE-POSITION BRACKET




3020104 THREE-POSITION BRACKET CLAMP




Rotary switches

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



LINCAR INOX 40001010

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



LINCAR INOX 40001005

Thermocouples and accessories

3440038 THERMOCOUPLE SIT M9x1 120 cm



LINCAR INOX 40021010

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



3440080 THERMOCOUPLE SIT M9x1 40 cm.



LINCAR INOX 40021005

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



3440036 THERMOCOUPLE SIT M9x1 85 cm.



LINCAR INOX 40021008

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS





Suitable for:

LINCAR INOX



3440049 THERMOCOUPLE SIT M9X1 75 cm



LINCAR INOX 40021007


Suitable for:

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



Thermostatic gas valves

3345041 TAP THERMOSTATIC 25ST
setting temperature 100-300°C
fittings M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



LINCAR INOX 40020010

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25




3020082 OLIVE FOR 12 mm \varnothing PIPE




3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



LINCAR INOX



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21




Thermostats

3444285 SINGLE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm




LINCAR INOX 40000917

3444145 SINGLE-PHASE THERMOSTAT 50-310°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1600 mm - 16A 250V
bulb \varnothing 4x120 mm
for OVEN




LINCAR INOX 40000906

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 6x90 mm - with stuffing gland fitting M9x1




LINCAR INOX 40000907

3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x90 mm - with adapter nipple band M10x1



LINCAR INOX 40000922

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



LINCAR INOX 40000919

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm
for Fry top (LINCAR INOX)



LINCAR INOX 40000920



LINCAR INOX



Suitable for:


3444620 **THREE-PHASE THERMOSTAT 45-120°C**
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x140 mm
for Pasta cooker (LINCAR INOX)



LINCAR INOX 40000908

Suitable for:

3444052 **THREE-PHASE THERMOSTAT 50-320°C**
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm






















LINCAR INOX 40000905

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us